Neck Disability Index

This questionnaire has been designed to give us information as to how your neck pain has affected your ability to manage in everyday life. Please answer every section and mark in each section only the one box that applies to you. We realise you may consider that two or more statements in any one section relate to you, but please just mark the box that most closely describes your problem.

	Office Use Only
	Name
re	Date
☐ I cannot lift or carry ar	ything
Section 4: Reading	J
☐ I can read as much as	I want to with no pain in my neck
☐ I can read as much as	I want to with slight pain in my neck
\square I can read as much as	I want with moderate pain in my neck
☐ I can't read as much as	s I want because of moderate pain in my neck
\square I can hardly read at all	because of severe pain in my neck
☐ I cannot read at all	
Section 5: Headacl	nes
☐ I have no headaches at	all
☐ I have slight headaches	s, which come infrequently
☐ I have moderate heada	ches, which come infrequently
☐ I have moderate heada	ches, which come frequently
☐ I have severe headache	es, which come frequently
☐ I have headaches almo	st all the time
Section 6: Concen	tration
☐ I can concentrate fully	when I want to with no difficulty
☐ I can concentrate fully	when I want to with slight difficulty
☐ I have a fair degree of	difficulty in concentrating when I want to
☐ I have a lot of difficult	y in concentrating when I want to
☐ I have a great deal of	difficulty in concentrating when I want to

☐ I cannot concentrate at all

Section 1: Pain Intensity
☐ I have no pain at the moment
☐ The pain is very mild at the moment
☐ The pain is moderate at the moment
☐ The pain is fairly severe at the moment
☐ The pain is very severe at the moment
☐ The pain is the worst imaginable at the moment
Section 2: Personal Care (Washing, Dressing, etc.)
☐ I can look after myself normally without causing extra pain
☐ I can look after myself normally but it causes extra pain
☐ It is painful to look after myself and I am slow and careful
☐ I need some help but can manage most of my personal care
☐ I need help every day in most aspects of self care
$\hfill\square$ I do not get dressed, I wash with difficulty and stay in bed
Section 3: Lifting
☐ I can lift heavy weights without extra pain
☐ I can lift heavy weights but it gives extra pain
☐ Pain prevents me lifting heavy weights off the floor, but I can manage if they are conveniently placed, for example on a table
☐ Pain prevents me from lifting heavy weights but I can manage light to medium weights if they are conveniently positioned
☐ I can only lift very light weights

Section 7: Work		Section 9: Sleeping			
☐ I can do as much work as I want to ☐ I can only do my usual work, but no more ☐ I can do most of my usual work, but no more ☐ I cannot do my usual work ☐ I can hardly do any work at all ☐ I can't do any work at all		☐ I have no trouble sleeping ☐ My sleep is slightly disturbed (less than 1 hr sleepless) ☐ My sleep is mildly disturbed (1-2 hrs sleepless) ☐ My sleep is moderately disturbed (2-3 hrs sleepless) ☐ My sleep is greatly disturbed (3-5 hrs sleepless) ☐ My sleep is completely disturbed (5-7 hrs sleepless)			
Section 8: Driving		Section 10: Recreation			
☐ I can drive my car without any neck pain ☐ I can drive my car as long as I want with slight pain in my neck ☐ I can drive my car as long as I want with moderate pain in my neck ☐ I can't drive my car as long as I want because of moderate pain in my neck ☐ I can hardly drive at all because of severe pain in my neck ☐ I can't drive my car at all		 □ I am able to engage in all my recreation activities with no neck pain at all □ I am able to engage in all my recreation activities, with some pain in my neck □ I am able to engage in most, but not all of my usual recreation activities because pain in my neck □ I am able to engage in a few of my usual recreation activities because of pain in my neck □ I can hardly do any recreation activities because of pain in my neck □ I can't do any recreation activities at all 			
Score:/50 Transform to percentage score x 100	V. 2017 P. (1247-64112)				
Scoring: For each section the total possible score is 5: if the first scompleted the score is calculated as follows:	tatement is marked the section score = 0, if the last statement is marked it = 5. If all ten sections are Example: 16 (total scored) 50 (total possible score) x 100 = 32%				
If one section is missed or not applicable the score is calculated:	core) x 100 = 35.5%				
Minimum Detectable Change (90% confidence): 5 points or 10 %	points				
NDI developed by: Vernon, H. & Mior, S. (1991). The Neck Disability Ind	ex: A study of reliability	and validity. Journal of Manipulative and Physiological Therapeutics. 14, 409-415			