

Dear Professor Chen,

I hope this email finds you well.

I am currently reviewing Exercise 4.2 on FP-Growth (specifically slide 77, which I have attached for reference) and had a question about determining the conditional pattern base.

The exercise asks for the conditional pattern base for item 'E'.

1. {ACD:1, AD:1, BC:1} 2. {ACD:1, AD:1, C:1}

Could you please clarify which conditional pattern base for 'E' is correct? In other words, if I am asked to write CPB-E in the exam, should I write the one before deletion (similar to 1) or the one after deletion (similar to 2)?


Thank you for your time and clarification.

Best regards,

Zongze Li

## Exercise 4.2: 1) FP-Growth discussions

TID	Items (Sorted F-list)
1	{A,B}
2	{B,C,D}
3	$\{A,C,D,E\}$
4	{A,D,E}
5	{A,B,C}
6	$\{A,B,C,D\}$
7	{A}
8	{A,B,C}
9	{A,B,D}
10	{B,C,E}



## Look for conditional pattern base - E

fp |E : ADE=2; AE=2; CE=2; DE=2;

77



Lihui CHEN

收件人: ❷ #LI ZONGZE#

← 答复 ≪ 全部答复 → 转发 🔯 🔡

周五 2025/5/2 10:52

The final one: 2.

• • •

CONFIDENTIALITY: This email is intended solely for the person(s) named and may be confidential and/or privileged. If you are not the intended recipient, please delete it, notify us and do not copy, use, or disclose its contents. Towards a sustainable earth: Print only when necessary. Thank you.

Thank you! These are great! Thank you! Got it, thanks!









Sorry my bad. Yes, the full CPB is the one without removing those non-frequent items — or it should include all items generated from the FP tree. We can then prune those non-frequent items based on the CPB, to construct the conditional FP tree. Pls share this with ZongZe. Cheers,

Lihui