Setup

For Mac Users

- 1. For Mac/OSX via Brew
 - i. brew update
 - ii. brew tap freshworks-developers/homebrew-tap to use brew tap
 - iii. brew install fdk to install FDK via brew
 - iv. fdk –v to verify FDK installation
 - v. Use source "\$(brew --repository freshworks-developers/homebrew-tap)/path.bash.inc" to initialize FDK in a fresh terminal, you must source the FDK by modifying the path variable.

For Windows installation via Chocolatey

```
1. Run `powershell.exe` in Admin mode
2. Run below command to install chocolatey if not already installed
```sh

Set—ExecutionPolicy Bypass —Scope Process —Force; [System.Net.ServicePointManager]::SecurityProtocol —bor 3072; iex ((New—Object System.Net.WebClient).DownloadString('https://community.chocolatey.org/install.ps1'))
3. Ensure you have the latest version of Chocolatey by running `choco upgrade` chocolatey in your command—line interface.
4. Download FDK Package: For testing purposes, download the FDK package from [GitHub](https://github.com/nadeem—freshworks/choco—fdk/blob/main/fdk.1.0.0.nupkg).
5. Use this command to install the downloaded package
```sh
choco install fdk —source="'path/to/nupkg'" '-y'

For example
```sh
choco install fdk —source="'C:\<user>\Downloads'" '-y'
```

## **Verify Windows installation**

- 1. On successful installation it will perform following things
  - i. Install Node with version v18.12.1 or higher
  - ii. Install NPM with version 8.19.2 or higher
  - iii. Install FDK CLI utility with version 9.1.0 or higher
  - iv. Create a new directory in C Drive with name fdk
- 2. Once installed, open a new terminal / command prompt and execute the script following command to Load the FDK.

C:\fdk\loadFdk.ps1