Supplemental Table 3: Results from PGT-A and PGT for mtDNA disease of embryo specimens from all patients

Patient ID	Sample ID	Sample type	Mutation level (%)	Predicted karyotype	Interpretation
A 1st cycle	1	Trophectoderm biopsy	ND	48,XXY,+16	Mutation not detected; aneuploid
	2[1]	Whole embryo	ND	46,XX	Mutation not detected; euploid
A 2nd cycle	3[1]	Whole embryo	88.7	47,XXY,5,+6	Mutation detected; aneuploid
	4	Unfertilised oocyte	91.2	Not tested	Mutation detected
B	1	Trophectoderm biopsy	ND	46,XY	Mutation not detected; euploid
	2	Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	3	Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	4	Trophectoderm biopsy	ND	46,XY	Mutation not detected; euploid
	5	Trophectoderm biopsy	ND	45,XY,-16	Mutation not detected; aneuploid
	6	Trophectoderm biopsy	ND	46,XY	Mutation not detected; euploid
	7	Trophectoderm biopsy	ND	45,XY,-11	Mutation not detected; aneuploid
	8	Trophectoderm biopsy	ND	46,XY	Mutation not detected; euploid
	9	Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	10	Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	11[1] a	Blastomere	ND	45,XYY,-6,-15	Mutation not detected; aneuploid
	11[1] b	Blastomere	ND	44,XYY,-2,-6,-15	Mutation not detected; aneuploid
	11[1] c	Blastomere	ND	45,XY,-15	Mutation not detected; aneuploid
	11[1] d	Blastomere	ND	47,XYY,+3,-6,-15,+22	Mutation not detected; aneuploid
	11[1] e	Blastomere	ND	47,XYY,-15,+22	Mutation not detected; aneuploid
	12	Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	13[1] a	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] b	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] c	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] d	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] e	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] f	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] g	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] h	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] i	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] j	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	13[1] k	Blastomere	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	14[2]	Whole embryo	ND	47,XX,+16	Mutation not detected; aneuploid

	15		Trophectoderm biopsy	ND	47,XX,+22	Mutation not detected; aneuploid
	16		Unfertilised oocyte	ND	24,X,+16	Mutation not detected; aneuploid
	17		Trophectoderm biopsy	ND	45,XX,-16	Mutation not detected; aneuploid
	18		Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
C 1st cycle	1[1]	a	Blastomere	ND	Not tested	Mutation not detected
		b	Blastomere	ND	Not tested	Mutation not detected
		c	Blastomere	ND	Not tested	Mutation not detected
		d	Blastomere	ND	Not tested	Mutation not detected
	2		Unfertilised oocyte	ND	Not tested	Mutation not detected
	3		Blastomere biopsy	ND	46,XX	Mutation not detected; euploid
C 2nd cycle	4[1]		Whole embryo	ND	Not tested	Mutation not detected
	5		Blastomere biopsy	ND	46,XY	Mutation not detected; euploid
	6		Blastomere biopsy	ND	43,XX,-6,-15,-20	Mutation not detected; aneuploid
	7[1]		Whole embryo	ND	Not tested	Mutation not detected
	8[1]		Whole embryo	ND	Not tested	Mutation not detected
	9		Blastomere biopsy	ND	Complex abnormal[4]	Mutation not detected; aneuploid
	10		Unfertilised oocyte	ND	Not tested	Mutation not detected
	11		Unfertilised oocyte	ND	Not tested	Mutation not detected
D	1		Trophectoderm biopsy	29.2	47,XX,-4,-6p,+8,+20	Mutation detected; aneuploid
	2[1]	a	Half embryo	37.0	Not tested	Mutation detected
		b	Half embryo	35.6	Not tested	
	3		Trophectoderm biopsy	11.5	Complex abnormal[4]	Mutation detected; aneuploid
	4[1]	a	Half embryo	ND	Not tested	Mutation not detected
		b	Half embryo	ND	Not tested	
	5[2]		Whole embryo	ND	Not tested	Mutation not detected
	6		Unfertilised oocyte	37.5	Not tested	Mutation detected
	7		Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	8[1]	a	Half embryo	37.1	Not tested	Mutation detected
		b	Half embryo	36.9	Not tested	
	9		Trophectoderm biopsy	3.1	46,XY	Mutation detected; euploid
	10[1]	a	Half embryo	ND	Not tested	Mutation not detected
		b	Half embryo	ND	Not tested	
	11		Trophectoderm biopsy	ND	46,XX	Mutation not detected; euploid
	12		Trophectoderm biopsy	ND	47,XX,+18	Mutation not detected; aneuploid
	13		Trophectoderm biopsy	ND	45,XX,+1,-3,-10	Mutation not detected; aneuploid

	14		Trophectoderm biopsy	ND	48,XX,+4,+16	Mutation not detected; aneuploid
	15[1]	a	Half embryo	ND	Not tested	Mutation not detected
		b	Half embryo	No amplification		
	16		Trophectoderm biopsy	ND	45,XX,-9	Mutation not detected; aneuploid
	17[1]	a	Half embryo	39.6	Not tested	Mutation detected
		b	Half embryo	36.4	Not tested	
	18[1]	a	Half embryo	ND	Not tested	Mutation not detected
		b	Half embryo	ND	Not tested	
	19[1]	a	Half embryo	4.6	Not tested	Mutation detected
		b	Half embryo	6.8	Not tested	
	20[1]	a	Half embryo	ND	Not tested	Mutation not detected
		b	Half embryo	ND	Not tested	

Mean coverage of mutation loci was 94,253 reads, ranging from 12,176-525,522. [1]Arrested at cleavage-stage. [2]Arrested at blastocyst-stage. [3]>4 chromosome errors. ND=not detected.