

THE ADHD BLUEPRINT SERIES

# ADHD in Relationships

---

*How to Love and Be Loved With a  
Scattered Brain*

## Disclaimer

---

This book is for educational and informational purposes only. It does not constitute medical or psychological advice and is not a substitute for professional diagnosis or treatment. ADHD is a neurodevelopmental condition that should be assessed and managed by qualified healthcare professionals.

The strategies described here are practical approaches that many people with ADHD find helpful. Individual results vary. If you believe you or someone you care for may have ADHD, please seek a comprehensive evaluation from a qualified clinician.

The author and publisher accept no liability for outcomes arising from use of this material.

# Contents

---

1. How ADHD Shows Up in Relationships
2. Communication Strategies That Actually Work
3. Managing Emotional Dysregulation in Partnership
4. Rebuilding Fairness in Partnership
5. When to Seek Couples Support

# How ADHD Shows Up in Relationships

---

*ADHD doesn't stop at the front door of a relationship. The same executive function differences that show up at work show up at home — and in the intimate context of a long-term partnership, they can be significantly more painful.*

## The Most Common ADHD Relationship Patterns

Forgetting important things — anniversaries, commitments made in conversation, things asked once and not remembered. Emotional dysregulation during conflict — the ADHD partner's disproportionate responses, quick escalation, and difficulty de-escalating. The hyperfocus trap — intense attention during the early relationship giving way to what feels like inattention once the novelty fades, which non-ADHD partners often experience as withdrawal or reduced love. And the task distribution imbalance — the non-ADHD partner gradually taking on more of the household executive function as the ADHD partner's inconsistency makes delegating unreliable.

## The Non-ADHD Partner's Experience

Melissa Orlov's research on ADHD in relationships documents the characteristic pattern: the non-ADHD partner feels like a parent, nag, or manager; the ADHD partner feels constantly criticised and misunderstood; both partners feel alone in the relationship despite being physically together. This pattern is recognisable to a remarkable proportion of couples where one partner has ADHD.

Understanding this pattern as a systemic consequence of ADHD dynamics — not a character failure in either partner — is the first step toward addressing it. Neither person is the villain in this story.

---

*"ADHD is a third party in the relationship. Naming it accurately allows both partners to work with it rather than against each other."*

---

# Communication Strategies That Actually Work

---

*ADHD impairs working memory, sustained attention, and emotional regulation – all of which are required for effective communication. Strategies that compensate for these are not workarounds, they are the main path.*

## The Conversation Framework

Important conversations with an ADHD partner should happen when: both people are not hungry, tired, or already emotionally activated; the environment is quiet with minimal distraction; and there's sufficient time that the conversation doesn't feel artificially truncated. These conditions seem obvious but are rarely deliberately created.

Short, clear requests over long, context-heavy ones. 'Please take the bins out tonight' over 'I've mentioned the bins several times and they still haven't gone out and it's really frustrating because...' The longer the request, the more working memory it demands, and the more likely the ADHD partner is to lose the thread.

## Writing It Down

The ADHD brain does not reliably retain verbal requests. This is not willful disregard — it is a working memory limitation. Writing down agreements, tasks, and commitments — in a shared system that both partners can see — removes the dependency on the ADHD partner's working memory and the non-ADHD partner's tracking of whether things were remembered.

A shared digital list (Apple Notes, Google Keep, Notion) where household tasks and commitments are logged immediately after discussion is one of the most practical single tools for ADHD couples.

---

*"Working memory is the constraint. External systems are the solution. Use them without shame."*

---

# Managing Emotional Dysregulation in Partnership

---

*The emotional intensity of ADHD — the quick escalation, the rejection sensitivity, the difficulty de-escalating — is often the most damaging relationship feature.*

## Recognising the Activation Early

Emotional dysregulation in ADHD is faster than in neurotypical nervous systems — from neutral to activated can happen in seconds. Learning to recognise the physical early warning signs of activation — a tightening in the chest, a change in breathing, a particular quality of internal tension — and exit the conversation before escalation is a trainable skill.

The exit needs to be agreed upon in advance: 'When I say I need ten minutes, that means I'm close to escalating and I'm removing myself to regulate. It's not abandonment. I'll come back when I'm calm.' This agreement, made during a calm moment, prevents the exit from being interpreted as stonewalling.

## After the Rupture

ADHD emotional eruptions often end in genuine remorse – the ADHD partner recognises what happened and feels significant shame. The path through is repair, not self-flagellation. Acknowledging what happened, understanding the impact on the partner, and taking specific action to reduce recurrence (including professional support if the pattern is severe) is the functional response.

---

*"The intensity is real. The regulation is learnable. The relationship is worth both."*

---

# Rebuilding Fairness in Partnership

---

*When the division of household and family labour is significantly unequal due to ADHD, resentment builds. Addressing this honestly is necessary for the relationship's health.*

## A Honest Division of Labour

Rather than dividing tasks equally, divide them according to capacity and genuine sustainability. The ADHD partner taking responsibility for tasks that genuinely match their profile — physically active tasks, creative tasks, high-interest-level tasks — and being released from tasks that require consistent detail management, produces better outcomes than an equal division that reliably fails.

This requires honest assessment without blame: 'I am not reliable at managing school paperwork. You are. Can we formally assign this to you, and I take on X instead?' This is a negotiation between adults, not a confession of inadequacy.

---

*"Fair doesn't mean equal. Fair means both partners are contributing in ways that are sustainable for their actual capacities."*

---

# When to Seek Couples Support

---

*ADHD-aware couples therapy is significantly more effective for ADHD relationship challenges than standard couples therapy.*

## Finding the Right Support

A therapist who doesn't understand ADHD may misattribute ADHD behaviour — the forgetting, the emotional reactivity, the inconsistency — to character flaws or relationship motivation problems, which deepens rather than resolves the conflict. Seeking a therapist with specific ADHD training, or using resources like Melissa Orlov's couples programme designed specifically for ADHD relationships, produces better outcomes.

ADHD treatment itself — whether medication, coaching, therapy, or a combination — is one of the most powerful relationship interventions available. When the ADHD partner's symptoms are adequately managed, many of the relationship dynamics that cause the most friction reduce significantly.

---

*"The relationship is not broken. It has a specific challenge that has specific solutions. Both are worth pursuing."*

---