An Introduction to String Theory

Mate Zoltan Farkas

July 13, 2020

Table of Contents

Introduction – Notation

- Metric:
  - $\eta_{\mu\nu} = \text{diag}(\text{-}1,+1,\, \ldots,\, +1)$

The Relativistic Point Particle – The Action

- Consider the action of a point particle (with fixed coordinates $X_\mu = (t, \vec{x})$ in a given frame):

$$S = -m \int dt \sqrt{1 - \dot{\vec{x}}\dot{\vec{x}}}$$

$\rightarrow$ not Lorentz-invariant, due to mixture of spacial and temporal coordinates under a Lorentz-transformation Λ.

- Consider instead for a generalized coordinate τ along the line element:

$$S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$$



Ref: [1]

Remark: S is proportional to the integral over the worldline of the particle

- Consider the action of a point particle (with fixed coordinates $X_\mu = (t, \vec{x})$ in a given frame):

$$S = -m \int dt \sqrt{1 - \dot{\vec{x}}\dot{\vec{x}}}$$

$\rightarrow$ not Lorentz-invariant, due to mixture of spacial and temporal coordinates under a Lorentz-transformation Λ.

- Consider instead for a generalized coordinate τ along the line element:

$$S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$$



Ref: [1]

Remark: S is proportional to the integral over the worldline of the particle

Dynamics of a Relativistic String – The Nambu-Goto Action

Action of the Relativistic String?

particle	$\Leftrightarrow$	worldline	$\Leftrightarrow$	$S = -m \int \underbrace{d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}}_{\text{line element } ds}$
closed string	$\Leftrightarrow$	?	$\Leftrightarrow$	?

Action of the Relativistic String?

$$\text{particle} \quad \Leftrightarrow \quad \text{worldline} \quad \Leftrightarrow \quad S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$$

$$\text{closed string} \quad \Leftrightarrow \quad \text{worldsheet} \quad \Leftrightarrow \quad ?$$

Action of the Relativistic String?

particle $\Leftrightarrow$ worldline $\Leftrightarrow$ $S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$

closed string $\Leftrightarrow$ worldsheet $\Leftrightarrow$ Nambu-Goto/Dirac Action

The Relativistic Point Particle – Action Symmetries

What are the symmetries of

$$S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$$

- Reparametrization invariance:

  Let $\tilde{\tau} = \tilde{\tau}(\tau)$. Then:

$$S' = -m \int d\tilde{\tau} \sqrt{-\frac{dX^\mu}{d\tilde{\tau}}\frac{dX^\nu}{d\tilde{\tau}}\eta_{\mu\nu}} = S$$

  $\rightarrow$ gauge symmetry of the action $\rightarrow$ still D-1 dof!

- Poincaré invariance:

  Let:

$$X'^\mu = \Lambda^\mu{}_\nu X^\nu + c^\mu$$

  Then:

$$S' = S, \qquad \text{as} \qquad \Lambda^\mu{}_\rho \, \eta_{\mu\nu} \, \Lambda^\nu{}_\sigma = \eta_{\rho\sigma}$$

The Relativistic Point Particle – Action Symmetries

What are the symmetries of

$$S = -m \int d\tau \sqrt{-\frac{dX^\mu}{d\tau}\frac{dX^\nu}{d\tau}\eta_{\mu\nu}}$$

- Reparametrization invariance:

  Let $\tilde{\tau} = \tilde{\tau}(\tau)$. Then:

$$S' = -m \int d\tilde{\tau} \sqrt{-\frac{dX^\mu}{d\tilde{\tau}}\frac{dX^\nu}{d\tilde{\tau}}\eta_{\mu\nu}} = S$$

  $\rightarrow$ gauge symmetry of the action $\rightarrow$ still D-1 dof!

- Poincaré invariance:

  Let:

$$X'^\mu = \Lambda^\mu{}_\nu X^\nu + c^\mu$$

  Then:

$$S' = S, \qquad \text{as} \qquad \Lambda^\mu{}_\rho \, \eta_{\mu\nu} \, \Lambda^\nu{}_\sigma = \eta_{\rho\sigma}$$

Never forget the Titles!

- first item
  - subitem
    - subsubitem
- second item
  1. item 1
     1.1 subitem 1
     1.2 subitem 2
  2. item 2
- third item

Never forget the Titles!

- first item
  - subitem
    - subsubitem
- second item
  1. item 1
     1.1 subitem 1
     1.2 subitem 2
  2. item 2
- third item

Never forget the Titles!

- first item
  - subitem
    - subsubitem
- second item
  1. item 1
     1.1 subitem 1
     1.2 subitem 2
  2. item 2
- third item

Never forget the Titles!

- first item
  - subitem
    - subsubitem
- second item
  1. item 1
     1.1 subitem 1
     1.2 subitem 2
  2. item 2
- third item

Never forget the Titles!

- first item
  - subitem
    - subsubitem
- second item
  1. item 1
     1.1 subitem 1
     1.2 subitem 2
  2. item 2
- third item

Covariant Quantization of the Solutions of the Nambu-Goto Action

$$S = \frac{1}{2\pi\alpha'} \int \sqrt{-\det g}\, \partial_\mu \tag{1}$$

Quantization of X^μ in the Lightcone Gauge

References

[1] David Tong. "Lectures on String Theory". In: *arXiv:0908.0333 [hep-th]* (Feb. 2012). arXiv: 0908.0333. URL: http://arxiv.org/abs/0908.0333 (visited on 07/13/2020).