

An Introduction to String Theory

Mate Zoltan Farkas

July 13, 2020

Table of Contents

- 1 Introduction
 - Notation
- 2 The Relativistic String – The Action
- 3 Covariant Quantization of the Solutions
- 4 Quantization in the Lightcone Gauge

► Metric:

- $\eta_{\mu\nu} = \text{diag}(-1, +1, \dots, +1)$

The Relativistic String – The Action

Consider the action of a point particle: x

$$S = -m \int dt \sqrt{1 - \dot{x}^2}$$

Never forget the Titles!

- ▶ first item
 - subitem
 - subsubitem
- ▶ second item
 - 1. item 1
 - 1.1 subitem 1
 - 1.2 subitem 2
 - 2. item 2
- ▶ third item

Never forget the Titles!

- ▶ first item
 - subitem
 - subsubitem
- ▶ second item
 - 1. item 1
 - 1.1 subitem 1
 - 1.2 subitem 2
 - 2. item 2
- ▶ third item

Never forget the Titles!

- ▶ first item
 - subitem
 - subsubitem
- ▶ second item
 - 1. item 1
 - 1.1 subitem 1
 - 1.2 subitem 2
 - 2. item 2
- ▶ third item

Never forget the Titles!

- ▶ first item
 - subitem
 - subsubitem
- ▶ second item
 - 1. item 1
 - 1.1 subitem 1
 - 1.2 subitem 2
 - 2. item 2
- ▶ third item

Never forget the Titles!

- ▶ first item
 - subitem
 - subsubitem
- ▶ second item
 1. item 1
 - 1.1 subitem 1
 - 1.2 subitem 2
 2. item 2
- ▶ third item

Covariant Quantization of the Solutions of the Nambu-Goto Action

$$S = \frac{1}{2\pi\alpha'} \int \sqrt{-\det g} \, \partial_\mu \quad (1)$$

Quantization of X^μ in the Lightcone Gauge