


Graphical Perception




Michael Friendly
Psych 6135

<https://friendly.github.io/6135>



- Perception & Cognition
 - Encoding, decoding
 - Top-down vs. bottom-up processing
- Perceptual aspects
 - Illusions
 - Gestalt factors
 - Accuracy of decoding
- Cognitive aspects
 - Memory
 - Color




2

Graphical Perception

- In constructing a graph, **quantitative** and **categorical** information is **encoded** by visual attributes:

- Length
- Position along axis
- Angle
- Area
- Color, shape, line style




- What determines the ability of graph viewers to:
 - Make **comparisons** (which is larger?)
 - **Estimate** a magnitude?
 - See **patterns**, trends, unusual features?

3

Encoding & decoding

- When we construct a graph, we **encode** a numerical or categorical variable as a graphical attribute
- When we view a graph, the goal is to **decode** the graphical attributes and extract information about the data that was encoded




- Encoding should rely on features that can easily be decoded
- Often, easier said than done! The devil is in the details

4

Visual & cognitive systems

- A simplified model: Three stages




- Sensory (iconic) memory
 - pre-attentive, automatic, feature detection
 - massively parallel, short duration, easily fooled ("thinking fast")
- Working memory
 - requires attention, limited capacity (~ 4-6 "chunks")
 - memory aids: rehearsal; imagery
- Long-term memory
 - real-world knowledge, ~ unlimited capacity, inference ("thinking slow")

5

Perception vs. cognition

Another coarse distinction:

- Perception:** Processing of the signals coming in: what you **"see"**
- Cognition:** How you **understand** and **interpret** what you see



A nice scientific or textbook diagram

But where is cognition?






Based on slide from G. Grinstein

6

Perception: Bottom-up & Top-down

- Bottom-up processing
 - Low level: features → pattern → object
 - Detect edges, contours, color, motion
- Top-down processing
 - Driven by goals, expectations
 - Uses prior knowledge, experience, filters what we "see"



7

Perception: Bottom-up

How many 5s in this display?

1561321203658413076510374627
4173127527327592732990709742
1703707774179527931749270973
4019743217909370945179279417

How many 5s in this display?

1561321203658413076510374627
4173127527327592732990709742
1703707774179527931749270973
4019743217909370945179279417

Numerals differ only in **shape**, and are high-level symbols.
You have to literally scan them **all** & count the 5s.

The distinction of **color** is immediate & **pre-attentive**
You only have to scan for 5s & count them.

This is why **color** is an important visual attribute for a **categorical** variable in graphs


8

Perception: Top-down


What is in this scene?



What is the middle character?



What here?



What is the middle letter in each word?

TAE CAT

All of these are demonstrations of the role of **expectations** (top-down) in determining what we “see”
Gregory ('70): perception as **constructive**, depends on prior knowledge

9




Illusions: The Eye-Brain Barrier

Perceptual illusions give some guidance on what **not to do** in data graphics

Illusions: Length

Surrounding **context** matters in judging the **length** of objects.

Which **line** is longer? Or are they the same?




Surrounding **context** pulls perception of length in its direction
This is the famous **Müller-Lyre** illusion

Illusions: Area

Surrounding **context** matters in judging the **area** of objects.


Which **red circle** is larger? Or are they the same?



Surrounding **context** pulls perception of area against the background
This is often called the **Ebbinghaus** illusion or the **Tichener** illusion

Illusions: Length

Which of the bars are longer? Or, are they all the same length?




R code:

```
x <- seq(0, 5 * pi, length.out = 100)
w <- 0.5
plot(x, sin(x), ylim = c(-1, 1 + w), type = "n")
segments(x0 = x, y0 = sin(x), y1 = sin(x) + w, lwd = 3)
```

13

Illusions: Difference

Where are **differences** between curves are larger? Or, are they all the same?



This is sometimes called the “sine illusion”


14

Illusions: Difference

Plotting the difference directly gives the answer.



OMG!





Why does this matter?

15

Distances between curves


Playfair didn't know that judgments of distance between curves are **biased**
We tend to see the **perpendicular** distance rather than the **vertical** distance




16

Illusions: Perspective

Which **thick** line is longer? Or, both the same?



Which figure is tallest?
Or, all the same?




This is often called the **Ponzo** illusion: We judge the **size** of real-world objects relative to their **background** and **perspective**.

17


Context illusions: Lines, shapes

Perception of elements of a scene is affected by context, background, etc.


Are the squares straight or tilted?



Are the pink lines straight or curved?




Does the rectangle change in darkness?



18

Context illusions: Color


Are the balls **different colors** or are they all the **same color**?



19

Context illusions: Color

Removing the foreground stripes shows them all the **same** (Munker illusion: perception of color is influenced by neighborhood)




More examples: <http://engineering.utep.edu/novick/colors/>

20


Illusions: Semantic/cognitive

Perception of object figures often shows a preference for **orientation** in nature

Is this image a duck, or a rabbit?



Duck or rabbit?



21

Catalog of visual/auditory illusions


<https://www.illusionsindex.org/illusions>

A large collection of illusions with references to research studies.

A screenshot of the homepage of The Illusions Index. The top navigation bar includes links for Home, About, Explore, Suggest, Donate, Feedback, and Quiz. A search bar is also present. The main content area features a grid of thumbnail images representing various optical illusions. Some visible titles include "YOUNG WOMAN OR OLD WOMAN", "WATERFALL ILLUSION", "ADELSON'S CHECKER-SHADOW ILLUSION", and "TROXLER EFFECT". A sidebar on the right provides information about the site's purpose and how to search for illusions.

22

Selective attention



<https://www.youtube.com/watch?v=vJG698U2Mvo>

Attention strongly **focused** on some feature(s) **steals** attention from others

23

Magnitude estimation

How large are transport accidents?
How much bigger than non-transport accidents?



Estimation of **length** or ratios of length are more accurate than the same judgments of **area**.

24

Area vs. length judgments

Easy: Which is larger— South Africa or Egypt?


Harder: How much larger is South Africa than Egypt? (% or ratio)

African Countries by GDP



Judgments here based on area

African Countries by GDP



Judgment here based on position along a scale

25

Theory: Stevens' Power Law

- How does perceived magnitude of a sensation relate to stimulus intensity?
- S. S. Stevens (1957) showed that, for many domains

$$\text{Sensation} \propto \text{Intensity}^p$$

- These provide ways to assess the accuracy of magnitude estimation for visual encodings
 - length: most accurate ($p \approx 1$)
 - area, depth: sub-sensitive ($p < 1$)
 - electric shock: hyper-sensitive ($p > 1$)
- But: graph perception is not always a matter of estimating magnitudes.





Fig. 5.7 from: Munzner, Visualization Analysis & Design

26

Practice: Scale of accuracy

A commonly used “scale” of accuracy of magnitude judgments of relative size

- How much smaller/larger is A compared to B?



Not necessarily the same for other tasks (Part-whole: What % is A of total?)

27

Accuracy: Experimental evidence

Cleveland & McGill (1984) and later Heer & Bostock (2010) carried out experiments to assess the relative accuracy of magnitude judgments for different visual encodings

The task here is to estimate the %age of the smaller highlighted portion.

The details of these studies are interesting & important – more next week

The graph of these results is a great model for data display




Fig. 5.8 from: Munzner, Visualization Analysis & Design

28

Encodings: Types & ranks

Based on this, Munzner (2015) proposes a ranking of visual attributes for **ordered** & **categorical** variables in data displays, with different **channels**

These hold when the task is to estimate a **magnitude**.

A different ranking may occur for other graph-based tasks.

angle (pie charts) – good for % of total judgments

color (mosaic plots) – good for pattern perception




Fig. 5.6 from: Munzner,
Visualization Analysis & Design


29

Integral & separable encodings

- Some encodings can be viewed **independently**
 - two different variables **can** be decoded separately
- Some **combine** with each other to some degree.
 - different variables **cannot** be easily decoded separately

← Separable

Integral →




From: Ware, *Information visualization: Perception for Design*

30

Integral dimensions

A bivariate U.S. county-level map showing:

% diabetic (**saturation**) and % obese (**hue**)



It is difficult to see variations in **diabetes** separately from **obesity**


The eye is attracted to the positive correlation between these dark (blue, red) vs. light color

31

Separable dimensions

Bivariate map of N. C.: disability (**size**) and unemployment rate (**saturation**)

- These can be seen separately
- (However, TOTAL disability is confounded with population density)



32


Anomaly detection

Find the red dot ● in each of the following displays

- This task is easiest when all the rest are blue dots ●
- Next easiest when **only shape** distinguishes the red dot ■
- Hardest when both **color and shape vary** ● ■

Sometimes called
“popout” effect.
Not a good term.

This is important in
designing graphs to
highlight some points.



33

Anomaly detection

For each display, find the anomaly shown at the left


Color and shape: What is easy or hard depends on the background



difficult




easy



difficult




easy



difficult




easy



difficult



easy



34

Encodings: Lessons


- Ordered variables
 - Prefer encodings at the top of the hierarchy (position along a scale) to those at the bottom (color saturation, curvature)
- Favor separable encodings
 - Use color and another attribute--- shape, size, orientation ● ■
 - Don't overload symbols--- probably two at most
 - Avoid mixing two aspects of color or two aspects of shape
- Small multiples
 - Reduces the need for multiple encodings within a panel
 - But, makes direct comparison more difficult
- **Highlighting:** to draw attention to one group, use a pre-attentive attribute

35

Encodings: Lessons

- Best to show quantitative variables with **position** or **length**
- Bar charts:
 - Best encoding via length → start at 0
 - Avoid stacked bars (not aligned), where possible
- Dot charts:
 - Best encoding via position along a scale → start at 0
- Frequency data:
 - area/color encoding to show patterns
 - sqrt or log scale often useful to show magnitude
- Color: choose sensibly ordered hues or saturation
- Arrangement
 - make comparisons easier by placing things to be compared nearby

36




Gestalt principles of graph perception

37

Gestalt principles

- (a) **proximity** creates impression of 2 groups
- (b) **similarity**: 3 groups via color & shape
- (c) **good continuation** gives impression of 2 groups



39


Gestalt principles

- Perception as top-down process governed by holistic principles. "Gestalt" = "form"
 - **proximity**: elements close together likely to belong to the same unit
 - **similarity**: more common visual elements increases belonging together
 - **good continuation**: elements that blend together are likely in the same unit
 - **common region**: elements in the same region likely belong together
 - **closure**: elements that make a meaningful whole belong together

38


Gestalt principles

More gestalt ideas



From:
<http://blog.yhhu.me/notes/visualizations/cs171.html>

Why lines are good in time series graphs



40


Closure

The Gestalt brain “wants” to make perception simpler by joining up disparate elements into coherent, meaningful wholes

Logos: Empty space or a symbol?



5 arcs or a circle?



blobs or an animal?




Q: Are these top-down or bottom-up?

41

Visual grouping & comparisons

Combination of color & proximity grouping → different visual comparisons are easier or harder

Did earnings increase or decrease from 1962-2007?



What was the most frequent baseball term?
Which terms go together?



From: Franconeri et al (2021) Source DOI: [10.1177/15291006211051956](https://doi.org/10.1177/15291006211051956).

42

Comparisons in a word cloud:
• weakly controlled by color;
• better controlled by proximity

Visual grouping & comparisons






Figure - Ground

What is the figure? What is the background?

Face or vase?



Black or white soldiers?



Face or park?



These examples all use different techniques to create ambiguous figures

Fig. 8. Several grouping cues that can control how data values are compared. Connecting lines are particularly powerful cues, followed by proximity, color, and shape (Brooks, 2015).

43


44

Ambiguous figures: Priming

Can you see the **poodle** in this scene?

What about the **man**?

Semantic priming: Suggestion increases likelihood of perception




45

Discussion

What perceptual features or principles are involved in your reading or understanding of these figures?



What about this?



Top-down?
Bottom-up?
Gestalt?



or this?



or this?




47

Figure - Ground

This graph inverts the y-axis, and shades the area above the curve

Gun deaths in Florida




We tend to see 1999 & 2005 as high points

From: Andy Kirk, *Data Visualization: A Handbook for Data Driven Design*

A more conventional version of the same graph

Gun deaths in Florida



Gun deaths increased after the 'Stand your ground' law

46


Color: Functions in data graphics

Color serves to: **highlight**, **identify**, and **group** elements in a visual display

Find the cherries in this display:



Color acts as a **preattentive** attribute here



From: Colin Ware, *Information Visualization: Perception for Design*


48

Nice graphic, naïve about color

W.E.B. DuBois presented this as part of an exhibition on The American Negro at the 1900 Paris Exposition.

It is a landmark graphic, but shows no understanding of the use of color for a quantitative variable.

Q: Are there more Negroes per sq. mile in Texas (TX) or Louisiana (LA)?




49

Object color

What makes an orange look orange, a green apple look green, or a strawberry red?

Objects absorb colors from the rainbow, but reflect their own





From: Miriah Meyer, lecture notes, cs6330

50

Color: Aspects in data graphics

- Perception: trichromatic theory
 - How the eye sees color
- Color spaces:
 - RGB (additive), CMYK (subtractive)
 - HSV, HCL: perceptually based
- Color palettes for computer graphics
 - ColorBrewer: sequential, diverging, qualitative
 - Color-blind safe ?
 - Photocopy safe ?
- Transparency





51

Perception: The human eye

- Retina:
 - rods (monochromatic),
 - cones (R, G, B)


It is of interest to see the wide variety of ways this is conveyed in scientific diagrams:



52

Perception: color sensitivity

- Cells in the retina are differentially sensitive to colors of different wavelength
 - Each have a **distribution** of sensitivity for **short**, **medium** & **long**
 - Their **peaks** are used to name them as **Blue**, **Green**, **Red** or **Rods**




This figure also stimulates questions of scientific visualization

- Rods & cones are “normalized”
- Are they all equal in what we see?

53

Perception: color sensitivity

Color sensitivity, shown on three different scales



from: <http://slideplayer.com/slide/6329532/>


54

Perception: Contrast

Color perception, even of gray, is influenced by **contrast** against a background

Q: Which gray square at right is most similar to that at the left?

A: it is the **same** gray square against a changing background



Most people say **A**, because it is shown on a light background

55

Luminance contrast

Showing blue text on a black background doesn't work very well.
There is insufficient luminance contrast.

Showing yellow text on a white background doesn't work very well.
There is insufficient luminance contrast.

Showing blue text on a white background works better.
There is sufficient luminance contrast.

Showing yellow text on a black background works better.
There is sufficient luminance contrast.


TIP: For presentations, light text on a **dark background** is often preferred.
I don't do this, because I'm also concerned with printing slides.
(With LaTeX Beamer, it is easy to have separate setups for presentation & print)

56

Brightness illusion

Is the white at the center the **same** brightness as the white at the edges?
Or, is it **brighter**?

They are the **same**. We interpret the center as a source of light relative to the surrounding bright yellow.




The illusion also affects pupil size! <https://www.pnas.org/content/109/6/2162>

57


Early color theory

Tobias Mayer (1755) – color theory composed of (blue, red, yellow) as basic colors



Introduces the idea of color “primaries”

Johannes Lambert (1772) – A color pyramid, composed of 7 layers





Introduces the idea of color saturation

58



Color space: Munsell colors

- Color space is 3D
 - How to specify a given color in **perceptual** terms?
 - Albert Munsell (~1930): hue, chroma, lightness (HCL)
 - These form **perceptually uniform & independent** dimensions



By SharkD - CC BY-SA 3.0,
<https://commons.wikimedia.org/w/index.php?curid=8401562> 59

Munsell's color scheme was highly influential in Psychology research
Nearly every lab investigating color used standard sets of Munsell color chips




60

CIE color space

- How do we know about the **perceptual** properties of colors, taking spectral sensitivity into account?


Experiments used a **color-matching** task:

- Adjust the intensity of pure R, G, B lights to match a given color
- This defines a new color theory connecting **physical** properties and **human perception** (spectral sensitivity).
- The CIE (International Commission on Illumination) becomes the standard to calibrate color in scientific instruments and human experiments



61

CIE color space



Anatomy of a CIE Chromaticity Diagram

The International Commission on Illumination (CIE) in 1931 defines a color space of (x,y,z) coordinates based on color-matching experiments combining R, G, B light sources in additive mixtures, and a "standard colorimetric observer"

This defines a new color theory connecting **physical** properties and **human perception** (spectral sensitivity). There are eventually a variety of CIE color spaces (CIELab, CIEuv, ...) and lots of formulas for converting among them.

62

Color space: RGB & CMYK


Enter technology: how to produce color?

- RGB:**
 - Combine light: **R + G + B** = white
 - Used in computer monitors, TV, film
- CMYK:**
 - Combine ink: **Cyan + Magenta + Yellow = Black**
 - Used in color laser printers, the print industry




Caution: R, SAS, SPSS use RGB by default

Additive colour system



Mixture of primary light colours
White

Subtractive Colour System



Mixture of primary pigment colours
Black

TIP: for publishing, you may need to prepare or convert graphics from RGB to CMYK.

Some software offer useful tools for this:


- Adobe Acrobat Pro
- ImageMagik

63

Color space: RGB & CMYK

The standard gamut of colors available for different **display media** are a restricted subset of what the human eye can see.

Print (CMYK) is most restricted, and requires a more careful choice of color in graphics



Always check the display on different media.

64

Color in DataViz Design

There are several commonsense rules & guidelines for use of color in statistical graphics, maps & info vis



From: Alicja Gosiewska, Data Visualization Techniques, <https://bit.ly/3RZWw0t>

65

Software: Color specification

- Color is often hard to use effectively in software, because the ways to specify it are so varied:
 - Color names: "black", "red", "green3", "skyblue", "cyan"
 - RGB: black=(0,0,0); green3=(0, 205, 0), cyan=(0, 255, 255)
 - Hex: black="#000000"; cyan="#00FFFF"

18 beige	#F5F5DC	245	245	220
19 bisque	#FFEA4C	255	228	196
20 bisque1	#F8E4C4	255	228	196
21 bisque2	#EBC597	238	213	183
22 bisque3	#CDB79E	205	183	158
23 bisque4	#B87D6B	139	125	107
24 black	#000000	0	0	0
25 blanchedalmond	#FEBEDC	255	235	205
26 blue	#0000FF	0	0	255
27 blue1	#0000FF	0	0	255
28 blue2	#0000EE	0	0	238
29 blue3	#0000CD	0	0	205
30 blue4	#00009B	0	0	139
31 blueviolet	#8A2BE2	138	42	238
32 brown	#A52A2A	165	42	42
68 cyan	#00FFFF	0	255	255
69 cyan1	#00FFFF	0	255	255
70 cyan2	#00E6EE	0	238	238
71 cyan3	#00CCCD	0	205	205
72 cyan4	#00B8B8	0	139	139
73 darkblue	#00008B	0	0	139
74 darkcyan	#00B8B8	0	139	139
75 darkgoldenrod	#B8860B	184	134	11
76 darkgoldenrod1	#FB900P	255	185	15
77 darkgoldenrod2	#EAD0DE	238	173	14
78 darkgoldenrod3	#CD950C	205	149	12
79 darkgoldenrod4	#B8650B	139	101	8
80 darkgray	#A9A9A9	169	169	169
81 darkgreen	#006400	0	100	0
82 darkgrey	#A9A9A9	169	169	169

See: <http://research.stowers.org/mcm/efg/R/Color/Chart/> for R color charts

66

Software: Color specification

WTF! Give me a break, please:

- Make it easier to **compute** with colors: define blends of colors or a color ramp
- Make it easier to specify color **schemes** with decent **perceptual** properties
- Make it easier to map colors to **data features** I want to show




Every time you are forced to say "#008B8B" or "cyan4" a puppy dies somewhere
-- MF, 2018

67


Software: palettes

- R (and other software) provide palettes of colors used for **defaults** in graphs
 - Not all are nice— depends on your purpose
 - But, there are lot of choices – maybe too many!
 - You can change them **once** for all graphs in a session or paper

```
> (pal <- palette())
[1] "black"  "red"   "green3" "blue"  "cyan"   "magenta" "yellow" "gray"
> pie(rep(1, length(pal)), labels = sprintf("%d (%s)", seq_along(pal), pal), col = pal)
```




palette(rainbow(8)); pie(...)




68

R: basic palettes


`n < 12
pie(rep(1, n), col=rainbow(n))`




`pie(rep(1, n), col=heat.colors(n))`



`pie(rep(1, n), col=terrain.colors(n))`




`pie(rep(1, n), col=topo.colors(n))`




69

R: basic palettes


rainbow




heat



terrain



topo



Discussion Q:

- Which of these seem better for **quantitative** variables?
- Which for **categorical**?

These are shown for **area** fill. How effective would they be for:

- **point** colors
- **line** colors


E.g., yellow is bright as an area, but nearly invisible as points (●) or lines (→) or text on a white background

70

palettes: ColorBrewer

ColorBrewer, by Cynthia Brewer provides an interactive application for choosing color palettes, <http://colorbrewer2.org>

This is one example of a **multi-hue** scheme for a **quantitative, sequential** variable, shown from low to high with 4 color classes




This example: <http://colorbrewer2.org/#type=sequential&scheme=BuGn&n=4>

71

palettes: ColorBrewer

Diverging schemes are designed to show a quantitative variable, where we want to see what is low vs. what is high, leaving the middle of less visual impact – difference from average, residuals, ...




This example: <http://colorbrewer2.org/#type=diverging&scheme=RdBu&n=5>

72

palettes: ColorBrewer

Qualitative schemes are designed to show a categorical variable, where we want to see differences among unordered categories



These are all available in the RColorBrewer package

This example: <http://colorbrewer2.org/#type=qualitative&scheme=Accent&n=5>

73

R: choose_palette()

The colorspace package in R has an interactive palette widget.

It also provides functions for many kinds of color manipulations.

The R Color cheatsheet, by Malcolm Fraser is a goto source for all aspects of color in R:

<https://www.nceas.ucsb.edu/~frazier/RSpatialGuides/colorPaletteCheatsheet.pdf>

R color cheatsheet

Overview of colorspace palette selector

```
library("colorspace")
pal <- choose_palette()
```

Select the type of color scheme based on the type of data

Default color schemes – can be used “as is” or as a starting point for modification

Interactively select:

- hue: color
- chroma: low chroma = gray
- luminance: high luminance = pastel
- power: how the color changes along a gradient

Correct all colors to valid RGB color model values

Number of colors in palette

Show example

Plot type

Desaturation

OK Cancel

Select # of colors in palette


Save palette for future R sessions:

- txt file with hex codes
- R file with a function describing how to generate the palette.
- source can be used to import the palette

75

palettes: RColorBrewer

```
RColorBrewer::display.brewer.all()
```



74

Viridis palettes

Designed by Stéfan van der Walt and Nathaniel Smith for Python;
ported to R in the [viridis](#) package.

Goals:


- **Colorful**, spanning as wide a palette as possible so as to make differences easy to see
 - **Perceptually uniform**: values close to each other have similar-appearing colors and values far away from each other have more different-appearing colors
 - **Robust to colorblindness**: these properties hold true for people with common forms of colorblindness, as well as in grey scale printing
 - **Pretty**: much nicer as a defaults in software

These assertions are largely **untested**. Perhaps a good research topic!

76

Comparing quantitative palettes

For a **quantitative** variable and a **continuous** color scale, there are many choices.
How well do they work?




This is a bit tricky: ideally, we want a **wide range** of color

77


Comparing palettes

What is shown in this map?



The rainbow color scale obscures the main features

Now we can see it—elevation in the Florida coast: above or below 0




This color scheme was designed to reveal the essential topography of the map & to have perceptually equal elevation steps

From: <http://www.research.ibm.com/people/l/lloyd/color/color.HTM>


78

Comparing palettes

ggplot default palette



viridis default palette




```
df <- data.frame(x = rnorm(10000), y = rnorm(10000))
g <- ggplot(df, aes(x = x, y = y)) +
  geom_hex(bins=40) + coord_fixed() + theme_bw()
g
```

```
library(viridis)
g + scale_fill_viridis()
```

79

Metbrewer palettes

Artistic palettes inspired by works at the Metropolitan Museum of Art in New York




80

Color → B/W ?

Graphics designed in color often must consider what happens when graphs are reproduced in B/W: grayscale

- This is particularly hard for a **diverging** color scale
- My original design for mosaic plots used solid vs. dashed lines to distinguish + vs. -

`mosaic(haireye, labeling=labeling_residuals, gp=shading_Friendly)`



81

Color → B/W ?

The design of this graphic table was crafted to preserve readability if printed in B/W.
NB: text for numbers changes from black to white depending on background color.

Figure 9: Section 37 benefits by type (1998–2015)

	1998–2002	2003–2005	2006–2009	2010–2013	2014–2016	Scale
Roads, streetscapes	30	35	54	83	15	0 - 10
Culture, community, recreation	26	50	59	47	16	11 - 20
Parks	27	41	41	52	20	21 - 30
Affordable housing	17	26	38	36	11	31 - 40
Public art	26	25	41	32	4	41 - 50
Heritage	16	13	26	18	3	51 - 60
Transit	11	7	10	20	3	61 - 70
Libraries	6	2	5	11	1	71 - 80
Other	3	6	7	8	3	81 - 90

Figure 9: Section 37 benefits by type (1998–2015)

	1998–2002	2003–2005	2006–2009	2010–2013	2014–2016	Scale
Roads, streetscapes	30	35	54	83	15	0 - 10
Culture, community, recreation	26	50	59	47	16	11 - 20
Parks	27	41	41	52	20	21 - 30
Affordable housing	17	26	38	36	11	31 - 40
Public art	26	25	41	32	4	41 - 50
Heritage	16	13	26	18	3	51 - 60
Transit	11	7	10	20	3	61 - 70
Libraries	6	2	5	11	1	71 - 80
Other	3	6	7	8	3	81 - 90


Background shading works equally well in color or B/W
A+ for visual design!

Source: Friendly, A. R. (2017). *Land Value Capture and Social Benefits: Toronto and São Paulo Compared*. IMFG Papers on Municipal Finance and Governance, No 33, University of Toronto, <https://munkschool.utoronto.ca/imfg/>

82

Colorblindness

Most common forms are genetic, and involve a deficiency in one of the cone type sensitivities



- Protanopia (red deficient)
- Deutanopia (green deficient)
- Tritanopia (blue deficient)

Some form of red-green insensitivity is most common

- about 6-8% of population
- more common in males

TIP: Avoid color scales with main variation between red & green

Colorblindness


What an image looks like with various forms of color deficiency



Red-green colorblindness: -R (protan) ≈ -G (deutan)


84

83



Goal: Show employment growth, 2013–2015

Original design, using
 • green: above average
 • red: below average




How this looks to
someone with red-green
colorblindness

red & green become
indistinguishable

From: <http://www.mena-forum.com/category/u-s-a/>

85


colorblindr package



library(colorblindr)
cvd_grid(myfig)

NB: The default ggplot colors
aren't colorblind or B/W friendly

What would my graph look like to someone with
color deficiency?
colorblindr simulates a graph under various
conditions



86




colorspace 2.0-0



A Toolbox for Manipulating and Assessing Colors and Palettes


Color spaces



HCL-based palettes



ggplot2 scales



See: <http://colorspace.r-forge.r-project.org/>

87

colorspace: palette visualization

swatchplot(): display collections of palettes in flexible ways



Effect of varying hue, chroma and luminance individually

```
swatchplot(
  "Hue" = sequential_hcl(5, h = c(0, 300), c = c(60, 60), l = 65),
  "Chroma" = sequential_hcl(5, h = 0, c = c(100, 0), l = 65, rev = TRUE, power = 1),
  "Luminance" = sequential_hcl(5, h = 260, c = c(25, 25), l = c(25, 90), rev = TRUE, power = 1),
  off = 0
)
```



Emulate different types of color vision deficiency for one or more palettes


swatchplot(palette.colors(), cvd = TRUE)

88

colorspace: demoplot()

See how color palettes work in different kinds of statistical displays

demoplot(sequential_hcl(5, "Heat"))



Color: Lessons

- Use colors to represent differences in meaning
 - Avoid **gratuitous use of multiple colors**
 - Use consistent color scheme across multiple graphs of the same data (set your `palette()`)
- Consider presentation goal:
 - **Highlight** one subset against the rest?
 - Group a categorical variable
 - Encode a quantitative variable
- Consider differences in color perception, B/W printing

90

Color: Lessons

- Consider encoding scheme:
 - Categorical: Use a wide range of hues, of ~ same saturation
 - Sequential: use a small range of hues of varying intensity
 - Diverging: Use two sequential schemes, decreasing toward the middle

Images from: Stephen Few,
http://www.perceptualedge.com/articles/visual_business_intelligence/rules_for_using_color.pdf

91


Transparency

Colors can be made partially **transparent**, by adding an “alpha” channel,

$$0 \leq \alpha \leq 1 \text{ (opaque)}$$

Filled areas combine to look more saturated


What do you see here?



Increasing polarization of votes in the US House

This also works well with filled point symbols, which would otherwise be obscured when they overlap

Different colors “blend”
What do you see here?




Reading level of US State of the Union Addresses 92

Transparency: Adding another layer

Transparency also works well to combine different graphical features in a plot
Here, a filled boxplot and dots representing individual observations

What number would you assign to the following phrases?



From: <https://github.com/zonation/perceptions>

93

Summary

- In designing data graphics, consider the viewer
 - Info → encoding → image → decoding → understanding
- Perception: much is known, with ~ links to graphics
 - ↑ Bottom up: perceptual features, what grabs attention
 - ↓ Top down: expectations provide a context
 - 🏹 Encoding attributes must consider what is to be seen
- Color: What is the presentation goal?
 - Color palettes for different purposes
 - Transparency increases the effective use of color

94