biblatex-mla

MLA Style Using Biblatex

James Clawson Version 1.9
biblatex-mla@konx.net November 1, 2016

Contents

1	Version Note	1	4	Database Guide	6
				4.1 Notable Fields	6
				4.2 Standalone Sources	7
2	Introduction	1		4.3 Sources within other works	12
				4.4 Other media	17
3	Use	2	5	Meta	20
	3.1 Citation commands	2		5.1 License	20
	3.2 Package Options	3		5.2 Feedback	20

1 Version Note

This beta update is for testing compatibility with the 8th edition of the *MLA Handbook*, published April 2016. This current version supports both the old edition (by using style=mla in the preamble) and the newer edition (using style=mla-new); an upcoming version of biblatex-mla will deprecate support for the 7th edition in favor of the 8th. See § 3 for more on switching between editions.

2 Introduction

Biblatex-mla provides support to Biblatex, BibTeX, and LaTeX for citations and Works Cited lists in the style established by the Modern Language Association (MLA). For commands and options to change package defaults, see § 3.1 and § 3.2, respectively, below.

MLA style, a common standard for writers in the humanities, is outlined in the *MLA Style Manual*, in its 3rd edition, and the *MLA Handbook for Writers of Research Papers*, now in its 8th edition. Biblatex-mla follows the style outlined in the latter of these. It also follows the logic of the MLA when citing similar material repeatedly, trimming unnecessary information from citations where necessary. Biblatex-mla is compatible with Biblatex's support for hyperref and tex2ht, and the main word in each citation (either the author's name, the title, or the page number) serves as a link to the particular entry in the Works Cited. For anything not covered by this manual, please also see the Biblatex documentation or contact me by email.

3 Use

To ensure American-style quotation marks (if that's your thing),¹ you need to call the babel and csquotes packages in the preamble of your LaTeX document:

```
\usepackage[american]{babel}
\usepackage{csquotes}
\usepackage[style=mla-new]{biblatex}
\addbibresource{<bibfile.bib>}
```

To use the style called for by the previous (7th) edition of the *MLA Handbook*, drop the "new" from the third line:

```
\usepackage[american]{babel}
\usepackage{csquotes}
\usepackage[style=mla]{biblatex}
\addbibresource{<bibfile.bib>}
```

Replace "<bibfile.bib>" with the name of your .bib bibliography file. The style (provisionally) supports footnote citations with the **autocite=footnote** package option. Some of the other options supported by biblatex-mla include **firstlonghand**, **mladraft**, **annotation**, **noremoteinfo**, **nofullfootnote**, **publimedium**, and **guessmedium**, all discussed in § 3.2.

3.1 Citation commands

The standard commands for biblatex-mla generally follow those defined by Biblatex. Included below are the most typical commands. For more commands and options, reference the Biblatex manual.

\autocite Insert a citation. This is the most common command for citing in biblatex-mla, and it defaults to printing a parenthetical citation. See table 1 for examples. For best results, use the command before punctuation like this:

```
\autocite{x}.
```

In the following example, x represents the bibkey of the particular bibliographic entry being cited. Insert page numbers and citational prenotes using square braces:

```
\autocite[z][y]{x}
```

Here, y is the page number, and z is the prenote (such as "qtd. in"). If indicating a prenote but no page number, you must include an empty set for the page number:

¹Other localization files, mla-spanish.lbx, mla-portuguese.lbx, and mla-italian.lbx, are also available to use biblatex-mla in languages other than English. These and other localization files are included in biblatex-mla releases, but they will not always be the latest versions available. Updated and new localization files will be kept on GitHub (https://github.com/jmclawson/biblatex-mla/) once they are ready. There is also support for proper punctuation in non-American dialects of English. Try british, canadian, or other Babel identifiers, such as spanish.

\autocite[z][]{x}

When citing a page number without any prenote, only one set of square brackets is needed: \autocite[y]{x}

\autocite* Suppress the author's name in a citation. See table 1 for examples. Use this starred variant of the above command when indicating the author's name in the sentence calling the citation.

\autocites Insert a citation for multiple sources at once. The respective citations will be printed separated by semicolons.

\autocites[z1][y1]{x1}[z2][y2]{x1}[z3][y3]{x3}

The curled braces always indicate the bibkey, and the squared braces respectively belong to the curly braces that follow them.

\cite Insert a citation without parentheses.

\cite* Insert a citation without parentheses and without the author's name.

\headlesscite Suppress the author's name in a citation. This command is an alias to \autocite* to make it easier to use biblatex-mla with biblatex-chicago.

\textcite Print a citation without parentheses. This command may be useful in certain circumstances, such as a citation that must come within a parenthetical aside.

\mancite Reset most trackers for biblatex-mla which shorten subsequent citations. See table 1 for an example. If biblatex-mla is getting so ambitious in shortening subsequent citations that it leads to ambiguity, use this command before the ambiguous citation.

\citereset Reset all citation trackers for biblatex-mla.

\printbibliography Insert the list of Works Cited.

3.2 Package Options

Biblatex-mla defaults to the recommendations established by the MLA, but there may be times when it is appropriate to change some of these options for publication or other uses. Package options change the default functionality of biblatex-mla.

autocite=footnote Using \autocite with biblatex-mla defaults to MLA-preferred inline, parenthetical citations. To style citations as footnotes, set the autocite=footnote option in your preamble:

\usepackage[style=mla,autocite=footnote]{biblatex}

Input	Output	Comment
\autocite[12]{morrison02aa}	(Morrison 12)	A typical citation includes everything necessary.
\autocite[34]{morrison02aa}	(34)	Immediately subsequent citations to the same source shorten the citation by dropping redundant information.
\autocite{morrison02aa}	(Morrison)	Immediately subsequent citations lacking page reference add back information to show a citation.
\autocite[12]{frye57ab}	(Frye, Sound and Poetry 12)	A citation to a text by an author with multiple works cited also includes a short title.
\autocite[34]{frye57ab}	(34)	Subsequent immediate citations to the same source shorten the citation as much as possible.
\autocite[56]{frye91aa}	(Double Vision 56)	Citations to a new source by the same author omit the repetition of the author's name.
\autocite[101]{morrison02aa}	(Morrison 101)	A citation interrupting those by Frye will reset the trackers.
\autocite[78]{frye91aa}	(Frye, Double Vision 78)	With a reset author tracker, the citation includes all necessary information.
\autocite*[102]{morrison02aa}	(102)	The asterisked version suppresses the author's name—useful when the author is named in the sentence.
\autocite*[91]{frye57ab}	(Sound and Poetry 91)	Suppressing the name of a prolific author will still print the short title to avoid ambiguity.
\autocite*{morrison02aa}	(Sula)	Suppressing the author's name without page numbers given will print the title of the work.
\mancite \autocite[34]{morrison02aa}	(Morrison 34)	Resetting the author tracker makes sure that the author's name is always printed—useful to avoid ambiguity.

Table 1: Syntax and output showing effects of citation trackers, starred variants, and manual resets with typical citations using biblatex-mla

firstlonghand

The first citation of a source with a shorthand defined will always print a citation with author's name and, potentially, the shorttitle field. (For more on this field, see section § 4.1, below.) Add firstlonghand=false to your preamble to disable this option and print only the shorthand even on the first citation:

\usepackage[style=mla,firstlonghand=false]{biblatex}

nofullfootnote

When using biblatex-mla for footnotes, the style file will provide full bibliographic detail for the first citation of every source. To turn off this option, add to your preamble **nofullfootnote**:

\usepackage[style=mla,autocite=footnote,nofullfootnote]{biblatex}

annotation

It is possible to print annotations to entries in the Works Cited if the **annotation** field is defined in an entry. To turn on this option, add **annotation=true** to your preamble:

\usepackage[style=mla,annotation=true]{biblatex}

mladraft

When using MLA parenthetical citations, it is best practice to cite only when necessary to avoid ambiguity. Biblatex-mla can flag consecutive citations to the same page range, allowing you to defer citations to the end. In draft mode, biblatex-mla will place a clover (♣) in the margin, along with a single footnote explanation. To use the tool outside of draft mode, set the mladraft option in your preamble to true; similarly, to avoid seeing these clovers and the footnote in draft mode, set the option to false:

\usepackage[style=mla,mladraft=true]{biblatex}

noremoteinf

Modeled after the implementation in biblatex-apa to suppress remote information in the .bib file from being printed in the bibliography, this option affects isbn, issn, isrn, doi, and eprint fields.

\usepackage[style=mla,noremoteinfo=true]{biblatex}

showmedium

Biblatex-mla version 0.9 introduced support for the 3rd edition of the *Style Manual*, requiring the publication medium of each entry to be printed in the list of Works Cited. By default, biblatex-mla will do the same, using the howpublished field. Turn off this option—and the other new changes from the 3rd edition—by setting the **showmedium** option to false:

\usepackage[style=mla,showmedium=false]{biblatex}

guessmedium

An entry with no defined howpublished field will default either to a "Web" publication (if there's a defined url field or eprint field) or a "Print" publication (if there's not). To avoid biblatex-mla guessing the publication medium, thereby printing nothing when the field is undefined, deactivate the **guessmedium** option:

\usepackage[style=mla,guessmedium=false]{biblatex}

mancitepar

Although perhaps they should, the author trackers in biblatex-mla do not by default reset with each paragraph or page. As a result, shortened citations may be unclear when much

distance has passed from previous, fuller citations. To avoid this ambiguity, the \mancite command can be called before an unclear citation. (See table 1 for the effects of \mancite.) Alternatively, consider asking biblatex-mla to silently call the \mancite command with each new paragraph by enabling the mancitepar package option:

\usepackage[style=mla,mancitepar=true]{biblatex}

4 Database Guide

Biblatex (and, thus, biblatex-mla) uses BibTeX-style databases to manage the citations and list of works cited. While these databases are just flat text files, there are many good programs available to help manage them. Zotero, Endnote, and other commercial programs, for example, can export as BibTeX; each of these will nevertheless export with varying degrees of success. Standalone BibTeX managers such as JabRef and BibDesk use .bib files as their native filetype and are much more reliable for managing your list of sources. Whether exporting from a program, managing .bib files in a standalone editor, or manipulating them in a text editor, it is necessary to be familiar with fields available to biblatex-mla—especially as some of these are unique Biblatex and biblatex-mla. Below are the different @types and the fields available to them. Keep in mind that some of the fields in the @book and @article types (e.g., nameaddon, origyear, and others) are also available in others where it makes sense; I don't repeat them here to save room.

4.1 Notable Fields

Biblatex supports the following fields, sometimes concerned more with presentation than bibliographic merit, in all entrytypes. Define these in your .bib files:

the key of a parent source in which a shorter source is found. The crossref field is handy to avoid spending time re-inputting similar data, but it is also useful for including MLA-style cross-references in the list of Works Cited. Keep in mind the problems of the crossref field, explained in section 2.4.1 of the Biblatex manual.

shorttitle the shortened title to be printed in citations to disambiguate among multiple titles by one author. Biblatex-mla will only print this field in citations when necessary; when this field is not defined, biblatex-mla will use the whole of the title field.

shorthand when defined, a unique label to be printed in citations instead of the author and shorttitle. By default, biblatex-mla will only use the shorthand label after a first citation with author (and title, if necessary). See the firstlonghand option on page 5 to disable this feature.

options separate the following options with a comma:

- **useauthor=false** allows the label of the entry to default to something other than the author, when the author field is defined. If the editor is defined, the label will default to that. The **useauthor** option defaults to true.
- useeditor=false allows the label of the entry default to something other than
 the editor in the case of the author field being undefined or the useauthor
 option set to false. The useeditor option defaults to true.
- usetranslator=true allows the label of the entry to inherit the name of the
 translator when the author and editor fields are undefined or the useauthor
 and useeditor options are set to false. The usetranslator option defaults
 to false.
- **totalnames=true** allows the label to include all the names in its list, rather than maxing out at three. The **totalnames** option defaults to false.
- uniquetranslator=true indicates that a translator of a particular @incollection
 entry is unique to that work, rather than the collection at large. The
 uniquetranslator option defaults to false.
- noremoteinfo=false indicates that the "remote" information of an entry
 is to be printed, including the fields isbn, issn, isrn, doi, and eprint.
 These fields are usually omitted. See also the global option also called
 noremoteinfo, on page 5, above, for defining this option on a per-document
 basis. The noremoteinfo option defaults to true.

4.2 Standalone Sources

The following entrytypes are for long sources not part of any other publication except, potentially, multivolume sets or publishers' series.

@book

A book, usually with one author. MLA-style book entries are straightforward, and the biblatex-mla files style all the potential fields for a typical book

author the author of the book

title book title; when using crossref, also define booktitle and be sure to define title of the child entry

subtitle book subtitle; when using crossref, also define booksubtitle and be sure to

define subtitle of the child

location entryplace of publication

publisher publishing house

date of publication; defined as YYYY for a year, YYYY-MM for a month, YYYY-MM-DD for a day, or YYYY-MM-DD/YYYY-MM-DD for a range

Other fields might come in handy for further granularity:

original publication date, for reprints; defined as YYYY for a year, YYYY-MM for a

month, YYYY-MM-DD for a day, or YYYY-MM-DD/YYYY-MM-DD for a range

edition edition number

volume volume number of book

volumes total number of volumes

maintitle title of multi-volume collection of which this book is one volume

mainsubtitle subtitle of the above maintitle

series name of a publication series

number number of the above series represented by this book

Additionally, the style files support more name types for situations needing them:

editor of a book

editortype to indicate if the named editor is actually an editor ("ed."), a compiler ("comp.")

or a compilerandeditor ("comp. and ed."). Default value is editor.

translator of a work

introduction author of a book's introduction

foreword author of a book's foreword

afterword author of a book's afterword

redactor name of redactor

commentator name of commentator

annotator name of annotator

Finally, the style files also define the following note fields for further clarification:

nameaddon pseudonym, misattribution, or other note (printed in brackets after author)

booktitleaddon note after the booktitle

maintitleaddon note after the maintitle

note miscellaneous data printed before publisher

addendum miscellaneous data printed at the end of the entry

Fields not yet supported in biblatex-mla (but which should be supported in future versions) include the following:

howpublished to be used in support of the MLA-style revisions in the third edition of the MLA

Style Manual and the (upcoming) 7th edition of the MLA Handbook; will default

to "Print" when undefined

original place of publication (for reprints)

origpublisher original publisher (for reprints)

origitale original title (for reprints)

origlanguage the original language of a translated, reprinted work. Biblatex-mla will not print

information in this field, but if the field has information in it, it will use the

phrase "Trans. of" before the original title, instead of "Rept. of".

@booklet

Small pamphlet, often without an author listed. In biblatex-mla, @booklet is an alias for @book (see above), and is styled similarly.

@collection

A book that is a collection of self-contained essays, stories, or poems, usually with multiple unique authors and collectively edited by a single editorial body. In biblatex-mla, @collection is an an alias for @book (see above), and is styled similarly. To accurately support @incollection entries using crossref, be sure to define the following fields instead of title and subtitle in the parent @collection entry:

booktitle the title of a book or collection

booksubtitle the subtitle of a book or collection

Additionally, remember to define the **editor** field if needed.

@periodical

An entire issue of a journal, usually cited by editor. biblatex-mla accepts the following fields:

editor the editor or editors of an issue

issuetitle title of a special issue

issuesubtitle subtitle of a special issue

title title of the journal

subtitle subtitle of the journal

volume volume number

number issue number

issue season, when used in place of month (as in the "spring" issue of a journal)

date of publication, defined as YYYY for a year, YYYY-MM for a month, YYYY-MM-DD

for a day, or YYYY-MM-DD/YYYY-MM-DD for a range.

pages complete pagination of the issue

@proceedings

The published proceedings of a conference. Biblatex-mla styles @proceedings entries like @book or @collection entries, but it also provides support for the following unique fields:

eventtitle title of the conference represented by the proceedings (if not included in the

title of the published proceedings)

organization body sponsoring the conference

urldate original date of the conference; defined as YYYY for a year, YYYY-MM for a month,

YYYY-MM-DD for a day, or YYYY-MM-DD/YYYY-MM-DD for a range. Please note that this is an unusual and temporary use of the urldate field; in a future version of

biblatex-mla, it will change to eventdate.

institution university or institution hosting the conference

venue location of the conference

@reference

A reference book such as a dictionary or encyclopedia, often supporting @inreference entries through crossref fields. Biblatex-mla styles a @reference entry as it would a @book entry.

@thesis

The thesis or dissertation resulting from a doctorate or a master's degree, whether published or unpublished. Supports the following fields typical for defining such an entry:

```
author the author of the thesis/dissertation
         title
   title
subtitle subtitle
         degree type. Biblatex-mla defines some MLA-style @thesis types pre-localized;
         choose from the following strings to get accurate styling:
         phd for doctorate; prints as "Diss." in English
         dphil for doctorate; prints as "Diss." in English
         lic for licentiate; prints as "Licentiate thesis"
         ma for master's; prints as "MA thesis"
         ms for master's; prints as "MS thesis"
         msc for master's; prints as "MSc thesis"
         mphil for master's; prints as "MPhil thesis"
         mlitt for master's; prints as "MLitt thesis"
         For all other types not matching the above codes, biblatex- mla will print the
         type field exactly as entered, respecting all existing capitalization
```

institution name of degree-granting university

date degree awarded, defined as YYYY for a year, YYYY-MM for a month, YYYY-MM-DD

The entry for a @thesis that has been published needs a few additional fields:

entrysubtype
biblatex-mla recognizes only two keys in the entrysubtype field for the
@thesis:

published for published thesesunpublished for unpublished theses

any key other than published or unpublished will be treated as if it were

unpublished

location place of publication

publisher publisher

origdate date degree was awarded, defined as YYYY for a year, YYYY-MM for a month,

YYYY-MM-DD; please note this difference from an unpublished thesis

date of publication, defined as YYYY for a year; please note this difference from

an unpublished thesis

series name of a publication series

number of the above series represented by this book

4.3 Sources within other works

The following entrytypes are for shorter works (essays, poems, and other things) that are part of another publication. Many have corresponding standalone sources representing the larger work of which they are a part (i.e., @incollection and @collection). Entries of shorter works can inherit fields of parent entries by using the crossref field.

@article

Articles appearing in periodicals in many media, including academic journals, newspapers, and online sources. Biblatex-mla supports the following fields typical of an article in an academic journal:

author author of the article

title title of the article

subtitle subtitle of the article

journaltitle title of journal

journalsubtitle subtitle of journal

volume journal volume number

number journal issue number

issue season, when used in place of month (as in the "spring" issue of a journal)

 ${\color{red}\textbf{date}} \quad \text{date, defined as YYYY for a year, YYYY-MM for a month, YYYY-MM-DD for a day, or} \\$

YYYY-MM-DD/YYYY-MM-DD for a range

pages page numbers of the article

For online and newspaper articles, the style provides additional support for the following fields:

entrysubtype defines an article's medium, allowing finer control over styling. Biblatex-mla

responds to the following keys in the entrysubtype field:

newspaper used for newspaper articles

magazine used for magazine articles

online articles are styled by the presence or absence of a url field

url the url address of an online article

urldate date of access of an online article, defined as YYYY-MM-DD

date date a newspaper article is published, defined as YYYY-MM-DD for a day

location for newspapers lacking a place-name in their title, the city of publication

version the printing edition of a newspaper (ie, early edition, national edition, etc.)

chapter the section of a newspaper article if it uses numbers instead of letters; if the

newspaper uses letters, combine the letter with the page number (ie, page "B12")

in the page field

In addition, the style provides support for the following fields, used in edge cases and unusual circumstances:

nameaddon pseudonym, misattribution, or other note (printed in brackets after author)

titleaddon note after the title

origdate year of original publication for a reprinted article

issuetitle title of the special issue in which it appeared

issuesubtitle subtitle of the special issue

editor editor of the special issue

translator of the article

redactor name of redactor

commentator name of commentator

annotator name of annotator

introduction author of introduction to special issue

foreword author of foreword to special issue

afterword author of afterword to special issue

series name of journal series; define the series name or define as newseries or oldseries

to let biblatex-mla style the series name correctly

note miscellaneous data to print before the page numbers

addendum further miscellaneous note at the end of an entry

@bookinbook

A particular kind of @incollection. (See below.)

@incollection

A self-contained unit in a @collection. Supports the following fields typical of an essay, short story, or poem found in an anthology:

author the author of the work

title title of the work

subtitle subtitle of the work

entrysubtype defines a work's medium, allowing finer control over styling. By default,

@incollection entries are printed inside quotation marks, like essays, poems, stories, and other shorter works. Biblatex-mla responds to **book** and **play** in the entrysubtype field, each of which will cause the title to be printed italicized rather than inside quotation marks. Alternatively, set the entry to a @bookinbook

type for the same effect.

original publication date of the work, defined as YYYY, YYYY-MM, or YYYY-MM-DD

booktitle title of the anthology

booksubtitle subtitle of the anthology

editor anthology's editor

location anthology's city of publication

publisher anthology's publisher

date date anthology is published, defined as YYYY

pages page numbers of the work

Further fields supported include all of those supported by the @book type.

@inproceedings

A work published in the proceedings of a conference. Supports all the fields of the @incollection and @proceedings types.

@inreference

A particular type of @incollection, potentially without an author. In addition to those fields defined by @incollection, @inreference adds or refines the following:

title name of entry in reference book

titleaddon particular definition of the word

booktitle the title of the reference book

Note that @inreference entries do not need to cite page numbers, though they should specify the edition used. If the year and edition fields match, biblatex-mla styles the entry accordingly.

@letter

The @letter entry type is only partially supported in biblatex-mla in order to begin work to support it further in the future. It is currently built onto the same backend as @article entries, so it will accept additional fields used in that entry type.

author main author of the letter

title indication of sender and addressee

titleaddon additional information

pages pages

origdate original date letter was sent

@review

A particular type of @article, potentially without a title. In addition to those fields defined by @article, @review adds or refines the following:

booktitle the title of the book being reviewed

bookauthor the author of the book being reviewed

editor the editor of the book being reviewed

Note that reviews found in special issues of journals (using the issuetitle and issuesubtitle fields) are not fully supported yet.

@suppbook

A foreword, introduction, preface, or other supplementary (and often untitled) material to a @book. Supports the following fields typical of such a piece:

author author of the piece

title title of the piece

subtitle subtitle of the piece

entrysubtype the type of supplemental material, including subtypes like "introduction," "fore-

word," and "Editor's note."

booktitle title of the book the piece appears in

booksubtitle subtitle of the book the piece appears in

location city of publication of the book the piece appears in

publisher publisher of the book the piece appears in

date date of publication of the book the piece appears in, defined as YYYY

pages page numbers of the piece

Further fields supported include all of those supported by the @book type.

@suppcollection

A foreword, introduction, preface, or other supplementary (and often untitled) material to a @collection. Supports all the same fields as @suppbook.

4.4 Other media

@artwork

The @artwork entry type is only partially supported in biblatex-mla in order to begin work to support it further in the future. It is currently built onto the same backend as @article entries, so it accepts additional fields used in that entry type.

author artist responsible for the work

title title of the piece

type description of the medium. (Please note that this field doesn't yet work with the current version of biblatex-mla, though support will be added to support bibliographies made for biblatex-chicago.)

note additional note on the work

date of creation, defined as YYYY for a year, YYYY-MM for a month, YYYY-MM-DD for a day, or YYYY-MM-DD/YYYY-MM-DD for a range

institution institution holding the artwork. (Please note that this field doesn't yet work with the current version of biblatex-mla, though support will be added to support bibliographies made for biblatex-chicago.)

location city of the institution. (Please note that this field doesn't yet work with the current version of biblatex-mla, though support will be added to support bibliographies made for biblatex-chicago.)

@audio

The @audio entry type is only partially supported in biblatex-mla in order to begin work to support it further in the future. It is currently built onto the same backend as @article entries, so it accepts additional fields used in that entry type.

author author or composer of a work

title title of the speech, song, or other short piece. (Please note that this field doesn't yet work with the current version of biblatex-mla, though support will be added.)

booktitle title of the opera, cycle, or other larger collection

origdate date work was originally written. (Please note that this field doesn't yet work with the current version of biblatex-mla, though support will be added.)

maintitle title of a book containing the work

date date of publication of work being referenced

publisher publisher of work being referenced. (Please note that this field doesn't yet work

with the current version of biblatex-mla, though support will be added.)

location city of publisher. (Please note that this field doesn't yet work with the current

version of biblatex-mla, though support will be added.)

@image

The @image entry type is only partially supported in biblatex-mla in order to begin work to support it further in the future. It is currently built onto the same backend as @image entries, so it accepts additional fields used in that entry type.

author creator of the image

title title of the work

type description of the medium. (Please note that this field doesn't yet work with

the current version of biblatex-mla, though support will be added to support

bibliographies made for biblatex-chicago.)

note additional description of the work

date date of creation

institution institution holding the work. (Please note that this field doesn't yet work with

the current version of biblatex-mla, though support will be added.)

location city of the institution holding the work. (Please note that this field doesn't yet

work with the current version of biblatex-mla, though support will be added.)

@music

This entry type is an alias for @audio.

@online

This entry type is an alias for @article.

@unpublished

An unpublished manuscript or typescript. Biblatex-mla supports the following fields typical to an unpublished entry:

author author of the work

title title of a short work (i.e., an essay or poem)

subtitle subtitle of a short work

booktitle title of a longer work (i.e., a book or play)

booksubtitle subtitle of a longer work

titleaddon description of untitled work

note further information used to classify the collection; typeset before the type field

type form of the material. Biblatex-mla defines some MLA-style @unpublished

types pre-localized; choose from the following strings to get accurate styling:

manuscript for the manuscript of a work; printed as "Ms." or "ms." in English **transcript** for the typescript of a work; printed as "Ts." or "ts." in English

For all other types not matching the above codes, biblatex-mla will print the

type field exactly as entered, respecting all existing capitalization

number identifying number (such as a call number, box, or folio reference) in a library

or archive

library library, archive, or other research institution holding the unpublished work

location location of the library

addendum extra material printed at the end of an entry

@video

A recording of a movie, television program, etc. Biblatex-mla supports the following fields necessary for a video:

title title of the work

subtitle subtitle of the work

bookauthor author of the book on which the video is based

publisher distributor

origdate original date of release

howpublished publishing medium (ie, DVD, videocassette, etc.)

Additionally, biblatex-mla supports the author, editor, namea, nameb, and namec fields, modified with the authortype, editortype, nameatype, namebtype, and namectype fields, attuned to the following localization keys:

<x>type director director of a work

screenplay author of the screenplayperformer list of crucial performerscomposer composer of a soundtrack

producer producer of a work

Note that biblatex-mla will print the author field before the title (styled using the appropriate authortype key) unless the field is empty or the **useauthor** option is false—at which point it will cascade to the editor field, unless *it* is undefined or the **useeditor** option is false. No other name fields will be printed before the title. Except for any printed before the title, these fields will be printed after the title in the following order: author, editor, namea, nameb, namec.

5 Meta

5.1 License

biblatex-mla is copyrighted © 2007–2016, by James Clawson. Permission is granted to copy, distribute, and modify this software under the terms of the LaTeX Project Public License, version 1.3: http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt.

5.2 Feedback

If you have any questions, requests, or other feedback please email me. My email address is at the top of this document. If you end up improving the code to be more accurate to the MLA standard, please be kind to the rest of us and share; I'm very happy to incorporate improvements! If anything works differently than you feel it ought to work, please let me know. Apart from time and my willingness to write documentation, I'm limited only by the problems of which I'm unaware.