

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [08/01/2026]
Sirente Velino (IT7110130 - SPA)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

A

1.2 Site code

IT7110130

1.3 Site name

Sirente Velino

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Abruzzo Direzione Territorio,
Urbanistica e beni Ambientali

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via L. Da Vinci, 1 67100 - L'AQUILA

1.4.4 Functional mailbox email address

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1988-10

1.5.2 SPA classification act (URI or free text)

DM del 05/07/2007 (GU n. 170 del 24-7-2007 - Suppl. Ordinario n.167)

1.5.3 Date site first proposed as SCI

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

1.5.5 SAC designation act (URI or free text)

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

59134

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITF1	ABRUZZO

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Mediterranean	100	Mediterranean

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species					Population in the site						
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A085	Accipiter gentilis			p	8	12	p		complete	
B	A412	Alectoris graeca saxatilis			p	300	350	p		complete	

B	A255	Anthus campestris	r				C	insufficient
B	A091	Aquila chrysaetos	p	5	5	p		complete
B	A215	Bubo bubo	p	3	3	p		complete
B	A224	Caprimulgus europaeus	r				R	insufficient
B	A031	Ciconia ciconia	r				R	insufficient
B	A239	Dendrocopos leucotos	p	2	10	p		complete
B	A379	Emberiza hortulana	r				R	insufficient
B	A101	Falco biarmicus	p	2	2	p		complete
B	A103	Falco peregrinus	p	5	5	p		complete
B	A321	Ficedula albicollis	r	25	40	p		complete
B	A078	Gyps fulvus	p	22	26	p		complete
B	A338	Lanius collurio	r				P	insufficient
B	A246	Lullula arborea	r				P	insufficient
B	A280	Monticola saxatilis	r				P	insufficient
B	A346	Pyrhcorax pyrrhcorax	p	300	300	i		complete

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objectives further explanation	Isolation	Global	Update date
B	A085	Accipiter gentilis	p	significant		C		B					C	B	202312
B	A412	Alectoris graeca saxatilis	p	significant		B		B					C	B	202312
B	A255	Anthus campestris	r	significant		C		C					C	C	202312
B	A091	Aquila chrysaetos	p	significant		B		C					C	B	202312
B	A215	Bubo bubo	p	significant		C		B					C	B	202312
B	A224	Caprimulgus europaeus	r	non-significant											202312
B	A031	Ciconia ciconia	r	significant		B		C					C	B	202312
B	A239	Dendrocygus leucotos	p	significant		C		C					C	C	202312
B	A379	Emberiza hortulana	r	significant		C		C					C	C	202312
B	A101	Falco tinnunculus	p	significant		B		B					B	B	202312
B	A103	Falco peregrinus	p	significant		B		B					C	B	202312
B	A321	Ficedula albicollis	r	significant		C		C					C	C	202312

B	A078	Gyps fulvus	p	significant	B	B	C	B	202312
B	A338	Lanius collurio	r	significant	C	C	C	C	202312
B	A246	Lullula arborea	r	significant	C	C	C	C	202312
B	A280	Monticola saxatilis	r	significant	B	C	C	B	202312
B	A346	Pyrrhoxox pyrrhoxorax	p	significant	B	B	B	B	202312

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A	5357	Bombina pachypus		no				R
A	1205	Hyla meridionalis		no				P

A	1175	Salamandrina terdigitata	no	V
A	1167	Triturus carnifex	no	R
B	A358	Montifringilla nivalis	no	R
B	A267	Prunella collaris	no	C
B	A345	Pyrrhocorax graculus	no	C
B	A333	Tichodroma muraria	no	R
F	1137	Barbus plebejus	no	P
F	5349	Salmo cetti	no	R
I		Apion frumentarium	no	R
I	1092	Austropotamobius pallipes	no	V
I		Carabus cavernosus variolatus	no	R
I		Ceratapion beckeri	no	R
I		Chaetonyx robustus	no	C
I	1074	Eriogaster catax	no	R
I	1065	Euphydryas aurinia	no	R
I		Jalla dumosa	no	R
I		Longitarsus springeri	no	R
I	1058	Maculinea arion	no	R
I		Meira straneoi	no	C
I		Microplontus fairmairei	no	R
I		Neocoenorrhinus abeillei	no	R
I		Orobitis cyaneus	no	C

I		Otiorhynchus luigionii	no					R
I		Otiorhynchus meridionalis	no					R
I		Otiorhynchus porcellus	no					R
I		Otiorhynchus sirentensis	no					R
I	1057	Parnassius apollo	no					R
I	1056	Parnassius mnemosyne	no					R
I	1076	Proserpinus proserpina	no					R
I		Pseudorhinus impressicollis peninsularis	no					R
I		Rhadinopsylla isacantha	no					R
I		Rhadinopsylla pentacantha	no					R
I	1087	Rosalia alpina	no					V
I		Sciaphilus asperatus	no					R
I		Sibinia vittata	no					R
I		Trogloorhynchus leonii	no					P
I		Tropiphorus imperialis	no					R
M	1308	Barbastella barbastellus	no					R
M	1352	Canis lupus	no	30	50	i		
M		Chionomys nivalis	no					C
M	1327	Eptesicus serotinus	no					V
M	1363	Felis silvestris	no					R

M	5365	Hypsugo savii	no						C
M	1344	Hystrix cristata	no						R
M	1357	Martes martes	no						R
M	1310	Miniopterus schreibersii	no						V
M	1341	Muscardinus avellanarius	no						R
M	1358	Mustela putorius	no						R
M	1323	Myotis bechsteinii	no						V
M	1307	Myotis blythii	no						P
M	1321	Myotis emarginatus	no						V
M	1324	Myotis myotis	no						V
M	1330	Myotis mystacinus	no						R
M	1322	Myotis nattereri	no						R
M	1331	Nyctalus leisleri	no						R
M	2016	Pipistrellus kuhlii	no						C
M	1309	Pipistrellus pipistrellus	no						C
M	1326	Plecotus auritus	no						R
M	1329	Plecotus austriacus	no						V
M	1304	Rhinolophus ferrumequinum	no						R
M	1303	Rhinolophus hipposideros	no						V
M	1374	Rupicapra pyrenaica ornata	no	50		55		i	
M	1333	Tadarida teniotis	no						R
M	1354	Ursus arctos	no	2		5		i	V
P	1479	Adonis distorta	no						R
P	1558	Astragalus aquilanus	no						R

P		Goniolimon italicum	no													V
P	6282	Klasea lycopifolia	no													P
R	1283	Coronella austriaca	no													R
R	1279	Elaphe quatuorlineata	no													V
R	5670	Hierophis viridiflavus	no													C
R	5179	Lacerta bilineata	no													C
R	1292	Natrix tessellata	no													R
R	1298	Vipera ursinii	no					20		30			i			
R	6091	Zamenis longissimus	no													R

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1479	Adonis distorta	X	X													
	Apion frumentarium															X
1558	Astragalus aquilanus	X	X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1092	Austropotamobius pallipes	X		X												
1308	Barbastella barbastellus	X	X													
1137	Barbus plebejus	X		X												
5357	Bombina pachypus	X	X													
1352	Canis lupus	X	X	X												
	Carabus cavernosus variolatus							X								
	Ceratapion beckeri															X
	Chaetonyx robustus															X
	Chionomys nivalis							X								
1283	Coronella austriaca		X													
1279	Elaphe quatuorlineata	X	X													
1327	Eptesicus serotinus		X													
1074	Eriogaster catax	X	X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1065	Euphydryas aurinia	X														
1363	Felis silvestris		X													
	Goniolimon italicum							X								
5670	Hierophis viridiflavus		X													
1205	Hyla meridionalis		X													
5365	Hypsugo savii		X													
1344	Hystrix cristata		X													
	Jalla dumosa							X								
6282	Klasea lycopifolia	X	X													
5179	Lacerta bilineata		X													
	Longitarsus springeri							X								
1058	Maculinea arion		X													
1357	Martes martes			X												
	Meira straneoi															X
	Microplontus fairmairei															X
1310	Miniopterus schreibersii	X	X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A358	Montifringilla nivalis					X										
1341	Musccardinus avellanarius		X													
1358	Mustela putorius			X												
1323	Myotis bechsteinii	X	X													
1307	Myotis blythii	X	X													
1321	Myotis emarginatus	X	X													
1324	Myotis myotis	X	X													
1330	Myotis mystacinus		X													
1322	Myotis nattereri		X													
1292	Natrix tessellata		X													
	Neocoenorrhinus abeillei															X
1331	Nyctalus leisleri		X													
	Orobitis cyaneus															X
	Otiorhynchus luigionii							X								
	Otiorhynchus meridionalis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Otiorhynchus porcellus															X
	Otiorhynchus sirentensis							X								
1057	Parnassius apollo		X													
1056	Parnassius mnemosyne		X													
2016	Pipistrellus kuhlii		X													
1309	Pipistrellus pipistrellus		X													
1326	Plecotus auritus		X													
1329	Plecotus austriacus		X													
1076	Proserpinus proserpina		X													
A267	Prunella collaris					X										
	Pseudorhinus impressicollis peninsularis															X
A345	Pyrrhocorax graculus					X										
	Rhadinopsylla isacantha															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Rhadinopsylla pentacantha															X
1304	Rhinolophus ferrumequinum	X	X													
1303	Rhinolophus hipposideros	X	X													
1087	Rosalia alpina	X	X													
1374	Rupicapra pyrenaica ornata	X	X													
1175	Salamandrina terdigitata	X	X													
5349	Salmo cetti	X														
	Sciaphilus asperatus							X								
	Sibinia vittata							X								
1333	Tadarida teniotis		X													
A333	Tichodroma muraria					X										
1167	Triturus carnifex	X	X													
	Troglorhynchus leonii															X
	Tropiphorus imperialis															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1354	Ursus arctos	X	X													
1298	Vipera ursinii	X	X													
6091	Zamenis longissimus		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Il sito comprende il gruppo montuoso del Velino-Sirente, caratterizzato da catene e monti isolati, altipiani carsici, ampie vallate e forre, con un'ampia gamma di habitat (boschi di caducifoglie, pascoli, praterie di altitudine, rupi, ghiaioni, ecc.)

4.2 Quality and importance of the site

L'unità ambientale presenta una notevole qualità ambientale per la ricchezza di habitat (soprattutto rupestri), per la ricca ornitofauna e per i grandi mammiferi che testimoniano l'alta complessità ancora presente nella zona. Notevole anche il valore scenico e culturale.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202312

4.4 Documentation

4.4.1 Link(s)

4.4.2 Last update of the documentation information

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente Parco regionale Sirente-Velino

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Preparation

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
------------------	------------------------	-----------------------------------	-----------------------------

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Further explanations on detailed conservation measures

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)