



MASTER IN ASTROPHYSICS
AND SPACE SCIENCE



TOR VERGATA
UNIVERSITÀ DEGLI STUDI DI ROMA

Computational Fluid Dynamics

INTRODUCTION TO NUMERICAL METHODS FOR ASTROPHYSICS

Fritz Ali Agildere

January 23, 2026

Overview

Physical Background

Fundamental Definitions

Basic Equations

Examples

Numerical Approaches

Finite Difference Method

Finite Volume Method

Finite Element Method

Practical Implementation

Kelvin-Helmholtz Instability

Rayleigh-Taylor Instability

Outlook

Overview

Physical Background

- Fundamental Definitions
- Basic Equations
- Examples

Numerical Approaches

- Finite Difference Method
- Finite Volume Method
- Finite Element Method

Practical Implementation

- Kelvin-Helmholtz Instability
- Rayleigh-Taylor Instability
- Outlook

Overview

Physical Background

Fundamental Definitions

Basic Equations

Examples

Numerical Approaches

Finite Difference Method

Finite Volume Method

Finite Element Method

Practical Implementation

Kelvin-Helmholtz Instability

Rayleigh-Taylor Instability

Outlook

Fluid Elements

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

$$\ell \ll \left| \frac{q}{\nabla q} \right|$$

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

$$\ell \ll \left| \frac{q}{\nabla q} \right|$$

- large enough to ignore discreteness noise, statistically sufficient number of particles

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

$$\ell \ll \left| \frac{q}{\nabla q} \right|$$

- large enough to ignore discreteness noise, statistically sufficient number of particles

$$n\ell^3 \gg 1$$

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

$$\ell \ll \left| \frac{q}{\nabla q} \right|$$

- large enough to ignore discreteness noise, statistically sufficient number of particles

$$n\ell^3 \gg 1$$

- in collisional fluids, large enough to communicate local conditions, requires interactions

Fluid Elements

- *Fluids*: things that flow, conventionally liquids and gases, contrast solids with rigid lattice
- *Elements*: region with definable local variables, fulfilling certain conditions
 - small enough to ignore systematic variations, size below any characteristic scale length

$$\ell \ll \left| \frac{q}{\nabla q} \right|$$

- large enough to ignore discreteness noise, statistically sufficient number of particles

$$n\ell^3 \gg 1$$

- in collisional fluids, large enough to communicate local conditions, requires interactions

$$\ell \gg \lambda$$

Describing Fluid Equations

Describing Fluid Equations

- *Eulerian View*: cells of small volumes in fixed grid, flow is defined for all $\mathbf{t}$ at position $\mathbf{r}$ with rate of change $\partial/\partial \mathbf{t}$ for any measurable quantity Q

Describing Fluid Equations

- *Eulerian View*: cells of small volumes in fixed grid, flow is defined for all $\mathbf{t}$ at position $\mathbf{r}$ with rate of change $\partial/\partial t$ for any measurable quantity Q
- *Lagrangian View*: follow particular fluid elements, comoving reference system with flow evaluated in each one via D/Dt as the rate of change

Describing Fluid Equations

- *Eulerian View*: cells of small volumes in fixed grid, flow is defined for all $\mathbf{t}$ at position $\mathbf{r}$ with rate of change $\partial/\partial t$ for any measurable quantity Q
- *Lagrangian View*: follow particular fluid elements, comoving reference system with flow evaluated in each one via D/Dt as the rate of change
- *Translating Relation*: add convective derivative term to account for movement of fluid element

Describing Fluid Equations

- *Eulerian View*: cells of small volumes in fixed grid, flow is defined for all $\mathbf{t}$ at position $\mathbf{r}$ with rate of change $\partial/\partial\mathbf{t}$ for any measurable quantity Q
- *Lagrangian View*: follow particular fluid elements, comoving reference system with flow evaluated in each one via $D/D\mathbf{t}$ as the rate of change
- *Translating Relation*: add convective derivative term to account for movement of fluid element

$$\frac{DQ}{Dt} = \frac{\partial Q}{\partial t} + \mathbf{u} \cdot \nabla Q$$

Continuous Variables

Continuous Variables

- *Primitive Fields:*

Continuous Variables

- *Primitive Fields:*
 - velocity u (vector)

Continuous Variables

- *Primitive Fields:*
 - velocity u (vector)
 - pressure p (scalar)

Continuous Variables

- *Primitive Fields:*

- velocity u (vector)
- pressure p (scalar)
- density ρ (scalar)

Continuous Variables

- *Primitive Fields:*

- velocity u (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

Continuous Variables

- *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

- *Conserved Quantities:*

Continuous Variables

- *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

- *Conserved Quantities:*

- mass M (scalar)

Continuous Variables

- *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

- *Conserved Quantities:*

- mass M (scalar)
- momentum $\mathbf{P}$ (vector)

Continuous Variables

■ *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

■ *Conserved Quantities:*

- mass M (scalar)
- momentum $\mathbf{P}$ (vector)
- energy E (scalar)

Continuous Variables

■ *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

■ *Conserved Quantities:*

- mass M (scalar)
- momentum $\mathbf{P}$ (vector)
- energy E (scalar)

■ *Derived Values:*

Continuous Variables

■ *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

■ *Conserved Quantities:*

- mass M (scalar)
- momentum $\mathbf{P}$ (vector)
- energy E (scalar)

■ *Derived Values:*

- viscosity ν (scalar)

Continuous Variables

■ *Primitive Fields:*

- velocity $\mathbf{u}$ (vector)
- pressure p (scalar)
- density ρ (scalar)
- temperature T (scalar)

■ *Conserved Quantities:*

- mass M (scalar)
- momentum $\mathbf{P}$ (vector)
- energy E (scalar)

■ *Derived Values:*

- viscosity ν (scalar)
- vorticity $\boldsymbol{\omega}$ (vector)

Overview

Physical Background

Fundamental Definitions

Basic Equations

Examples

Numerical Approaches

Finite Difference Method

Finite Volume Method

Finite Element Method

Practical Implementation

Kelvin-Helmholtz Instability

Rayleigh-Taylor Instability

Outlook

Overview

Probability Refresher

Definitions & Notation

Random Numbers

Optimisation

Common Methods

Problems

Markov Chain Monte Carlo

Popular Algorithms

Tuning & Diagnosing

Alternatives

Overview

Probability Refresher

Definitions & Notation

Random Numbers

Optimisation

Common Methods

Problems

Markov Chain Monte Carlo

Popular Algorithms

Tuning & Diagnosing

Alternatives

Frequentist View

Frequentist View

- *With Prior Knowledge*: out of all n different but equally likely possible outcomes of an event, there are k that have a property A which is therefore measured with probability

$$P(A) = \frac{k}{n}$$

Frequentist View

- *With Prior Knowledge*: out of all n different but equally likely possible outcomes of an event, there are k that have a property A which is therefore measured with probability

$$P(A) = \frac{k}{n}$$

- *Without Prior Knowledge*: out of n independent measurements the outcome A occurs k times, defining

$$P(A) = \lim_{n \rightarrow \infty} \frac{k}{n}$$

Bayesian View

Bayesian View

- $P(A|B)$ quantifies the plausibility of an assumption A under known information given by B

Bayesian View

- $P(A|B)$ quantifies the plausibility of an assumption A under known information given by B
- *Kolmogorov Axioms* underpin the rules for calculating with probabilities

Bayesian View

- $P(A|B)$ quantifies the plausibility of an assumption A under known information given by B
- *Kolmogorov Axioms* underpin the rules for calculating with probabilities
- $P(A, B) = P(A) P(B|A)$ quantifies the probability of measuring A and B simultaneously, and from assuming $P(A, B) = P(B, A)$ we find

Bayesian View

- $P(A|B)$ quantifies the plausibility of an assumption A under known information given by B
- *Kolmogorov Axioms* underpin the rules for calculating with probabilities
- $P(A, B) = P(A) P(B|A)$ quantifies the probability of measuring A and B simultaneously, and from assuming $P(A, B) = P(B, A)$ we find

Bayes' Theorem

$$P(A|B) = \frac{P(B|A) P(A)}{P(B)}$$

Continuous Distributions

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

■ *Probability Density Function:* $f(x) = \frac{d}{dx}F(x)$

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

■ *Probability Density Function:* $f(x) = \frac{d}{dx}F(x)$

$$P(a \leq X \leq b) = \int_a^b f(x) dx = F(b) - F(a)$$

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

■ *Probability Density Function:* $f(x) = \frac{d}{dx}F(x)$

$$P(a \leq X \leq b) = \int_a^b f(x) dx = F(b) - F(a)$$

■ *Normalization:*

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

■ *Probability Density Function:* $f(x) = \frac{d}{dx}F(x)$

$$P(a \leq X \leq b) = \int_a^b f(x) dx = F(b) - F(a)$$

■ *Normalization:* $1 = \int_{-\infty}^{+\infty} f(x) dx$

Continuous Distributions

■ *Cumulative Distribution Function:* $F(x) = P(X \leq x)$

■ *Probability Density Function:* $f(x) = \frac{d}{dx} F(x)$

$$P(a \leq X \leq b) = \int_a^b f(x) dx = F(b) - F(a)$$

■ *Normalization:* $1 = \int_{-\infty}^{+\infty} f(x) dx$ $\lim_{x \rightarrow -\infty} F(x) = 0$ $\lim_{x \rightarrow +\infty} F(x) = 1$

Expectation Values

Expectation Values

$$E[h(x)] = \int_{-\infty}^{+\infty} h(x) f(x) dx$$

Expectation Values

$$E[h(x)] = \int_{-\infty}^{+\infty} h(x) f(x) dx$$

■ *Mean* or first raw moment: $\mu = E[X] = \int_{-\infty}^{+\infty} x f(x) dx$

Expectation Values

$$E[h(x)] = \int_{-\infty}^{+\infty} h(x) f(x) dx$$

■ *Mean* or first raw moment: $\mu = E[X] = \int_{-\infty}^{+\infty} x f(x) dx$

■ *Variance* or second raw moment: $\sigma^2 = E[(X - E[X])^2] = \int_{-\infty}^{+\infty} (x - E[x])^2 f(x) dx$

Overview

Probability Refresher

Definitions & Notation

Random Numbers

Optimisation

Common Methods

Problems

Markov Chain Monte Carlo

Popular Algorithms

Tuning & Diagnosing

Alternatives

Overview

Probability Refresher

Definitions & Notation

Random Numbers

Optimisation

Common Methods

Problems

Markov Chain Monte Carlo

Popular Algorithms

Tuning & Diagnosing

Alternatives

Outlook

Outlook

- *Frameworks:*

Outlook

- *Frameworks:*
 - Smoothed Particle Hydrodynamics (SPH)

Outlook

- *Frameworks:*
 - Smoothed Particle Hydrodynamics (SPH)
 - Lattice Boltzmann Method (LBM)

Outlook

- *Frameworks:*

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

Outlook

- *Frameworks:*

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

- *Regimes:*

Outlook

- *Frameworks:*

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

- *Regimes:*

- *Plasma:* Magnetohydrodynamics (MHD)

Outlook

- *Frameworks:*

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

- *Regimes:*

- *Plasma:* Magnetohydrodynamics (MHD)
- *Degeneracy:* Quantum Effects

Outlook

■ Frameworks:

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

■ Regimes:

- *Plasma*: Magnetohydrodynamics (MHD)
- *Degeneracy*: Quantum Effects
- *Collisionless*: Initial Distributions

Outlook

- *Frameworks:*
 - Smoothed Particle Hydrodynamics (SPH)
 - Lattice Boltzmann Method (LBM)
 - Adaptive Mesh Refinement (AMR)
- *Regimes:*
 - *Plasma:* Magnetohydrodynamics (MHD)
 - *Degeneracy:* Quantum Effects
 - *Collisionless:* Initial Distributions
- *Applications:*

Outlook

- *Frameworks:*

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

- *Regimes:*

- *Plasma:* Magnetohydrodynamics (MHD)
- *Degeneracy:* Quantum Effects
- *Collisionless:* Initial Distributions

- *Applications:*

- Stellar Evolution

Outlook

■ Frameworks:

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

■ Regimes:

- *Plasma*: Magnetohydrodynamics (MHD)
- *Degeneracy*: Quantum Effects
- *Collisionless*: Initial Distributions

■ Applications:

- Stellar Evolution
- Accretion Disks

Outlook

■ Frameworks:

- Smoothed Particle Hydrodynamics (SPH)
- Lattice Boltzmann Method (LBM)
- Adaptive Mesh Refinement (AMR)

■ Regimes:

- *Plasma*: Magnetohydrodynamics (MHD)
- *Degeneracy*: Quantum Effects
- *Collisionless*: Initial Distributions

■ Applications:

- Stellar Evolution
- Accretion Disks
- Cosmic Filaments

Thank You!

- C. Clarke & B. Carswell, *Principles of Astrophysical Fluid Dynamics* (Cambridge University Press) 2007
- L. A. Barba, *CFD Python: 12 Steps to Navier-Stokes*¹ 2022
- P. Mocz, *Medium*² 2020-2025

Resources on GitHub: [here](#)