

Characterization of Galaxies via Optical and Infrared Surveys

Fritz Ali Agildere

fritz.agildere@udo.edu

Department of Astronomy, Faculty of Mathematics, University of Belgrade

May 31, 2026

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Appendix

```

1 SELECT TOP 10000
2     g.sii_6717_flux, g.sii_6731_flux, g.nii_6584_flux, g.oi_6300_flux, g.oiii_5007_flux,
3     g.h_alpha_flux, g.h_beta_flux,
4     g.h_alpha_eqw, g.nii_6584_eqw, g.oiii_sigma,
5     w.w1mpro, w.w2mpro, w.w3mpro,
6     s.z, s.class, s.subclass, s.bestobjid
7 FROM SpecObj AS s
8 JOIN galSpecLine AS g ON s.specobjid = g.specobjid
9 JOIN PhotoTag AS p ON s.bestobjid = p.objid
10 OUTER APPLY ( SELECT TOP 1 x.wise_cntr
11                FROM wise_xmatch AS x
12                WHERE p.objid = x.sdss_objid AND x.match_dist < 3
13                ORDER BY x.match_dist ASC
14            ) AS y
15 LEFT JOIN wise_allsky AS w ON y.wise_cntr = w.cntr
16 WHERE s.class = 'GALAXY'
17 AND s.subclass != 'BROADLINE'
18 AND s.subclass != 'AGN BROADLINE'
19 AND s.subclass != 'STARFORMING BROADLINE'
20 AND s.subclass != 'STARBURST BROADLINE'
21 AND s.snmedian_r > 5.0
22 AND s.z < 0.35
23 AND g.sii_6717_eqw < 0.0
24 AND g.sii_6731_eqw < 0.0
25 AND g.nii_6584_eqw < 0.0
26 AND g.oi_6300_eqw < 0.0
27 AND g.oiii_5007_eqw < 0.0
28 AND g.h_alpha_eqw < 0.0
29 AND g.h_beta_eqw < 0.0
30 AND (2.355 * g.sigma_forbidden) < 500
31 AND (2.355 * g.sigma_balmer) < 500
32 AND g.sii_6717_flux > 3 * g.sii_6717_flux_err
33 AND g.sii_6731_flux > 3 * g.sii_6731_flux_err
34 AND g.nii_6584_flux > 3 * g.nii_6584_flux_err
35 AND g.oi_6300_flux > 3 * g.oi_6300_flux_err
36 AND g.oiii_5007_flux > 3 * g.oiii_5007_flux_err
37 AND g.h_alpha_flux > 3 * g.h_alpha_flux_err
38 AND g.h_beta_flux > 3 * g.h_beta_flux_err
39 ORDER BY s.specobjid ASC

```