

Trading API quick reference

This guide provides a quick overview of all trading actions and their corresponding API endpoints. Use this as a reference to quickly find the right endpoint for your trading workflow.

Wallet Management

Action	Method	Endpoint	Description
-----	----	-----	-----

Check spot balance	`GET`	`/wallet/funds`	Get your spot wallet balance including `total`, `rewards`, `withdrawable`
Check futures balance	`POST`	`/futures/funds`	Get futures wallet balance and available transfer amount
Transfer funds	`POST`	`/wallet/futures/transfer`	Move funds between spot and futures wallets

Asset Discovery

Action	Method	Endpoint	Description
-----	----	-----	-----
List all assets	`GET`	`/futures`	List all tradable futures contracts with sorting/pagination
Get asset details	`GET`	`/futures/{asset_id}`	Get detailed contract specs (min/max contract, leverage limits, fees)

Leverage Management

Action	Method	Endpoint	Description
-----	----	-----	-----
Get leverage	`GET`	`/futures/{asset_id}/leverage`	Check current leverage and margin type for an asset
Set leverage	`POST`	`/futures/{asset_id}/leverage`	Set leverage (within asset's min/max range) and margin type

Order Management

Action	Method	Endpoint	Description
-----	-----	-----	-----
Place order	`POST`	`/futures/{asset_id}/order`	Create market or limit order (LONG/SHORT) with optional SL/TP
View open orders	`GET`	`/futures/orders`	List all your open orders
Get order details	`GET`	`/futures/orders/{order_id}`	Retrieve details of a specific order
Cancel order	`DELETE`	`/futures/orders/{order_id}`	Cancel an open order
Amend order	`PATCH`	`/futures/orders/{order_id}`	Modify an existing order (price, quantity, etc.)
Order history	`GET`	`/futures/orders/history`	View your historical orders

Position Management

Action	Method	Endpoint	Description
-----	-----	-----	-----
View open positions	`GET`	`/futures/positions`	Get all open positions with entry price, quantity, leverage, PnL
Close position	`POST`	`/futures/positions/{position_id}/close`	Fully close a position
Partial close	`POST`	`/futures/positions/{position_id}/close/partial`	Close a portion of your position
Reverse position	`POST`	`/futures/positions/{position_id}/reverse`	Switch from LONG to SHORT or vice versa
Position history	`GET`	`/futures/positions/history`	View your closed position history

Risk Management (Stop-Loss & Take-Profit)

Action	Method	Endpoint	Description
-----	-----	-----	-----
Set SL/TP	POST	/futures/positions/{position_id}/riskorder	Attach stop-loss and/or take-profit to a position
Edit SL/TP	PATCH	/futures/positions/{position_id}/riskorder	Modify existing stop-loss or take-profit levels

Monitoring & History

Action	Method	Endpoint	Description
-----	-----	-----	-----
Fee history	GET	/futures/fee/history	Retrieve your trading fee history

Quick Trading Workflow

Here's a typical trading workflow using the APIs above:

1. ****Check balance**** → GET /wallet/funds to see available funds
2. ****Transfer to futures**** → POST /wallet/futures/transfer if needed
3. ****Discover assets**** → GET /futures to find tradable instruments
4. ****Set leverage**** → POST /futures/{asset_id}/leverage for your chosen asset
5. ****Place order**** → POST /futures/{asset_id}/order to open a position
6. ****Monitor position**** → GET /futures/positions to track PnL
7. ****Manage risk**** → POST /futures/positions/{position_id}/riskorder to set SL/TP
8. ****Close position**** → POST /futures/positions/{position_id}/close or use partial close

For detailed API documentation, parameters, and examples, refer to the [API Reference](/docs/API%20Reference/) section.

Authentication & Rate Limits

Learn how to authenticate with Mudrex API using API keys and understand the rate limits enforced for secure trading operations.

Authentication

Mudrex enforces strong security measures. To call any private endpoint, you must:

****Verify your identity****: Complete KYC verification (PAN & Aadhaar) and enable two-factor authentication for your Mudrex account.

****Generate an API key**:** In your dashboard, create an API key. Copy the secret and store it securely, as it will not be displayed again.

All endpoints under `/fapi/v1` require the following headers:

Header	Value	Required
X-Authentication	your\api_secret	Yes
Content-Type	`application/json`	Only for POST/PATCH/DELETE requests

Example Request

```
```shell
curl -X POST https://trade.mudrex.com/fapi/v1/futures/<asset_id>/order \
-H "Content-Type: application/json" \
-H "X-Authentication: <secret-key>" \
-d '{
 "leverage": "5",
 "quantity": "0.001",
 "order_price": "107526",
 "order_type": "LONG",
 "trigger_type": "MARKET",
 "is_takeprofit": true,
 "is_stoploss": true,
 "stoploss_price": "106900",
 "takeprofit_price": "110000",
 "reduce_only": false
}'
...

```

<br />

### ## Rate Limits

The following rate limits are enforced per API key.

#### #### Updated Rate Limits (All Endpoints)

All endpoints will use the following updated rate limits, except wallet endpoints listed separately below.

#### ##### Limits

Duration	Limit
-----	-----
Second	10
Minute	500
Hour	30000

\*\*\*

### ### Wallet Rate Limits (`/fapi/v1/wallet`)

The following wallet endpoints use separate rate limits from the default API limits:

- \* [Spot Wallet Balance](https://docs.trade.mudrex.com/docs/get-spot-funds)
- \* [Spot to Futures Wallet Transfer](https://docs.trade.mudrex.com/docs/post-transfer-funds)

### #### Limits

Duration	Limit
-----	-----
Second	2
Minute	50
Hour	1000

\*\*\*

### ### Notes

- \* Rate limits are applied per API key
- \* Wallet routes continue to use separate limits
- \* Exceeding limits may result in request throttling or temporary blocking
- \* Updated limits are designed to support higher throughput and trading activity

### # Errors

### ## Error Response

```
```json
{
  "success": false,
  "code": "ERROR_CODE",
  "message": "Human readable message",
  "requestId": "b7b2c2e5-8b8a-4e2a-9a4b-5f5b1f5d2e2a",
  "ts": 1737665012345
}
```

...

Errors Codes

Status code	Error Code	Description
:-----	:-----	:-----
400	INVALID_REQUEST	Bad or missing parameter
401	UNAUTHORIZED	Invalid or missing `X-Authentication`
403	FORBIDDEN	Scope/IP not allowed
404	NOT_FOUND	Resource not found
409	CONFLICT	Conflicting or duplicate action
429	RATE_LIMIT_EXCEEDED	Throttled by rate limiter
5xx	SERVER_ERROR	Internal error; retry with backoff

Funds (spot)

Retrieve your current Spot wallet balances across all supported assets. Currently, Mudrex API Trading supports USDT Margined Futures only. INR Margined Futures will be live soon

Request

```
``shell API
curl -X POST "https://trade.mudrex.com/fapi/v1/wallet/funds" \
  -H "Content-Type: application/json" \
  -H "X-Authentication: your-secret-key"
``
```


Response

```
``json
{
  "success": true,
  "data": {
    "total": 4.13,
    "rewards": 0,
    "invested": 3.5,
    "withdrawable": 0.63,
    "coin_investable": 0.63,
    "coinset_investable": 0.63,
    "vault_investable": 0.63
  }
}
```

```
}  
}  
...
```

****Parameters****

Parameter	Description
-----	-----
`total`	Total value in your spot wallet across all products.
`rewards`	Bonus funds earned from promotions, not withdrawable.
`invested`	Funds currently locked in other Mudrex products.
`withdrawable`	Amount available to withdraw or transfer to futures.
`coin_investable`	Amount available for investment in individual coins.
`coinset_investable`	Amount available for investment in coin sets.
`vault_investable`	Amount available for investment in vaults.

Transfer funds

Move funds instantly between your spot wallet (USDT Wallet) and futures wallet to manage trading positions and margin requirements.

Request

```
```bash API  
curl -X POST "https://trade.mudrex.com/fapi/v1/wallet/futures/transfer" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
 "from_wallet_type": "SPOT",
 "to_wallet_type": "FUTURES",
 "amount": "10.5"
}'
```
```

****Parameters****

| Field | Type | Required | Description |
|--------------------|--------|----------|--|
| ----- | ----- | ----- | ----- |
| `from_wallet_type` | string | Yes | Source wallet: ``SPOT`` or ``FUTURES`` |
| `to_wallet_type` | string | Yes | Destination wallet: must be opposite of source |
| `amount` | string | Yes | Decimal amount to transfer (must be positive) |

Response

Status: `202 Accepted`

```
```json
{
 "success": true,
 "data": {
 "msg": "internal_wallet_fund_transfer_request accepted"
 }
}
```
```


Examples

<Tabs>

<Tab title="SPOT → FUTURES">

****Request****

```
```json
{
 "from_wallet_type": "SPOT",
 "to_wallet_type": "FUTURES",
 "amount": "1"
}
```
```

****Response****

```
```json
{
 "success": true,
 "data": {
 "msg": "internal_wallet_fund_transfer_request accepted"
 }
}
```
```

</Tab>

<Tab title="FUTURES → SPOT">

****Request****


```
```json
{
 "from_wallet_type": "FUTURES",
 "to_wallet_type": "SPOT",
 "amount": "1"
}
```
```

****Response****

```
```json
{
 "success": true,
 "data": {
 "msg": "internal_wallet_fund_transfer_request accepted"
 }
}
```
```

</Tab>

</Tabs>

<Accordion title="Common errors" icon="exclamation-triangle">

****Same wallet type selected****

```
```json
{
 "success": false,
 "errors": [
 {
 "code": null,
 "text": "From and To wallet types must be different"
 }
]
}
```
```

Status: `400 Bad Request`

****Insufficient funds****

```
```json
{
```

```
"success": false,
"errors": [
 {
 "code": null,
 "text": "insufficient balance"
 }
]
}
...
```

Status: `400 Bad Request`  
</Accordion>

<br />

### ### Notes

- \* Transfers are **instant** and **free of fees**
- \* You must have sufficient balance in the source wallet
- \* The wallets must be different (`SPOT` ↔ `FUTURES` only)
- \* Authentication is required for all transfer requests
- \* Currently, Mudrex API Trading supports USDT Margined Futures only. INR Margined Futures will be live soon

### # Funds (futures)

Fetch your available balance and margin usage from the Futures wallet.

### ### Request

```
``shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/funds" \
 -H "Content-Type: application/json" \
 -H "X-Authentication: your-secret-key"
...
```

<br />

### ### Response

```
``json
{
 "success": true,
 "data": {
```

```

 "balance": "12.6787",
 "locked_amount": "1.6979",
 "first_time_user": false
 }
}

```

```
...
```

#### **\*\*Parameters\*\***

```

* `balance`: investable balance in futures wallet
* `locked_amount`: locked balance in futures wallet
* `first_time_user`: first time user

```

#### **# Assets**

Get a paginated list of all tradable futures asset.

#### **### Request**

```
```shell API
```

```

curl -X GET "https://trade.mudrex.com/fapi/v1/futures?sort=price&order=desc&offset=0&limit=3" \
-H "X-Authentication: your-secret-key"
```

```

#### **\*\*Parameters\*\***

| Parameter | Type   | Required | Description                                                          |
|-----------|--------|----------|----------------------------------------------------------------------|
| -----     | -----  | -----    | -----                                                                |
| `sort`    | string | No       | Sort by: `price`, `volume`, `change_perc`, or `popularity` (default) |
| `order`   | string | No       | Sort order: `asc` or `desc`                                          |
| `offset`  | number | No       | Number of records to skip (default: 0)                               |
| `limit`   | number | No       | Maximum number of records to return (default: 20)                    |

<br />

#### **### Response**

```
```json
```

```

{
  "success": true,
  "data": [
    {

```

```

    "id": "01903a7b-bf65-707d-a7dc-d7b84c3c756c",
    "name": "Bitcoin",
    "symbol": "BTCUSDT",
    "min_contract": "0.001",
    "max_contract": "1190",
    "quantity_step": "0.001",
    "min_price": "0.1",
    "max_price": "1999999.8",
    "price_step": "0.1",
    "max_market_contract": "119",
    "min_notional_value": "5",
    "funding_fee_perc": "0.0001",
    "max_funding_rate": null,
    "min_funding_rate": null,
    "trading_fee_perc": "0.1",
    "leverage_step": "0.01",
    "min_leverage": "1",
    "max_leverage": "100",
    "funding_interval": 1759305600,
    "price": "114550",
    "last_day_price": "114060.7",
    "change_perc": "0.42898211215607",
    "volume": "66940.704",
    "popularity": "1"
  }
]
}
...

```

****Parameters****

Parameter	Description

`id`	Asset ID used to create positions in a particular asset. Example: "01903a7b-bf65-707d-a7dc-d7b84c3c756c" is for BTC
`name`	Asset name (e.g., "Bitcoin")
`symbol`	Trading symbol (e.g., "BTCUSDT")
`min_contract`	Minimum quantity for which a position can be opened in an asset

`max_contract`	Maximum quantity for which a position can be opened in an asset	
`quantity_step`	Multiple of min contract value. Contracts must be in multiples of this value (e.g., 0.001, 0.002, 0.003)	
`min_price`	Minimum price for SL/TP or Limit orders	
`max_price`	Maximum price for SL/TP or Limit orders	
`price_step`	Price increment step	
`max_market_contract`	Maximum contract size for market orders	
`min_notional_value`	Minimum notional value for orders	
`funding_fee_perc`	Funding fee percentage	
`max_funding_rate`	Maximum funding rate (correct values, can be null)	
`min_funding_rate`	Minimum funding rate (correct values, can be null)	
`trading_fee_perc`	Trading fee percentage	
`leverage_step`	Leverage increment step. Valid leverage must be between min_leverage and max_leverage in multiples of this step	
`min_leverage`	Minimum allowed leverage	
`max_leverage`	Maximum allowed leverage	
`funding_interval`	Funding interval in <Anchor label="EPOCH time" target="_blank" href="https://www.epochconverter.com/">EPOCH time</Anchor>. Regular period at which funding fees are exchanged	
`price`	Current market price	
`last_day_price`	Price from the previous day	
`change_perc`	Percentage change in price	
`volume`	Trading volume	
`popularity`	Popularity ranking of the asset	

Pagination

Pagination is controlled by the `limit` and `offset` query parameters. Use `limit` to specify how many assets to return (default 10) and `offset` to skip a number of assets (default 0). When combined, these allow you to paginate through the full list of futures assets.

The response returns an array of asset objects. Each object contains fields like `id` (asset identifier), `symbol` (trading pair), `price` (current price), `volume24h` (24-hour trading volume), and `changePerc` (24-hour price change percentage). Use these fields to display basic market information about each asset.

Asset by id/symbol

Pull detailed metadata about a specific asset using its ID.

Request

```
```shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/{asset_id}" \
 -H "X-Authentication: your-secret-key"
```
```

Parameters

| Parameter | Type | Required | Description |
|-------------|--------|----------|---|
| ----- | ----- | ----- | |
| ----- | | | |
| `asset_id` | string | Yes | The unique identifier of the asset (path parameter) or trading symbol (e.g., "BTCUSDT") if `is_symbol` query parameter is present |
| | | | |
| `is_symbol` | string | No | Query parameter. If present (even with value false/0), the `asset_id` path parameter is treated as a trading symbol instead of asset ID. If not passed, backward compatibility is maintained and asset ID is used |
| | | | |

Symbol-First Trading

You can use trading symbols (e.g., "BTCUSDT", "ETHUSDT") instead of asset IDs by including the `is\_symbol` query parameter:

```
```shell API
```

```
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/BTCUSDT?is_symbol" \
-H "X-Authentication: your-secret-key"
...
```

**\*\*Note\*\*:** The `is_symbol` query parameter need not have a value—its mere presence is enough. If the query parameter is passed (even with values like `false`, `f`, `False`, `0`), the system will treat the path parameter as a symbol. For backward compatibility, if the query parameter is not passed, the existing Asset ID support is used.

<br />

### Response

```
```json
{
  "success": true,
  "data": {
    "id": "01903bc9-973a-7106-99e2-08287b632806",
    "name": "Ethereum",
    "symbol": "ETHUSDT",
    "min_contract": "0.01",
    "max_contract": "7240",
    "quantity_step": "0.01",
    "min_price": "0.01",
    "max_price": "199999.98",
    "price_step": "0.01",
    "max_market_contract": "724",
    "min_notional_value": "5",
    "funding_fee_perc": "0.0001",
    "max_funding_rate": null,
    "min_funding_rate": null,
    "trading_fee_perc": "0.1",
    "leverage_step": "0.01",
    "min_leverage": "1",
    "max_leverage": "100",
    "funding_interval": 1759305600,
    "price": "4147.18",
    "last_day_price": "4178.99",
    "change_perc": "-0.7611887082764",
    "volume": "1429617.28",
    "popularity": "2",
    "1d_high": 4205.82,
    "1d_low": 4089.48,
    "1d_volume": 1429617.2799999975
  }
}
```

```
}  
}  
...
```

****Parameters****

Parameter	Description
-----	-----
-----	-----
`id`	Asset ID used to create positions in a particular asset
`name`	Asset name (e.g., "Ethereum")
`symbol`	Trading symbol (e.g., "ETHUSDT")
`min_contract`	Minimum quantity for which a position can be opened in an asset
`max_contract`	Maximum quantity for which a position can be opened in an asset
`quantity_step`	Multiple of min contract value. Contracts must be in multiples of this value
`min_price`	Minimum price for SL/TP or Limit orders
`max_price`	Maximum price for SL/TP or Limit orders
`price_step`	Price increment step
`max_market_contract`	Maximum contract size for market orders
`min_notional_value`	Minimum notional value for orders
`funding_fee_perc`	Funding fee percentage
`max_funding_rate`	Maximum funding rate (correct values, can be null)
`min_funding_rate`	Minimum funding rate (correct values, can be null)
`trading_fee_perc`	Trading fee percentage
`leverage_step`	Leverage increment step. Valid leverage must be between min_leverage and max_leverage in multiples of this step

`min_leverage`	Minimum allowed leverage
`max_leverage`	Maximum allowed leverage
`funding_interval`	Funding interval in <Anchor label="EPOCH time" target="_blank" href="https://www.epochconverter.com/">EPOCH time</Anchor>. Regular period at which funding fees are exchanged
`price`	Current market price
`last_day_price`	Price from the previous day
`change_perc`	Percentage change in price
`volume`	Trading volume
`popularity`	Popularity ranking of the asset
`1d_high`	24-hour high price
`1d_low`	24-hour low price
`1d_volume`	24-hour trading volume

<Accordion title="Common errors" icon="exclamation-triangle">

****Asset not found****

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 404,
 "text": "Asset not found"
 }
]
}
```

Status: `404 Not Found`

</Accordion>

## # Leverage by asset id/symbol

Check the leverage level and margin type set for a given asset.

### ### Request

```shell API

```
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/{asset_id}/leverage" \
-H "X-Authentication: your-secret-key"
```
```

### \*\*Parameters\*\*

Parameter	Type	Required	Description
-----------	------	----------	-------------

--	--	--	--

-----	-----	-----	
-------	-------	-------	--

--	--	--	--

`asset_id`	string	Yes	The unique identifier of the asset (path parameter) or trading symbol (e.g., "BTCUSDT") if `is_symbol` query parameter is present
------------	--------	-----	-----------------------------------------------------------------------------------------------------------------------------------

--	--	--	--

`is_symbol`	string	No	Query parameter. If present (even with value false/0), the `asset_id` path parameter is treated as a trading symbol instead of asset ID. If not passed, backward compatibility is maintained and asset ID is used
-------------	--------	----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<br />

### ### Symbol-First Trading

You can use trading symbols (e.g., "BTCUSDT", "ETHUSDT") instead of asset IDs by including the `is\_symbol` query parameter:

```shell API

```
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/BTCUSDT/leverage?is_symbol" \
-H "X-Authentication: your-secret-key"
```
```

**\*\*Note\*\*:** The `is\_symbol` query parameter need not have a value—its mere presence is enough. If the query parameter is passed (even with values like `false`, `f`, `False`, `0`), the system will treat the path parameter as a symbol. For backward compatibility, if the query parameter is not passed, the existing Asset ID support is used.

<br />

### ### Response

```
```json
{
  "success": true,
  "data": {
    "Leverage": "50",
    "MarginType": "ISOLATED"
  }
}
```
```

### \*\*Parameters\*\*

| Parameter    | Description                                                       |
|--------------|-------------------------------------------------------------------|
| `Leverage`   | Current leverage level set for the asset                          |
| `MarginType` | Margin type for the asset. Currently only `ISOLATED` is supported |

<br />

### ### Rate Limits

| Duration | Limit |
|----------|-------|
| Second   | 5     |
| Minute   | 125   |
| Hour     | 2500  |
| Day      | 25000 |

### # Set leverage by asset id/symbol

Set or update the leverage and margin type for a specific asset.

### ### Request

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/{asset_id}/leverage" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
  "margin_type": "ISOLATED",
  "leverage": 50
}'
```

...

****Parameters****

Parameter	Type	Required	Description
-----	-----	-----	

`asset_id`	string	Yes	The unique identifier of the asset (path parameter) or trading symbol (e.g., "BTCUSDT") if `is_symbol` query parameter is present
`is_symbol`	string	No	Query parameter. If present (even with value false/0), the `asset_id` path parameter is treated as a trading symbol instead of asset ID. If not passed, backward compatibility is maintained and asset ID is used
`margin_type`	string	No	Margin type. Currently only `ISOLATED` is supported (defaults to ISOLATED)
`leverage`	number	Yes	Leverage value to set for the asset (must be within permissible range)

Symbol-First Trading

You can use trading symbols (e.g., "BTCUSDT", "ETHUSDT") instead of asset IDs by including the `is\_symbol` query parameter:

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/BTCUSDT/leverage?is_symbol" \
 -H "Content-Type: application/json" \
 -H "X-Authentication: your-secret-key" \
 -d '{
 "margin_type": "ISOLATED",
 "leverage": 50
 }'
```
```

****Note**:** The `is\_symbol` query parameter need not have a value—its mere presence is enough. If the query parameter is passed (even with values like `false`, `f`, `False`, `0`), the system will treat the path parameter as a symbol. For backward compatibility, if the query parameter is not passed, the existing Asset ID support is used.

Response

```
```json
{
 "success": true,
 "data": {
 "Leverage": "50",
 "MarginType": "ISOLATED"
 }
}
```
```

Parameters

| Parameter | Description |
|--------------|---|
| ----- | ----- |
| `Leverage` | Leverage level set for the asset |
| `MarginType` | Margin type for the asset. Currently only `ISOLATED` is supported |

<Accordion title="Common errors" icon="exclamation-triangle">

Leverage out of permissible range

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 400,
 "text": "leverage out of permissible range"
 }
]
}
```
```

Status: `400 Bad Request`

This error occurs when:

- * Leverage value is too high (e.g., `5999836`)
- * Leverage value is invalid (e.g., `0` or negative)

****Invalid asset ID****

Status: `400 Bad Request`

Occurs when the provided asset ID is invalid or not found.
</Accordion>

Rate Limits

| |
|------------------|
| Duration Limit |
| ----- ---- |
| Second 5 |
| Minute 125 |
| Hour 2500 |
| Day 25000 |

Notes

- * Currently, only `margin\_type = ISOLATED` is supported, so `margin\_type` is not a mandatory field in the request body
- * Leverage must be within the permissible range for the specific asset (check asset details for min/max leverage values)

Create new order

Place a new market or limit order on a chosen trading pair.

Request

```bash API

```
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/{asset_id}/order" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
 "leverage": 50,
 "quantity": 0.01,
 "order_price": 12445627,
 "order_type": "LONG",
 "trigger_type": "MARKET",
 "is_takeprofit": true,
 "is_stoploss": true,
 "stoploss_price": 3800,
```

```

 "takeprofit_price": 5000,
 "reduce_only": false
 }'
...

```

## **\*\*Parameters\*\***

| Parameter          | Type    | Required    | Description                                                                                                                                                                                                       |
|--------------------|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -----              | -----   | -----       |                                                                                                                                                                                                                   |
| -----              |         |             |                                                                                                                                                                                                                   |
| `asset_id`         | string  | Yes         | The unique identifier of the asset (path parameter) or trading symbol (e.g., "BTCUSDT") if `is_symbol` query parameter is present                                                                                 |
| `is_symbol`        | string  | No          | Query parameter. If present (even with value false/0), the `asset_id` path parameter is treated as a trading symbol instead of asset ID. If not passed, backward compatibility is maintained and asset ID is used |
| `leverage`         | number  | Yes         | Leverage value (must be within permissible range for the asset)                                                                                                                                                   |
| `quantity`         | number  | Yes         | Order quantity (must be a multiple of the quantity step for the asset)                                                                                                                                            |
| `order_price`      | number  | Yes         | Order price (must be between min & max price for the asset based on `LONG`/`SHORT` orders)                                                                                                                        |
| `order_type`       | string  | Yes         | Order type: `LONG` or `SHORT`. If `reduce_only` is true, must be opposite of existing position                                                                                                                    |
| `trigger_type`     | string  | Yes         | Trigger type: `MARKET` or `LIMIT`                                                                                                                                                                                 |
| `is_takeprofit`    | boolean | No          | Whether to set a take profit order (default: false)                                                                                                                                                               |
| `is_stoploss`      | boolean | No          | Whether to set a stop loss order (default: false)                                                                                                                                                                 |
| `stoploss_price`   | number  | Conditional | Required if `is_stoploss` is true. Stop loss price                                                                                                                                                                |
| `takeprofit_price` | number  | Conditional | Required if `is_takeprofit` is true. Take profit price                                                                                                                                                            |
| `reduce_only`      | boolean | No          | If true, order can only decrease or close an existing position (default: false)                                                                                                                                   |

<br />

### ### Response

Status: `202 Accepted`

```
``json
{
 "success": true,
 "data": {
 "leverage": "80.9",
 "amount": "222.8",
 "quantity": "0.05",
 "price": "4456",
 "order_id": "0199c39f-e866-7d6b-947e-ed2f09c90b8e",
 "status": "CREATED",
 "message": "OK"
 }
}
...`
```

### \*\*Parameters\*\*

| Parameter | Description |
|-----------|-------------|
|-----------|-------------|

|  |  |
|--|--|
|  |  |
|--|--|

|       |  |
|-------|--|
| ----- |  |
|-------|--|

---

|   |  |
|---|--|
| - |  |
|---|--|

|            |                                                                                                                                  |
|------------|----------------------------------------------------------------------------------------------------------------------------------|
| `order_id` | UUID of the created order. This ID is used for CRUD operations on the order/position (setting SL/TP, square off, cancel, delete) |
|------------|----------------------------------------------------------------------------------------------------------------------------------|

|            |                             |
|------------|-----------------------------|
| `leverage` | Leverage used for the order |
|------------|-----------------------------|

|  |  |
|--|--|
|  |  |
|--|--|

|          |                           |
|----------|---------------------------|
| `amount` | Amount used for the order |
|----------|---------------------------|

|  |  |
|--|--|
|  |  |
|--|--|

|            |                |
|------------|----------------|
| `quantity` | Order quantity |
|------------|----------------|

|  |  |
|--|--|
|  |  |
|--|--|

|         |             |
|---------|-------------|
| `price` | Order price |
|---------|-------------|

|  |  |
|--|--|
|  |  |
|--|--|

|          |                                |
|----------|--------------------------------|
| `status` | Order status (e.g., `CREATED`) |
|----------|--------------------------------|

|  |  |
|--|--|
|  |  |
|--|--|

|           |                |
|-----------|----------------|
| `message` | Status message |
|-----------|----------------|

|  |  |
|--|--|
|  |  |
|--|--|

<br />



<Accordion title="Common errors" icon="exclamation-triangle">

**\*\*Params error\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "Params error"
    }
  ]
}
```
```

Status: `400 Bad Request`

**\*\*Invalid trigger type\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "invalid trigger type"
    }
  ]
}
```
```

Status: `400 Bad Request`

**\*\*Invalid order type\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "invalid order type"
    }
  ]
}
```

```
]
}
```

Status: `400 Bad Request`

****Order price out of permissible range****

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 400,
 "text": "order price out of permissible range"
 }
]
}
```

Status: `400 Bad Request`

**\*\*Quantity not a multiple of the quantity step\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "quantity not a multiple of the quantity step"
    }
  ]
}
```

Status: `400 Bad Request`

****Leverage out of permissible range****

```
```json
{
 "success": false,
 "errors": [
```

```
{
 "code": 400,
 "text": "leverage out of permissible range"
}
]
```

Status: `400 Bad Request`  
 </Accordion>

<br />

### ### Symbol-First Trading

You can use trading symbols (e.g., "BTCUSDT", "ETHUSDT") instead of asset IDs by including the `is\_symbol` query parameter:

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/BTCUSDT/order?is_symbol" \
  -H "Content-Type: application/json" \
  -H "X-Authentication: your-secret-key" \
  -d '{
    "leverage": 50,
    "quantity": 0.01,
    "order_price": 12445627,
    "order_type": "LONG",
    "trigger_type": "MARKET",
    "is_takeprofit": true,
    "is_stoploss": true,
    "stoploss_price": 3800,
    "takeprofit_price": 5000,
    "reduce_only": false
  }'
```
```

**\*\*Note\*\*:** The `is\_symbol` query parameter need not have a value—its mere presence is enough. If the query parameter is passed (even with values like `false`, `f`, `False`, `0`), the system will treat the path parameter as a symbol. For backward compatibility, if the query parameter is not passed, the existing Asset ID support is used.

<br />

### ### Rate Limits

| Duration | Limit |
|----------|-------|
| -----    | ----- |
| Second   | 5     |
| Minute   | 125   |
| Hour     | 2500  |
| Day      | 25000 |

<br />

### ### Notes

\* \*\*Order Price\*\*\*: Must be between min & max price for the asset based on `LONG`/`SHORT` orders

\* \*\*Order Type\*\*\*: Can be `LONG` or `SHORT`. If there is no existing position in an asset, you can open a new position or average/reduce position sizing

\* \*\*Reduce-Only Orders\*\*\*: If `reduce\_only` is `true` and there is an existing open position in a particular asset, the order type must be opposite to the existing position (e.g., if open position is `LONG`, request body must have order type `SHORT` and vice versa). A reduce-only order ensures it can only decrease or close an existing position

\* \*\*Trigger Type\*\*\*: Can be `MARKET` or `LIMIT`

\* \*\*Stop Loss/Take Profit\*\*\*: If `is\_takeprofit` is `true` or `is\_stoploss` is `true`, you must define the corresponding price. If both are `false`, stop loss and take profit prices are not required

### # Order by id

Retrieve detailed information about a particular order.

### ### Request

```shell API

```
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/orders/{order_id}" \
-H "X-Authentication: your-secret-key"
```

```

### \*\*Parameters\*\*

Parameter	Type	Required	Description
-----	-----	-----	-----
`order_id`	string	Yes	The unique identifier of the order (path parameter)

<br />

### ### Response

```

...json
{
 "success": true,
 "data": {
 "created_at": "2025-10-08T11:41:01Z",
 "updated_at": "2025-10-08T11:41:01Z",
 "reason": {
 "message": "OK"
 },
 "actual_amount": 222.8,
 "desired_amount": 0,
 "quantity": 0.05,
 "filled_quantity": 0,
 "price": 4456,
 "filled_price": 0,
 "leverage": 80.9,
 "liquidation_price": 0,
 "order_type": "LONG",
 "trigger_type": "LIMIT",
 "status": "CREATED",
 "id": "0199c39f-e866-7d6b-947e-ed2f09c90b8e",
 "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
 "symbol": "ETHUSDT"
 }
}
...

```

## **\*\*Parameters\*\***

Parameter	Description
-----	-----
`id`	Order ID (UUID)
`created_at`	Timestamp when the order was created
`updated_at`	Timestamp when the order was last updated
`reason`	Reason object containing message (can be null)
`actual_amount`	Actual amount used for the order
`desired_amount`	Desired amount for the order
`quantity`	Order quantity
`filled_quantity`	Quantity that has been filled
`price`	Order price
`filled_price`	Average price at which the order has been filled
`leverage`	Leverage used for the order
`liquidation_price`	Liquidation price for the position

`order_type`	Type of order: `LONG`, `SHORT`, or `TAKEPROFIT`	
`trigger_type`	Trigger type: `MARKET` or `LIMIT`	
`status`	Order status (e.g., `CREATED`, `FILLED`)	
`asset_uuid`	UUID of the asset	
`symbol`	Trading symbol (e.g., "ETHUSDT")	

<br />

<Accordion title="Common errors" icon="exclamation-triangle">

**\*\*Order not found\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 404,
      "text": "order not found"
    }
  ]
}
...`
```

Status: `404 Not Found`

</Accordion>

Open orders

View all active (open) orders in your account.

Request

```
```shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/orders?limit=2" \
-H "X-Authentication: your-secret-key"
...`
```

**\*\*Parameters\*\***

Parameter	Type	Required	Description	
-----	-----	-----	-----	
`limit`	number	No	Maximum number of records to return (default: 20)	

<br />

### Response

```
```json
{
  "success": true,
  "data": [
    {
      "created_at": "2025-10-08T11:41:01Z",
      "updated_at": "2025-10-08T11:41:01Z",
      "reason": {
        "message": "OK"
      },
      "actual_amount": 222.8,
      "desired_amount": 0,
      "quantity": 0.05,
      "filled_quantity": 0,
      "price": 4456,
      "filled_price": 0,
      "leverage": 80.9,
      "liquidation_price": 0,
      "order_type": "LONG",
      "trigger_type": "LIMIT",
      "status": "CREATED",
      "id": "0199c39f-e866-7d6b-947e-ed2f09c90b8e",
      "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
      "symbol": "ETHUSDT"
    },
    {
      "created_at": "2025-10-08T11:41:01Z",
      "updated_at": "2025-10-08T11:41:01Z",
      "reason": null,
      "actual_amount": 0,
      "desired_amount": 0,
      "quantity": 0,
      "filled_quantity": 0,
      "price": 30000,
      "filled_price": 0,
      "leverage": 0,
      "liquidation_price": 0,
      "order_type": "TAKEPROFIT",
      "trigger_type": "MARKET",
      "status": "CREATED",
      "id": "0199c39f-e866-7d6e-b5d9-850852495106",
    }
  ]
}
```

```

        "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
        "symbol": "ETHUSDT"
    }
]
}
...

```

****Parameters****

Parameter	Description
-----	-----
`id`	Order ID (UUID). This ID is used for updating or deleting open orders/positions
`created_at`	Timestamp when the order was created
`updated_at`	Timestamp when the order was last updated
`reason`	Reason object containing message (can be null)
`actual_amount`	Actual amount used for the order
`desired_amount`	Desired amount for the order
`quantity`	Order quantity
`filled_quantity`	Quantity that has been filled
`price`	Order price
`filled_price`	Average price at which the order has been filled
`leverage`	Leverage used for the order
`liquidation_price`	Liquidation price for the position
`order_type`	Type of order: `LONG`, `SHORT`, or `TAKEPROFIT`
`trigger_type`	Trigger type: `MARKET` or `LIMIT`
`status`	Order status (e.g., `CREATED`)
`asset_uuid`	UUID of the asset
`symbol`	Trading symbol (e.g., "ETHUSDT")

Examples

****No open orders****

```

```json
{
 "success": true,
 "data": []
}
...

```

## **# Order history**



Access historical order data with filters for asset, side, and time.

#### ### Request

```
```shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/orders/history?limit=2" \
  -H "X-Authentication: your-secret-key"
```
```

#### \*\*Parameters\*\*

| Parameter | Type   | Required | Description                                       |
|-----------|--------|----------|---------------------------------------------------|
| limit     | number | No       | Maximum number of records to return (default: 20) |

<br />

#### ### Response

```
```json
{
  "success": true,
  "data": [
    {
      "created_at": "2025-10-01T10:37:12Z",
      "updated_at": "2025-10-01T10:37:12Z",
      "reason": null,
      "actual_amount": 398.8752,
      "quantity": 1840,
      "filled_quantity": 1840,
      "price": 0.22118,
      "filled_price": 0.21678,
      "leverage": 25,
      "order_type": "SHORT",
      "trigger_type": "MARKET",
      "status": "FILLED",
      "id": "01999f58-f8cd-73e0-ad02-96b0e3451882",
      "asset_uuid": "01920a1c-88a3-7c9c-a71e-9d2d89dc1999",
      "symbol": "SQDUSDT"
    },
    {
      "created_at": "2025-10-01T10:25:41Z",
      "updated_at": "2025-10-01T10:25:41Z",
      "reason": {

```

```

        "message": "OK"
    },
    "actual_amount": 415.4904,
    "quantity": 1840,
    "filled_quantity": 1840,
    "price": 0.22568,
    "filled_price": 0.22581,
    "leverage": 25,
    "order_type": "LONG",
    "trigger_type": "MARKET",
    "status": "FILLED",
    "id": "01999f4e-6da3-7eaa-8339-096300e9b9f5",
    "asset_uuid": "01920a1c-88a3-7c9c-a71e-9d2d89dc1999",
    "symbol": "SQDUSDT"
}
]
}
...

```

****Parameters****

Parameter	Description
<code>`id`</code>	Order ID (UUID)
<code>`created_at`</code>	Timestamp when the order was created
<code>`updated_at`</code>	Timestamp when the order was last updated
<code>`reason`</code>	Reason object containing message (can be null)
<code>`actual_amount`</code>	Actual amount used for the order
<code>`quantity`</code>	Order quantity
<code>`filled_quantity`</code>	Quantity that has been filled
<code>`price`</code>	Order price
<code>`filled_price`</code>	Average price at which the order has been filled
<code>`leverage`</code>	Leverage used for the order
<code>`order_type`</code>	Type of order: <code>`LONG`</code> , <code>`SHORT`</code> , or <code>`TAKEPROFIT`</code>
<code>`trigger_type`</code>	Trigger type: <code>`MARKET`</code> or <code>`LIMIT`</code>
<code>`status`</code>	Order status (e.g., <code>`FILLED`</code>)
<code>`asset_uuid`</code>	UUID of the asset
<code>`symbol`</code>	Trading symbol (e.g., "SQDUSDT")

Cancel order by id

Cancel a specific order using its unique ID.

Request

```
```bash API
curl -X DELETE "https://trade.mudrex.com/fapi/v1/futures/orders/{order_id}" \
-H "X-Authentication: your-secret-key"
```
```

****Parameters****

| Parameter | Type | Required | Description |
|------------|--------|----------|---|
| `order_id` | string | Yes | The unique identifier of the order (path parameter) |

Response

```
```json
{
 "success": true,
 "data": {
 "message": "Order cancelled successfully",
 "order_id": "0199c7e7-628f-75e0-8212-d02f6e3b1c7a",
 "status": "CANCELLED"
 }
}
```
```

****Parameters****

| Parameter | Description |
|------------|---|
| `message` | Status message |
| `order_id` | ID of the cancelled order |
| `status` | Status of the order (e.g., `CANCELLED`) |

<Accordion title="Common errors" icon="exclamation-triangle">

****Order already deleted****

Status: `400 Bad Request`

Occurs when attempting to delete an order that has already been cancelled or deleted.

****Invalid order ID****

Status: `500 Internal Server Error`

Occurs when the provided order ID is invalid or malformed.
</Accordion>

Rate Limits

| |
|------------------|
| Duration Limit |
| ----- ---- |
| Second 5 |
| Minute 125 |
| Hour 2500 |
| Day 25000 |

Open Positions

Get detailed info about your currently open positions.

Request

```
``shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/positions" \
-H "X-Authentication: your-secret-key"
``
```


Response

```
``json
{
  "success": true,
  "data": [
    {
      "created_at": "2025-10-01T06:27:17Z",
      "updated_at": "2025-10-01T06:31:15Z",
      "stoploss": {
        "price": "4100",
        "order_id": "01999e77-8eab-79aa-8db3-8cc0624c7d0e",
        "order_type": "SHORT"
      }
    }
  ]
}
```

```

    },
    "takeprofit": {
      "price": "5000",
      "order_id": "01999e77-8eab-79ad-b3f0-22ee1e8e81d6",
      "order_type": "SHORT"
    },
    "entry_price": "4133.41",
    "quantity": "0.02",
    "leverage": "50",
    "liquidation_price": "4071.1",
    "order_type": "LONG",
    "status": "OPEN",
    "id": "01999e74-27a6-76d5-880b-4cab5eac78f1",
    "asset_uuid": "01903bc9-973a-7106-99e2-08287b632806",
    "symbol": "ETHUSDT"
  }
]
}
...

```

****Parameters****

| Parameter | Description |
|----------------------------------|---|
| <code>`id`</code> | Position ID (UUID) |
| <code>`created_at`</code> | Timestamp when the position was created |
| <code>`updated_at`</code> | Timestamp when the position was last updated |
| <code>`stoploss`</code> | Stop loss object containing <code>`price`</code> , <code>`order_id`</code> , and <code>`order_type`</code> (can be null if not set) |
| <code>`takeprofit`</code> | Take profit object containing <code>`price`</code> , <code>`order_id`</code> , and <code>`order_type`</code> (can be null if not set) |
| <code>`entry_price`</code> | Price at which the position was opened |
| <code>`quantity`</code> | Position quantity |
| <code>`leverage`</code> | Leverage used for the position |
| <code>`liquidation_price`</code> | Liquidation price for the position |
| <code>`order_type`</code> | Position type: <code>`LONG`</code> or <code>`SHORT`</code> |
| <code>`status`</code> | Position status (e.g., <code>`OPEN`</code>) |
| <code>`asset_uuid`</code> | UUID of the asset |
| <code>`symbol`</code> | Trading symbol (e.g., "ETHUSDT") |

Examples

****No open positions****

```
```json
{
 "success": true,
 "data": null
}
```
```

Get Liquidation Price

Get estimated liquidation price for a position, optionally with additional margin adjustment.

Request

```
```shell API
curl -X GET
"https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/liq-price?ext_margin=2.1" \
-H "X-Authentication: your-secret-key"
```
```

****Parameters****

| Parameter | Type | Required | Description |
|-------------|--------|----------|---|
| position_id | string | Yes | The unique identifier of the position (path parameter) |
| ext_margin | float | No | Additional margin amount (positive for adding margin, negative for reducing margin). If not passed or zero, returns current liquidation price |

Response

```
```json
{
 "success": true,
 "data": "2.5847"
}
```

...

## **\*\*Parameters\*\***

Parameter	Description
-----	-----
`data`	Estimated liquidation price (string)

<br />

## **### Examples**

### **\*\*Get current liquidation price (no query parameter)\*\***

```bash API

```
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/liq-price" \
-H "X-Authentication: your-secret-key"
```

...

****Get estimated liquidation price after adding margin****

```bash API

```
curl -X GET
"https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/liq-price?ext_margin=10.5" \
-H "X-Authentication: your-secret-key"
```

...

### **\*\*Get estimated liquidation price after reducing margin\*\***

```bash API

```
curl -X GET
"https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/liq-price?ext_margin=-5.2" \
-H "X-Authentication: your-secret-key"
```

...

<Accordion title="Common errors" icon="exclamation-triangle">

****Position not found****

```json

```
{
 "success": false,
 "errors": [
```

```
{
 "code": 404,
 "text": "Position not found"
}
]
```

Status: `404 Not Found`

This error occurs when the position ID is incorrect or the position does not exist.

### # Add/Reduce Margin

Add or reduce margin for an existing position to adjust liquidation price.

#### ### Request

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/add-margin" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
  "margin": 10.2
}'
```
```

#### \*\*Parameters\*\*

| Parameter     | Type   | Required | Description                                                      |
|---------------|--------|----------|------------------------------------------------------------------|
| `position_id` | string | Yes      | The unique identifier of the position (path parameter)           |
| `margin`      | float  | Yes      | Margin amount to add (positive value) or reduce (negative value) |

<br />

#### ### Response

```
```json
{
  "success": true,
  "data": {
    "message": "OK",
  }
}
```



```

        "initial_margin": "3.01011155",
        "liquidation_price": "2.5847"
    }
}
...

```

****Parameters****

Parameter	Description
`message`	Status message
`initial_margin`	Updated initial margin of the position
`liquidation_price`	Updated liquidation price of the position

<Accordion title="Common errors" icon="exclamation-triangle">
****Position not found****

```

```json
{
 "success": false,
 "errors": [
 {
 "code": 404,
 "text": "Position not found"
 }
]
}
...

```

Status: `404 Not Found`

This error occurs when the position ID is incorrect or the position does not exist.

**\*\*Insufficient funds\*\***

```

```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "Insufficient funds"
    }
  ]
}
...

```

```
    }  
  ]  
}  
...
```

Status: `400 Bad Request`

This error occurs when attempting to add margin but there are insufficient funds available.
</Accordion>

Rate Limits

Duration	Limit
-----	-----
Second	5
Minute	125
Hour	2500
Day	25000

Set SL/TP

Define stop-loss and take-profit levels for an existing position.

Request

```
```bash API  
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/riskorder" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
 "stoploss_price": "5289.5",
 "takeprofit_price": "50713.00",
 "order_source": "API",
 "is_stoploss": true,
 "is_takeprofit": true
}'
```
```

****Parameters****

| Parameter | Type | Required | Description |
|--------------------|---------|-------------|---|
| ----- | ----- | ----- | |
| `position_id` | string | Yes | The unique identifier of the position (path parameter) |
| `stoploss_price` | string | Conditional | Required if `is_stoploss` is true. Stop loss price (must be above liquidation price for LONG positions) |
| `takeprofit_price` | string | Conditional | Required if `is_takeprofit` is true. Take profit price |
| `order_source` | string | No | Source of the order (e.g., "API") |
| `is_stoploss` | boolean | No | Whether to set a stop loss order (default: false) |
| `is_takeprofit` | boolean | No | Whether to set a take profit order (default: false) |

Response

```
```json
{
 "success": true,
 "data": {
 "position_id": "0199c39f-e864-7dbc-8b83-6954c1df7832",
 "status": "CREATED",
 "message": "Risk order placed successfully"
 }
}
```
```

Parameters

| Parameter | Description |
|---------------|---|
| ----- | ----- |
| `position_id` | ID of the position for which the risk order was set |
| `status` | Status of the risk order (e.g., `CREATED`) |
| `message` | Status message |

Examples

****Get position details after setting SL/TP****

```
```json
{
 "success": true,
 "data": [
 {
 "created_at": "2025-10-08T11:41:01Z",
 "updated_at": "2025-10-08T12:13:10Z",
 "stoploss": {
 "price": "0",
 "order_id": "",
 "order_type": ""
 },
 "takeprofit": {
 "price": "30000",
 "order_id": "0199c3bd-53ba-7491-ae5c-15bb95c1977a",
 "order_type": "SHORT"
 },
 "entry_price": "5304.392",
 "quantity": "0.05",
 "leverage": "80.9",
 "liquidation_price": "5265.16",
 "initial_margin": "3.42243351",
 "maintenance_margin": "1.47012993",
 "pnl": "-0.0076",
 "closed_price": "0",
 "order_type": "LONG",
 "status": "OPEN",
 "id": "0199c39f-e864-7dbc-8b83-6954c1df7832",
 "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
 "symbol": "ETHUSDT"
 }
]
}
```
```


<Accordion title="Common errors" icon="exclamation-triangle">

****Position not found****

```
```json
{
```

```
"success": false,
"errors": [
 {
 "code": 404,
 "text": "Position not found"
 }
]
}
...
```

Status: `404 Not Found`

This error occurs when the position ID is incorrect or the position does not exist.

**\*\*Position not in OPEN state\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "Position is not in OPEN state"
    }
  ]
}
...
```

Status: `400 Bad Request`

This error occurs when attempting to set risk orders on a position that is not currently open.

****Risk order creation failed (SL below liquidation)****

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 400,
 "text": "Risk order creation failed"
 }
]
}
...
```

...

Status: `400 Bad Request`

This error occurs when the stop loss price is set below the liquidation price for a LONG position (or above for a SHORT position).

</Accordion>

<br />

#### ### Rate Limits

Duration	Limit
-----	-----
Second	5
Minute	125
Hour	2500
Day	25000

#### # Edit SL/TP

Modify previously set stop-loss or take-profit values on an open position.

#### ### Request

```
```bash API
curl -X PATCH "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/riskorder" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key" \
-d '{
  "order_price": 107526,
  "stoploss_price": 106900,
  "takeprofit_price": 110000,
  "stoploss_order_id": "<order_id>",
  "takeprofit_order_id": "<order_id>",
  "trigger_type": "MARKET",
  "is_takeprofit": true,
  "is_stoploss": true
}'
```
```

#### \*\*Parameters\*\*

| Parameter | Type | Required | Description |  |
|-----------|------|----------|-------------|--|
|-----------|------|----------|-------------|--|

| Parameter             | Type    | Required    | Description                                                |
|-----------------------|---------|-------------|------------------------------------------------------------|
| `position_id`         | string  | Yes         | The unique identifier of the position (path parameter)     |
| `order_price`         | number  | No          | Order price                                                |
| `stoploss_price`      | number  | Conditional | Required if `is_stoploss` is true. New stop loss price     |
| `takeprofit_price`    | number  | Conditional | Required if `is_takeprofit` is true. New take profit price |
| `stoploss_order_id`   | string  | No          | ID of the existing stop loss order to modify               |
| `takeprofit_order_id` | string  | No          | ID of the existing take profit order to modify             |
| `trigger_type`        | string  | No          | Trigger type: `MARKET` or `LIMIT`                          |
| `is_stoploss`         | boolean | No          | Whether to update the stop loss order (default: false)     |
| `is_takeprofit`       | boolean | No          | Whether to update the take profit order (default: false)   |

<br />

### ### Response

```
```json
{
  "success": true,
  "data": {
    "position_id": "01999e74-27a6-76d5-880b-4cab5eac78f1",
    "status": "CREATED",
    "message": "Risk order updated successfully"
  }
}
```
```

### \*\*Parameters\*\*

| Parameter     | Description                                             |
|---------------|---------------------------------------------------------|
| `position_id` | ID of the position for which the risk order was updated |
| `status`      | Status of the risk order (e.g., `CREATED`)              |
| `message`     | Status message                                          |

<br />

<Accordion title="Common errors" icon="exclamation-triangle">

**\*\*Position not found\*\***

```
```json
```

```
{
  "success": false,
  "errors": [
    {
      "code": 404,
      "text": "Position not found"
    }
  ]
}
```

Status: `404 Not Found`

This error occurs when the position ID is incorrect or the position does not exist.

****Position not in OPEN state****

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 400,
 "text": "Position is not in OPEN state"
 }
]
}
```

Status: `400 Bad Request`

This error occurs when attempting to amend risk orders on a position that is not currently open.

**\*\*Invalid request\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": 400,
      "text": "Invalid request"
    }
  ]
}
```



```
}  
...
```

Status: `400 Bad Request`

This error occurs when the request parameters are invalid or missing required fields.
</Accordion>

Rate Limits

Duration Limit
----- ----
Second 5
Minute 125
Hour 2500
Day 25000

Reverse position

Switch an existing position from long to short or vice versa.

Request

```
```bash API  
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/reverse" \
-H "Content-Type: application/json" \
-H "X-Authentication: your-secret-key"
```
```

Parameters

| | | | | |
|---------------|--------|----------|--|--|
| Parameter | Type | Required | Description | |
| ----- | ---- | ----- | ----- | |
| `position_id` | string | Yes | The unique identifier of the position (path parameter) | |

Response

Status: `202 Accepted`

```
```json
```

```
{
 "success": true,
 "data": {
 "position_id": "01999e74-27a6-76d5-880b-4cab5eac78f1",
 "status": "CREATED",
 "message": "Position reversed successfully"
 }
}
...
```

**\*\*Parameters\*\***

Parameter	Description
`position_id`	ID of the reversed position
`status`	Status of the reversal operation (e.g., `CREATED`)
`message`	Status message

<br />

<Accordion title="Common errors" icon="exclamation-triangle">

**\*\*Position not in sync with exchange\*\***

```
```json
{
  "success": false,
  "errors": [
    {
      "code": null,
      "text": "position not in sync with exchange"
    }
  ]
}
...
```
```

Status: `400 Bad Request`

This error occurs when the position state on the exchange differs from the local state, preventing the reversal operation.

</Accordion>

<br />

### Rate Limits

| Duration | Limit |
|----------|-------|
| -----    | ----- |
| Second   | 5     |
| Minute   | 125   |
| Hour     | 2500  |
| Day      | 25000 |

## # Partial Close

Close a portion of an open position without exiting entirely.

## ### Request

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/close/partial" \
  -H "Content-Type: application/json" \
  -H "X-Authentication: your-secret-key" \
  -d '{
    "order_type": "LIMIT",
    "quantity": "0.01",
    "limit_price": "102.75"
  }'
```
```

## \*\*Parameters\*\*

| Parameter     | Type   | Required    | Description                                                                       |
|---------------|--------|-------------|-----------------------------------------------------------------------------------|
| -----         | -----  | -----       | -----                                                                             |
| `position_id` | string | Yes         | The unique identifier of the position (path parameter)                            |
| `order_type`  | string | Yes         | Order type: `LIMIT` or `MARKET`                                                   |
| `quantity`    | string | Yes         | Quantity to close (must be less than the total position quantity)                 |
| `limit_price` | string | Conditional | Required if `order_type` is `LIMIT`. Price at which to close the partial position |

<br />

## ### Response

```
```json
{
```

```
"success": true,
"data": true
}
...
```


<Accordion title="Common errors" icon="exclamation-triangle">
 Position is not open

```
```json
{
 "success": false,
 "errors": [
 {
 "code": 400,
 "text": "position is not open"
 }
]
}
...`
```

Status: `400 Bad Request`

Occurs when attempting to partially close a position that is not currently open.  
</Accordion>

<br />

### ### Rate Limits

Duration	Limit
-----	-----
Second	5
Minute	125
Hour	2500
Day	25000

### # Square off

Close an entire open position immediately.

### ### Request

```
```bash API
curl -X POST "https://trade.mudrex.com/fapi/v1/futures/positions/{position_id}/close" \
  -H "Content-Type: application/json" \
  -H "X-Authentication: your-secret-key"
```
```

#### **\*\*Parameters\*\***

| Parameter     | Type   | Required | Description                                            |
|---------------|--------|----------|--------------------------------------------------------|
| `position_id` | string | Yes      | The unique identifier of the position (path parameter) |

<br />

#### **### Response**

```
```json
{
  "success": true,
  "data": {
    "position_id": "0199be9e-21f3-74c3-9439-dc826109223e",
    "status": "CREATED",
    "message": "OK"
  }
}
```
```

#### **\*\*Parameters\*\***

| Parameter     | Description                                     |
|---------------|-------------------------------------------------|
| `position_id` | ID of the position being closed                 |
| `status`      | Status of the close operation (e.g., `CREATED`) |
| `message`     | Status message                                  |

<br />

<Accordion title="Common errors" icon="exclamation-triangle">

**\*\*Position is not open\*\***

```
```json
{
  "success": false,
  "errors": [
```

```
{
  "code": 400,
  "text": "position is not open"
}
]
```

Status: `400 Bad Request`

Occurs when attempting to close a position that is not currently open.

Rate Limits

Duration	Limit
-----	-----
Second	5
Minute	125
Hour	2500
Day	25000

Position history

Review your past closed positions for performance tracking.

Request

```
```shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/positions/history?limit=2" \
-H "X-Authentication: your-secret-key"
```
```

Parameters

| Parameter | Type | Required | Description |
|-----------|--------|----------|---|
| ----- | ----- | ----- | ----- |
| `limit` | number | No | Maximum number of records to return (default: 20) |

Response

```

```json
{
 "success": true,
 "data": [
 {
 "position_type": "LONG",
 "status": "LIQUIDATED",
 "leverage": "80.9",
 "entry_price": "6139.17",
 "closed_price": "6063.29",
 "quantity": "0.05",
 "pnl": "-3.794",
 "created_at": "2025-10-07T11:04:40Z",
 "updated_at": "2025-10-07T11:10:48Z",
 "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
 "symbol": "ETHUSDT"
 },
 {
 "position_type": "LONG",
 "status": "LIQUIDATED",
 "leverage": "58",
 "entry_price": "4435.8747619047619048",
 "closed_price": "4359.4",
 "quantity": "0.21",
 "pnl": "-16.05970001",
 "created_at": "2025-09-24T07:37:22Z",
 "updated_at": "2025-09-24T07:48:21Z",
 "asset_uuid": "018f7643-129c-7ca6-bb89-3be0e5ee94ae",
 "symbol": "ETHUSDT"
 }
]
}
```

```

****Parameters****

| Parameter | Description |
|------------------------------|--|
| <code>`position_type`</code> | Position type: <code>`LONG`</code> or <code>`SHORT`</code> |
| <code>`status`</code> | Position status (e.g., <code>`LIQUIDATED`</code> , <code>`CLOSED`</code>) |
| <code>`leverage`</code> | Leverage used for the position |
| <code>`entry_price`</code> | Price at which the position was opened |
| <code>`closed_price`</code> | Price at which the position was closed |

| | | |
|--------------|--|--|
| `quantity` | Position quantity | |
| `pnl` | Realised profit and loss for the closed position | |
| `created_at` | Timestamp when the position was created | |
| `updated_at` | Timestamp when the position was closed | |
| `asset_uuid` | UUID of the asset | |
| `symbol` | Trading symbol (e.g., "ETHUSDT") | |

Fees

Endpoints to retrieve your futures trading and funding fee history with pagination support using limit and offset parameters.

Request

```
``shell API
curl -X GET "https://trade.mudrex.com/fapi/v1/futures/fee/history?limit=2" \
-H "X-Authentication: your-secret-key"
``
```

Parameters

| Parameter | Type | Required | Description | |
|-----------|--------|----------|---|--|
| ----- | ----- | ----- | ----- | |
| `limit` | number | No | Maximum number of records to return (default: 20) | |
| `offset` | number | No | Number of records to skip (default: 0) | |

Response

```
``json
{
  "success": true,
  "data": [
    {
      "symbol": "ETHUSDT",
      "fee_amount": "0.0206648",
      "fee_perc": "0.05",
      "fee_type": "TRANSACTION",
      "created_at": "2025-10-01T06:31:00Z",
      "transaction_amount": "41.3296"
    },
    {
      "symbol": "ETHUSDT",
```



```
    "fee_amount": "0.0206693",
    "fee_perc": "0.05",
    "fee_type": "TRANSACTION",
    "created_at": "2025-10-01T06:27:17Z",
    "transaction_amount": "41.3386"
  }
]
}
```

****Parameters****

| Parameter | Description |
|----------------------|--|
| ----- | ----- |
| `symbol` | Trading symbol (e.g., "ETHUSDT") |
| `fee_amount` | Fee amount charged |
| `fee_perc` | Fee percentage |
| `fee_type` | Type of fee: `TRANSACTION` or `FUNDING` |
| `created_at` | Timestamp when the fee was charged |
| `transaction_amount` | Transaction amount on which the fee was calculated |