

User Manual — ARKA PCR

Planned Component Replacement Monitoring System

Dokumen ini menjelaskan cara menggunakan aplikasi **ARKA PCR** untuk merencanakan, menyetujui, mengeksekusi, dan memonitor penggantian komponen alat berat secara terjadwal (Planned Component Replacement).

Dokumen	User Manual Aplikasi ARKA PCR
Versi	1.0
Tanggal	15 Juli 2026
Bahasa	Bahasa Indonesia (istilah teknis tetap dalam bahasa Inggris)
Audiens	Pengguna operasional site, approver, logistics, dan administrator

Daftar Isi

1. [Pengenalan Aplikasi](#)
2. [Istilah Penting \(Glossary\)](#)
3. [Login & Akun Pengguna](#)
4. [Navigasi & Tampilan Umum](#)
5. [Dashboard](#)
6. [Master Data & Units](#)
 - [6.1 Units](#)
 - [6.2 Models & Components](#)
 - [6.3 Hour Meters](#)
7. [PCR Forecast & BA PCR](#)
8. [Approval PCR Request](#)
9. [PCR Actual \(Replacement / WO\)](#)
10. [SOS, Inspection & Condition](#)
11. [Cannibal BA](#)
12. [Approval Cannibal Request](#)
13. [Reports](#)
14. [Administration](#)
15. [Alur Kerja Ringkas](#)
16. [Tips & Troubleshooting](#)
17. [Lampiran: Matriks Role → Fitur Utama](#)

1. Pengenalan Aplikasi

ARKA PCR adalah sistem web untuk monitoring **Planned Component Replacement** pada alat berat operasional pertambangan. Aplikasi membantu tim plant merencanakan penggantian komponen berdasarkan

umur pakai (**Life %**), mengajukan **BA PCR**, mendapatkan **Approval**, mengeksekusi **Work Order (WO)**, serta memonitor kondisi komponen melalui **SOS**, **Inspection**, dan **Condition**.

Selain itu, aplikasi mendukung proses **Cannibal BA** (transfer komponen antar unit), pencatatan **Hour Meter**, serta berbagai **Reports** untuk ringkasan operasional.

Siapa yang memakai aplikasi ini?

Role	Fokus penggunaan
Plant Foreman / Supervisor	Operasional harian: Forecast, Replacement, SOS, Inspection, Cannibal, Reports
Logistics	Mengisi Logistic Statement pada Cannibal BA
Plant Superintendent	Operasional + master data + approve level PS
Project Manager	Approve level PM (project-scoped)
Plant Manager	Approve level PLM (biasanya semua project via 000H)
Operational GM	Approve Cannibal level OGM
Operational Director	Approve level OD
Commercial & Treasury Director	Approve BA PCR level FD
President Director	Approve BA PCR level PD
Administrator	Akses penuh, termasuk Users / Roles / Permissions

Menu yang Anda lihat mengikuti **permission** dan **project** yang dilampirkan pada akun Anda.

2. Istilah Penting (Glossary)

Istilah	Arti singkat
Unit	Alat berat di site (data dari Fleet cache)
Project	Kode lokasi/proyek operasi (project_code)
000H	Kode Head Office — akses ke semua project
Model	Tipe/model unit
Component	Master kategori komponen
Commod	Mapping Model ↔ Component + policy (umur) & harga
Policy	Target umur komponen (jam)
Hour Meter (HM)	Jam kerja unit
Life %	Persentase umur komponen terhadap Policy

Istilah	Arti singkat
PCR Forecast	Rencana penggantian komponen
BA PCR	Berita Acara untuk approval rencana PCR
Replacement / PCR Actual / WO	Work Order aktual penggantian komponen
Convert	Mengubah Forecast yang sudah approved menjadi WO
Cannibal / Kanibal	Transfer komponen REMOVE ↔ INSTALL antar unit
BA (Cannibal)	Berita Acara proses cannibal (terpisah dari BA PCR)
SOS	Sample Oil System — hasil analisa oli
Inspection	Hasil inspeksi komponen (tipe FC, MPS, VI, TA2, ED, dll.)
Condition	Ringkasan kondisi komponen (CBM)
Ach %	Achievement PCR = Close / Total
SAP B1	Integrasi lookup material (P/N) dan dokumen WO/MR/PR/PO
Role / Permission	Jabatan dan izin akses modul


Rumus Life % (konsep):

$$\text{Life \%} \approx (\text{HM sekarang} - \text{HM ganti terakhir} + \text{jam komponen terpasang}) / \text{Policy} \times 100$$

3. Login & Akun Pengguna

Cara membuka

Buka alamat aplikasi di browser, lalu Anda akan diarahkan ke halaman **Login** (/login).



 **ARKA PCR**

Welcome to ARKA PCR! 🙌

Sign in with your username and password

Username

admin

Password

Login

New on our platform? [Create an account](#)


Gambar 1 — Halaman Login: masukkan Username dan Password.

Langkah login

1. Isi **Username**.
2. Isi **Password**.
3. (Opsional) centang **Remember Me**.
4. Klik **Login**.
5. Jika berhasil, Anda masuk ke **Dashboard**.

Catatan akun


- Akun baru hasil **Register** biasanya **inactive** sampai diaktifkan Administrator.
- Jika Username/Password salah, akan muncul pesan error di form.
- Untuk keluar: buka menu user di pojok kanan atas → **Sign Out**.
- Untuk ganti password sendiri: menu user → **Change Password**.



Gambar 2 — Dialog Change Password dari menu user di header.

4. Navigasi & Tampilan Umum

Setelah login, Anda melihat layout dengan **menu horizontal** di bagian atas.



Gambar 3 — Menu utama ARKA PCR.

Struktur menu


```
ARKA PCR
├── Dashboard
├── Approval
│   ├── PCR Request
│   └── Cannibal Request
├── Units
│   ├── Units
│   ├── Forecast
│   ├── Models
│   ├── Components
│   └── Hour Meters
├── Cannibals
├── Reports
│   ├── Replacements → Forecast / Actual
│   ├── SOS
│   ├── Cannibal
│   ├── Inspection
│   └── Condition
└── Administration
    ├── Users
    ├── Roles
    └── Permissions
```

Item menu hanya muncul jika akun Anda punya **permission** terkait. Pada menu **Approval**, bisa muncul **badge** jumlah request yang menunggu.

5. Dashboard

Tujuan: melihat ringkasan kinerja PCR secara cepat (KPI, tren Achievement, dan panel operasional).

Menu: **Dashboard**



Gambar 4 — Dashboard: KPI, grafik Ach %, dan tabel Achievement per project.

Yang biasanya ditampilkan

- KPI seperti **YTD Ach %**, jumlah **Open WO**, dan indikator terkait
- Grafik tren **Achievement**
- Tabel **Achievement PCR** per project x bulan (filter **Year**)
- Panel operasional (mis. pending approval / komponen kritis — sesuai data tersedia)

Cara memakai

1. Buka **Dashboard**.
2. Pilih **Year** jika ingin melihat data tahun tertentu.
3. Baca KPI dan grafik untuk status Achievement.
4. Gunakan informasi di panel untuk prioritas kerja harian.

6. Master Data & Units

6.1 Units

Tujuan: melihat daftar unit alat berat dan membuka hub operasional per unit.

Menu: **Units** → **Units**

Units
Read-only unit list from local cache (fleet_equipment_cache). Use Sync to refresh from ARKFleet.

Unit No: e.g. ADT 011 | Model: e.g. HM400-3R | Project: e.g. 022C | Manufacture: e.g. Komatsu | Plant group: e.g. Compressor | Status: Active

Sync from ARKFleet

UNIT NO	DESCRIPTION	PROJECT	MODEL	MANUFACTURE	PLANT GROUP	PLANT TYPE	STATUS	ACTION
AC 011	Compressor AC011 Atlascopco XAS97...	017C	XAS97DDAS	Atlascopco	Compressor	SUPPORT	ACTIVE	
AC 012	Air Compressor AC012 Yanmar TF85R	APS	TF85R	Yanmar	Compressor	SUPPORT	ACTIVE	
AC 017	Compressor ELGI DP-175-100	APS	ELGI DT175-100	Tidak Tersedia	Compressor	SUPPORT	ACTIVE	
AC 022	Compressor Swan C100LA	017C	C100LA	Swan	Compressor	SUPPORT	ACTIVE	
AC 025	Compressor TF85R	APS	TF85R	Yanmar	Compressor	SUPPORT	ACTIVE	
AC 031	Compressor XAHS37DD	017C	XAHS37DD	Atlascopco	Compressor	SUPPORT	ACTIVE	
AC 032	Compressor XAHS37DD	017C	XAHS37DD	Atlascopco	Compressor	SUPPORT	ACTIVE	
AC 033	Compressor Atlascopco XAHS 38KD	017C	XAHS38KD	Atlascopco	Compressor	SUPPORT	ACTIVE	
AC 034	Compressor Atlascopco GA 15	APS	GA 15P	Atlascopco	Compressor	SUPPORT	ACTIVE	
AC 035	Compressor Shark LVU-1075	022C	LVU-1075	Shark	Compressor	SUPPORT	ACTIVE	


Rows per page: 10 | 1-10 of 583

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 5 — Daftar Units dengan filter dan aksi Sync (admin).

Langkah umum

1. Buka **Units**.
2. Gunakan filter (Project, Model, pencarian unit, dll.).
3. Klik unit untuk membuka **Unit Detail**.
4. Administrator dapat menjalankan **Sync** agar cache unit/model dari Fleet diperbarui.



Gambar 6 — Unit Detail: tab Forecast, Actual, Inspection, SOS, Condition.

Tab di Unit Detail

Tab	Fungsi
Forecast	Rencana PCR untuk unit ini
Actual	WO / Replacement aktual
Inspection	Data inspeksi
SOS	Data sample oil
Condition	Ringkasan kondisi komponen

Catatan: Unit berasal dari **Fleet cache**, bukan master lokal. Perubahan lokasi unit di masa depan tidak mengubah snapshot transaksi lama.

6.2 Models & Components

Models (Units → Models) menampilkan model unit dari Fleet dan panel mapping **Model–Component (Commod)** termasuk policy.

Components (Units → Components) adalah master komponen (tambah/ubah/hapus sesuai permission).

Mapping Model ↔ Component penting karena menjadi dasar kalkulasi **Life %** dan generate **Forecast**.

6.3 Hour Meters

Tujuan: mencatat jam kerja unit yang menjadi dasar perhitungan Life %.

Menu: Units → Hour Meters

Hour Meters
Record working hours per equipment unit

Search Filters

Select Equipment: All equipment

Select Project: All projects

Date From: mm/dd/yyyy

Date To: mm/dd/yyyy

HM Unit Min:

HM Unit Max:

Search unit no...

Export Excel Template Import Excel + Add Hour Meter

UNIT NO	DESCRIPTION	PROJECT	HM UNIT	WH/DAY	DATE	ACTIONS
DZ 022	Bulldozer DZ022 Caterpillar D7G2	011C	12,800	8	2026-06-05	
DZ 022	Bulldozer DZ022 Caterpillar D7G2	011C	12,500	8	2026-06-02	
FT 005	Highway Truck Fuel Dispensing Hino FM28...	022C	6,252	4	2026-05-01	
DZ 022	Bulldozer DZ022 Caterpillar D7G2	011C	12,021	8	2026-06-01	
FT 005	Highway Truck Fuel Dispensing Hino FM28...	022C	5,885	4	2026-04-30	
ST 003	Service Truck Hino 500 FM 280 JD Euro 4	022C	6,250	4	2026-04-30	
WT 003	Highway Truck Watering Hino FM280JD 20...	022C	6,022.6	4	2026-04-30	
V 082	Light Vehicles Hilux D-Cab 2.4 G M/T	022C	57,794.2	4	2026-04-30	
V 081	Light Vehicles Toyota Hilux D-Cab 2.4 G M/T	022C	83,682.6	4	2026-04-30	
V 079	Hilux D-Cab 2.4 G M/T	022C	110,635	4	2026-04-30	

Rows per page: 10 1-10 of 243948

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 7 — Hour Meters: daftar HM, Import, dan Export Excel.

Langkah input manual

1. Buka **Hour Meters**.
2. Filter Project / Unit / tanggal jika perlu.
3. Klik **Add** (atau Edit pada baris yang ada).
4. Isi unit, tanggal, dan nilai HM.
5. Simpan.

Import / Export Excel

1. **Export** untuk mengunduh data sesuai filter aktif.
2. **Import / Template** untuk mengunggah file Excel sesuai format panduan di dialog.
3. Sistem melakukan upsert berdasarkan identitas baris (id HM atau kombinasi unit + tanggal, sesuai aturan import).

Tips: Pastikan HM diisi rutin agar Forecast dan Life % akurat.

7. PCR Forecast & BA PCR

Tujuan: merencanakan penggantian komponen, lalu mengajukan **BA PCR** untuk disetujui.

Menu: Units → Forecast

(atau lewat tab **Forecast** di Unit Detail)

PCR Forecast
Plan component replacements with life % and BA PCR approval workflow

Quarter: [Dropdown] Status: Open [Dropdown] BA PCR: [Dropdown] Project: [Dropdown] Plan Period: [Calendar Icon]

Bulk Refresh Auto Generate Delete All (Debug) + Add Forecast

MODEL U...	UNIT NO	COMPONENT	HM COMP...	POLICY	LIFE %	SOS RA...	CBM RAT...	PLAN PERI...	SITE	QUA...	STATUS	ACTION
EX2500-6	E 044	ALTERNATOR	28.928,1	7.000	413.3%	—	—	Aug 2026	017C	Q3	BA: In Review	: Actions
EX2500-6	E 044	DRIVE TUMBLER ...	15.840,1	12.000	132.0%	—	—	Jul 2026	017C	Q3	BA: In Review	: Actions
EX2500-6	E 044	CYLINDER DUMP ...	52.553,1	10.000	525.5%	—	—	Jun 2026	017C	Q2	BA: In Review	: Actions
EX2500-6	E 044	CYLINDER DUMP ...	52.553,1	10.000	525.5%	—	—	Jun 2026	017C	Q2	BA: In Review	: Actions
EX2500-6	E 044	TA2/PM Clinic	24.340,1	2.000	1217.0%	—	—	Jun 2026	017C	Q2	OPEN	: Actions
EX2500-6	E 044	TRACK ADJUSTE...	15.840,1	12.000	132.0%	—	—	Jun 2026	017C	Q2	OPEN	: Actions
EX2500-6	E 044	INJECTOR POS 16	23.889,1	7.000	341.3%	—	—	Jun 2026	017C	Q2	OPEN	: Actions
EX2500-6	E 044	INJECTOR POS 15	21.899,1	7.000	312.8%	—	—	Jun 2026	017C	Q2	OPEN	: Actions
EX2500-6	E 044	INJECTOR POS 14	23.889,1	7.000	341.3%	—	—	Jun 2026	017C	Q2	OPEN	: Actions
EX2500-6	E 044	INJECTOR POS 13	21.899,1	7.000	312.8%	—	—	Jun 2026	017C	Q2	OPEN	: Actions

Rows per page: 10 1-10 of 59

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 8 — Daftar Forecast: filter, Auto Generate, Submit BA, Convert.

Status penting

- **OPEN** — masih aktif; biasanya bisa diedit.
- **CLOSED** — sudah ditutup (umumnya setelah WO terkait closed dengan PO).

Membuat / generate Forecast

1. Buka **Forecast**.
2. Gunakan filter Project / Unit / Component / status.
3. Klik **Auto Generate** (atau **Add**) sesuai kebutuhan site.
4. Tinjau Life % dan periode rencana.
5. Edit Forecast yang **OPEN** jika perlu koreksi.

Aturan: umumnya hanya ada **satu Forecast OPEN** per pasangan Unit + Component.

Submit BA PCR

1. Pilih Forecast yang siap diajukan.
2. Klik **Submit BA** (butuh permission `forecasts.submit`).
3. Sistem membuat/mengaktifkan dokumen **BA PCR** dan baris approval.
4. Status masuk antrian **Approval** → **PCR Request**.

The screenshot displays the ARKA PCR interface. At the top, there's a navigation bar with options like Dashboard, Approval (99+), Units, Cannibals, Reports, and Administration. The main content area shows the details for 'Forecast #2'.

PCR FORECAST
E 044 · ALTERNATOR
 EX2500-6 · Site 017C · Q3 · Plan Aug 2026

Component Life
 HM 28.928,1 / Policy 7.000 jam

Key metrics are shown in a row: HM COMPONENT (28.928,1), PLAN PERIOD (Aug 2026), SOS RATING, and PRICE (Rp 0).

Actions: View Replacement, Close, Delete.

Unit & Component
 Unit No. **E 044**, Model EX2500-6, Site / Project 017C, Component ALTERNATOR, Latest Unit HM 52.553,1 · 30 Apr 2026, Snapshot At 29 Jun 2026.

Planning
 Plan Period Aug 2026, Quarter Q3, Created By Ary Bhinuko, Created At 23 Jun 2026, Remark butuh replacement segera.

BA PCR & Execution
 BA PCR Status **IN_REVIEW**, BA PCR No. 008/PLT-017C/PCR/VI/2026, Submitted By Frizky Ramadhan, Approval Stage Wait Plant Manager, Submitted At 29 Jun 2026, Linked Work Order **WO #NULL · OPEN**.

BA PCR Approval
 Wait Plant Manager
 Tahap saat ini: Wait Plant Manager
STAGE 1: Technical Review
 Plant Superintendent / Dept Head: **APPROVED** (Ary Bhinuko · 29 Jun 2026), Note lanjut.
STAGE 2: Management Approval
 Project Manager, then Plant Manager: **CAN REVISE** (Dwi Septiani · 29 Jun 2026), **IN REVIEW** (Plant Manager).

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 9 — Detail Forecast: ringkasan data dan Approval Timeline BA PCR.

Setelah BA approved

- Anda dapat **Convert** Forecast menjadi **Replacement (WO)**.
- Menyetujui BA saja **tidak** otomatis menutup Forecast.
- Forecast biasanya **CLOSED** ketika WO terkait ditutup dan **PO No** terisi.

Print BA PCR

Dari detail Forecast, buka halaman print (`/forecasts/[id]/print`) untuk mencetak dokumen BA.

[Print](#)



Malinau, 29 Juni 2026
 No : 008/PLT-017C/PCR/V/2026
 Perihal : Pengajuan PCR ALTERNATOR DIGGER EX2500-6 (E 044)

Kepada Yth,
 Presiden Direktur
 PT. Arkananta Apta Pratista
 u.p. Bp. Ir. Yuwana Dipowikoro

Dengan hormat,

Bersama ini kami sampaikan pengajuan PCR 'ALTERNATOR' unit DIGGER E 044 site 017C untuk periode Agustus 2026, dengan rincian sebagai berikut:

No	Nomor Unit	Model	HM	Komponen	Umur Komp & % of schedule	Tanggal Rencana Eksekusi	Estimasi Biaya	Data Equipment Health				Keterangan
								PM	SOS	Inspected	Remarks	
1	E 044	EX2500-6	52.553	ALTERNATOR	413% (28.928 HM of 7.000 HM)	Aug-26	Rp 0				✓	butuh replacement segera

*Data equipment health diinputkan dan pada kolom tersebut cukup diisi tanda (-/)

Demikian pengajuan PCR ini kami sampaikan, atas perhatian dan bantuannya kami ucapkan terimakasih.

APPROVED

Frisky Ramadhan
(Plant Foreman / Supervisor)

APPROVED

Any Bhimuko
(Plant Superintendent / Dept Head)

APPROVED

Dwi Septiani
(Project Manager)

WAITING APPROVAL

(Plant Manager)

WAITING APPROVAL

(Operation Director)

WAITING APPROVAL

(Commercial & Treasury Director)

WAITING APPROVAL

(President Director)

APPROVED

Frisky Ramadhan
(Plant Foreman / Supervisor)

APPROVED

Any Bhimuko
(Plant Superintendent / Dept Head)

APPROVED

Dwi Septiani
(Project Manager)

WAITING APPROVAL

(Plant Manager)

WAITING APPROVAL

(Operation Director)

WAITING APPROVAL

(Commercial & Treasury Director)

WAITING APPROVAL

(President Director)

Gambar 10 — Tampilan print BA PCR.

Reject & Resubmit

Jika BA ditolak:

1. Riwayat reject tetap tersimpan.
2. Tim plant dapat memperbaiki data lalu **Resubmit**.
3. Resubmit membuat **BA PCR baru** (nomor baru); BA lama tetap ada sebagai sejarah.

8. Approval PCR Request

Tujuan: approver meninjau dan menyetujui/menolak **BA PCR**.

Menu: [Approval](#) → [PCR Request](#)

ARKA PCR

Dashboard

Approval99+

Units

Cannibals

Reports

Administration

Forecast Approvals

Open forecasts with BA PCR — awaiting your approval (Plant Superintendent / Dept Head, Project Manager, Plant Manager, Operation Director, Commercial & Treasury Director, President Director).
Open Review to approve or reject.

Unit No.

Quarter

Status BA PCR

Approval Stage

Site

Plan Period

Pending

MODEL UNIT	NO UNIT	COMPONENT	HM COMPON...	POLICY	LIFE %	S.O.S	PLAN PERIO...	SITE	QTR	TAHAP SAAT INI	ACTION
EX2500-6	E 044	ALTERNATOR	28.928,1	7.000	413.3%	—	Aug 2026	017C	Q3	Wait Plant Man...	
EX2500-6	E 044	DRIVE TUMBLER LH	15.840,1	12.000	132.0%	—	Jul 2026	017C	Q3	Wait Project Ma...	
EX2500-6	E 044	CYLINDER DUMP RH	52.553,1	10.000	525.5%	—	Jun 2026	017C	Q2	Wait Plant Supe...	
EX2500-6	E 044	CYLINDER DUMP LH	52.553,1	10.000	525.5%	—	Jun 2026	017C	Q2	Wait Plant Man...	

Rows per page: 101-4 of 4

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 11 — Antrian PCR Request yang menunggu approval.

Rantai approval BA PCR

Urutan tahap:

- 1. **PS** — Plant Superintendent / Dept Head
- 2. **PM** dan **PLM** (sejajar / parallel)
- 3. **OD**, **FD**, dan **PD** (sejajar / parallel)

Kode	Jabatan
PS	Plant Superintendent / Dept Head
PM	Project Manager
PLM	Plant Manager
OD	Operation Director
FD	Commercial & Treasury Director
PD	President Director

Cara approve / reject

- 1. Buka **Approval** → **PCR Request**.
- 2. Filter dan cari dokumen yang menjadi tanggung jawab level Anda.
- 3. Klik **Review** untuk membuka detail.
- 4. Baca ringkasan Forecast / BA.

5. Klik **Approve** atau **Reject** (sertakan catatan jika diminta).

Gambar 12 — Halaman detail Approval BA PCR.

Catatan: Anda hanya bisa bertindak pada level yang sesuai permission akun (`forecasts.approve.PS`, `.PM`, `.PLM`, `.OD`, `.FD`, `.PD`).

9. PCR Actual (Replacement / WO)

Tujuan: mencatat eksekusi penggantian komponen di lapangan (Work Order).

Cara buka:

- Tab **Actual** di Unit Detail, atau
- Dari Forecast yang sudah **Convert**, atau
- Lewat daftar Replacement per komponen unit

ARKA PCR

Dashboard Approval 99+ Units Cannibals Reports Administration

← Back

Replacement Detail

ALTERNATOR

Unit
Equipment identity and operating hours

Unit No.
E 044

Model
EX2500-6

Latest HM
52.553,1 · 30 Apr 2026

Site / Project
017C

Description
Excavator Backhoe E044 Hitachi EX2500 6

Component
Part under replacement monitoring

Component
ALTERNATOR (MID LIFE)

Component Type
MID LIFE

Policy (hrs)
7.000

Latest HM Date
30 Apr 2026

No	% Life	Comp. Life	Comp. Co...	H/M Unit	WH/day	Work Order	WO Schedule Date	WO Status	WO Complete Date	Installed Comp. ...	Last Replacement ...
1	750,8 %	52.553,1	A	52.553,1	16	—	—	OPEN	—	0	0

Rows per page: 25 1-1 of 1

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 13 — Detail Replacement: status WO, Life %, dokumen SAP, Close/Reopen.

Alur umum

1. Buat WO dari **Convert Forecast** atau tambah dari tab Actual.
2. Lengkapi data eksekusi (tanggal, HM, komponen, catatan).
3. Hubungkan dokumen pengadaan bila tersedia (**WO / MR / PR / PO** via SAP B1 lookup).
4. Unggah report instalasi jika komponen mewajibkannya.
5. **Close** WO setelah pekerjaan selesai.
6. Jika perlu koreksi setelah close, gunakan **Reopen / Edit Closed** (perlu permission khusus).

Aturan penting

- Biasanya hanya ada **satu WO OPEN** per Unit–Component pada satu waktu.
- Menutup WO yang terkait Forecast sering mensyaratkan **PO No** terisi.
- Close WO dengan PO dapat ikut menutup Forecast terkait.

10. SOS, Inspection & Condition

Ketiga modul ini mendukung **condition-based monitoring** sebagai pelengkap perencanaan PCR.

SOS (Sample Oil System)

- Dicatat per unit (tab **SOS** atau lewat laporan).
- Berisi data sample date, lab no, evaluation/rating.
- Membantu menilai kondisi pelumasan/komponen.

Inspection

- Dicatat per tipe inspeksi (mis. **FC, MPS, VI, TA2, ED**).
- Isi tanggal inspeksi, HM, komponen, dan rating.
- Buka dari tab **Inspection** di Unit Detail.

Condition

- Ringkasan kondisi keseluruhan komponen (agregat dari data terkait).
- Tampil sebagai chip/rating di grid Forecast/Actual dan di report Condition.

Praktik baik: lengkapi SOS & Inspection secara berkala agar keputusan Forecast lebih akurat.

11. Cannibal BA

Tujuan: mendokumentasikan transfer komponen antar unit (REMOVE dari unit sumber, INSTALL ke unit tujuan) melalui **Berita Acara Cannibal**.

Menu: **Cannibals**

Penting: **BA Cannibal** $\neq$ **BA PCR**. Keduanya dokumen, menu, dan rantai approval yang berbeda.

ARKA PCR

Dashboard

Approval 99+

Units

Cannibals

Reports

Administration

Search Filters

BA No.
e.g. BA-022C-2026

Project
All projects

Posting Date From
mm/dd/yyyy

Posting Date To
mm/dd/yyyy

Removed Unit No
e.g. ADT 011

Installed Unit No
e.g. ADT 012

PN
Part number

Component
Component description

Logistic Stmt

Approval

Status

Export Excel

Create BA

BA NO.	PROJE...	POSTING ...	REMOVED ...	INSTALLED ...	PN	COMPONENT	LOGI...	APPROVAL	STATUS	ACTION
2252017702	017C	2026-10-22	E 066	E 070	9188090	FINAL DRIVE	✓	BA ditutup	CLOSED	👁
2652021185	021C	2026-05-25	T 109	T 127	SP-13020...	TRANSMISSIO...	✓	Menunggu Project Mana...	OPEN	👁
2652021184	021C	2026-05-15	E 087	E 082	SP-31QB...	MAINPUMP	⊗	Menunggu Plant Superin...	OPEN	👁
2652021183	021C	2026-05-14	T 124	T 125	SP-6010...	ELECTRONIC T...	⊗	Dalam proses approval	OPEN	👁
2652021181	021C	2026-05-12	T 124	T 123	SP-13140...	SP-1314010213...	⊗	Dalam proses approval	OPEN	👁
2652021182	021C	2026-05-10	T 124	T 111	SP-6033...	RELAY VALVE ...	⊗	Dalam proses approval	OPEN	👁
2652022100	022C	2026-03-09	E 088	E 085	SP-20Y8...	AIR COMPRES...	⊗	Dalam proses approval	OPEN	👁
2652022099	022C	2026-03-01	T 115	T 117	SP-16400...	RADIATOR	✓	Menunggu Plant Superin...	OPEN	👁
2652017794	017C	2026-02-04	RD 087	RD 063	2963614	TURBOCHARG...	✓	Menunggu Plant Superin...	SUBMIT...	👁 ...
2652022098	022C	2026-01-16	DZ 007	DZ 042	6T-8801	Guide As	⊗	Dalam proses approval	OPEN	👁

Rows per page: 10

1-10 of 2495

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 14 — Daftar Cannibal BA.

Tahapan status (ringkas)

DRAFT / REJECTED

- PENDING_LOGISTICS
- Approval (PS → PM → PLM → OGM → OD)
- APPROVED (eksekusi / dokumentasi)
- CLOSED

Langkah Plant

1. Buka **Cannibals** → buat BA baru.
2. Isi pasangan **REMOVE** dan **INSTALL** (pair).
3. Lengkapi **Plant Statement / justification**.
4. Simpan sebagai Draft, lalu submit ke Logistics (**Pending Logistics**).

ARKA PCR

Dashboard

Approval 99+

Units

Cannibals

Reports

Administration

← Back

Print

2252017702

CLOSED

Closed - Project 017C

✓ Plant Input

✓ Logistics Statement

✓ Approval

✓ Record & Documentation

5 Closed

SAP Document Chain — 2252017702

Click to load SAP document chain (WO → MR/MI → PR → PO)

Cannibalized Component

FINAL DRIVE

P/N 9188090

Project 017C

Posting Date 2026-10-22

Failure Cause Normal Wear / Schedule

Component Status OTHER — other

Failure Description Vehicula quam donec erat sodales cursus tellus.

Component Transfer

REMOVE / INSTALL per unit

REMOVE FROM

Taken from unit

Unit No.: E 066

Date: 2022-10-26

P/N: 9188090

S/N: —

POS.: —

Component: FINAL DRIVE

WO: 265131738

WO Status: Loading...

HM Comp: 23271

INSTALL TO

Installed to unit

Unit No.: E 070

Date: 2022-10-26

P/N: 9188090

S/N: —

POS.: —

Component: FINAL DRIVE

WO: 265131738

WO Status: Loading...

HM Comp: 37452

Plant Statement

Justification from plant

P1 Unit RFU

Production Requirements

Other Selected

Other (Plant) other

Requested By (Plant) Administrator 2026-07-03

Logistic Statement

Confirmation from logistics

No Stock

Lead Time Part (Est 15 days) Selected

Other

Other (Logistic) —

Confirmed By (Logistics) Himelda Indrita 2026-07-03

Planning Action

Follow-up by planning section

Order Component (ASSY) Selected

Order Component (Separate)

Sent Out Of Site For Repair

Not Action (Repair On Site by Our Mechanic)

MR# 265031555

PR# —

PO# —

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 15 — Detail Cannibal: stepper workflow, pair komponen, statement.

Langkah Logistics

1. Buka BA yang berstatus menunggu Logistics.
2. Isi **Logistic Statement**.
3. Confirm / submit agar masuk antrian approval.

Setelah approved

- Lengkapi data perencanaan/eksekusi dan dokumen (termasuk lookup P/N SAP bila dipakai).
- **Close** BA setelah proses selesai.
- Cetak BA melalui halaman print.

12. Approval Cannibal Request

Tujuan: menyetujui atau menolak Cannibal BA.

Menu: **Approval** → **Cannibal Request**

Cannibal Approvals
Cannibal BA awaiting your approval (Plant Superintendent / Dept Head, Project Manager, Plant Manager, Operational General Manager, Operational Director). Open Review to approve or reject.

Search Filters

BA No. Project Posting Date From Posting Date To

Removed Unit No Installed Unit No PN Component

Logistic Stmt Approval Status

BA NO.	PROJE...	POSTING ...	REMOVED ...	INSTALLE...	PN	COMPONENT	LOGI...	APPROVAL	STATUS	NOTE / REMARKS	ACTION
2652021185	021C	2026-05-25	T 109	T 127	SP-13020...	TRANSMISS...	✓	Menunggu Project ...	OPEN	approve by superus...	
2652021184	021C	2026-05-15	E 087	E 082	SP-31QB...	MAINPUMP	⊖	Menunggu Plant S...	OPEN	—	
2652021183	021C	2026-05-14	T 124	T 125	SP-6010...	ELECTRONL...	⊖	Dalam proses appr...	OPEN	—	
2652021181	021C	2026-05-12	T 124	T 123	SP-13140...	SP-13140102...	⊖	Dalam proses appr...	OPEN	—	
2652021182	021C	2026-05-10	T 124	T 111	SP-6033...	RELAY VALV...	⊖	Dalam proses appr...	OPEN	—	
2652022100	022C	2026-03-09	E 088	E 085	SP-20Y8...	AIR COMPR...	⊖	Dalam proses appr...	OPEN	—	
2652022099	022C	2026-03-01	T 115	T 117	SP-16400...	RADIATOR	✓	Menunggu Plant S...	OPEN	—	
2652017794	017C	2026-02-04	RD 087	RD 063	2963614	TURBOCHA...	✓	Menunggu Plant S...	SUBMIT...	—	
2652022098	022C	2026-01-16	DZ 007	DZ 042	6T-8801	Guide As	⊖	Dalam proses appr...	OPEN	—	
2652022097	022C	2026-01-16	DZ 007	DZ 042	6P-8931	Cover	⊖	Dalam proses appr...	OPEN	—	

Rows per page: 10 1-10 of 1963

© 2026 PT Arkananta Apt Pratista | Planned Component Replacement

Gambar 16 — Antrian Cannibal Request.

Rantai approval (berurutan)

1. **PS** — Plant Superintendent (project-scoped)
2. **PM** — Project Manager (project-scoped)
3. **PLM** — Plant Manager
4. **OGM** — Operational General Manager
5. **OD** — Operational Director

Approver HO (PLM / OGM / OD) biasanya memakai project code **000H** agar melihat semua project.

Cara review

1. Buka antrian **Cannibal Request**.

2. Buka detail BA.
3. Periksa pair REMOVE/INSTALL, justification Plant & Logistics.
4. **Approve** atau **Reject**.

13. Reports

Tujuan: melihat ringkasan data dan mengekspor Excel (jika diizinkan).

Menu: Reports

Report	Path menu	Isi utama
Forecast	Reports → Replacements → Forecast	Ringkasan Forecast; link matrix periode & harga
Actual	Reports → Replacements → Actual	Ringkasan PCR / WO aktual
SOS	Reports → SOS	Ringkasan sample oil
Cannibal	Reports → Cannibal	Ringkasan Cannibal BA
Inspection	Reports → Inspection	Ringkasan inspeksi
Condition	Reports → Condition	Ringkasan kondisi komponen

ARKA PCR

Dashboard

Approval 99+

Units

Cannibals

Reports

Administration

Summary Forecast

Filter by project, unit, component, plan period, and status

By Plan Period

By Price

Search Filters

Search

Project

Unit

Model / Component

Plan Period

Status

Export Excel

MODEL UNIT	NO UNIT	COMPONENT	HM COMPO...	POLICY	LIFE TIME CO...	RATING S...	PRICE COMP...	PLAN PERIO...	PROJECT	QUART...	BA PCR
EX2500-6	E 044	HYDRAULIC	52.553,1	4.000	1313.8%	A	—	Aug-26	017C	Q3	002/PLT-
EX2500-6	E 044	ALTERNATOR	28.928,1	7.000	413.3%	—	—	Aug-26	017C	Q3	008/PLT-
EX2500-6	E 044	DRIVE TUMBLER LH	15.840,1	12.000	132.0%	—	2.500.000	Jul-26	017C	Q3	003/PLT-
EX2500-6	E 044	CYLINDER DUMP RH	52.553,1	10.000	525.5%	—	—	Jun-26	017C	Q2	004/PLT-
EX2500-6	E 044	CYLINDER DUMP LH	52.553,1	10.000	525.5%	—	—	Jun-26	017C	Q2	007/PLT-
EX2500-6	E 044	TA2/PM Clinic	24.340,1	2.000	1217.0%	—	—	Jun-26	017C	Q2	—
EX2500-6	E 044	TRACK ADJUSTER LH	15.840,1	12.000	132.0%	—	—	Jun-26	017C	Q2	—
EX2500-6	E 044	INJECTOR POS 16	23.889,1	7.000	341.3%	—	—	Jun-26	017C	Q2	—
EX2500-6	E 044	INJECTOR POS 15	21.899,1	7.000	312.8%	—	—	Jun-26	017C	Q2	—
EX2500-6	E 044	INJECTOR POS 14	23.889,1	7.000	341.3%	—	—	Jun-26	017C	Q2	—

Rows per page: 10

1-10 of 60

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 17 — Summary Forecast.

ARKA PCR

Dashboard

Approval 99+

Units

Cannibals

Reports

Administration

Summary PCR / WO

Filter by project, unit, component, rep date period, and status

Search Filters

Search

Search unit, component, model, WO / MI

Project

All projects

Unit

All units

Model / Component

All components

Rep Date

Status

Export Excel

MODEL UNIT	NO UNIT	COMPONENT	HM COMPO...	REP DATE ↓	WO DATE	LIFE TIME CO...	PROJECT	BA PCR	STATUS BA P...	WO
EX2500-6	E 044	HYDRAULIC	52.553,1	2026-07-13	—	0.0%	017C	—	—	15011
EX2500-6	E 044	HYDRAULIC	52.553,1	2026-06-25	2026-06-25	1313.8%	017C	002/PLT-017C/PCR/VI...	APPROVED	260101
D7G2	DZ 022	ALTERNATOR	12.500	2026-06-18	—	5.0%	011C	—	—	15009
D7G2	DZ 022	ALTERNATOR	12.500	2026-06-18	2026-06-18	13.6%	011C	—	—	260101
D7G2	DZ 022	AFTER COOLER	11.000	2026-06-11	—	30.0%	011C	—	—	15007
D7G2	DZ 022	AFTER COOLER	11.000	2026-06-11	—	16.7%	011C	—	—	101201
EX1200-6	E 057	FAN PUMP	52.612,6	2026-05-26	2026-04-05	64.0%	017C	—	—	14239
EX1200-6	E 057	PUMP 1	52.612,6	2026-05-26	2026-05-07	125.6%	017C	—	—	13604
EX1200-6	E 057	PUMP 2	52.612,6	2026-05-26	2026-02-28	125.6%	017C	—	—	13603
EX1200-6	E 057	MOTOR FAN DRIVE	52.612,6	2026-05-26	2026-02-16	438.4%	017C	—	—	4504

Rows per page: 10 1-10 of 12521

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 18 — Summary PCR / Actual.

ARKA PCR

Dashboard

Approval99+

Units

Cannibals

Reports

Administration

Summary SOS

Project, sample date, unit, component, lab no, and evaluation code

Search Filters

Search

Search unit no, component, lab no, evalu

Project

All projects

Unit

All units

Model / Component

All components

Sample Date From

mm/dd/yyyy

Sample Date To

mm/dd/yyyy

Evaluation Code

Export Excel

PROJECT	SAMPLE DATE ↓	UNIT NO	COMPONENT	LAB NO	EVALUATION CODE
021C	2025-01-11	DZ 039	TRANSMISSION	J21B-55016-1915	Atten
021C	2025-01-11	DZ 039	ENGINE	J21B-55016-1914	Atten
APS	2025-01-09	RD 102	TRANSMISSION	J21B-55016-1917	Norma
APS	2025-01-09	RD 102	FINAL DRIVE RH	J21B-55016-1919	Atten
APS	2025-01-08	RD 045	TRANSMISSION	J21B-55015-0705	Atten
APS	2025-01-08	RD 045	ENGINE	J21B-55015-0704	Norma
022C	2025-01-07	RD 076	TRANSMISSION	J21B-55015-0709	Norma
022C	2025-01-07	RD 076	ENGINE	J21B-55015-0708	Norma
APS	2025-01-06	RD 105	FINAL DRIVE RH	J21B-55015-0713	Atten
APS	2025-01-06	RD 105	FAN DRIVE	J21B-55015-0713	Atten

Rows per page: 101-10 of 8882

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 19 — Summary SOS.

ARKA PCR

Dashboard

Approval

99+

Units

Cannibals

Reports

Administration

Search

Units

Administration

Summary Cannibal

Filter by project, unit, posting period, and BA status

Search Filters

Search

Search BA no, unit, component, PN, moc

Project

All projects

Unit

All units

Model / Component

All components

Posting Period

Status

Export Excel

BA NO	PROJECT	POSTING DATE ↓	MODEL (REMOVE)	REMOVED UNIT	INSTALLED UNIT	PART NUMBER	COMPONENT	PLANT STATEM
2252017702	017C	2026-10-22	EX2600-BH	E 066	E 070	9188090	FINAL DRIVE	Other — other
2652021185	021C	2026-05-25	SKT80S-AT	T 109	T 127	SP-130202000093A	TRANSMISSION A...	P1 Unit RFU
2652021184	021C	2026-05-15	R480LC-9S	E 087	E 082	SP-31QB10037	MAINPUMP	—
2652021183	021C	2026-05-14	SKT80S-AT	T 124	T 125	SP-60106723	ELECTRONIC THR...	P1 Unit RFU
2652021181	021C	2026-05-12	SKT80S-AT	T 124	T 123	SP-131401021399...	SP-131401021399A...	P1 Unit RFU
2652021182	021C	2026-05-10	SKT80S-AT	T 124	T 111	SP-60330808	RELAY VALVE BRA...	—
2652022100	022C	2026-03-09	PC210-10M0	E 088	E 085	SP-20Y8101260	AIR COMPRESORE	—
2652022099	022C	2026-03-01	FM 280 JD	T 115	T 117	SP-16400EW060	RADIATOR	—
2652017794	017C	2026-02-04	777D	RD 087	RD 063	2963614	TURBOCHARGER	P1 Unit RFU
2652022098	022C	2026-01-16	D8R	DZ 007	DZ 042	6T-8801	Guide As	—

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 20 — Summary Cannibal.

ARKA PCR

Dashboard

Approval99+

Units

Cannibals

Reports

Administration

Summary Inspections

Project, inspection date, unit, component, hour meter, type, and rating

Search Filters

Search

Search unit no, component, type, rating.

Project

All projects

Unit

All units

Model / Component

All components

Inspection Date From

mm/dd/yyyy

Inspection Date To

mm/dd/yyyy

Inspection Type

Rating

Export Excel

PROJECT	INSPECTION DATE ↓	UNIT NO	COMPONENT	HOUR METER	INSPECTION TYPE	RATING
011C	2026-06-15	DZ 022	CYLINDER BLADE TILT	12.021	FC	A
011C	2026-06-15	DZ 022	ENGINE	12.021	FC	B
022C	2025-03-20	RD 034	SUSPENS RR RH	51.472	VI	A
022C	2025-03-20	RD 034	SUSPENS RR LH	51.472	VI	A
022C	2025-03-20	RD 034	SUSPENS FR RH	51.472	VI	B
022C	2025-03-20	RD 034	SUSPENS FR LH	51.472	VI	B
022C	2025-03-20	RD 034	HOIST CYLINDER RH	51.472	VI	B
022C	2025-03-20	RD 034	HOIST CYLINDER LH	51.472	VI	B
022C	2025-03-20	RD 034	CYLINDER STEERING RH	51.472	VI	C
022C	2025-03-20	RD 034	CYLINDER STEERING LH	51.472	VI	C

Rows per page:

10

1-10 of 2622

© 2026 PT Arkananta Apta Pratista

Planned Component Replacement

Gambar 21 — Summary Inspection / Condition (contoh halaman report monitoring).

Cara memakai report

1. Buka report yang diinginkan.

2. Set filter (Project, Unit, Component, tanggal, status, dll.).

3. Gunakan pencarian kolom jika tersedia.

4. Klik **Export** untuk mengunduh Excel (butuh permission export terkait).

Matrix tambahan Forecast:

- **By Plan Periode** — matrix Model × Component × periode rencana

• **By Price** — matrix berbasis harga

14. Administration

Tujuan: mengelola akses pengguna. Biasanya hanya **Administrator**.

Menu: Administration

Users

Users
Manage user accounts, roles, and project access

Search Filters

Select Role: Select Project: Select Status:

Search User: [+ Add New User](#)

USER	EMAIL	ROLES	PROJECT SCOPES	STATUS	ACTIONS
AF Achmad Faonizan @faonizan	achmad.fanonizan@arka.co.id	Operational General Manager	000H	Active	Edit Delete
A Administrator @admin	—	Administrator	000H	Active	Edit Delete
AT Agus Triyanto @agustri	agus.triyanto@arka.co.id	Operational Director	000H	Active	Edit Delete
AB Ary Bhinuko @ary	ary.bhinuko@arka.co.id	Plant Superintendent / Dept Head	017C	Active	Edit Delete
DS Dwi Septiani @aci	ho.planner@arka.co.id	Project Manager	017C	Active	Edit Delete
FR Frizky Ramadhan @frizky	frizky.ramadhan@arka.co.id	Plant Foreman / Supervisor	017C	Active	Edit Delete
HI Himelda Indrita @himelda	logistic.officer@arka.co.id	Admin logistic - give statement to BA cannib	017C	Active	Edit Delete
IM Irpandi Muslimin @irpandi	irpandi.muslimin@arka.co.id	Plant Manager	000H	Active	Edit Delete
MR M. Reza @reza	reza@arka.co.id	Commercial & Treasury Director	000H	Active	Edit Delete
NA Nabila Ayu Puspita @nabila	nabila.ayu@arka.co.id	Super user, HO only	000H	Active	Edit Delete

Rows per page: 10 1-10 of 12

© 2026 PT Arkananta Apta Pratista | Planned Component Replacement

Gambar 22 — Halaman Users: kelola akun, Role, dan Project.

1. Buka **Users**.
2. Tambah atau edit user.
3. Tetapkan:
 - **Roles** (boleh lebih dari satu; permission digabung)
 - **Projects** (project yang boleh diakses; kosong = tidak melihat data site)
 - Status aktif/nonaktif
4. Simpan.

Roles

- Membuat/mengubah bundel **permission** per jabatan.
- Template seed mencakup role seperti **plant_foreman**, **logistics**, **plant_superintendent**, dst.

Permissions

- Katalog izin berbentuk **modul.aksi** (contoh: **forecasts.submit**, **cannibals.approve.PS**).
- Role **administrator** memakai **system.admin** (bypass semua cek permission).


Project scope vs permission

Konsep	Arti
Permission	Apa yang boleh dilakukan (submit, approve, export, ...)
Project	Data project mana yang boleh dilihat/diubah
000H	Semua project (Head Office)

Keduanya harus tepat. User dengan permission approve tetapi tanpa project yang sesuai tidak akan melihat dokumen site yang relevan.

15. Alur Kerja Ringkas

Alur PCR (Forecast → WO → Achievement)



Alur Cannibal BA



Ringkasan bisnis yang sering dilupakan

1. HM rutin → Life % & Forecast lebih akurat.
2. Submit BA PCR ≠ Close Forecast.
3. Convert setelah BA approved → baru ada WO eksekusi.
4. Close WO (dengan PO jika disyaratkan) → Forecast bisa CLOSED.
5. Cannibal punya jalur Logistics + approval sendiri.
6. BA PCR dan Cannibal BA **jangan dicampur**.

16. Tips & Troubleshooting

Gejala	Kemungkinan penyebab	Yang bisa dicoba
Menu tidak muncul	Permission / Role kurang	Minta Admin cek Role
Data project kosong	Belum di-assign Project	Minta Admin isi Projects (atau 000H untuk HO)
Tidak bisa Submit BA	Tidak punya forecasts.submit atau Forecast bukan OPEN	Cek Role & status Forecast

Gejala	Kemungkinan penyebab	Yang bisa dicoba
Tidak bisa Approve	Bukan giliran level Anda / permission level salah	Cek antrian & Role approve
Life % tidak masuk akal	HM belum diisi / policy Commod salah	Update HM & cek Models/Commod
Unit tidak lengkap	Cache Fleet belum sync	Minta Admin Sync Units/Models
Gagal login	Password salah / user inactive	Reset via Admin; pastikan user aktif
Export gagal	Tidak punya permission export	Minta permission exports.* terkait

Praktik baik harian (Plant)

1. Update **Hour Meters**.
2. Cek **Dashboard** & Forecast OPEN dengan Life % tinggi.
3. Submit BA untuk yang siap.
4. Follow-up Approval.
5. Convert & eksekusi WO.
6. Close WO + lengkapi dokumen.
7. Lengkapi SOS/Inspection sesuai jadwal site.

Lampiran: Matriks Role → Fitur Utama

Fitur	Foreman	Logistics	Plant Supt	PM	Plant Mgr	OGM	OD	FD	PD	Admin
Dashboard	✓	—	✓	✓*	✓*	✓*	✓*	✓*	✓*	✓
Units / Forecast ops	✓	—	✓	view	view	—	view	view	view	✓
Hour Meters / Components	terbatas	—	✓	—	—	—	—	—	—	✓
Submit BA PCR	✓	—	✓	—	—	—	—	—	—	✓
Approve BA PCR	—	—	PS	PM	PLM	—	OD	FD	PD	✓
Replacement / Close WO	✓	—	✓	view	view	—	—	—	—	✓
SOS / Inspection	✓	—	✓	—	—	—	—	—	—	✓
Cannibal create/update	✓	logistic	✓	view	view	view	view	—	—	✓

Fitur	Foreman	Logistics	Plant Supt	PM	Plant Mgr	OGM	OD	FD	PD	Admin
Approve Cannibal	—	—	PS	PM	PLM	OGM	OD	—	—	✓
Reports / Export	✓	—	✓	—	—	—	—	—	—	✓
Users / Roles / Permissions	—	—	—	—	—	—	—	—	—	✓

* Approver biasanya melihat data sesuai project assignment (000H untuk level HO).

Tanda "view" = akses lihat tanpa aksi operasional penuh (sesuai template Role).

Administrator dengan `system.admin` dapat semua fitur.

Informasi dokumen

Item	Nilai
Lokasi file	<code>docs/user-manual/ARKA-PCR-User-Manual.md</code>
Folder gambar	<code>docs/user-manual/images/</code>
Aplikasi	ARKA PCR (Next.js)
Versi manual	1.0 — 15 Juli 2026

Jika tampilan UI berubah setelah update aplikasi, sesuaikan screenshot di folder `images/` dan perbarui langkah yang terdampak pada bab terkait.

© ARKA PCR — User Manual untuk pengguna aplikasi.