## Connector Type: 68-Pin SCSI III Fast/Wide Female **GND** q NIT 35 TIN n 2 36 GND nRESET 3 37 **GND** 4 SDATA1\_p 38 SDATA1\_n **GND** 5 39 SDATA2 p 6 SDATA2 n 40 **GND** 7 SDATA3\_n SDATA3 p 41 8 42 SDATA4\_p GND 9 SDATA4 n 43 **GND** CTR\_p CTR\_n 10 44 **GND** 45 11 CLK\_p **GND** CLK n 12 46 VA+ VA+ 13 47 VA+ 48 VA+ 14 VD+ 15 49 GND ROC\_A3 ROC\_A2 16 50 46 mm ROC\_A1 ROC\_A0 17 51 GND 18 52 SDA p SDA\_n 53 **GND** 19 TOUT\_p 20 54 TOUT n **GND** 21 55 VD+ VD+ 22 56 VD+ VD+ 23 57 GND V33 24 58 V50+ V50-59 POWER O 25 I2C SCL2 I2C\_SDA2 26 60 IO0 61 101 27 IO<sub>2</sub> 28 62 103 AIN<sub>0</sub> 29 63 AIN1 AIN<sub>2</sub> 30 64 **GND** NC 31 65 NC **BIAS GND** NC 32 66 NC 33 67 NC NC 34 68 BIAS

Case on GND