

我已經仔細閱讀了你們上傳的「蛇運動_英文海報.pdf」以及「Taipei Municipal Lishan Senior High School... .pdf」簡報檔。這是一個非常精彩且極具仿生學與生物力學價值的專題！你們從校園中觀察到的生態現象（大頭蛇 *Boiga kraepelini* 的攀爬）出發，進而量化探討不同棲地蛇類的「形態適應」與「運動極限」。最棒的是，你們在結論中不僅找出了 36%-43% 的生物力學極限常數，還探討了紅尾蚺（*Boa constrictor*）如何用「肌肉張力」彌補「形態劣勢」的特殊策略，最後更連結到了 SDG 15（陸地生態），這在國際科展中絕對是讓評審眼睛一亮的焦點！

根據歷屆評審講評，動物學科的評審非常看重學生是否能從「現象觀察」深入到「生物力學機制（Biomechanical Mechanism）的解釋」。

為你們量身打造的 7 分鐘全英文演講逐字稿如下。講稿大約 900-950 字，以中等語速（約每分鐘 130 字）報告剛剛好。考量到你們是雙人團隊，我加入了雙人輪替（Tag Team）的設計與肢體動作建議，幫助你們展現絕佳的默契：

7-Minute English Presentation Transcript

[Slide 1: Title Slide]

(Both speakers stand confidently, smile, and make eye contact with the judges)

Speaker A (Chih-Yun): "Good morning, honorable judges. I am Chih-Yun Lee."

Speaker B (Jin-Chen): "And I am Jin-Chen Xin. We represent Taipei Municipal Lishan High School."

Speaker A: "Today, we are thrilled to present our research: 'Biomechanical Analysis of Locomotion and Morphological Adaptations in Snakes from Distinct Habitats'."

[Slide 2-4: Motivation]

(Gesture to the slide with the snake crossing, speak with an engaging, storytelling tone)

Speaker A: "Our research journey began right on our own campus. Our school is located near a mountainous area, where we frequently observe the arboreal snake, *Boiga kraepelini*, exhibiting incredible climbing and gap-crossing abilities.

Watching them suspend their bodies in mid-air sparked a fascinating biomechanical question for us: What specific anatomical structures grant arboreal snakes an advantage in climbing? And more importantly, how do they physically overcome gravity compared to their terrestrial counterparts?"

[Slide 5: Objectives & Hypotheses]

Speaker B: "To answer this, we formulated two main hypotheses. First, we hypothesized that arboreal snakes possess longer tail ratios to facilitate climbing. Second, we believed arboreal species would mathematically outperform terrestrial species in both vertical extension and horizontal reaching abilities."

[Slide 6-9: Research Species & Methods]

(Show your scientific rigor when explaining the methodology)

Speaker B: "To test these hypotheses, we selected four distinct snake species to represent different habitat adaptations:

The terrestrial *Pantherophis guttatus* (Corn snake) and *Heterodon nasicus* (Hognose snake). And the arboreal *Boa constrictor* and our local *Boiga kraepelini*.

We systematically recorded their movements and quantified three critical parameters: Body dimensions (head, trunk, and tail ratios), Vertical extension ability, and Horizontal reaching ability."

[Slide 10-14: Results & Discussion - Body Dimensions & Vertical/Horizontal Limits]

(Point to the graphs, speak with emphasis on your discoveries)

Speaker A: "Let's dive into our results.

First, regarding body dimensions, our data confirmed that arboreal snakes generally have a significantly larger tail proportion compared to terrestrial snakes.

But the most striking discoveries came from our horizontal reaching tests. We measured the success rate of horizontal gap crossing. Through rigorous mechanical analysis, we discovered a convergent biomechanical limit: **Most snakes reach their absolute horizontal limit at approximately 36% to 43% of their total body length.** Beyond this point, gravity overcomes their physical structure."

[Slide 15-17: Discussion - Morphological Trade-offs & Locomotor Strategies]

(This is your core biological contribution - speak with authority)

Speaker B: "So, how do different snakes manage this physical constraint? We identified fascinating Morphological Trade-offs.

A long tail acts as a crucial posterior anchor and counterweight, allowing the snake to extend further. Conversely, a heavier head creates greater anterior torque, pulling the snake down faster.

However, biology always finds a way. Look at the *Boa constrictor*. It has a relatively short tail and a massive, heavy body—morphologically, it should perform poorly. Yet, it excelled! Our analysis concluded that the *Boa constrictor* utilizes **superior muscular tension** to entirely compensate for its morphological disadvantages. It relies on sheer strength rather than leverage."

[Slide 18-21: Future Potential & SDG 15]

(Transition to the big picture - look directly at the judges)

Speaker A: "Our research is not just about understanding snake locomotion; it has real-world applications. By mathematically defining the crossing limits of snakes, our findings directly contribute to the United Nations' **SDG 15: Life on Land.**"

Speaker B: "Specifically, we can use this '36% to 43% rule' to design scientifically informed habitat barriers to prevent snake-human conflicts, or provide precise structural scaling guidelines for husbandry and the relocation of snakes back into the wild."

[Slide 22: Future Research & Conclusion]

(Deliver the final statement with confidence and a smile)

Speaker A: "In conclusion, we successfully validated the biomechanical limits of snake locomotion and differentiated their evolutionary strategies—whether through morphological leverage or muscular strength. In the future, we plan to verify this 43% biomechanical constant across a wider diversity of species and investigate scale micro-structures. Thank you very much for your time and attention. We are now happy to answer your questions."

輔導老師的實戰小叮嚀

1. 解釋生物力學名詞：在 Slide 15-17 提到 posterior anchor (後端錨點)、counterweight (配重) 以及 anterior torque (前端力矩) 時，**請務必搭配手勢**。例如提到力矩時可以用手比出往下掉的動作，這會幫助非動物學科背景的評審瞬間秒懂你們的物理分析邏輯。
2. 強調「反常現象」的科學價值：當講到紅尾蚺 (*Boa constrictor*) 雖然尾巴短、身體重，卻能靠「肌肉張力 (muscular tension)」彌補劣勢時，語氣要帶有一點驚喜與自信！評審非常喜歡這種「打破最初假設，並找出另一種科學解釋」的研究歷程。
3. 雙人默契交接：稿件設定了 Chih-Yun (A) 和 Jin-Chen (B) 輪替。當對方在講話時，另一個人絕對不能發呆，要看著講者，或用眼神引導評審看簡報上的重點圖表。

🔍 模擬評審提問 (Judge's Q&A) 預告

由於這個題目結合了動物行為與物理力學，國際科展的評審極可能會針對**「實驗變因控制」以及「不同物種的個體差異」**提出挑戰。例如：

1. **【關於變因控制】**"Snakes are living animals, and their willingness to move can vary. How did you motivate them to perform the vertical and horizontal extensions to their *absolute maximum* limit without causing stress?"
2. **【關於極限常數的推論】**"You mentioned a convergent biomechanical limit of 36%-43%. Since you only tested 4 species, aren't you worried that this sample size is too small to claim it as a universal constant for all snakes?"

🎤 國際科展模擬 Q&A：蛇類運動生物力學 (10 題)

1. 【實驗變因與動物倫理 Animal Welfare & Motivation】(必考題！)

Q1: Snakes are living animals with varying temperaments. How did you motivate them to perform these vertical and horizontal extensions to their *absolute maximum* limit without causing them stress?

(蛇是具有不同性情的活體動物。你們如何激發牠們進行這些垂直和水平的伸展達到「絕對極限」，而不會對牠們造成壓力？)

- **Suggested Answer:** Animal welfare was our top priority. We did not use any painful stimuli. Instead, we utilized their natural exploratory behavior and escape instincts. We provided a stable, comfortable anchor point and placed a visually appealing target branch just out of reach. We gradually increased the gap distance over multiple trials. If a snake showed signs of fatigue or stress, we immediately stopped the experiment and let it rest. The "maximum limit" was recorded when the snake repeatedly attempted but physically fell or refused to cross.
- **中文參考：**動物福利是我們的首要考量。我們沒有使用任何痛苦的刺激。相反地，我們利用了牠們自然的探索行為和逃避本能。我們提供了一個穩定、舒適的錨點，並在剛好夠不著的地方放置一個具有視覺吸引力的目標樹枝。我們在多次試驗中逐漸增加間隙距離。如果蛇表現出疲勞或壓力的跡象，我們會立即停止實驗讓牠休息。「最大極限」是記錄在蛇反覆嘗試但物理上掉落或拒絕跨越的時候。
- **💡 輔導老師提點：**國際賽非常看重「動物倫理」。強調你們是利用「自然本能 (natural exploratory behavior)」而非強迫，會讓評審對你們的研究道德給予高度肯定。

2. 【樣本數與過度推論 Sample Size & Generalization】(大魔王題！)

Q2: You concluded a "convergent biomechanical limit of 36%-43%." However, you only tested 4 species. Aren't you worried that this sample size is too small to claim this as a universal rule for all snakes?

(你們得出了一個「36%-43% 的趨同生物力學極限」。然而，你們只測試了 4 個物種。難道你們不擔心這個樣本數太小，不足以宣稱這是所有蛇類的普遍規律嗎？)

- **Suggested Answer:** That is a very fair scientific critique, and we acknowledge this limitation. We do not claim this is an absolute universal rule for *all* 3,000+ snake species yet. However, by deliberately selecting four species with completely contrasting morphological traits—from heavy-bodied terrestrial snakes to slender arboreal ones—and still finding their crossing limits converging within this narrow 36%-43% range, it strongly suggests a fundamental physical constraint governed by gravity, regardless of species. Expanding the sample size is precisely our next step.

- **中文參考：**這是一個非常公平的科學批評，我們承認這個限制。我們並未宣稱這對所有 3,000 多種蛇類來說都是絕對的普遍規律。然而，透過刻意選擇四種具有完全對比形態特徵的物種——從體型笨重的陸生蛇到纖細的樹棲蛇——並依然發現牠們的跨越極限收斂在這個狹窄的 36%-43% 範圍內，這強烈暗示了一個由重力支配的基礎物理限制，與物種無關。擴大樣本數正是我們的下一步。

3. 【核心物理力學 Biomechanics & Torque】

Q3: Explain the biomechanics of the Morphological Trade-offs. How exactly does a longer tail act as a "counterweight," and why does a heavy head cause "anterior torque"?

(解釋形態權衡的生物力學。較長的尾巴究竟是如何作為「配重」的？為什麼較重的頭部會造成「前端力矩」？)

- **Suggested Answer:** In physics, a snake crossing a gap acts like a cantilever beam. The point where the snake's body leaves the branch is the fulcrum. A heavier head extends further out, creating a massive downward force multiplied by the distance—this is the "anterior torque" pulling it down. To counteract this, the snake must grip the branch behind the fulcrum. A longer tail provides more surface area to wrap around the branch, acting as a structural anchor and a posterior "counterweight" to balance the torque equation.
- **中文參考：**在物理學中，跨越間隙的蛇就像一個懸臂樑。蛇身體離開樹枝的點就是支點。較重的頭部向外延伸得更遠，產生巨大的向下力乘以距離——這就是將其向下拉的「前端力矩」。為了抵消這個力矩，蛇必須抓住支點後方的樹枝。較長的尾巴提供了更多的表面積來纏繞樹枝，作為結構錨點和後端「配重」，以平衡力矩方程式。
- **💡 輔導老師提點：**講出 "Cantilever beam" (懸臂樑) 和 "Fulcrum" (支點)，並用手勢比出翹翹板的平衡，物理學評審會愛死你們的回答！

4. 【特例分析 The Exception: Boa constrictor】

Q4: Your data shows the *Boa constrictor* has a short tail and a heavy body—a morphological disadvantage—yet it performed well. You attributed this to "superior muscular tension." Did you actually measure their muscle force, or is this an assumption?

(你們的數據顯示紅尾蚺尾巴短且身體重——這是形態上的劣勢——但牠表現得很好。你們將此歸因於「優越的肌肉張力」。你們有實際測量牠們的肌肉力量嗎，還是這只是一個假設？)

- **Suggested Answer:** We did not directly measure the internal muscle fibers, which is a limitation. However, this conclusion is an evidence-based biomechanical deduction. Because its morphological data (short tail, heavy body) mathematically dictates that it *should* fail early due to gravity, the only physical variable left capable of resisting that massive anterior torque is the internal tension of its axial muscles. Its performance visually confirms that constrictors rely on sheer muscular strength to compensate for poor leverage.
- **中文參考：**我們沒有直接測量內部肌肉纖維，這是一個限制。然而，這個結論是基於證據的生物力學推論。因為牠的形態數據（短尾、重身）在數學上決定了牠「應該」會因為重力而提早掉落，唯一剩下能夠抵抗那巨大前端力矩的物理變因，就是其軸向肌肉的內部張力。牠的表現從視覺上證實了蟒蛇依賴純粹的肌肉力量來彌補槓桿作用的不足。

5. 【測量精準度 Measurement Precision】

Q5: Snakes are constantly moving and bending. How did you accurately measure their exact extension distance and calculate the 36%-43% limit while they were suspended in mid-air?

(蛇不斷地在移動和彎曲。當牠們懸在半空中時，你們如何準確測量牠們確切的伸展距離，並計算出 36%-43% 的極限？)

- **Suggested Answer:** We achieved this through rigorous video analysis. We placed grid backgrounds with precise millimeter scale lines behind the experimental setup. We recorded the gap-crossing behavior using high-definition, slow-motion cameras. By extracting the specific video frames right before the snake lost its balance or successfully reached the other side, we used video analysis software to digitize the snake's posture and measure the exact horizontal vector length relative to its total body length.
- **中文參考：** 我們透過嚴謹的影像分析來實現這一點。我們在實驗裝置後方放置了帶有精確毫米刻度線的網格背景。我們使用高畫質慢動作攝影機記錄了跨越間隙的行為。透過擷取蛇失去平衡或成功到達另一側之前的特定影片影格，我們使用影像分析軟體將蛇的姿態數位化，並測量相對於其總體長的確切水平向量長度。

6. 【實際應用與 SDG 15 Real-World Application】

Q6: You connected your research to SDG 15 (Life on Land) by mentioning "habitat barriers." Practically, how would a park ranger use your 43% rule to build a barrier?
(你們提到了「棲地屏障」，將研究與 SDG 15 (陸地生態) 連結。實際上，國家公園管理員會如何使用你們的 43% 規則來建造屏障？)

- **Suggested Answer:** It provides a precise mathematical guideline. If a park ranger wants to prevent a specific invasive snake species—say, one that grows up to 200 cm long—from crossing between trees into an endangered bird's nesting area, they don't have to guess the gap size. Knowing the absolute limit is around 43%, they must ensure the canopy gap is actively trimmed to be strictly wider than 86 cm (which is 43% of 200 cm). This creates a scientifically proven "no-cross zone" without harming the snakes.
- **中文參考：** 這提供了一個精確的數學指南。如果公園管理員想防止特定的外來種蛇類（假設牠能長到 200 公分長）在樹木間跨越進入瀕危鳥類的築巢區，他們不需要猜測間隙大小。既然知道絕對極限約為 43%，他們必須確保樹冠間隙被主動修剪至嚴格大於 86 公分（200 公分的 43%）。這就創造了一個經過科學證實的「無法跨越區」，同時也不會傷害到蛇。

7. 【實驗個體差異 Individual Variables】

Q7: Did you consider variables like the age, sex, or feeding status of the snakes? A snake that just ate a huge mouse would have a completely different weight distribution, right?

(你們有考慮過蛇的年齡、性別或進食狀態等變因嗎？一條剛吃了一隻大老鼠的蛇，其重量分布會完全不同，對吧？)

- **Suggested Answer:** You are absolutely right, and this is why strict variable control was essential. To eliminate the effect of sudden weight shifts, all experiments were conducted strictly after the snakes had fully digested their previous meals and had emptied their bowels. Furthermore, we used healthy adult or sub-adult snakes to minimize age-related weakness. By standardizing their physiological state, we ensured the torque we measured was purely based on their natural morphological body proportions.
- **中文參考：** 您說得完全正確，這就是為什麼嚴格的變因控制至關重要。為了消除體重突然變化的影響，所有實驗都嚴格在蛇完全消化了上一餐並排空腸道後進行。此外，我們使用健康的成體或亞成體蛇，以盡量減少與年齡相關的虛弱。透過標準化牠們的生理狀態，我們確保我們測量到的力矩純粹是基於牠們自然的形態身體比例。

8. 【物種選擇 Species Selection】

Q8: Why did you choose *Boiga kraepelini* as your specific arboreal model? Are there other arboreal snakes with even more extreme adaptations?

(為什麼你們選擇大頭蛇 (*Boiga kraepelini*) 作為你們特定的樹棲模型？還有其他適應更極端的樹棲蛇類嗎？)

- **Suggested Answer:** We chose *Boiga kraepelini* because it is native to our campus environment, which initially sparked our motivation. It is highly adapted to arboreal life with a very slender body and a long tail. There are indeed more extreme examples globally, such as the Flying Snake (*Chrysopelea*), which can flatten its ribs to glide. However, *Boiga* represents an excellent model for standard gap-crossing biomechanics without the added variable of gliding aerodynamics, making our comparative physical model cleaner.
- **中文參考：** 我們選擇大頭蛇是因為牠是我們校園環境的原生物種，這也是最初激發我們動機的原因。牠非常適應樹棲生活，具有非常纖細的身體和長尾巴。全球確實有更極端的例子，例如可以壓扁肋骨滑行的飛蛇 (*Chrysopelea*)。然而，大頭蛇是標準跨越間隙生物力學的絕佳模型，沒有加上滑行空氣動力學的變數，這讓我們的比較物理模型更為純粹。

9. 【未來展望 Future Work: Scale Micro-structures】

Q9: In your future research, you mentioned "scale micro-structures." How do the micro-structures of scales help a snake cross a gap?

(在你們未來的研究中，提到了「鱗片微結構」。鱗片的微結構如何幫助蛇跨越間隙？)

- **Suggested Answer:** While tail length provides a "macro" anchor, the scales provide the "micro" friction. When a snake is suspended, it relies on the overlapping edges and microscopic ridges (keels) of its ventral scales to grip the rough bark. If the scales are too smooth, the torque will cause the snake to slip backward, regardless of its muscle strength. We want to use electron microscopy to see if arboreal snakes have structurally different scale geometries that enhance this frictional grip compared to terrestrial snakes.
- **中文參考：** 雖然尾巴長度提供了「宏觀」的錨點，但鱗片提供了「微觀」的摩擦力。當蛇懸空時，牠依賴腹部鱗片重疊的邊緣和微小的隆起（鱗脊）來抓住粗糙的樹皮。如果鱗片太光滑，無論肌肉力量多大，力矩都會導致蛇向後滑。我們希望使用電子顯微鏡來觀察，與陸生蛇相比，樹棲蛇是否具有結構上不同的鱗片幾何形狀來增強這種摩擦抓地力。

10. 【研究心路歷程 The Biggest Challenge】

Q10: Finally, what was the most difficult challenge in shifting from observing snakes on campus to conducting a rigorous biomechanical analysis?

(最後，從在校園觀察蛇，轉變為進行嚴謹的生物力學分析，這其中最困難的挑戰是什麼？)

- **Suggested Answer:** The biggest challenge was quantifying biology into mathematics. Biology is naturally messy and unpredictable; snakes don't behave like perfect geometric shapes. We had to spend weeks figuring out how to precisely define the "anchor point" and track the center of mass on a squishy, moving animal to calculate the torque accurately. It taught us that true biomechanics is about finding the elegant, underlying physical laws hidden within chaotic biological behaviors.
 - **中文參考：** 最大的挑戰是將生物學量化為數學。生物學本質上是雜亂且不可預測的；蛇的行為不像完美的幾何形狀。我們花了好幾個星期的時間，才弄清楚如何精確定義「錨點」，並在一個柔軟、移動的動物身上追蹤質心，以準確計算力矩。這教會了我們，真正的生物力學就是在混亂的生物行為中，找出隱藏在其背後優雅的物理定律。
-

