




The coefficients $\hat{U}_{m,n}$ of the other transverse velocity component u are shown next.




Figure B.41: Streamwise evolution of the real part $\mathcal{R}(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.05$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.42: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.05$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.43: Streamwise evolution of the real part $\mathcal{R}(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.1$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.44: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.1$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.45: Streamwise evolution of the real part $\mathcal{R}(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.5$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.46: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 0.5$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.47: Streamwise evolution of the real part $\Re(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 1$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.48: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 1$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.49: Streamwise evolution of the real part $\Re(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 5$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.50: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 5$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.51: Streamwise evolution of the real part $\Re(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 10$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.




Figure B.52: Streamwise evolution of the imaginary part $\Im(\hat{U}_{m,n})$ of the Fourier coefficients downstream of the SRG at $\text{Re}_H = 10$. The displayed coefficients correspond to the positive Fourier modes $m, n \in \{0, 1, 2, 3\}$, with colors representing the porosity ϕ . The schematic in the upper-right corner illustrates the arrangement of the Fourier modes and highlights the symmetry relation $\hat{V}_{m,n} = \hat{U}_{n,m}$.