Reverse a string using stack

Posted on April 22, 2019 | by Prashant Yadav

Posted in Algorithms, Stack, String | Tagged Easy

An algorithm to reverse a string using stack.

We will implement a simple algorithm to reverse a string using stack in javascript. Everything will be written in ES6.

Example

```
Input:
'prashant'

Output:
'tnahsarp'
```

Implementation

As we know data in stack is stored in LIFO (Last In First Out) order, we can use this to reverse a string efficiently.

- We will extract each character of the given string and add it to the stack.
- Then we will remove each character from the stack and join it to form the reversed string.
- As stack works in LIFO order we will get the last character first, then second last character and so on. Concatenating them together will form the string in reverse order.

Practically prepare for your JavaScript interview

JavaScript Revision
JavaScript-Concept Based Problems
Data Structures
Algorithms
Machine Coding
Web Fundamentals

```
let reverseString = (str) => {
   //Create a new stack
   let stack = new Stack();

   //Add each character to the stack
   for(let char of str){
     stack.push(char);
   }

   let reversed = '';

   //Form the reversed string by accessing each character from the stack
   while(!stack.isEmpty()){
      reversed += stack.pop();
   }

   //Return the reversed string
   return reversed;
}
```

```
Input:
console.log(reverseString('prashant'));

Output:
"tnahsarp"
```

Time complexity: O(n).

Space complexity: O(n).

Time and Space complexity

- We are adding each character of the string in the stack which will take O(n) and then we are again removing the characters from the stack to form the reversed string in O(n), so Time complexity is O(n) + O(n) = O(n).
- We are storing each character of the given string in stack, so Space complexity is O(n).

Recommended Posts:

- Find the longest common prefix
- Find inorder successor of a given key in a BST.
- Find distinct ways to climb the stairs in javascript.
- Program to reverse a linked list using a stack
- Find the biggest perfect square in an array
- Convert a string to uppercase in javascript
- Swap two numbers without temp variables
- Longest common subsequence | Print all LCS
- Bubble sort using two stacks
- Program to find an element in array such that sum of left array is equal to sum of right array

Prev Next

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment

Start typing...

Name*

Name

Email*

Email

POST COMMENT

Handcrafted with ♥somewhere in **Mumbai**