

Ace your JavaScript Interview. [Get my ebook](#). 100 solved Javascript, 20 solved React, & 2 frontend system design questions (**1160+ copies sold**). Get a [Free preview](#).



Advertisements



How to reverse a string in javascript

Posted on [April 7, 2019](#) | by [Prashant Yadav](#)

Posted in [Javascript](#), [String](#)

Practically
prepare for
your
JavaScript
interview

[JavaScript
Revision](#)

[JavaScript-
Concept Based
Problems](#)

[Data Structures](#)

[Algorithms](#)

[Machine
Coding](#)

[Web
Fundamentals](#)

Learn how to effectively reverse a string in javascript.

[Strings](#) can be treated as an [array](#) like [object](#) in javascript and we can use this advantage to perform different actions on it.

Reversing a string with inbuilt methods.

We are going to follow the following approach to reverse the given string.

- [split\(\)](#): This method will split the string at given expression into an array of characters.
- [reverse\(\)](#): This method reverses all the elements of an array.
- [join\(\)](#): This method joins all the elements of the array at a given expression to create a string.

Using all the above methods in line we can reverse any string with ease in javascript.

```
let str = 'learnersbucket';
let reversed = str.split('').reverse().join('');
console.log(reversed);
//'tekubsrenrael'
```

Explanation

Passing `''` in `split()` method will split the each character of the string.

Advertisements



```
let str = 'learnersbucket';
console.log(str.split(''));
//[ "l", "e", "a", "r", "n", "e", "r", "s", "b", "u", "c", "k", "e", "t" ]
```

Now once we have an array of character we can reverse it with the `reverse()` method.

```
console.log(str.split('').reverse());
//[ "t", "e", "k", "c", "u", "b", "s", "r", "e", "n", "r", "a", "e", "l" ]
```

We can now create our reversed string by joining all the elements of the array.

```
console.log(str.split('').reverse().join(''));
// 'tekubsrenrael'
```

Brute force approach to reverse a string

As we already know strings are an array like object in javascript. We can just simply loop through each character of the string in reverse order and form a reversed string.

```
let str = 'learnersbucket';
let reversed = '';
for(let i = str.length - 1; i >= 0; i--){
  reversed += str[i];
}

console.log(reversed);
// 'tekubsrenrael'
```

We can extend the `String.prototype` to have a method to reverse a string.

```
//ES5
String.prototype.reverse = function () {
  let reversed = '';
  for(let i = this.length - 1; i >= 0; i--){
    reversed += this[i];
  }
  return reversed;
}

let str = 'learnersbucket';
console.log(str.reverse());
// 'tekubsrenrael'
```

Extending the same in [ES6](#) with [Object.assign](#).

```
Object.assign(String.prototype, {
  reverse() {
    let reversed = '';
    for(let i = this.length - 1; i >= 0; i--){
      reversed += this[i];
    }
    return reversed;
  }
});

let str = 'learnersbucket';
console.log(str.reverse());
//'tekcubsrenrael'
```

[Prepare for your JavaScript Interview](#)
[practically on each Interview rounds and grab](#)
[that job.](#)

BEGIN LEARNING

Recommended Posts:

- [Find longest palindrome in a string](#)
- [Share data between multiple browser windows with JavaScript](#)
- [Share data between two browser window with JavaScript](#)
- [Script to fetch top 3 results from Google search](#)
- [Cancel an API request in JavaScript](#)
- [groupBy\(\).polyfill in JavaScript](#)
- [How to get the last element of the array in javascript](#)
- [Javascript setTimeout method](#)
- [useOnScreen\(\) hook in React](#)
- [How to find length of an array in javascript](#)

[Prev](#)

[Next](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment

Start typing...

Name*

Name

Email*

Email

POST COMMENT

Advertisements



[About Us](#)

[Contact Us](#)

[Privacy Policy](#)

[Advertise](#)



Handcrafted with ♥ somewhere in **Mumbai**

© 2023 [LearnersBucket](#) | [Prashant Yadav](#)

