


developer role





developer role







teamlead role






teamlead role






teamlead role



A https://github.com/Collaborators-frontendLearning-31082022/collabTest/settings/branch_protection_rules/new



protect branch conf

https://github.com/Collaborators-frontendLearning-31082022/collabTest/settings/branch_protection_rules/new ☐ Require review from Code Owners Require an approved review in pull requests including files with a designated code owner. ✓ Restrict who can dismiss pull request reviews Specify people, teams, or apps allowed to dismiss pull request reviews. Q Search for people, teams, or apps People, teams, or apps that can dismiss reviews. Organization and repository administrators These members can always dismiss. frontendLearning-31082022 frontendLearning-31082022 ☐ Allow specified actors to bypass required pull requests Specify people, teams, or apps who are allowed to bypass required pull requests. $\hfill \square$ Require approval of the most recent reviewable push Whether the most recent reviewable push must be approved by someone other than the person who pushed it. ☐ Require status checks to pass before merging $Choose \ which \ \underline{\text{status checks}} \ \text{must} \ \text{pass} \ \text{before} \ \text{branches can} \ \text{be} \ \text{merged into a branch that} \ \text{matches this rule}. \ When \ \text{enabled}, \ \text{commits}$ must first be pushed to another branch, then merged or pushed directly to a branch that matches this rule after status checks have passed. Require conversation resolution before merging When enabled, all conversations on code must be resolved before a pull request can be merged into a branch that matches this rule. Learn more about requiring conversation completion before merging. ☐ Require signed commits Commits pushed to matching branches must have verified signatures. ✓ Require linear history Prevent merge commits from being pushed to matching branches. ☐ Require deployments to succeed before merging Choose which environments must be successfully deployed to before branches can be merged into a branch that matches this rule. Lock branch Branch is read-only. Users cannot push to the branch.

□ Do not allow bypassing the above settings

The above settings will apply to administrators and custom roles with the "bypass branch protections" permission.

https://github.com/Collaborators-frontendLearning-31082022/collabTest/settings/branch_protection_rules/new

✓	Require linear history
	Prevent merge commits from being pushed to matching branches.
	Require deployments to succeed before merging
	Choose which environments must be successfully deployed to before branches can be merged into a branch that matches this rule.
/	Lock branch
	Branch is read-only. Users cannot push to the branch.
	Do not allow bypassing the above settings
	The above settings will apply to administrators and custom roles with the "bypass branch protections" permission.
/	Restrict who can push to matching branches
	Specify people, teams, or apps allowed to push to matching branches. Required status checks will still prevent these people, teams, an apps from merging if the checks fail.
	Restrict pushes that create matching branches Only people, teams, or apps allowed to push will be able to create new branches matching this rule.
	Only people, teams, or apps anowed to push will be able to cleate new branches matching this fule.
	Q Search for people, teams, or apps
	People, teams, or apps with push access
	Organization administrators, repository administrators, and users with the Maintain role.
	Admins can always push. Users with the Maintain role can push when required status checks pass.
	frontendLearning-31082022
	frontendLearning-31082022
(u	les applied to everyone including administrators
_	Allow force pushes
J	Permit force pushes for all users with push access.
١	Permit force pushes for all users with push access.
	Allow deletions

Create

protect branch conf

https://github.com/Collaborators-frontendLearning-31082022/collabTest/settings/rules/new?target=branch&enforcement=disabled Rulesets / New branch ruleset Access Protect your most important branches A Collaborators and teams Rulesets define whether collaborators can delete or force push and set requirements for any pushes, such as passing status checks or a linear commit history. Code and automation ⚠ Your rulesets won't be enforced on this private repository until you upgrade this organization account to ₽ Branches GitHub Team. **E**↑ Rules Ruleset Name Rulesets main Insights Actions Enforcement status 🖧 Webhooks ♠ Active ▼ Pages (Beta) E Custom properties Bypass list + Add bypass Security Organization admin Role Always ▼ @ Code security and analysis Deploy keys * Secrets and variables Target branches + Add target Integrations ⊕ main ů GitHub Apps ☑ Email notifications **Branch protections** Restrict creations Only allow users with bypass permission to create matching refs. Restrict updates Only allow users with bypass permission to update matching refs. Restrict deletions

Only allow users with bypass permissions to delete matching refs.

 $\begin{tabular}{ll} \triangle & $https://github.com/Collaborators-frontendLearning-31082022/collabTest/settings/rules/new?target=branch&tenforcement=disabled \end{tabular} \label{table}$

Restrict creations Only allow users with bypass permission to create matching refs.
Restrict updates Only allow users with bypass permission to update matching refs.
Restrict deletions Only allow users with bypass permissions to delete matching refs.
Require linear history Prevent merge commits from being pushed to matching refs.
Require deployments to succeed Choose which environments must be successfully deployed to before refs can be pushed into a ref that matches this rule.
Require signed commits Commits pushed to matching refs must have verified signatures.
Require a pull request before merging Require all commits be made to a non-target branch and submitted via a pull request before they can be merged. Additional settings
Required approvals 0 •
The number of approving reviews that are required before a pull request can be merged. Dismiss stale pull request approvals when new commits are pushed New, reviewable commits pushed will dismiss previous pull request review approvals. Require approval of the most recent reviewable push Whether the most recent reviewable push must be approved by someone other than the person who pushed it. Require conversation resolution before merging All conversations on code must be resolved before a pull request can be merged.
□ Dismiss stale pull request approvals when new commits are pushed New, reviewable commits pushed will dismiss previous pull request review approvals. □ Require approval of the most recent reviewable push Whether the most recent reviewable push must be approved by someone other than the person who pushed it. □ Require conversation resolution before merging

protect branch conf

