

# **TRADE RANGE**



PVA

**GRAB ADHESIVES** 

**SEALANTS** 

TAPES

TILING



THE PROFESSIONAL'S CHOICE

### **About UniBond**

For over 60 years tradesmen have turned to UniBond for professional solutions. Established in Camberley in 1946, UniBond was originally known for PVA. But we've come a long way since those early days. The UniBond range now includes a broad range of products for both trade and DIY use including Grab Adhesives, Sealants, Tiling products, Tapes, Epoxies and Wood Glues. It is this long experience

which ensures that UniBond continues to offer quality products and solutions today.

And, as we continue to invest in the development of new products and formulas – Henkel's patented Flextec formula is a key component of some of our best selling products – you can be sure that there will always be a UniBond solution for your trade.





### **Contents**

### PVA

03-04

Super PVA, Contractor's PVA, Waterproof PVA

### **GRAB ADHESIVES**

05-06

Mega Grip Ultimate, Mega Grip Solvent Free,

Mega Grip Plus, Fastgrip

### SFALANTS

07-12

FT101, Sanitary Silicone, General Purpose Silicone,

Frame Silicone, Rapid Cure Silicone,

Roof & Gutter Silicone, Decorators Caulk

### **TAPES**

13-14

Power Tape, Original Duct Tape, Professional Masking Tape,

General Purpose Masking Tape, Electrical Tape

### **TILING**

15-21

Ultimate Grab Waterproof WTA, Non Slip WTA,

Rapid Set FTA, Rapid Set Ultra Flex,

Rapid Set Porcelain FTA, Rapid Set Ceramic FTA,

Extended Set Ceramic FTA, Rapid Set Floor Levelling Compound,

Rapid Set Wall & Floor Tile Grout, Floor Tile Grout, Wall Tile Grout,

Tiling Products: Usage Guide for Different Tiles

**INDFX** 

22-23

TRADE RANGE OVERVIEW


24

### **PVA**

UniBond has over fifty years' heritage in the PVA market and draws on all its experience to produce the only BBA accredited PVA on the market.

The UniBond formulas are perfect for interior and exterior universal bonding, priming, sealing and ideal as a plaster bonding aid.

With new colour-coded packaging it is now easier than ever to choose the right product for any need.





The universal adhesive, primer and bonding aid

Only BBA accredited PVA on the market

Over 50 years' heritage in the trade market

1 / 2.5 / 5 / 8 / 10 Litres



BBA SOUTH OF

PVA





	BBA Accredited	Туре	Density	Viscosity	Solids Content	Temp Resistance	Application Temp	Standards Met
Super PVA	<b>✓</b>	PVAc Dispersion	1.05g/cm <sup>3</sup>	Approx 120 Poise	37% Minimum	-20°C to +40°C	+5°C to +35°C	BS 5270: Part 1 PLASTERING BS EN 204 D1 WOODWORKING
Contractor's PVA	х	PVAc Dispersion	1.03g/cm <sup>3</sup>	Approx 100 Poise	34% Minimum	-20°C to +40°C	+5°C to +35°C	N/A
Waterproof PVA	~	PVAc Dispersion	1.00g/cm <sup>3</sup>	Approx 130 Poise	42% Minimum	-20°C to +40°C	+5°C to +35°C	BS EN 204 D3 WOODWORKING BS EN14256 resistance to static load

## **Grab Adhesives**



### GRAB ADHESIVES

UniBond's new grab adhesive range has been specifically designed to give you that extra pair of hands. No need to tack or support, UniBond's Instant Grab technology allows you to stick and move on.

The range gives you a solution to every need with interior and exterior products for use with most common building materials.











MEGAGRIP
ULTIMATE
INSTANT GRAB ADHESIVE

Henkel's patented Flextec technology inside

Can be used indoors or outdoors on virtually any material, even underwater

Use to give yourself that extra pair of hands, no tack support or time needed





White Translucent

300ml

	Туре	Form	Colour	Density	Usage	Application Temp	Open Time	Initial Tack
Mega Grip Ultimate	Silane cross-linking polymer	Viscous paste	White, Translucent	1.40g/cm <sup>3</sup>	Interior/ Exterior	+5°C to +40°C	Approx 15 minutes	16-18g/cm²
Mega Grip Solvent Free	Water Based Dispersion	Viscous paste	Off white	1.27g/cm <sup>3</sup>	Interior	+10°C to +40°C	Approx 10 minutes	18-20g/cm <sup>2</sup>
Mega Grip Plus	SBR	Viscous paste	Beige	1.25g/cm <sup>3</sup>	Interior/ Exterior	+5°C to +40°C	Approx 10 minutes	10-12g/cm <sup>2</sup>
Fastgrip	SBR	Viscous paste	Green	1.35g/cm <sup>3</sup>	Interior/ Exterior	+5°C to +40°C	Approx 5 minutes	7-9g/cm <sup>2</sup>









### **MEGAGRIP SOLVENT FREE** INSTANT GRAB ADHESIVE

Solvent free instant grab adhesive

Repositionable and overpaintable

Use to give yourself that extra pair of hands, no tack support or time needed

Colour

Off white

300ml

### **MEGAGRIP PLUS** INSTANT GRAB ADHESIVE

Solvented instant

grab adhesive Can be used on damp and wet surfaces

Use to give yourself that extra pair of hands, no tack support or time needed

Colour

Beige

300ml

### **FASTGRIP CONSTRUCTION ADHESIVE**

Gap filling adhesive Bonds most common building materials

Colour

350ml

	Gap Bridging	Drying Time	Water Resistance	Final Strength	Temp Resistance	Shrinkage	Elongation at Break	Over- paintable	Flextec Technology
Mega Grip Ultimate	Max 10mm	24 hours	Waterproof	4-5N/mm <sup>2</sup>	-20°C to +80°C	Nil	Approx 300%	<b>✓</b>	<b>✓</b>
Mega Grip Solvent Free	Max 6mm	24 hours	N/A	7-8N/mm <sup>2</sup>	-20°C to +40°C	Approx 35%	N/A	<b>✓</b>	х
Mega Grip Plus	Max 10mm	24 hours	Water Resistant	5-6N/mm <sup>2</sup>	-20°C to +40°C	Approx 25%	N/A	<b>✓</b>	х
Fastgrip	Max 3mm	48 hours	Water Resistant	4-5N/mm <sup>2</sup>	-5°C to +40°C	Approx 25%	N/A	<b>✓</b>	х

## **Sealants**







The indispensable tool

Seals, fills and bonds almost all materials

Henkel's patented Flextec technology inside





Colours







280ml



SEAL. FILL. BOND.

### FT101: THE INDISPENSABLE TOOL

### Versatile

### Resistant

### Easy

Compatible with all materials & all paints

Excellent mechanical & climatic resistance

Easy to apply & smooth

#### FT101 CHARACTERISTICS

Colours	Density	Hardness (Shore A)	Temperature	Loss of Volume After Drying	Classification	Skin Formation	Drying Time
White, Black, Natural Beige, Blue Grey, Dark Brown	Approx 1.4g/cm <sup>3</sup>	40	-30°C to +90°C	Maximum 1%	ISO 11600 F25HM	15 minutes	2.7mm/day

#### FT101 BOND STRENGTH TO VARIOUS MATERIALS

	Wood/Wood	Wood/PVC	Concrete/ Aluminium	Concrete/ PVC	Glass/ Aluminium	Zinc/Zinc	Stainless Steel/Glass
Resistance (kg/cm²)	17.2	7.0	25.6	10.6	11.7	11.8	25.8

#### RESISTANCE OF CURED PRODUCT

Hydrochloric Acid (Dilute)	Ammonia Solution	Bleach Solution	White Spirit	UV	Water Immersion
Good	Good	Good	Good	Good	Good

#### PRODUCT COMPARISONS

	All Surfaces	Elasticity	Paint	All Weather Resistance	Easy to Use	Total *'s
Acrylic		*	***		***	7
Silicone	*	***		* * *	***	10
PU	* *	* *	*	*		6
MS	* *	* *	* *	* *	* * *	11
FT101	***	***	**	**	***	13

### **Sealants**



### SFALANTS

The new sealant range covers all your sealing needs. From general purpose uses up to the new Rapid Cure formulation which is power shower ready in 2 hours. Most are ISO accredited and all are available in a variety of colours.

UniBond's new pack design allows you to easily choose the product you need with clear and simple text as well as icons of the major product properties.









Mould resistant formula for long lasting quality

Waterproof formula

Conforms to ISO 11600 - F - 12.5 E



SANITARY SILICONE ACETOXY CURE SILICONE









	Colours	Drying Time	Flexibility	Service Temp	Skin Formation	Mould Resistance	Interior/ Exterior	Classification
Sanitary	White, Translucent	Approx 24 hours	Permanent	-30°C to +120°C	10-15 mins	<b>✓</b>	Both	F - 12.5 E
General Purpose	White, Brown, Black, Translucent	Approx 24 hours	Permanent	-30°C to +120°C	10-15 mins	~	Both	F - 12.5 E
Frame	White, Brown, Translucent	Approx 24 hours	Permanent	-50°C to +150°C	10-15 mins	х	Exterior	F&G - 25 LM

## **Sealants**



RAPID CURE SILICONE FAST CURING ACETOXY SILICONE









Power shower ready in just 2 hours

Ideal for those jobs where speed is a must

Trusted UniBond anti-mould formula













	Colours	Drying Time	Flexibility	Service Temp	Skin Formation	Overpaintable	Mould Resistance	Interior/ Exterior
Rapid Cure Silicone	White, Translucent	2 hours water contact / 24 hours fully dry	Permanent	-50°C to +200°C	5 mins	х	~	Both
Roof & Gutter	Black	Approx 24 hours	Perm Soft	-10°C to +40°C	N/A	Х	Х	Exterior
Decorators Caulk	White, Magnolia	Approx 24 hours	Flexible	-5°C to +50°C	10 mins	~	х	Interior

## **Tapes**

### **TAPES**

The new UniBond tape range is a comprehensive selection of tapes for tackling hundreds of building, decorating and electrical tasks.

With market leading technology UniBond are able to offer countless benefits, from easy tear to 100% waterproof.



50mm x 25m 50mm x 20m



50mm x 10m 50mm x 25m 50mm x 50m

	Colour	Tape Material	Adhesive	Total Thickness	Tensile Strength	Elongation at Break (Deformation)
Extra Strong Power Tape	Silver, Black, Clear, White	Polythene tape with polyester scrim	Synthetic Rubber	220µm	45 N/cm	30%
Original Duct Tape	Silver, Black	Polythene tape with polyester scrim	Synthetic Rubber	210µm	35 N/cm	25%
Professional Finish Masking Tape	Blue	Semi-crêped paper	Acrylic	120µm	30 N/cm	5%
General Purpose Masking Tape	Cream	Semi-crêped paper	Natural Rubber	110µm	30 N/cm	5%
Insulating Electrical Tape	Black, 6 colour multi pack	PVC	Natural Rubber	130µm	35 N/cm	400%









ck, 6 colour multi pack

19mm x 3.5m

m x 25m	25mm 50mm	

	Peel Adhesion to Stainless Steel	Temperature Range	Interior Use	Exterior Use	Unique Properties	Conforms to Standard
Extra Strong Power Tape	20 N/cm	-5°C to +70°C	<b>~</b>	<b>~</b>	Bonds to wet surfaces	N/A
Original Duct Tape	7 N/cm	-5°C to +60°C	<b>✓</b>	<b>✓</b>	Weatherproof	N/A
Professional Finish Masking Tape	1.2 N/cm	-5°C to +60°C	<b>✓</b>	<b>✓</b>	14 day UV/Daylight resistance and clean removal	N/A
General Purpose Masking Tape	2.5 N/cm	-5°C to +60°C	<b>✓</b>	<b>✓</b>	3 day UV/Daylight resistance and clean removal	N/A
Insulating Electrical Tape	1.5 N/cm	-5°C to +60°C	~	~	Insulates up to 600V	BS3924, BS EN 60454-3-1*

<sup>\*</sup>Excluding penetration at elevated temperature and thermal endurance tests

# Tiling

### **TILING**

Our new tiling range is designed to cover all the requirements of the professional tradesman. The comprehensive line-up includes adhesives and grouts in both ready-mixed and powdered formulations, together with ancillary products that help make the job just that little bit easier.

And the wide range means that there's a UniBond solution for any type of tile and substrate (please check the usage table on page 21).







Waterproof Open Time **Illtimate Grah** 30 minutes Beige 24 hours D2TE Waterproof WTA (pot life) 30 minutes Non Slip WTA D1TE Beige Χ 24 hours (not life)





















Powdered Adhesive	Colour	Non-slip	Waterproof	Mould Resistant	Open Time	Set Time	Flexibility	Classification (EN12004)
Rapid Set FTA Natural Stone	White, Grey	<b>✓</b>	<b>✓</b>	Х	20 minutes (pot life)	3 hours	х	C2F
Rapid Set Ultra Flex Wall & Floor TA	White, Grey	<b>~</b>	~	х	30 minutes (pot life)	2 hours	<b>✓</b>	C2FTE S1

# Tiling













8<sub>m²\*</sub>





Grey





20kg

Powdered Adhesive	Colour	Waterproof	Mould Resistant	Open Time	Set Time	Flexibility
Extended Set FTA	Grey	<b>~</b>	х	90 minutes (pot life)	16 hours	х
Floor Levelling Compound	Grey	<b>✓</b>	Х	15 minutes (pot life)	3 hours	X

## Tiling



















**RAPID SET WALL &** FLOOR TILE GROUT

**WET ROOMS & PERMANENTLY WET AREAS** 

**Completely waterproof** formula for internal and external use

Can be used in wet rooms and permanently wet areas

**Groutable from 3 hours** 

Colours White Grey Cream Brown Black















Waterproof formula for internal and external use For ceramic and porcelain tiles Grouts up to 10m<sup>2</sup>



5kg





3kg













Powdered Grout	Colour	Waterproof	Mould Resistant	Open Time	Set Time	Flexibility	Classification (EN13888)
Rapid Set Wall & Floor	White, Grey, Cream, Brown, Black	<b>~</b>	<b>~</b>	90 minutes (pot life)	3 hours	(With Flexi Mix)	CG2
Floor Tile Grout	Grey	<b>✓</b>	<b>✓</b>	120 minutes (pot life)	4 hours	Х	CG2
Wall Tile Grout	White	<b>✓</b>	<b>✓</b>	30 minutes (pot life)	24 hours	Х	х

# Tiling

#### TILING PRODUCTS: USAGE GUIDE FOR DIFFERENT TILES

Tiles to be used on	Waterproof WTA	Non Slip WTA	RS FTA	RS Ultra Flex	RS Porcelain	RS Ceramic	RS Wall & Floor Grout	Floor Grout	Wall Grout
Ceramic tiles	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Porcelain tiles	<b>✓</b>	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Glass tiles	X	X	<b>/</b> *	<b>/</b> *	Х	Х	<b>✓</b>	Х	<b>✓</b>
Mosaic tiles	Х	Х	<b>/</b> *	<b>/</b> *	Х	Х	<b>✓</b>	Х	<b>✓</b>
Marble tiles	Excl. white	Х	<b>/</b> *	<b>/</b> *	Х	Х	<b>✓</b>	Х	<b>✓</b>
Travertine tiles	<b>✓</b>	Х	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Limestone tiles	<b>✓</b>	X	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Sandstone tiles	<b>✓</b>	Х	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Granite tiles	X	Х	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Slate tiles	Х	Х	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Quarry tiles	<b>✓</b>	х	<b>✓</b>	<b>✓</b>	х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Terrazzo tiles	<b>✓</b>	Х	<b>✓</b>	<b>✓</b>	х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>
Large format tiles	Up to 30x30cm	X	<b>✓</b>	<b>✓</b>	Х	Х	<b>✓</b>	<b>✓</b>	<b>✓</b>

<sup>\*</sup> Only white powdered adhesive suitable for use with these tiles.

### **ALSO AVAILABLE:**

### FLEXI MIX ADDITIVE

Increases flexibility of cement based adhesives and grouts over wooden floors and underfloor heating.



### PLASTER PRIMER

Prepares plaster surfaces for tiling.





## Index

### PVA

Page	Product	Size	Colour	Bar Code
3	Super PVA	1 LTR	N/A	5010383308131
3	Super PVA	2.5 LTR	N/A	5010383308117
3	Super PVA	5 LTR	N/A	5010383065089
3	Super PVA	8 LTR	N/A	5010383065096
3	Super PVA	10 LTR	N/A	5010383065102
4	Contractor's PVA	5 LTR	N/A	5010383064303
4	Waterproof PVA	5 LTR	N/A	5010383065119

### **GRAB ADHESIVES**

Page	Product	Size	Colour	Bar Code
5	Mega Grip Ultimate	300ml	White	5010383064204
5	Mega Grip Ultimate	300ml	Translucent	5010383064228
6	Mega Grip Solvent Free	300ml	Off White	5010383064358
6	Mega Grip Plus	300ml	Beige	5010383064266
6	Fastgrip	350ml	Green	5010383064242

#### **SEALANTS**

Page	Product	Size	Colour	Bar Code
7	UniBond FT101	280ml	White	5010383063825
7	UniBond FT101	280ml	Black	5010383063863
7	UniBond FT101	280ml	Natural Beige	5010383063849
7	UniBond FT101	280ml	Blue Grey	5010383063887
7	UniBond FT101	280ml	Dark Brown	5010383063900
9	Sanitary Silicone	300ml	White	5010383502812
9	Sanitary Silicone	300ml	Translucent	5010383502836
10	General Purpose Silicone	300ml	White	5010383502850
10	General Purpose Silicone	300ml	Brown	5010383066970
10	General Purpose Silicone	300ml	Black	5010383066994
10	General Purpose Silicone	300ml	Translucent	5010383502874
10	Frame Silicone	300ml	White	5010383502959
10	Frame Silicone	300ml	Brown	5010383502935
10	Frame Silicone	300ml	Translucent	5010383502911
11	Rapid Cure Silicone	300ml	White	5010383308056
11	Rapid Cure Silicone	300ml	Translucent	5010383308070
12	Roof & Gutter Sealant	300ml	Black	5010383066994
12	Decorators Caulk	350ml	White	5010383064310
12	Decorators Caulk	350ml	Magnolia	5010383064334

#### **TAPES**

Page	Product	Size	Colour	Bar Code
13	Extra Strong Power Tape	50mm x 25m	Silver	5010383340711
13	Extra Strong Power Tape	50mm x 25m	Black	5010383593919
13	Extra Strong Power Tape	50mm x 20m	Clear	5010383340834
13	Extra Strong Power Tape	50mm x 25m	White	5010383594039
13	Original Duct Tape	50mm x 10m	Silver	5010383594213
13	Original Duct Tape	50mm x 10m	Black	5010383594237
13	Original Duct Tape	50mm x 25m	Silver	5010383341275
13	Original Duct Tape	50mm x 25m	Black	5010383341251
13	Original Duct Tape	50mm x 50m	Silver	5010383340735
13	Original Duct Tape	50mm x 50m	Black	5010383340759
14	Professional Finish Masking Tape	25mm x 25m	Blue	5010383340957
N/A	Easy On/Off Masking Tape	38mm x 25m	Cream	5010383341077
N/A	Easy On/Off Masking Tape	50mm x 25m	Cream	5010383341091
N/A	Easy On/Off Masking Tape	25mm x 25m	Cream	5010383341114
14	General Purpose Masking Tape	25mm x 50m	Cream	5010383593971
14	General Purpose Masking Tape	50mm x 50m	Cream	5010383593957
14	Insulating Electrical Tape	19mm x 10m	Black	5010383594138
14	Insulating Electrical Tape	19mm x 3.5m	6 colour multi pack	5010383340896

### TILING

Page	Product	Size	Colour	Bar Code
15	Ultimate Grab Waterproof Wall Tile Adhesive	6.9kg	Beige	5010383308018
15	Ultimate Grab Waterproof Wall Tile Adhesive	13.8kg	Beige	5010383307042
15	Non Slip Wall Tile Adhesive	7.82kg	Beige	5010383066451
15	Non Slip Wall Tile Adhesive	15.64kg	Beige	5010383066390
16	Rapid Set Floor Tile Adhesive Natural Stone	20kg	White	5010383066468
16	Rapid Set Floor Tile Adhesive Natural Stone	20kg	Grey	5010383066482
16	Rapid Set Ultra Flex Floor Tile Adhesive	20kg	White	5010383306946
16	Rapid Set Ultra Flex Floor Tile Adhesive	20kg	Grey	5010383306939
17	Rapid Set Porcelain Floor Tile Adhesive	20kg	Grey	5010383066475
17	Rapid Set Ceramic Floor Tile Adhesive	20kg	Grey	5010383101015
18	Extended Set Floor Tile Adhesive	20kg	Grey	5010383066574
18	Rapid Set Floor Levelling Compound	20kg	Grey	5010383304881
19	Rapid Set Wall & Floor Tile Grout	3kg	White	5010383066536
19	Rapid Set Wall & Floor Tile Grout	3kg	Grey	5010383066550
19	Rapid Set Wall & Floor Tile Grout	3kg	Cream	5010383066543
19	Rapid Set Wall & Floor Tile Grout	3kg	Brown	5010383066512
19	Rapid Set Wall & Floor Tile Grout	3kg	Black	5010383066567
20	Floor Tile Grout	5kg	Grey	5010383066499
20	Wall Tile Grout	3kg	White	5010383066420
21	Flexi Mix Additive	2 LTR	N/A	5010383015091
21	Plaster Primer	2 LTR	N/A	5010383063481
N/A	Mixing Bucket	Large	N/A	5010383307059
N/A	Mixing Bucket	Small	N/A	5010383307066

## **Trade Range**

### PVA



SUPER PVA



CONTRACTOR'S PVA



WATERPROOF PVA

### GRAB ADHESIVES



MEGAGRIP ULTIMATE



MEGAGRIP SOLVENT FREE



MEGAGRIP PLUS



FASTGRIP

### SEALANTS



UNIBON FT 101



SANITARY SILICONE



GENERAL PURPO SILICONE



FRAME



RAPID CURE SILICONE



ROOF & GUTTE SEALANT



DECORATORS CAULK

### TAPES



EXTRA STRONG POWER TAPE



ORIGINAL DUCT TAPE



PROFESSIONAL FINISH MASKING TAPE



GENERAL PURPOSE MASKING TAPE



INSULATING ELECTRICAL TAPE

#### TILING



ULTIMATE GRAB WATERPROOF WTA



NON SLIP WTA



RAPID SET FLOOR TILE ADHESIVE



RAPID SET ULTRA FLEX



RAPID SET PORCELAIN FLOOR TILE ADHESIVE



RAPID SET CERAMIC FLOOR TILE ADHESIVE



CERAMIC FLOOR
TILE ADHESIVE



RAPID SET FLOOR LEVELLING COMPOUND



RAPID SET WALL & FLOOR TILE GROUT



FLOOR TILE GROUT



WALL TILE GROUT

### THE PROFESSIONAL'S CHOICE



Henkel Limited, Road 5, Winsford Industrial Estate, Winsford, Cheshire CW7 3QY technical.services@henkel.co.uk

Telesales Hotline: 01707 289 068 Technical Services: 01606 593 933