






Topshirdi:	Saydullaxonov Hasanxon
Qabul qildi:	Pulatova Gulhayoxon



Ma'lumotlar bazasi


1-amaliy mashg'ulot











2-amaliy mashg'ulot

12. Qo'shimcha mas'uliyatni taqsimlash

Xodimlar

ID	Familiyasi	Ismi	Otasining ismi	Ish haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln
111	To'xtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
114	Alijonova	Sarvinoz	Saidjon	1,3 mln
115	Soliyev	Jamshid	Karimjon	2,5 mln

116	Botirov	Qodir	Nozimbek	3,3 mln
117	Abdumannonova	Nafisaxon	Ravshanbek	2,8 mln
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln
119	Mirzaahmedova	Xonzoda	Farxodjon	6 mln
120	Rustamova	Rayhona	Rustamjon	4,8 mln

Ish turlari

Tur ID	Tavsif	To'lov (kuniga)
1	Ko'p marotaba ishga kech qolgani oyda bir marta 3 kun ishlab beradi	Jarima 1.3
2	Sabasiz ish qoldirgani bois (10 kun) oyda bir marta 5 kun ishlab beradi	Jarima 1.5
3	Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi	Jarima 1.1

Ish

ID	Tur ID	Boshlanish sanasi	Tugash sanasi
110	2	01.01.2024	06.01.2024
111	1	01.01.2024	04.01.2024
112	3	01.01.2024	05.01.2024

3-amaliy mashg'ulot

```
MySQL 8.0 Command Line C...
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 10
Server version: 8.0.34 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE ISH;
Query OK, 1 row affected (0.04 sec)

mysql> USE ISH;
Database changed
mysql> CREATE TABLE xodimlar( ID INT PRIMARY KEY,
-> Familiaysi varchar(15) not null,
-> Ismi varchar(15) not null,
-> Otasini_ismi varchar(25) not null,
-> Ish_haqqi int);
Query OK, 0 rows affected (0.19 sec)

mysql> desc xodimlar;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ID    | int  | NO   | PRI | NULL    |       |
| Familiaysi | varchar(15) | NO |     | NULL    |       |
| Ismi   | varchar(15) | NO |     | NULL    |       |
| Otasini_ismi | varchar(25) | NO |     | NULL    |       |
| Ish_haqqi | int  | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.07 sec)

mysql> alter table xodimlar CHANGE Familiaysi Familiyasi varchar(15);
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 10

Server version: 8.0.34 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE ISH;

Query OK, 1 row affected (0.04 sec)

mysql> USE ISH;

Database changed

```
mysql> CREATE TABLE xodimlar( ID INT PRIMARY KEY,  
    -> Familiaysi varchar(15) not null,  
    -> Ismi varchar(15) not null,  
    -> Otasini_ismi varchar(25) not null,  
    -> Ish_haqqi int);
```

Query OK, 0 rows affected (0.19 sec)

mysql> desc xodimlar;

Field	Type	Null	Key	Default	Extra
ID	int	NO	PRI	NULL	
Familiaysi	varchar(15)	NO		NULL	
Ismi	varchar(15)	NO		NULL	
Otasini_ismi	varchar(25)	NO		NULL	
Ish_haqqi	int	YES		NULL	

5 rows in set (0.07 sec)

mysql> alter table xodimlar CHANGE Familiaysi Familiyasi varchar(15);

Query OK, 0 rows affected (0.09 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> desc xodimlar;

Field	Type	Null	Key	Default	Extra
-------	------	------	-----	---------	-------

ID	int	NO	PRI	NULL		
Familiyasi	varchar(15)	YES		NULL		
Ismi	varchar(15)	NO		NULL		
Otasini_ismi	varchar(25)	NO		NULL		
Ish_haqqi	int	YES		NULL		

5 rows in set (0.00 sec)

4-amaliy mashg'ulot

```

mysql> INSERT INTO xodimlar VALUES
-> (110, 'Saydullaxonov', 'Hasanxon', 'Sayidazizxon', '7 mln');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO xodimlar VALUES
-> (111, 'Toxtasinov', 'Kamronbek', 'Rustamjon', '3,5 mln'),
-> (112, 'Saidmurodov', 'Asrorbek', 'Hasanboy', '3 mln'),
-> (113, 'Umidjonov', 'Sardorbek', 'Karimjon', '2,8 mln'),
-> (114, 'Alijonova', 'Sarvinov', 'Saidjon', '1,3 mln'),
-> (115, 'Soliev', 'Jamshid', 'Karimjon', '2,8 mln'),
-> (116, 'Botirov', 'Qodir', 'Nozimbek', '3,3 mln'),
-> (117, 'Abdumannonova', 'Nafisaxon', 'Ravshanbek', '2,8 mln'),
-> (118, 'Abdurahmonov', 'Tohirjon', 'Alisher', '3,5 mln'),
-> (119, 'Mirzaahmedova', 'Xonzoda', 'Farhodjon', '6 mln'),
-> (120, 'Rustamova', 'Rayhona', 'Rustamjon', '4,8 mln');
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM xodimlar;
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 114 | Alijonova | Sarvinov | Saidjon | 1,3 mln |
| 115 | Soliev | Jamshid | Karimjon | 2,8 mln |
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
| 120 | Rustamova | Rayhona | Rustamjon | 4,8 mln |
+----+-----+-----+-----+-----+
11 rows in set (0.01 sec)

mysql>

```

```

MySQL 8.0 Command Line Cli
+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| Tur_ID | int | NO | PRI | NULL | |
| Tavsi | varchar(75) | NO | | NULL | |
| Tolov | varchar(25) | NO | | NULL | |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT * FROM ish_turlari;
+-----+-----+-----+-----+-----+
| Tur_ID | Tavsi | Tolov |
+-----+-----+-----+-----+
| 1 | Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi | Jarima 1.3 |
| 2 | Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi | Jarima 1.5 |
| 3 | Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi | Jarima 1.1 |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT * FROM ish_turlari;
+-----+-----+-----+-----+-----+
| Tur_ID | Tavsi | Tolov |
+-----+-----+-----+-----+
| 1 | Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi | Jarima 1.3 |
| 2 | Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi | Jarima 1.5 |
| 3 | Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi | Jarima 1.1 |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> desc xodimlar;
+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| ID | int | NO | PRI | NULL | |
| Familiyasi | varchar(15) | YES | | NULL | |
| Ismi | varchar(15) | NO | | NULL | |
| Otasini_ismi | varchar(25) | NO | | NULL | |
| Ish_haqqi | int | YES | | NULL | |
+-----+-----+-----+-----+-----+
5 rows in set (0.02 sec)

```

mysql> INSERT INTO xodimlar VALUES

- > (111, 'Toxtasinov', 'Kamronbek', 'Rustamjon', '3,5 mln'),
- > (112, 'Saidmurodov', 'Asrorbek', 'Hasanboy', '3 mln'),
- > (113, 'Umidjonov', 'Sardorbek', 'Karimjon', '2,8 mln'),
- > (114, 'Alijonova', 'Sarvinoz', 'Saidjon', '1,3 mln'),
- > (115, 'Soliyev', 'Jamshid', 'Karimjon', '2,8 mln'),
- > (116, 'Botirov', 'Qodir', 'Nozimbek', '3,3 mln'),
- > (117, 'Abdumannonova', 'Nafisaxon', 'Ravshanbek', '2,8 mln'),
- > (118, 'Abdurahmonov', 'Tohirjon', 'Alisher', '3,5 mln'),
- > (119, 'Mirzaahmedova', 'Xonzoda', 'Farhodjon', '6 mln'),
- > (120, 'Rustamova', 'Rayhona', 'Rustamjon', '4,8 mln');

Query OK, 10 rows affected (0.01 sec)

Records: 10 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM xodimlar;

```

+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+

```

110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln	
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln	
112	Saidmurodov	Asrorbek	Hasanboy	3 mln	
113	Umidjonov	Sardorbek	Karimjon	2,8 mln	
114	Alijonova	Sarvinoz	Saidjon	1,3 mln	
115	Soliyev	Jamshid	Karimjon	2,8 mln	
116	Botirov	Qodir	Nozimbek	3,3 mln	
117	Abdumannonova	Nafisaxon	Ravshanbek	2,8 mln	
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln	
119	Mirzaahmedova	Xonzoda	Farhodjon	6 mln	
120	Rustamova	Rayhona	Rustamjon	4,8 mln	

```
+-----+-----+-----+-----+-----+
```

11 rows in set (0.01 sec)

```
mysql> desc ish_turlari;
```

Field	Type	Null	Key	Default	Extra
Tur_ID	int	NO	PRI	NULL	
Tavsif	varchar(75)	NO		NULL	
Tolov	varchar(25)	NO		NULL	

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM ish_turlari;
```

Tur_ID	Tavsif	Tolov
--------	--------	-------

```
+-----+-----+-----+-----+-----+
```

1	Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi	Jarima 1.3
---	--	------------

2	Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi	Jarima 1.5
3	Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi	Jarima 1.1

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM ish_turlari;
```

Tur_ID	Tavsif	Tolov
1	Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi	Jarima 1.3
2	Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi	Jarima 1.5
3	Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi	Jarima 1.1

3 rows in set (0.00 sec)

```
mysql> desc xodimlar;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO	PRI	NULL	
Familiyasi	varchar(15)	YES		NULL	
Ismi	varchar(15)	NO		NULL	
Otasini_ismi	varchar(25)	NO		NULL	
Ish_haqqi	int	YES		NULL	

5-amaliy mashg'ulot

```
MySQL 8.0 Command Line Cli x + v

+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
+----+-----+-----+-----+-----+
2 rows in set (0.01 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='2,8 mln';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
+----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where familiyasi='Soliyev';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where id<116;
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 110 | Saydullaxonov | Hasaxon | Sayidarizxon | 7 mln |
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 114 | Alijonova | Sarvinov | Saidjon | 1,3 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
+----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> SELECT * FROM XODIMLAR
-> where id>115;
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
MySQL 8.0 Command Line Cli x + v

8 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='2,8 mln' or ish_haqqi='3,5 mln';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
+----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='2,8 mln' and ismi='Sardorbek';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='2,8 mln' and otasini_ismi='Karimjon';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
+----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='3,5 mln' and otasini_ismi='Alisher';
+----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+----+-----+-----+-----+-----+
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
-> where ish_haqqi='1 mln';
Empty set (0.00 sec)

mysql> SELECT * FROM XODIMLAR
```

```
MySQL 8.0 Command Line Cli
113 | Ibratjonov | Sardorbek | Karimjon | 2,8 mln |
114 | Atiljonova | Sarvinor | Saidjon | 1,3 mln |
115 | Seliyev | Jamshid | Karimjon | 2,8 mln |
116 | Botirov | Qodir | Nozimbek | 3,3 mln |
117 | Abdumamonova | Hafisaxon | Ravshanbek | 2,8 mln |
118 | Abduzohmonov | Tohirjon | Alisher | 3,5 mln |
119 | Mirzashmedova | Xonzoda | Farhodjon | 6 mln |
120 | Rustamova | Rayhona | Rustanjon | 4,8 mln |
11 rows in set (0.00 sec)

mysql> select * from ish_turlari;
+-----+-----+-----+
| Tur_ID | Tavsif | Tolov |
+-----+-----+-----+
| 1 | Hop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi | Jarima 1.3 |
| 2 | Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi | Jarima 1.5 |
| 3 | Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi | Jarima 1.1 |
+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from vaqt;
+-----+-----+-----+-----+
| ID | Tur_ID | Boshlanish_sanasi | Tugash_sanasi |
+-----+-----+-----+-----+
| 110 | 2 | 01.01.2024 | 06.01.2024 |
| 111 | 1 | 01.01.2024 | 04.01.2024 |
| 112 | 3 | 01.01.2024 | 05.01.2024 |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select concat(ismi, ' ish_haqqi, som oylik oladi') from xodimlar;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'ish_haqqi, som oylik oladi') from xodimlar' at line 1
mysql> select concat(ismi, ' ish_haqqi, som oylik oladi') from xodimlar;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'ish_haqqi, som oylik oladi') from xodimlar' at line 1
mysql> select concat(ismi, ' ', ish_haqqi, ' som oylik oladi') from xodimlar;
+-----+-----+-----+
| concat(ismi, ' ', ish_haqqi, ' som oylik oladi') |
+-----+-----+-----+
| Hasanxon 7 mln som oylik oladi |
| Hamzurbek 3,5 mln som oylik oladi |
| Asrorbek 3 mln som oylik oladi |
| Sardorbek 2,8 mln som oylik oladi |
| Sarvinor 1,3 mln som oylik oladi |
| Jamshid 2,8 mln som oylik oladi |
| Qodir 3,3 mln som oylik oladi |
| Hafisaxon 2,8 mln som oylik oladi |
| Tohirjon 3,5 mln som oylik oladi |
| Xonzoda 6 mln som oylik oladi |
| Rayhona 4,8 mln som oylik oladi |
+-----+-----+-----+
11 rows in set (0.01 sec)

mysql>
```

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 8

Server version: 8.0.34 MySQL Community Server - GPL

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>

mysql> SHOW DATABASES;

+-----+

| Database |

```

+-----+
| information_schema |
| ish               |
| masuliyat         |
| mysql             |
| performance_schema |
| sys               |
+-----+

```

6 rows in set (0.15 sec)

```
mysql> USE ISH;
```

Database changed

```
mysql> SHOW TABLES;
```

```

+-----+
| Tables_in_ish |
+-----+
| ish_turlari   |
| vaqt          |
| xodimlar      |
+-----+

```

3 rows in set (0.03 sec)

```
mysql> DESC ISH_TURLARI;
```

```

+-----+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Tur_ID | int    | NO   | PRI | NULL    |       |
| Tavsif | varchar(75) | NO   |     | NULL    |       |
| Tolov  | varchar(25) | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+

```

3 rows in set (0.02 sec)

mysql> DESC VAQT;

Field	Type	Null	Key	Default	Extra
ID	int	NO	PRI	NULL	
Tur_ID	int	YES		NULL	
Boshlanish_sanasi	varchar(15)	NO		NULL	
Tugash_sanasi	varchar(15)	NO		NULL	

4 rows in set (0.00 sec)

mysql> DESC XODIMLAR;

Field	Type	Null	Key	Default	Extra
ID	int	NO	PRI	NULL	
Familiyasi	varchar(15)	YES		NULL	
Ismi	varchar(15)	NO		NULL	
Otasini_ismi	varchar(25)	NO		NULL	
ish_haqqi	varchar(20)	YES		NULL	

5 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR;

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln

111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln	
112	Saidmurodov	Asrorbek	Hasanboy	3 mln	
113	Umidjonov	Sardorbek	Karimjon	2,8 mln	
114	Alijonova	Sarvinoz	Saidjon	1,3 mln	
115	Soliyev	Jamshid	Karimjon	2,8 mln	
116	Botirov	Qodir	Nozimbek	3,3 mln	
117	Abdumannonova	Nafisaxon	Ravshanbek	2,8 mln	
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln	
119	Mirzaahmedova	Xonzoda	Farhodjon	6 mln	
120	Rustamova	Rayhona	Rustamjon	4,8 mln	

```
+-----+-----+-----+-----+-----+
```

11 rows in set (0.02 sec)

```
mysql> SELECT * FROM ISH_TURLARI;
```

```
+-----+-----+-----+-----+
```

Tur_ID	Tavsif
Tolov	

```
+-----+-----+-----+-----+
```

1	Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi	Jarima 1.3
2	Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi	Jarima 1.5
3	Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi	Jarima 1.1

```
+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
SELECT * FROM VAQT;
```

```
+-----+-----+-----+-----+
```

ID	Tur_ID	Boshlanish_sanasi	Tugash_sanasi
----	--------	-------------------	---------------

```
+-----+-----+-----+-----+
```

110	2	01.01.2024	06.01.2024
111	1	01.01.2024	04.01.2024
112	3	01.01.2024	05.01.2024

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM ISH_TURLARI;
```

```
+-----+-----+-----+-----+-----+
```

```
| Tur_ID | Tavsif                                | Tolov |
```

```
+-----+-----+-----+-----+-----+
```

```
| 1 | Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi | Jarima 1.3 |
```

```
| 2 | Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi | Jarima 1.5 |
```

```
| 3 | Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi | Jarima 1.1 |
```

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR;
```

```
+-----+-----+-----+-----+-----+
```

```
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+-----+
```

```
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
```

```
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
```

```
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
```

```
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
```

```
| 114 | Alijonova | Sarvinoz | Saidjon | 1,3 mln |
```

```
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
```

```
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
```

```
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
```

```
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
```

```
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
```

```
| 120 | Rustamova | Rayhona | Rustamjon | 4,8 mln |
```

```
+-----+-----+-----+-----+-----+
```

11 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> OTASINI_ISMI='Karimjon';
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '='Karimjon'' at line 2

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where OTASINI_ISMI='Karimjon';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 113 | Umidjonov  | Sardorbek | Karimjon    | 2,8 mln   |
| 115 | Soliyev    | Jamshid  | Karimjon    | 2,8 mln   |
+-----+-----+-----+-----+-----+
```

2 rows in set (0.01 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where ish_haqqi='2,8 mln';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 113 | Umidjonov  | Sardorbek | Karimjon    | 2,8 mln   |
| 115 | Soliyev    | Jamshid  | Karimjon    | 2,8 mln   |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek  | 2,8 mln   |
+-----+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi='Soliyev';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+
| 115 | Soliyev   | Jamshid | Karimjon   | 2,8 mln |
```

```
+-----+-----+-----+-----+
```

1 row in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where id<116;
```

```
+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
| 111 | Toxtasinov   | Kamronbek | Rustamjon   | 3,5 mln |
| 112 | Saidmurodov  | Asrorbek | Hasanboy    | 3 mln |
| 113 | Umidjonov    | Sardorbek | Karimjon    | 2,8 mln |
| 114 | Alijonova    | Sarvinoz | Saidjon     | 1,3 mln |
| 115 | Soliyev      | Jamshid | Karimjon    | 2,8 mln |
```

```
+-----+-----+-----+-----+
```

6 rows in set (0.01 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where id>115;
```

```
+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+
| 116 | Botirov     | Qodir   | Nozimbek    | 3,3 mln |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek  | 2,8 mln |
| 118 | Abdurahmonov | Tohirjon | Alisher     | 3,5 mln |
| 119 | Mirzaahmedova | Xonzoda | Farhodjon   | 6 mln |
| 120 | Rustamova   | Rayhona | Rustamjon   | 4,8 mln |
```

```
+-----+-----+-----+-----+
```

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where not ish_haqqi='2,8 mln';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
114	Alijonova	Sarvinoz	Saidjon	1,3 mln
116	Botirov	Qodir	Nozimbek	3,3 mln
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln
119	Mirzaahmedova	Xonzoda	Farhodjon	6 mln
120	Rustamova	Rayhona	Rustamjon	4,8 mln

8 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where ish_haqqi='2,8 mln' or ish_haqqi='3,5 mln';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
115	Soliyev	Jamshid	Karimjon	2,8 mln
117	Abdumannonova	Nafisaxon	Ravshanbek	2,8 mln
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where ish_haqqi='2,8 mln' and ismi='Sardorbek';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 113 | Umidjonov  | Sardorbek | Karimjon    | 2,8 mln   |
+-----+-----+-----+-----+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where ish_haqqi='2,8 mln' and otasini_ismi='Karimjon';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 113 | Umidjonov  | Sardorbek | Karimjon    | 2,8 mln   |
| 115 | Soliyev    | Jamshid  | Karimjon    | 2,8 mln   |
+-----+-----+-----+-----+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where ish_haqqi='3,5 mln' and otasini_ismi='Alisher';
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi   | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 118 | Abdurahmonov | Tohirjon | Alisher     | 3,5 mln   |
+-----+-----+-----+-----+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM XODIMLAR
```

-> where ish_haqqi='1 mln';

Empty set (0.00 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi='Gulhayo';

Empty set (0.00 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi like '%Sardor%';

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
113	Umidjonov	Sardorbek	Karimjon	2,8 mln

1 row in set (0.01 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi like '%bek%';

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln

3 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi like '%jon%';

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
----	------------	------	--------------	-----------

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln

1 row in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where otasini_ismi like'%jon%';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
114	Alijonova	Sarvinoz	Saidjon	1,3 mln
115	Soliyev	Jamshid	Karimjon	2,8 mln
119	Mirzaahmedova	Xonzoda	Farhodjon	6 mln
120	Rustamova	Rayhona	Rustamjon	4,8 mln

6 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi like'%ov';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
116	Botirov	Qodir	Nozimbek	3,3 mln


```
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
```

```
+-----+-----+-----+-----+-----+
```

6 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi like '%ova';
```

```
+-----+-----+-----+-----+-----+
```

```
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+-----+
```

```
| 114 | Alijonova | Sarvinoz | Saidjon | 1,3 mln |
```

```
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
```

```
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
```

```
| 120 | Rustamova | Rayhona | Rustamjon | 4,8 mln |
```

```
+-----+-----+-----+-----+-----+
```

4 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi like '%ov%';
```

```
+-----+-----+-----+-----+-----+
```

```
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+-----+
```

```
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
```

```
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
```

```
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
```

```
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
```

```
| 114 | Alijonova | Sarvinoz | Saidjon | 1,3 mln |
```

```
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
```

```
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
```

```
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
```

```
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
```

120	Rustamova	Rayhona	Rustamjon	4,8 mln
-----	-----------	---------	-----------	---------

10 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi like '%ov';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
116	Botirov	Qodir	Nozimbek	3,3 mln
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln

6 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

```
-> where familiyasi like '%ov' or familiyasi like '%ev';
```

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
110	Saydullaxonov	Hasanxon	Sayidazizxon	7 mln
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
115	Soliyev	Jamshid	Karimjon	2,8 mln
116	Botirov	Qodir	Nozimbek	3,3 mln
118	Abdurahmonov	Tohirjon	Alisher	3,5 mln

```
+-----+-----+-----+-----+-----+
```

7 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR
```

-> where familiyasi like'%ov' or like'%ev';

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'like'%ev'' at line 2

```
mysql> SELECT * FROM XODIMLAR
```

-> where familiyasi like'%ov' or otasini_ismi like'%jon';

```
+-----+-----+-----+-----+-----+
```

```
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+-----+
```

```
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
```

```
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
```

```
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
```

```
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
```

```
| 114 | Alijonova | Sarvinoz | Saidjon | 1,3 mln |
```

```
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
```

```
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
```

```
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
```

```
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
```

```
| 120 | Rustamova | Rayhona | Rustamjon | 4,8 mln |
```

```
+-----+-----+-----+-----+-----+
```

10 rows in set (0.01 sec)

```
mysql> SELECT * FROM XODIMLAR
```

-> where familiyasi like'%ov' and otasini_ismi like'%jon';

```
+-----+-----+-----+-----+-----+
```

```
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
```

```
+-----+-----+-----+-----+-----+
```

111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln

2 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi like '%bek' and otasini_ismi like '%jon';

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln

2 rows in set (0.00 sec)

mysql> SELECT * FROM XODIMLAR

-> where ismi like '%bek' or otasini_ismi like '%jon';

ID	Familiyasi	Ismi	Otasini_ismi	ish_haqqi
111	Toxtasinov	Kamronbek	Rustamjon	3,5 mln
112	Saidmurodov	Asrorbek	Hasanboy	3 mln
113	Umidjonov	Sardorbek	Karimjon	2,8 mln
114	Alijonova	Sarvinoz	Saidjon	1,3 mln
115	Soliyev	Jamshid	Karimjon	2,8 mln
119	Mirzaahmedova	Xonzoda	Farhodjon	6 mln
120	Rustamova	Rayhona	Rustamjon	4,8 mln

7 rows in set (0.00 sec)

```
mysql> SELECT * FROM XODIMLAR;
```

```
+-----+-----+-----+-----+-----+
| ID | Familiyasi | Ismi | Otasini_ismi | ish_haqqi |
+-----+-----+-----+-----+-----+
| 110 | Saydullaxonov | Hasanxon | Sayidazizxon | 7 mln |
| 111 | Toxtasinov | Kamronbek | Rustamjon | 3,5 mln |
| 112 | Saidmurodov | Asrorbek | Hasanboy | 3 mln |
| 113 | Umidjonov | Sardorbek | Karimjon | 2,8 mln |
| 114 | Alijonova | Sarvinoz | Saidjon | 1,3 mln |
| 115 | Soliyev | Jamshid | Karimjon | 2,8 mln |
| 116 | Botirov | Qodir | Nozimbek | 3,3 mln |
| 117 | Abdumannonova | Nafisaxon | Ravshanbek | 2,8 mln |
| 118 | Abdurahmonov | Tohirjon | Alisher | 3,5 mln |
| 119 | Mirzaahmedova | Xonzoda | Farhodjon | 6 mln |
| 120 | Rustamova | Rayhona | Rustamjon | 4,8 mln |
+-----+-----+-----+-----+-----+
```

11 rows in set (0.00 sec)

```
mysql> select * from ish_turlari;
```

```
+-----+-----+-----+-----+
| Tur_ID | Tavsif | Tolov |
+-----+-----+-----+
| 1 | Kop marotaba ishga kech qolgani uchun oyda bir marta 3 kun ishlab beradi | Jarima 1.3 |
| 2 | Sabasiz ish qoldirgani bois (10kun) oyda bir marta 5 kun ishlab beradi | Jarima 1.5 |
| 3 | Ishga layoqatsizlik bilan qaragani uchun haftada bir kun ishlab beradi | Jarima 1.1 |
+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> select * from vaqt;
```

```
+-----+-----+-----+-----+-----+
```

```
| ID | Tur_ID | Boshlanish_sanasi | Tugash_sanasi |
```

```
+-----+-----+-----+-----+
```

```
| 110 | 2 | 01.01.2024 | 06.01.2024 |
```

```
| 111 | 1 | 01.01.2024 | 04.01.2024 |
```

```
| 112 | 3 | 01.01.2024 | 05.01.2024 |
```

```
+-----+-----+-----+-----+
```

3 rows in set (0.00 sec)

```
mysql> select concat(ismi' ' ish_haqqi' som oylik oladi') from xodimlar;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'ish_haqqi' som oylik oladi') from xodimlar' at line 1

```
mysql> select concat(ismi" " ish_haqqi" som oylik oladi") from xodimlar;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'ish_haqqi" som oylik oladi") from xodimlar' at line 1

```
mysql> select concat(ismi,' ', ish_haqqi,' som oylik oladi') from xodimlar;
```

```
+-----+
```

```
| concat(ismi,' ', ish_haqqi,' som oylik oladi') |
```

```
+-----+
```

```
| Hasanxon 7 mln som oylik oladi |
```

```
| Kamronbek 3,5 mln som oylik oladi |
```

```
| Asrorbek 3 mln som oylik oladi |
```

```
| Sardorbek 2,8 mln som oylik oladi |
```

```
| Sarvinoz 1,3 mln som oylik oladi |
```

```
| Jamshid 2,8 mln som oylik oladi |
```

```
| Qodir 3,3 mln som oylik oladi |
```

```
| Nafisaxon 2,8 mln som oylik oladi |
```

```
| Tohirjon 3,5 mln som oylik oladi |
```

```
| Xonzoda 6 mln som oylik oladi |
```

```
| Rayhona 4,8 mln som oylik oladi |
```

```
+-----+
```

11 rows in set (0.01 sec)

mysql>