



FOUR-WHEELER BATTERY



**POWERFUL START
RELIABLE PERFORMANCE**

UNLEASH THE POWER OF **KING KONG**

High-Performance Four-Wheeler Battery Built with German Technology

Designed for modern passenger cars, **KING KONG** Conventional Lead Acid Batteries deliver strong cranking power, dependable performance, and long service life even in tough driving and weather conditions.

- ✓ **HIGH STARTING POWER (HIGH CCA)**
Instant engine starts even in cold mornings and heavy traffic conditions
- ✓ **GERMAN TECHNOLOGY PLATE DESIGN**
Advanced grid structure ensures higher durability and better power output
- ✓ **HEAVY-DUTY LEAD ALLOY PLATES**
Improves battery life and reduces internal corrosion
- ✓ **LOW MAINTENANCE DESIGN**
Optimized electrolyte retention reduces frequent topping up
- ✓ **VIBRATION-RESISTANT CONSTRUCTION**
Strong internal fixing prevents plate damage on rough roads
- ✓ **LEAK-RESISTANT DOUBLE LID STRUCTURE**
Enhanced safety during long drives and high-temperature use

WHY **KING KONG** FOUR-WHEELER BATTERY?

- ✓ Strong & reliable ignition power
- ✓ Stable performance in hot climates
- ✓ Longer operational life
- ✓ Designed for stop-start urban driving
- ✓ Trusted technology with robust construction



TECHNOLOGY ADVANTAGE

KING KONG batteries are engineered using German Technology manufacturing standards, ensuring:

- Optimized plate thickness for long durability
- High conductivity separators for improved current flow
- Precision casting for consistent quality
- Enhanced electrolyte formulation for better charge retention

THE POWER THAT NEVER BACKS DOWN

IDEAL FOR



- Petrol passenger cars
- Diesel passenger cars
- Taxi fleets & commercial passenger vehicles
- Ride-sharing vehicles
- Daily city driving & long highway travel

QUALITY ASSURANCE

Manufactured under strict quality control Tested for performance, safety, and durability.

STRONG START. STRONGER JOURNEY.

PRODUCT SPECIFICATIONS


KING KONG - AUTOMOTIVE BATTERIES

OLD JIS & DIN	NEW JIS/ APPLICATION	PART NUMBER	AH	CA/ CCA	RC	L	W	H	TH	WEIGHT	POLARITY	PC/ PALLET	LAY OUT	TERMINAL	B/ DOWN
JIS - MF PASSENGER CAR BATTERY RANGE															
NS40	38B19R	KKX36B20R	32	280	41	185	127	200	220	8.82	R	96	1	B	B0
NS40S	38B19RS	KKX36B20RS	32	280	41	185	127	200	220	8.82	R	96	1	A	B0
NS40L	38B19L	KKX36B20L	32	280	41	185	127	200	220	8.82	L	96	0	B	B0
NS40LS	38B19LS	KKX36B20LS	32	280	41	185	127	200	220	8.82	L	96	0	A	B0
NS40Z	40B19R	KKX44B20R	35	310	53	185	127	200	220	8.92	R	96	1	B	B0
NS40ZL	40B19L	KKX44B20L	35	310	53	185	127	200	220	8.92	L	96	0	B	B0
NS40ZLS	40B19LS	KKX44B20LS	35	310	53	185	127	200	220	8.92	L	96	0	A	B0
N40	45B24R	KKX40B24R	40	390	60	234	127	200	220	11.26	R	81	1	B	B0
N40L	45B24L	KKX40B24L	40	390	60	234	127	200	220	11.26	L	81	0	B	B0
N40S	45B24S	KKX40B24S	40	390	60	234	127	200	220	11.26	R	81	1	A	B0
N40LS	45B24LS	KKX40B24LS	40	390	60	234	127	200	220	11.26	L	81	0	A	B0
NS60	50B24R	KKX55B24R	45	420	70	234	127	200	220	11.36	R	81	1	B	B0
NS60L	50B24L	KKX55B24L	45	420	70	234	127	200	220	11.36	L	81	0	B	B0
NS60S	50B24RS	KKX55B24RS	45	420	70	234	127	200	220	11.36	R	81	1	A	B0
NS60LS	50B24LS	KKX55B24LS	45	420	70	234	127	200	220	11.36	L	81	0	A	B0
N50	48D26R	KKX48D26R	50	480	80	257	172	200	220	14.70	R	54	1	A	B1
N50L	48D26L	KKX48D26L	50	480	80	257	172	200	220	14.70	L	54	0	A	B1
55D23R	55D23R	KKX55D23R	60	500	93	230	172	200	220	14.52	R	63	1	A	B1
55D23L	55D23L	KKX55D23L	60	500	93	230	172	200	220	14.52	L	63	0	A	B1
NS70	65D26R	KKX65D26R	65	580	103	257	172	200	220	16.30	R	54	1	A	B1
NS70L	65D26L	KKX65D26L	65	580	103	257	172	200	220	16.30	L	54	0	A	B1
NX110-5	80D26R	KKX80D26R	70	600	103	257	172	200	220	16.70	R	54	1	A	B1
110-15L	80D26L	KKX80D26L	70	600	103	257	172	200	220	16.70	L	54	0	A	B1
N70	65D31R	KKX65D31R	70	600	120	303	172	200	220	18.79	R	51	1	A	B1
N70L	65D31L	KKX65D31L	70	600	120	303	172	200	220	18.79	L	51	0	A	B1
N70Z	90D31R	KKX90D31R	75	630	130	258	172	200	220	18.90	R	51	1	A	B1
N70ZL	90D31L	KKX90D31L	75	630	130	258	172	200	220	18.90	L	51	0	A	B1
N90	105D31R	KKX105D31R	90	790	150	302	172	200	220	21.30	R	51	1	A	B1
N90L	105D31L	KKX105D31L	90	790	150	302	172	200	220	21.30	L	51	0	A	B1


OLD JIS & DIN	NEW JIS/ APPLICATION	PART NUMBER	AH	CA/ CCA	RC	L	W	H	TH	WEIGHT	POLARITY	PC/ PALLET	LAY OUT	TERMINAL	B/ DOWN
DIN- MF PASSENGER CAR BATTERY RANGE															
LN1-54459	LN1-54459	KKXDIN44L	44	420	65	207	174	190	190	11.93	L	72	0	A	B13
LN1-54464	LN1-54464	KKXDIN44R	44	420	65	207	174	190	190	11.93	R	72	1	A	B13
LN2-55559	LN2-55559	KKXDIN55L	55	480	84	242	174	190	190	13.05	L	60	2	A	B13
LN2-55565	LN2-55565	KKXDIN55R	55	480	84	242	174	190	190	13.05	R	60	3	A	B13
LB2-56077	LB2-56077	KKXDIN60L	60	535	98	242	174	190	190	14.50	L	60	0	A	B13
LN2-56219	LN2-56219	KKXDIN62L	62	540	100	242	174	190	190	14.52	L	60	4	A	B13
LN2-562220	LN2-56220	KKXDIN62R	62	540	100	242	174	190	190	14.52	R	60	5	A	B13
LN3-56638	LN3-56638	KKXDIN66L	66	560	110	277	174	190	190	15.47	L	54	0	A	B13
LN3-56618	LN3-56618	KKXDIN66R	66	560	110	277	174	190	190	15.47	R	54	1	A	B13
LN3-57412	LN3-57412	KKXDIN74L	74	640	120	277	174	190	190	16.83	L	54	0	A	B13
LN3-57413	LN3-57413	KKXDIN74R	74	640	120	277	174	190	190	16.83	R	54	1	A	B13
LN3-57528	LN3-57528	KKXDIN75L	75	680	130	277	174	190	190	17.10	L	54	0	A	B13
LN4-58043	LN4-58043	KKXDIN80L	80	700	138	314	174	190	190	19.36	L	45	0	A	B13
LN5-58827	LN5-58827	KKXDIN88L	88	800	150	353	174	190	190	21.10	L	36	0	A	B13
LN5-58821	LN5-58821	KKXDIN88R	88	800	150	353	174	190	190	21.10	R	36	1	A	B13
LN5-60038	LN5-60038	KKXDIN100L	100	870	160	353	174	190	190	21.90	L	36	0	A	B13
LN5-60044R	LN5-60044R	KKXDIN100R	100	870	160	353	174	190	190	21.90	R	36	1	A	B13

PRODUCT SPECIFICATIONS


TERMINAL



LAYOUT



(N SERIES)



**STRONG START.
STRONGER JOURNEY.**



MEET

Middle East Engineering Technologies Limited

🌐 www.tradingmeet.com ✉ support@tradingmeet.com