



TRUCK & BUS BATTERY



**HEAVY-DUTY PERFORMANCE
BUILT FOR THE LONG HAUL**

UNLEASH THE POWER OF KING KONG

Engineered with advanced German technology, **King Kong Truck & Bus Batteries** are designed for the toughest commercial conditions like long routes, extreme climates, heavy electrical loads, and continuous engine starts. When reliability matters, King Kong delivers unstoppable starting power and long service life.

- ✓ **HIGH CRANKING POWER FOR INSTANT ENGINE START**
- ✓ **REINFORCED INTERNAL DESIGN FOR VIBRATION RESISTANCE**
- ✓ **RELIABLE PERFORMANCE IN HOT & HARSH ENVIRONMENTS**
- ✓ **OPTIMIZED FOR COMMERCIAL FLEETS & TRANSPORT OPERATORS**

**THE POWER THAT
NEVER BACKS DOWN**

ADVANCED FEATURES

- German-engineered plate technology for superior starting performance
- Heavy-duty lead alloy grids for longer battery life
- High electrolyte reserve design reduces water loss
- Strong vibration-resistant construction for rough road conditions
- High cold cranking capability ensures dependable ignition
- Low maintenance conventional flooded design
- Durable container with heat-resistant material



KEY BENEFITS



Faster engine start even after long idle periods



Reduced downtime for commercial vehicles



Longer operational life under continuous usage



Reliable power for lighting, AC, and onboard electronics



Designed for hot climate performance (ideal for Middle East & Africa)



Cost-effective solution for fleet operators

**BUILT STRONG.
RUNS LONG.**

IDEAL FOR



- Long-haul trucks
- City buses & coaches
- Construction vehicles
- Logistics & fleet transport
- Mining & heavy equipment

**QUALITY
YOU CAN TRUST**


Manufactured under strict quality control using proven German technology standards to ensure consistent performance, safety, and durability.

PRODUCT SPECIFICATIONS


KING KONG - TRUCKS & BUSES AUTOMOTIVE BATTERIES

OLD JIS & DIN	NEW JIS/ APPLICATION	PART NUMBER	AH	CA/ CCA	RC	L	W	H	TH	WEIGHT	POLARITY	PC/ LAYER	PC/ PALLET	LAY OUT	TERMINAL	B/ DOWN
COMMERCIAL VEHICLE - MF BATTERY RANGE																
N100	95E41R	KKX95E41R	100	830	180	408	172	210	230	23.60	R	12	36	1	A	BO
N100L	95E41L	KKX95E41L	100	830	180	408	172	210	230	23.60	L	12	36	0	A	BO
NS120	115E41R	KKX115E41R	110	900	200	408	172	210	230	23.60	R	12	36	1	A	BO
NS120L	115E41L	KKX115E41L	110	900	200	408	172	210	230	23.60	L	12	36	0	A	BO
N120	135F51R	KKX135F51R	120	870	230	506	182	213	230	28.80	R	10	30	4	A	BO
N120L	135F51L	KKX135F51L	120	870	230	506	182	213	230	28.80	L	10	30	3	A	BO
N150	185G51R	KKX185G51R	150	920	276	505	212	210	230	35.64	R	8	24	4	A	BO
N150L	185G51L	KKX185G51L	150	920	276	505	212	210	230	35.64	L	8	24	3	A	BO
N170	195G51R	KKX195G51R	170	980	315	505	212	210	230	38.80	R	8	24	4	A	BO
N170L	195G51L	KKX195G51L	170	980	315	505	212	210	230	38.80	L	8	24	3	A	BO
N180	210H52R	KKX210H52R	180	1050	350	509	274	217	237	40.80	R	6	18	4	A	BO
N180L	210H52L	KKX210H52L	180	1050	350	509	274	217	237	40.80	L	6	18	3	A	BO
N200	225H52R	KKX225H52R	200	1100	387	509	274	217	237	46.20	R	6	18	4	A	BO
N200L	225H52L	KKX225H52L	200	1100	387	509	274	217	237	46.20	L	6	18	3	A	BO
N225	250H52R	KKX250H52R	225	1270	427	509	274	217	237	53.10	R	6	18	4	A	BO
N225L	250H52L	KKX250H52L	225	1270	427	509	274	217	237	53.10	L	6	18	3	A	BO
LN1-54459	LN1-54459	KKXDIN44L	44	420	65	207	174	190	190	11.93	L	24	72	0	A	B13
LN1-54464	LN1-54464	KKXDIN44R	44	420	65	207	174	190	190	11.93	R	24	72	1	A	B13
LN2-55559	LN2-55559	KKXDIN55L	55	480	84	242	174	190	190	13.05	L	20	60	2	A	B13
LN2-55565	LN2-55565	KKXDIN55R	55	480	84	242	174	190	190	13.05	R	20	60	3	A	B13
LB2-56077	LB2-56077	KKXDIN60L	60	535	98	242	174	190	190	14.50	L	20	60	0	A	B13
LN2-56219	LN2-56219	KKXDIN62L	62	540	100	242	174	190	190	14.52	L	20	60	4	A	B13
LN2-562220	LN2-56220	KKXDIN62R	62	540	100	242	174	190	190	14.52	R	20	60	5	A	B13
LN3-56638	LN3-56638	KKXDIN66L	66	560	110	277	174	190	190	15.47	L	18	54	0	A	B13
LN3-56618	LN3-56618	KKXDIN66R	66	560	110	277	174	190	190	15.47	R	18	54	1	A	B13
LN3-57412	LN3-57412	KKXDIN74L	74	640	120	277	174	190	190	16.83	L	18	54	0	A	B13
LN3-57413	LN3-57413	KKXDIN74R	74	640	120	277	174	190	190	16.83	R	18	54	1	A	B13
LN3-57528	LN3-57528	KKXDIN75L	75	680	130	277	174	190	190	17.10	L	18	54	0	A	B13
LN4-58043	LN4-58043	KKXDIN80L	80	700	138	314	174	190	190	19.36	L	15	45	0	A	B13
LN5-58827	LN5-58827	KKXDIN88L	88	800	150	353	174	190	190	21.10	L	12	36	0	A	B13
LN5-58821	LN5-58821	KKXDIN88R	88	800	150	353	174	190	190	21.10	R	12	36	1	A	B13
LN5-60038	LN5-60038	KKXDIN100L	100	870	160	353	174	190	190	21.90	L	12	36	0	A	B13
LN5-60044R	LN5-60044R	KKXDIN100R	100	870	160	353	174	190	190	21.90	R	12	36	1	A	B13


TERMINAL



LAYOUT



(N SERIES)



Middle East Engineering Technologies Limited

www.tradingmeet.com support@tradingmeet.com