

POWERED
BY
**GERMAN
TECHNOLOGY**



TWO-WHEELER BATTERY

BUILT FOR TOUGH ROADS



UNLEASH THE POWER OF **KING KONG**

Engineered using advanced German Technology, the KING KONG Two-Wheeler Conventional Lead Acid Battery delivers dependable starting power, strong durability, and consistent performance for motorcycles and scooters operating in demanding road and weather conditions.

Whether for daily commuting, delivery use, or long rides, KING KONG keeps your ride ready every time you turn the key.

- ✓ **STRONG START EVERY TIME**
High cranking power ensures quick ignition even after long parking or cold mornings.
- ✓ **TOUGH INTERNAL BUILD**
Reinforced plate design helps withstand vibrations, rough roads, and heavy daily use.
- ✓ **LONGER SERVICE LIFE**
Premium lead alloy formulation reduces corrosion and improves battery durability.
- ✓ **LOW MAINTENANCE DESIGN**
Optimized electrolyte efficiency reduces frequent topping requirements.
- ✓ **HEAT-RESISTANT PERFORMANCE**
Stable operation in high-temperature environments ideal for tropical and desert regions.

PRODUCT FEATURES

- Advanced German Technology Plate Engineering
- High-purity lead for better charge retention
- Robust separators for short-circuit protection
- Strong container for vibration resistance
- Reliable discharge & recharge cycles
- Factory activated & quality tested



CUSTOMER BENEFITS



Faster engine starting



Reduced
breakdown risk



Longer
replacement cycle



Consistent electrical
supply for lights & horn




Trusted performance
in heavy traffic use



Cost-effective
power solution

IDEAL FOR



- Motorcycles
- Scooters
- Delivery bikes
- Ride-sharing fleets
- Rural and urban commuting

THE POWER THAT NEVER BACKS DOWN

PRODUCT SPECIFICATIONS

KING KONG - TWO-WHEELER BATTERY

Sl. No	Part Number	Battery Capacity @ C 10 (AH)	Weight per Batt.	Type	L	W	H	CCA @ -18 deg.C	Pc per Pallet	Layout Type					Polarity
1	KK2.5L-C	12V 2.5 AH	1.17	VRLA	80	70	105	NA	800	+					- L
2	KKTZ4	12V 3 AH	1.45	MF	113	70	85	30	640	+					- L
3	KK5L-B	12V 5 AH	2.1	VRLA	120	60	130	40	432	+					- L
4	KKTZ5	12V 4 AH	1.95	MF	113	70	105	40	560	+					- L
5	KK7B-B	12V 7 AH	2.55	VRLA	149	59	130	60	432	-					+ R
6	KK9-B	12V 9 AH	3.5	VRLA	135	75	139	70	324	-					+ R
7	KKTZ9	12V 8 AH	3.3	MF	150	86	105	70	324	-					+ R
8	KK14L-A2	12 V 14 AH	3.84	-	132	89	163	86	480	+					- L
9	KKTZ7	12 V 7 AH	2.3	-	113	69	130	98	900	+					- L

QUALITY YOU CAN TRUST

Every KING KONG battery undergoes strict quality inspection to ensure dependable power, safety, and long-lasting performance.



MEET

Middle East Engineering Technologies Limited

🌐 www.tradingmeet.com ✉ support@tradingmeet.com