Building a giant


with ember.js legos



Ivan Lučin

Lead Frontend Engineer

@
Productive




So... Who's the giant?




producti™e

The only tool you need to run a **profitable** agency.

www.productive.io




THEN



initial yeah



arr committed on 20 Oct 2010







	API	Арр	Web	Export	
Age	8 years	3 years	3 years	2 years	
Commits	10,000	13,000	500	600	
LOC	80,000	120,000	10,000	5,000	
Tech	Rails	Ember.js	Handlebars Webpack	Rails	

App

Age	3 years	
Commits	13,000	
LOC	120,000	
Tech	Ember.js	

Main objective?

Moving forward fast ...

... without breaking things.







- Full-fledged JS framework (like Angular)
- Mature community
- Stability without stagnation
- Glimmer | Ember CLI | Ember Data | Fastboot | Engines











How to communicate with your API?



{json:api}

A SPECIFICATION FOR BUILDING APIS IN JSON

- Supported in Ember & Rails
- Extensible
- Don't waste time thinking about the data serialization

```
"data": [{
  "type": "articles",
  "id": "1",
  "attributes": {
    "title": "JSON API is cool!"
  "relationships": {
    "author": {
      "data": {
        "id": "42", "type": "people"
}],
"included": [
    "type": "people",
    "id": "42",
    "attributes": {
      "name": "John",
      "age": 80
  }
```



How to deal with complexity and size?



D₀s

- Use simple patterns
- Presentational vs. Controller components
- DDAU Data down actions up
- BEM Block Element Modifier
- Prefer KISS over DRY (& others)

Adapter

Model

View

Form

Serializer

Controller

Helper


Route

Service



DON'Ts

- Excessive usage of external libraries
 - because they suck more often than not
- Premature / BAD abstractions
- Meta programming
- Over-engineering



Refactor ~30% of total time




Refactoring rules

- 1. Write new code separately
- 2. Deploy both new & old code
- 3. Split across users / occurrences
- 4. Make sure nothing is broken
- 5. Delete old code



How (not) to break the app in production?





Error Crap.

Our team will take care of this problem, and you should go back home (or check out your console for details).

GO BACK HOME



Testing

- Ain't nobody got time!
 - Focus on testing integrations
- Always (at least) render the component

"If you test it, you can say it's a feature and not a bug!"




Acceptance tests

```
test('it allows user to login', async function(assert) {
   loginServerSetup(server);

   await visit('/login');
   fillIn(ts('login-form-email-field form-input-field-input'), 'valid@email.com');
   fillIn(ts('login-form-password-field form-input-field-input'), 'valid-password');
   await click(ts('login-form form-actions-primary-button'));


   assert.equal(currentPath(), 'organization.dashboard.widgets.index');
});
```





Monitor for errors

 https://bugsnag.com or similar



Continuous Integration

- Setup CI server & automatic deployment
- https://semaphoreci.com



Make users test new stuff without knowing



CI Server	Autodeploy branch	API & DB	Domain
STAGING	/	staging	app-staging.productive.io
EDGE	develop	production	edge.productive.io
LATEST	develop	production	app.productive.io + sugar on top
STABLE	master	production	app.productive.io

Feature flags

- Deploy untested stuff to production and hide behind a feature flag
- Avoid "it works on my machine" incidents



Metrics

- Collect metrics about your feature usage
- Instead of adding, remove rarely used stuff




Review & be reviewed

- Code review is a valuable process
- Everybody should be reviewed by everybody
- Always let somebody else test your code



Listen to your clients

- https://intercom.com or similar
- They make you revaluate your work
- Give customer support



Thanks for listening!

Ivan Lučin

Frontend Lead @ Productive

