



jeekyll  *the WP killer*

Who is this guy !?

Nikola Derežić

- full stack web developer
 - Asp.Net & JavaScript
- work at NGIT
 - betting industry sw
- passionate about
 - React
 - WebVR (wish I had more time)
 - funny cat videos






intro

themes

WP vs Jekyll



2 min

10 mins

5 mins

5 mins

5 min

<static> to Jekyll

GitHub pages

Motivation: Why I switched from WP to Jekyll



The BAD

- complicated setup (Apache+PHP+SQL)
- not easy to customize (themes)
- no built-in backup (plugin needed)
- needs care & attention (support)




The UGLY

- vulnerable to hacker attacks
- updates will break things (eventually)

jekryll



Setting it up





From <static> to Jekyll



Jekyll themes



Jekyll themes

- Source-based (GitHub, BitBucket)
- GEM-based (rubygems.org)



GitHub pages



A few more things ...



Blog importers

Behance

Blogger

CSV

Drupal 6

Drupal 7

EasyBlog

Enki

Ghost

Google Reader

Joomla

Joomla 3

Jrnl

Marley

Mephisto

Movable Type

Posterous

RSS

S9Y

S9Y Database

Textpattern

Third-party

Tumblr

Typo

WordPress

WordPress.com

• **ArchiveGenerator** by Ilkka Laakkonen: Uses this archive page to generate archives.

• **LESSJS Generator** by Andy Fowler: Renders LESS.js files during generation.

• **Version Reporter** by Blake Smith: Creates a version.html file containing the Jekyll version.

• **Sitemap.xml Generator** by Michael Levin: Generates a sitemap.xml file by traversing all of the available posts and pages.

• **Full-text search** by Pascal Widderhausen: Adds full-text search to your Jekyll site with a plugin and a bit of JavaScript.

• **AliasGenerator** by Thomas Mango: Generates redirect pages for posts when an alias is specified in the YAML Front Matter.

• **Pageless Redirect Generator** by Nick Quinlan: Generates redirects based on files in the Jekyll root, with support for htaccess style redirects.

• **RssGenerator** by Assaf Gelber: Automatically creates an RSS 2.0 feed from your posts.

• **Monthly archive generator** by Shigeiya Suzuki: Generator and template which renders monthly archive like MovableType style, based on the work by Ilkka Laakkonen and others above.

• **Category archive generator** by Shigeiya Suzuki: Generator and template which renders category archive like MovableType style, based on Monthly archive generator.

• **Emoji for Jekyll**: Seamlessly enable emoji for all posts and pages.

• **Compass integration for Jekyll**: Easily integrate Compass and Sass with your Jekyll website.

• **Pages Directory** by Ben Baker-Smith: Defines a _pages directory for page files which routes its output relative to the project root.

• **Page Collections** by Jeff Kolesky: Generates collections of pages with functionality that resembles posts.

• **Windows 8.1 Live Tile Generation** by Matt Sheehan: Generates Internet Explorer 11 config.xml file and Tile Templates for pinning your site to Windows 8.1.

• **Typescript Generator** by Matt Sheehan: Generate Javascript on build from your Typescript.

• **Jekyll-AutoLinkEmail** by Ivan Tse: Autolink your emails.

• **Jekyll-GitMetadata** by Ivan Tse: Expose Git metadata for your templates.

• **Jekyll Http Basic Auth Plugin**: Plugin to manage http basic auth for Jekyll generated pages and directories.

• **Jekyll Auto Image** by Merlos: Gets the first image of a post. Useful to list your posts with images or to add twitter cards to your site.

• **Jekyll Portfolio Generator** by Shannon Babinec: Generates project pages and computes related projects out of project data files.

• **Jekyll-Umlauts** by Anne Gockeln: This generator replaces all german umlauts (äöü) case sensitive with html.

• **Jekyll Flickr Plugin** by Lawrence Murray: Generates posts for photos uploaded to a Flickr photostream.

• **Jekyll-Paginate**: Generator: Pagination Generator for Jekyll Category.

• **AMP-Jekyll** by Juuso Mikkonen: Generate Accelerated Mobile Pages (AMP) of Jekyll posts.

• **Jekyll Art Gallery plugin**: An advanced art/photo gallery generation plugin for creating galleries from a set of image folders. Supports image tagging, thumbnails, sorting, image rotation, post-processing (remove EXIF, add watermark), multiple collections and much more.

Converters

• **Pug plugin** by Doug Boney: Pug (previously Jade) converter for Jekyll.

• **Textile converter**: Convert .textile files into HTML. Also includes the `textilize` Liquid filter.

• **Slm plugin**: Slm converter and includes for Jekyll with support for Liquid tags.

• **HAML plugin** by Sam Z: HAML converter for Jekyll.

• **HAML-Sass Converter** by Adam Pearson: Simple HAML-Sass converter for Jekyll. Fork by Sam X.

• **Sass SCSS Converter** by Mark Wolff: Sass converter which uses the new CSS compatible syntax, based Sam X's fork above.

• **LESS Converter** by Jason Graham: Convert LESS files to CSS.

• **LESS Converter** by Josh Brown: Simple LESS converter.

• **Uppcase Converter** by Blake Smith: An example Jekyll converter.

• **CoffeeScript Converter** by phae: A CoffeeScript to JavaScript converter.

• **Markdown References** by Olov Lassus: Keep all your markdown reference-style link definitions in one _references.md file.

• **Stylus Converter**: Convert .styl to .css.

• **ReStructuredText Converter**: Converts ReST documents to HTML with Pygments syntax highlighting.

• **Jekyll-pandoc-multiformats** by eds: Use pandoc to generate your site in multiple formats. Supports pandoc's markdown extensions.

• **Transform Layouts**: Allows HAML layouts (you need a HAML Converter plugin for this to work).

• **Org-mode converter**: Org-mode converter for Jekyll.

• **Customized Kramdown Converter**: Enable Pygments syntax highlighting for Kramdown-parsed fenced code blocks.

• **BigFootnotes Plugin**: Enables big footnotes for Kramdown.

• **AsciiDoc Plugin**: AsciiDoc converter for Jekyll using AsciiDoctor.

• **LazyTweet Embedding**: Automatically convert tweet urls into twitter cards.

• **Jekyll-commonmark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **Jekyll-CommonMark**: Markdown converter that uses libcommonmark, the reference parser for CommonMark.

• **reading-time**: Count words and estimate reading time for a piece of text, ignoring HTML elements that are unlikely to contain running text.

• **Table of Content Generator**: Generate the HTML code containing a table of content (TOC), the TOC can be customized in many way, for example you can decide which pages can be without TOC.

• **Jekyll-toc**: A Liquid filter plugin for Jekyll which generates a table of contents.

• **Jekyll-humaneize**: This is a port of the Django app humaneize which adds a "human touch" to data. Each method represents a Fluid type filter that can be used in your Jekyll site templates. Given that Jekyll produces static sites, some of the original methods do not make logical sense to port (e.g. naturaltime).

• **Jekyll-Ordinal**: Jekyll liquid filter to output a date ordinal such as "1st", "2nd", "rd", or "th".

• **Deprecated articles keeper** by Kazuya Kobayashi: A simple Jekyll filter which monitor how old an article is.

• **Jekyll-Jalali** by Mehdi Sadeghi: A simple Gregorian to Jalali date converter filter.

• **Jekyll Thumbnail Filter**: Related posts thumbnail filter.

• **Jekyll-Smartify**: Smartify Liquid filter. Make "quotes" "curly".

• **Liquid - S-R**: S-R Liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Jekyll-Liquidize**: Jekyll liquid filter. Make "quotes" "curly".

• **Status.net/OSTatus Tag** by phae: Displays the notices in a given status.net/ostatus page.

• **Embed client** by Robert Böhne: Autogenerate embeds from URLs using oEmbed.

• **Logarithmic Tag Cloud**: Flexible, Logarithmic distribution. Documentation inline.

• **oEmbed Tag** by Tammo van Laasen: Enables easy content embedding (e.g. from YouTube, Flickr, SlideShare) via oEmbed.

• **FlickrSetTag** by Thomas Mango: Generates images from a Flickr photo set.

• **Twitter Tag** by Scott W. Bradley: Liquid tag for embedded Tweets using Twitter's shortcodes.

• **Jekyll Twitter Plugin**: A Liquid tag plugin that renders Tweets from Twitter API. Currently supports the oEmbed API.

• **Jekyll-contentblocks**: Lets you use Rails-like content "for tags" in your templates, for passing content from your posts up to your layouts.

• **Generate YouTube Embed** by joshvanden: Jekyll plugin which allows you to embed a YouTube video in your page with the YouTube ID. Optionally specify width and height dimensions. Like "oEmbed Tag" but just for YouTube.

• **Jekyll-beasties**: FreeBSD utility tags for Jekyll sites.

• **Joanball**: Reads json files and produces maps for use in Jekyll files.

• **BibJekyll**: Render BibTeX-formatted bibliographies/citations included in posts and pages using bibTeX2html.

• **Jekyll-citations**: Render BibTeX-formatted bibliographies/citations included in posts and pages (pure Ruby).

• **Jekyll Drizzle Set Tag**: Builds Drizzle image galleries from any user.

• **Debbugs**: Allows posting links to Debian BTS easily.

• **Jekyll-devonly-tag**: A block tag for including markup only during development.

• **JekyllGalleryTag** by redwallph: Generates thumbnails from a directory of images and displays them in a grid.

• **Youku and Tudou Embed**: Liquid plugin for embedding Youku and Tudou videos.

• **Jekyll-avsubject**: Liquid plugin for embedding Adobe Flash files (swf) using SWFObject.

• **Jekyll Picture Tag**: Easy responsive images for Jekyll. Based on the proposed <picture> element, polyfilled with Scott Jehl's Picturefill.

• **Jekyll Image Tag**: Better images for Jekyll. Save image presets, generate resized images, and add classes, alt text, and other attributes.

• **Jekyll Responsive Image**: Responsive images for Jekyll. Automatically resizes images, supports all responsive methods (<picture>, <srcset>, <imgsrcset>, etc), super-flexible configuration.

• **Ditaa Tag** by matze: Renders ASCII diagram art into PNG images and inserts a figure tag.

• **Jekyll Suggested Tweet** by David Ensinger: A Liquid tag for Jekyll that allows for the embedding of suggested tweets via Twitter's Web Intents API.

• **Jekyll Date Chart** by GSI: Block that renders date line charts based on text-formatted tables.

• **Jekyll Image Encode** by GSI: Tag that renders base64 codes of images fetched from the web.

• **Jekyll Quick Man** by GSI: Tag that renders pretty links to man page sources on the internet.

• **JekyllFont-awesome**: Quickly and easily add Font-Awesome icons to your posts.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **JekyllFont-awesome**: Quickly and easily add Font-Awesome icons to your posts.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag** by tobnu: Include Lychee albums into a post. For an introduction, see Jekyll meets Lychee - A Liquid Tag plugin

• **Image Set/Gallery Tag** by callmeed: Renders HTML for an image gallery from a folder in your Jekyll site. Just pass it a folder name and class/tag options.

• **Lychee Gallery Tag</**



Jekyll Conclusion

Jekyll vs WordPress



TECHNOLOGY



WordPress

Jekyll

- Server type
- Backup
- Speed
- GitHub pages
- Dynamic content
- Immune to hacking
- Needs care & attention

LAMPD

no (needs plugin)

fast (caching)

no

yes

no

yes (updating)

any

yes (git)

blazing fast

yes

no (some via iframe)

yes

no

EXTENSIBILITY



WordPress

Jekyll

- Theming
- Plugins
- Theme & Plugin Repo

yes

yes

huge

yes

yes

small

USABILITY



WordPress

Jekyll

- Installation
(server-side)
- Build in editor
(end user content editing)
- Learning curve
- Developer skill level
(website development)
- End user skill level
(content authoring)

complicated

none

yes

no


steep
high (PHP+WP API)

linear
medium (HTML+CSS)

low

medium

USE CASES





Q&A



Thank you

[github.com / knee-cola / jekyll-demo](https://github.com/knee-cola/jekyll-demo)

 [nikola @ ngit.hr](mailto:nikola@ngit.hr)

 [@knee_cola_lite](https://twitter.com/knee_cola_lite)

 [github.com / knee-cola](https://github.com/knee-cola)

 [+NikolaDerežić](https://plus.google.com/+NikolaDerežić)