

ICPSR 39063

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2022**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/39063/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #39063

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2022

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2022_ASR6MON_NATIONAL_MASTER_FILE.txt and 2022_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2022_ASR6MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - c. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variables in the codebook.
 - d. The variable **AGENCNT** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 39063

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2022

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	219464	100.0 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	1261	0.6 %
2	Detail record	218203	99.4 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	5394	2.5 %
2	Arizona	2272	1.0 %
3	Arkansas	4477	2.0 %
4	California	15525	7.1 %
5	Colorado	3676	1.7 %
6	Connecticut	2049	0.9 %
7	Delaware	873	0.4 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	63	0.0 %
9	Florida	1614	0.7 %
10	Georgia	7065	3.2 %
11	Idaho	1936	0.9 %
12	Illinois	6313	2.9 %
13	Indiana	3377	1.5 %
14	Iowa	3706	1.7 %
15	Kansas	3979	1.8 %
16	Kentucky	6019	2.7 %
17	Louisiana	2749	1.3 %
18	Maine	1999	0.9 %
19	Maryland	1983	0.9 %
20	Massachusetts	5168	2.4 %
21	Michigan	8902	4.1 %
22	Minnesota	6084	2.8 %
23	Mississippi	2274	1.0 %
24	Missouri	6541	3.0 %
25	Montana	1303	0.6 %
26	Nebraska	2447	1.1 %
27	Nevada	962	0.4 %
28	New Hampshire	2575	1.2 %
29	New Jersey	7431	3.4 %
30	New Mexico	1332	0.6 %
31	New York	7075	3.2 %
32	North Carolina	7461	3.4 %
33	North Dakota	1451	0.7 %
34	Ohio	8096	3.7 %
35	Oklahoma	5730	2.6 %
36	Oregon	3220	1.5 %
37	Pennsylvania	10858	4.9 %
38	Rhode Island	983	0.4 %
39	South Carolina	5457	2.5 %
40	South Dakota	1375	0.6 %
41	Tennessee	7191	3.3 %
42	Texas	15700	7.2 %
43	Utah	2583	1.2 %
44	Vermont	1096	0.5 %
45	Virginia	6135	2.8 %
46	Washington	3744	1.7 %

Value	Label	Unweighted Frequency	%
47	West Virginia	2561	1.2 %
48	Wisconsin	7116	3.2 %
49	Wyoming	762	0.3 %
50	Alaska	434	0.2 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,464 valid cases out of 219,464 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-

Value	Label	Unweighted Frequency	%
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00118	BRIGHTON	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
AL00122	ADAMSVILLE	-	-
AL00123	WARRIOR	-	-
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,464 valid cases out of 219,464 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	235	0.1 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	330	0.2 %
1B	Cities from 500,000 thru 999,999	954	0.4 %
1C	Cities from 250,000 thru 499,999	1692	0.8 %
2	Cities from 100,000 thru 249,000	6796	3.1 %
3	Cities from 50,000 thru 99,000	13435	6.1 %
4	Cities from 25,000 thru 49,999	21083	9.6 %
5	Cities from 10,000 thru 24,999	36148	16.5 %
6	Cities from 2,500 thru 9,999	47632	21.7 %
7	Cities under 2,500	30490	13.9 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	69	0.0 %
8B	Non-MSA counties from 25,000 thru 99,999	6061	2.8 %
8C	Non-MSA counties from 10,000 thru 24,999	10336	4.7 %
8D	Non-MSA counties under 10,000	14281	6.5 %
8E	Non-MSA State Police	928	0.4 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	5061	2.3 %
9B	MSA counties from 25,000 thru 99,999	11125	5.1 %
9C	MSA counties from 10,000 thru 24,999	4936	2.2 %
9D	MSA counties under 10,000	7743	3.5 %
9E	MSA State Police	129	0.1 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	29	0.0 %
1	New England	13870	6.3 %
2	Middle Atlantic	25364	11.6 %
3	East North Central	33804	15.4 %

Value	Label	Unweighted Frequency	%
4	West North Central	25583	11.7 %
5	South Atlantic	33212	15.1 %
6	East South Central	20878	9.5 %
7	West South Central	28656	13.1 %
8	Mountain	14826	6.8 %
9	Pacific	23027	10.5 %
	Missing Data		
.	-	215	0.1 %
	Total	219,464	100%

Based upon 219,249 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2022	-	219464	100.0 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 2022.00
- Median: 2022.00
- Mode: 2022.00
- Minimum: 2022.00
- Maximum: 2022.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
0	-	76510	34.9 %
4	-	140	0.1 %
9	-	549	0.3 %

Value	Label	Unweighted Frequency	%
13	-	120	0.1 %
15	-	116	0.1 %
18	-	660	0.3 %
23	-	308	0.1 %
25	-	87	0.0 %
27	-	839	0.4 %
32	-	51	0.0 %
36	-	133	0.1 %
37	-	83	0.0 %
38	-	64	0.0 %
41	-	239	0.1 %
42	-	109	0.0 %
43	-	226	0.1 %
46	-	274	0.1 %
48	-	140	0.1 %
50	-	2584	1.2 %
55	-	314	0.1 %
57	-	94	0.0 %
59	-	344	0.2 %
64	-	783	0.4 %
69	-	370	0.2 %
73	-	536	0.2 %
74	-	218	0.1 %
76	-	263	0.1 %
78	-	474	0.2 %
80	-	142	0.1 %
82	-	81	0.0 %
87	-	321	0.1 %
88	-	157	0.1 %
89	-	158	0.1 %
90	-	136	0.1 %
92	-	119	0.1 %
96	-	180	0.1 %
98	-	1063	0.5 %
99	-	135	0.1 %
100	-	277	0.1 %
101	-	127	0.1 %
102	-	58	0.0 %
103	-	154	0.1 %

Value	Label	Unweighted Frequency	%
104	-	320	0.1 %
105	-	1070	0.5 %
106	-	1485	0.7 %
108	-	732	0.3 %
109	-	166	0.1 %
110	-	193	0.1 %
115	-	109	0.0 %
117	-	425	0.2 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 307.44
- Minimum: 0.00
- Maximum: 992.00
- Standard Deviation: 318.91

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	132829	60.5 %
1	Suburban	86635	39.5 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	186283	84.9 %
1	Juvenile only reported	145	0.1 %
2	Adult only reported	31775	14.5 %

Value	Label	Unweighted Frequency	%
3	Not reported	1261	0.6 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	218816	99.7 %
1	No age reported	0	0.0 %
2	No race reported	170	0.1 %
3	No ethnic origin reported	478	0.2 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	219464	100.0 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

• Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	6353	2.9 %
1	-	4532	2.1 %
2	-	5813	2.6 %
3	-	4268	1.9 %
4	-	3782	1.7 %
5	-	3649	1.7 %
6	-	3116	1.4 %
7	-	4513	2.1 %
8	-	3508	1.6 %
9	-	3728	1.7 %
10	-	3643	1.7 %
11	-	3200	1.5 %
12	-	2630	1.2 %
13	-	3761	1.7 %
14	-	3794	1.7 %
15	-	3658	1.7 %
16	-	4437	2.0 %
17	-	2466	1.1 %
18	-	3479	1.6 %
19	-	4794	2.2 %
20	-	2502	1.1 %
21	-	2373	1.1 %
22	-	1946	0.9 %
23	-	2407	1.1 %
24	-	2145	1.0 %
25	-	3047	1.4 %
26	-	1995	0.9 %
27	-	2947	1.3 %
28	-	2180	1.0 %
29	-	2027	0.9 %
30	-	2873	1.3 %
31	-	2819	1.3 %

Value	Label	Unweighted Frequency	%
32	-	1816	0.8 %
33	-	2407	1.1 %
34	-	2362	1.1 %
35	-	1532	0.7 %
36	-	3254	1.5 %
37	-	2646	1.2 %
38	-	1381	0.6 %
39	-	2034	0.9 %
40	-	2625	1.2 %
41	-	2091	1.0 %
42	-	2006	0.9 %
43	-	2466	1.1 %
44	-	1770	0.8 %
45	-	2081	0.9 %
46	-	2590	1.2 %
47	-	1761	0.8 %
48	-	2143	1.0 %
49	-	2274	1.0 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 41.69
- Median: 32.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 40.63

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	201645	91.9 %
Y	Agency is core city	17819	8.1 %
	Total	219,464	100%

Based upon 219,464 valid cases out of 219,464 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 219,464 valid cases out of 219,464 total cases.

- Mean: 36171.99
- Minimum: 0.00
- Maximum: 3809182.00
- Standard Deviation: 115211.99

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	219464	100.0 %
	Total	219,464	100%

Based upon 0 valid cases out of 219,464 total cases.

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 219,464 valid cases out of 219,464 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
Alabam	-	5394	2.5 %
Alaska	-	434	0.2 %
Arizon	-	2272	1.0 %
Arkans	-	4477	2.0 %
Califo	-	15525	7.1 %
Colora	-	3676	1.7 %
Conne c	-	2049	0.9 %
Delawa	-	873	0.4 %
Distri	-	63	0.0 %

Value	Label	Unweighted Frequency	%
Federa	-	215	0.1 %
Florid	-	1614	0.7 %
Georgi	-	7065	3.2 %
Guam	-	29	0.0 %
Hawaii	-	104	0.0 %
Idaho	-	1936	0.9 %
Illino	-	6313	2.9 %
Indian	-	3377	1.5 %
Iowa	-	3706	1.7 %
Kansas	-	3979	1.8 %
Kentuc	-	6019	2.7 %
Louisi	-	2749	1.3 %
Maine	-	1999	0.9 %
Maryla	-	1983	0.9 %
Massa c	-	5168	2.4 %
Michig	-	8902	4.1 %
Minnes	-	6084	2.8 %
Missis	-	2274	1.0 %
Missou	-	6541	3.0 %
Montan	-	1303	0.6 %
Nebras	-	2447	1.1 %
Nevad a	-	962	0.4 %
New Ha	-	2575	1.2 %
New Je	-	7431	3.4 %
New Me	-	1332	0.6 %
New Yo	-	7075	3.2 %
North	-	8912	4.1 %
Ohio	-	8096	3.7 %
Oklaho	-	5730	2.6 %
Oregon	-	3220	1.5 %
Pennsy	-	10858	4.9 %
Rhode	-	983	0.4 %
South	-	6832	3.1 %
Tennes	-	7191	3.3 %
Texas	-	15700	7.2 %
Utah	-	2583	1.2 %

Value	Label	Unweighted Frequency	%
Vermont	-	1096	0.5 %
Virgin	-	6135	2.8 %
Washin	-	3744	1.7 %
West V	-	2561	1.2 %
Wiscon	-	7116	3.2 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,464 valid cases out of 219,464 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	18618	8.5 %
1	Adult male reported	199585	90.9 %
	Missing Data		
8	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	77550	35.3 %
1	Adult female reported	140653	64.1 %
	Missing Data		
8	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	150916	68.8 %
1	Juvenile reported	67287	30.7 %
	Missing Data		
8	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	0	0.0 %
011	Murder and non-negligent manslaughter	2291	1.0 %
012	Manslaughter by negligence	681	0.3 %
020	Forcible rape	4170	1.9 %
030	Robbery	3958	1.8 %
040	Aggravated assault	9736	4.4 %
050	Burglary-breaking or entering	7697	3.5 %
060	Larceny-theft (not motor vehicle)	9734	4.4 %
070	Motor vehicle theft	6437	2.9 %
080	Other assaults	11541	5.3 %
090	Arson	2551	1.2 %
100	Forgery and counterfeiting	4631	2.1 %
110	Fraud	6594	3.0 %
120	Embezzlement	1912	0.9 %
130	Stolen property-buy, receive, poss.	5715	2.6 %
140	Vandalism	8503	3.9 %
150	Weapons-carry, posses, etc.	8312	3.8 %
160	Prostitution and commercialized vice	871	0.4 %

Value	Label	Unweighted Frequency	%
161	Prostitution and commercialized vice - Prostitution	540	0.2 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	315	0.1 %
163	Prostitution and commercialized vice - Purchasing Prostitution	167	0.1 %
170	Sex offenses (not rape or prostitution)	4473	2.0 %
18	Total drug abuse violations	11234	5.1 %
180	Sale/manufacture (subtotal)	6642	3.0 %
181	Sale: Opium, coke, and their derivatives	3471	1.6 %
182	Sale: Marijuana	3638	1.7 %
183	Sale: Truly addicting synthetic narcotics	1475	0.7 %
184	Sale: Other dangerous non-narc drugs	4753	2.2 %
185	Possession (subtotal)	10933	5.0 %
186	Possession: Opium, coke, and their derivatives	7154	3.3 %
187	Possession: Marijuana	7907	3.6 %
188	Possession: Truly addicting synthetic narcotics	4691	2.1 %
189	Possession: Other dangerous non-narc drugs	9309	4.2 %
19	Gambling (total)	222	0.1 %
191	Bookmaking (horse and sports)	7	0.0 %
192	Number and lottery	1	0.0 %
193	All other gambling	35	0.0 %
200	Offenses against family and children	4609	2.1 %
210	Driving under the influence	11257	5.1 %
220	Liquor laws	5855	2.7 %
230	Drunkenness	629	0.3 %
240	Disorderly conduct	8854	4.0 %
250	Vagrancy	943	0.4 %
260	All other offenses (not traffic)	12511	5.7 %
270	Suspicion	6	0.0 %
280	Curfew and loitering violations	790	0.4 %
290	Runaways	249	0.1 %
301	Human Trafficking - Commercial Sex Acts	149	0.1 %
302	Human Trafficking - Involuntary Servitude	50	0.0 %
990	Juvenile Disposition Data	0	0.0 %
	Missing Data		
998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character
(Range of) Missing Values: 998

M0_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	217455	99.1 %
1	-	564	0.3 %
2	-	113	0.1 %
3	-	34	0.0 %
4	-	16	0.0 %
5	-	7	0.0 %
6	-	6	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 0.12

Location: 78-83 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	208493	95.0 %
1	-	5895	2.7 %
2	-	1820	0.8 %
3	-	701	0.3 %
4	-	395	0.2 %
5	-	265	0.1 %

Value	Label	Unweighted Frequency	%
6	-	146	0.1 %
7	-	98	0.0 %
8	-	68	0.0 %
9	-	71	0.0 %
10	-	47	0.0 %
11	-	30	0.0 %
12	-	15	0.0 %
13	-	24	0.0 %
14	-	20	0.0 %
15	-	20	0.0 %
16	-	8	0.0 %
17	-	11	0.0 %
18	-	12	0.0 %
19	-	11	0.0 %
20	-	3	0.0 %
21	-	4	0.0 %
22	-	3	0.0 %
23	-	5	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
37	-	3	0.0 %
41	-	3	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
63	-	1	0.0 %
67	-	1	0.0 %
82	-	1	0.0 %
91	-	1	0.0 %
106	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 106.00
- Standard Deviation: 0.87

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	193182	88.0 %
1	-	12958	5.9 %
2	-	4689	2.1 %
3	-	2273	1.0 %
4	-	1247	0.6 %
5	-	841	0.4 %
6	-	577	0.3 %
7	-	422	0.2 %
8	-	317	0.1 %
9	-	273	0.1 %
10	-	194	0.1 %
11	-	180	0.1 %
12	-	140	0.1 %
13	-	95	0.0 %
14	-	88	0.0 %
15	-	69	0.0 %
16	-	66	0.0 %
17	-	50	0.0 %
18	-	59	0.0 %
19	-	37	0.0 %
20	-	40	0.0 %
21	-	25	0.0 %
22	-	36	0.0 %

Value	Label	Unweighted Frequency	%
23	-	27	0.0 %
24	-	23	0.0 %
25	-	22	0.0 %
26	-	18	0.0 %
27	-	18	0.0 %
28	-	16	0.0 %
29	-	11	0.0 %
30	-	11	0.0 %
31	-	11	0.0 %
32	-	7	0.0 %
33	-	10	0.0 %
34	-	8	0.0 %
35	-	11	0.0 %
36	-	10	0.0 %
37	-	5	0.0 %
38	-	9	0.0 %
39	-	9	0.0 %
40	-	6	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 291.00
- Standard Deviation: 2.26

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	193904	88.4 %
1	-	13506	6.2 %
2	-	4324	2.0 %
3	-	2161	1.0 %
4	-	1114	0.5 %
5	-	739	0.3 %
6	-	541	0.2 %
7	-	379	0.2 %
8	-	245	0.1 %
9	-	234	0.1 %
10	-	155	0.1 %
11	-	120	0.1 %
12	-	107	0.0 %
13	-	94	0.0 %
14	-	74	0.0 %
15	-	57	0.0 %
16	-	46	0.0 %
17	-	35	0.0 %
18	-	35	0.0 %
19	-	35	0.0 %
20	-	32	0.0 %
21	-	19	0.0 %
22	-	22	0.0 %
23	-	21	0.0 %
24	-	19	0.0 %
25	-	15	0.0 %
26	-	10	0.0 %
27	-	7	0.0 %
28	-	13	0.0 %
29	-	7	0.0 %
30	-	10	0.0 %
31	-	9	0.0 %
32	-	10	0.0 %
33	-	8	0.0 %
34	-	6	0.0 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	5	0.0 %
37	-	5	0.0 %
38	-	5	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
47	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	6	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 189.00
- Standard Deviation: 1.79

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	189657	86.4 %
1	-	15797	7.2 %
2	-	5199	2.4 %
3	-	2441	1.1 %
4	-	1437	0.7 %
5	-	887	0.4 %

Value	Label	Unweighted Frequency	%
6	-	575	0.3 %
7	-	374	0.2 %
8	-	326	0.1 %
9	-	229	0.1 %
10	-	201	0.1 %
11	-	155	0.1 %
12	-	112	0.1 %
13	-	93	0.0 %
14	-	93	0.0 %
15	-	69	0.0 %
16	-	69	0.0 %
17	-	68	0.0 %
18	-	49	0.0 %
19	-	32	0.0 %
20	-	24	0.0 %
21	-	35	0.0 %
22	-	27	0.0 %
23	-	20	0.0 %
24	-	18	0.0 %
25	-	10	0.0 %
26	-	21	0.0 %
27	-	19	0.0 %
28	-	19	0.0 %
29	-	8	0.0 %
30	-	11	0.0 %
31	-	8	0.0 %
32	-	5	0.0 %
33	-	7	0.0 %
34	-	5	0.0 %
35	-	8	0.0 %
36	-	5	0.0 %
37	-	6	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	5	0.0 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %

Value	Label	Unweighted Frequency	%
45	-	5	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 142.00
- Standard Deviation: 1.90

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	185343	84.5 %
1	-	18586	8.5 %
2	-	5893	2.7 %
3	-	2824	1.3 %
4	-	1566	0.7 %
5	-	912	0.4 %
6	-	689	0.3 %
7	-	444	0.2 %
8	-	323	0.1 %
9	-	252	0.1 %
10	-	209	0.1 %
11	-	170	0.1 %
12	-	143	0.1 %
13	-	105	0.0 %
14	-	83	0.0 %
15	-	70	0.0 %

Value	Label	Unweighted Frequency	%
16	-	64	0.0 %
17	-	73	0.0 %
18	-	45	0.0 %
19	-	37	0.0 %
20	-	36	0.0 %
21	-	31	0.0 %
22	-	28	0.0 %
23	-	30	0.0 %
24	-	15	0.0 %
25	-	14	0.0 %
26	-	9	0.0 %
27	-	12	0.0 %
28	-	12	0.0 %
29	-	16	0.0 %
30	-	5	0.0 %
31	-	16	0.0 %
32	-	14	0.0 %
33	-	12	0.0 %
34	-	6	0.0 %
35	-	12	0.0 %
36	-	8	0.0 %
37	-	3	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	6	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	8	0.0 %
44	-	2	0.0 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
51	-	3	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 256.00
- Standard Deviation: 2.16

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	174935	79.7 %
1	-	24208	11.0 %
2	-	7794	3.6 %
3	-	3652	1.7 %
4	-	2050	0.9 %
5	-	1312	0.6 %
6	-	909	0.4 %
7	-	620	0.3 %
8	-	419	0.2 %
9	-	343	0.2 %
10	-	255	0.1 %
11	-	226	0.1 %
12	-	175	0.1 %
13	-	155	0.1 %
14	-	145	0.1 %
15	-	98	0.0 %
16	-	73	0.0 %
17	-	77	0.0 %
18	-	69	0.0 %
19	-	56	0.0 %
20	-	47	0.0 %
21	-	33	0.0 %
22	-	52	0.0 %
23	-	37	0.0 %
24	-	28	0.0 %
25	-	29	0.0 %

Value	Label	Unweighted Frequency	%
26	-	37	0.0 %
27	-	27	0.0 %
28	-	31	0.0 %
29	-	18	0.0 %
30	-	22	0.0 %
31	-	24	0.0 %
32	-	10	0.0 %
33	-	13	0.0 %
34	-	10	0.0 %
35	-	10	0.0 %
36	-	7	0.0 %
37	-	11	0.0 %
38	-	9	0.0 %
39	-	11	0.0 %
40	-	5	0.0 %
41	-	13	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	6	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 266.00
- Standard Deviation: 2.75

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	173382	79.0 %
1	-	24620	11.2 %
2	-	8209	3.7 %
3	-	3803	1.7 %
4	-	2208	1.0 %
5	-	1371	0.6 %
6	-	915	0.4 %
7	-	578	0.3 %
8	-	501	0.2 %
9	-	392	0.2 %
10	-	293	0.1 %
11	-	237	0.1 %
12	-	194	0.1 %
13	-	166	0.1 %
14	-	134	0.1 %
15	-	119	0.1 %
16	-	88	0.0 %
17	-	88	0.0 %
18	-	73	0.0 %
19	-	72	0.0 %
20	-	69	0.0 %
21	-	51	0.0 %
22	-	50	0.0 %
23	-	36	0.0 %
24	-	36	0.0 %
25	-	31	0.0 %
26	-	33	0.0 %
27	-	30	0.0 %
28	-	26	0.0 %
29	-	20	0.0 %
30	-	11	0.0 %
31	-	16	0.0 %
32	-	20	0.0 %
33	-	15	0.0 %
34	-	9	0.0 %
35	-	16	0.0 %
36	-	8	0.0 %

Value	Label	Unweighted Frequency	%
37	-	15	0.0 %
38	-	9	0.0 %
39	-	13	0.0 %
40	-	14	0.0 %
41	-	11	0.0 %
42	-	12	0.0 %
43	-	12	0.0 %
44	-	9	0.0 %
45	-	8	0.0 %
46	-	8	0.0 %
47	-	5	0.0 %
48	-	11	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 277.00
- Standard Deviation: 3.22

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	173194	78.9 %
1	-	24961	11.4 %
2	-	7993	3.6 %
3	-	3819	1.7 %
4	-	2208	1.0 %
5	-	1356	0.6 %
6	-	937	0.4 %
7	-	596	0.3 %

Value	Label	Unweighted Frequency	%
8	-	476	0.2 %
9	-	369	0.2 %
10	-	295	0.1 %
11	-	240	0.1 %
12	-	194	0.1 %
13	-	189	0.1 %
14	-	139	0.1 %
15	-	131	0.1 %
16	-	95	0.0 %
17	-	91	0.0 %
18	-	61	0.0 %
19	-	62	0.0 %
20	-	69	0.0 %
21	-	57	0.0 %
22	-	44	0.0 %
23	-	47	0.0 %
24	-	35	0.0 %
25	-	37	0.0 %
26	-	33	0.0 %
27	-	27	0.0 %
28	-	22	0.0 %
29	-	28	0.0 %
30	-	30	0.0 %
31	-	22	0.0 %
32	-	14	0.0 %
33	-	13	0.0 %
34	-	11	0.0 %
35	-	16	0.0 %
36	-	10	0.0 %
37	-	11	0.0 %
38	-	14	0.0 %
39	-	13	0.0 %
40	-	10	0.0 %
41	-	12	0.0 %
42	-	11	0.0 %
43	-	3	0.0 %
44	-	7	0.0 %
45	-	9	0.0 %
46	-	9	0.0 %

Value	Label	Unweighted Frequency	%
47	-	10	0.0 %
48	-	6	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 344.00
- Standard Deviation: 3.38

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	173006	78.8 %
1	-	24689	11.2 %
2	-	8042	3.7 %
3	-	3627	1.7 %
4	-	2192	1.0 %
5	-	1467	0.7 %
6	-	1000	0.5 %
7	-	711	0.3 %
8	-	566	0.3 %
9	-	419	0.2 %
10	-	315	0.1 %
11	-	241	0.1 %
12	-	225	0.1 %
13	-	182	0.1 %
14	-	152	0.1 %
15	-	136	0.1 %
16	-	101	0.0 %
17	-	100	0.0 %

Value	Label	Unweighted Frequency	%
18	-	88	0.0 %
19	-	54	0.0 %
20	-	59	0.0 %
21	-	69	0.0 %
22	-	43	0.0 %
23	-	45	0.0 %
24	-	48	0.0 %
25	-	43	0.0 %
26	-	37	0.0 %
27	-	30	0.0 %
28	-	38	0.0 %
29	-	20	0.0 %
30	-	19	0.0 %
31	-	24	0.0 %
32	-	19	0.0 %
33	-	21	0.0 %
34	-	24	0.0 %
35	-	17	0.0 %
36	-	6	0.0 %
37	-	14	0.0 %
38	-	14	0.0 %
39	-	15	0.0 %
40	-	10	0.0 %
41	-	18	0.0 %
42	-	15	0.0 %
43	-	9	0.0 %
44	-	13	0.0 %
45	-	5	0.0 %
46	-	5	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 347.00
- Standard Deviation: 3.71

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	172171	78.5 %
1	-	25015	11.4 %
2	-	8059	3.7 %
3	-	4000	1.8 %
4	-	2257	1.0 %
5	-	1465	0.7 %
6	-	979	0.4 %
7	-	706	0.3 %
8	-	522	0.2 %
9	-	400	0.2 %
10	-	334	0.2 %
11	-	257	0.1 %
12	-	234	0.1 %
13	-	157	0.1 %
14	-	179	0.1 %
15	-	136	0.1 %
16	-	134	0.1 %
17	-	111	0.1 %
18	-	77	0.0 %
19	-	87	0.0 %
20	-	64	0.0 %
21	-	64	0.0 %
22	-	54	0.0 %
23	-	52	0.0 %
24	-	44	0.0 %
25	-	36	0.0 %
26	-	39	0.0 %
27	-	36	0.0 %
28	-	37	0.0 %
29	-	28	0.0 %

Value	Label	Unweighted Frequency	%
30	-	24	0.0 %
31	-	25	0.0 %
32	-	21	0.0 %
33	-	19	0.0 %
34	-	21	0.0 %
35	-	18	0.0 %
36	-	18	0.0 %
37	-	19	0.0 %
38	-	10	0.0 %
39	-	12	0.0 %
40	-	9	0.0 %
41	-	11	0.0 %
42	-	17	0.0 %
43	-	11	0.0 %
44	-	12	0.0 %
45	-	10	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 423.00
- Standard Deviation: 3.84

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	171714	78.2 %

Value	Label	Unweighted Frequency	%
1	-	25267	11.5 %
2	-	8319	3.8 %
3	-	3894	1.8 %
4	-	2281	1.0 %
5	-	1450	0.7 %
6	-	957	0.4 %
7	-	725	0.3 %
8	-	556	0.3 %
9	-	394	0.2 %
10	-	334	0.2 %
11	-	278	0.1 %
12	-	209	0.1 %
13	-	207	0.1 %
14	-	159	0.1 %
15	-	130	0.1 %
16	-	118	0.1 %
17	-	85	0.0 %
18	-	98	0.0 %
19	-	76	0.0 %
20	-	81	0.0 %
21	-	62	0.0 %
22	-	53	0.0 %
23	-	55	0.0 %
24	-	43	0.0 %
25	-	51	0.0 %
26	-	41	0.0 %
27	-	34	0.0 %
28	-	27	0.0 %
29	-	29	0.0 %
30	-	28	0.0 %
31	-	29	0.0 %
32	-	25	0.0 %
33	-	23	0.0 %
34	-	21	0.0 %
35	-	8	0.0 %
36	-	17	0.0 %
37	-	15	0.0 %
38	-	13	0.0 %
39	-	7	0.0 %

Value	Label	Unweighted Frequency	%
40	-	9	0.0 %
41	-	11	0.0 %
42	-	12	0.0 %
43	-	10	0.0 %
44	-	7	0.0 %
45	-	11	0.0 %
46	-	16	0.0 %
47	-	6	0.0 %
48	-	6	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 408.00
- Standard Deviation: 3.94

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	171202	78.0 %
1	-	25725	11.7 %
2	-	8337	3.8 %
3	-	3929	1.8 %
4	-	2254	1.0 %
5	-	1488	0.7 %
6	-	976	0.4 %
7	-	689	0.3 %
8	-	508	0.2 %
9	-	408	0.2 %
10	-	343	0.2 %

Value	Label	Unweighted Frequency	%
11	-	297	0.1 %
12	-	196	0.1 %
13	-	168	0.1 %
14	-	148	0.1 %
15	-	114	0.1 %
16	-	128	0.1 %
17	-	115	0.1 %
18	-	94	0.0 %
19	-	83	0.0 %
20	-	65	0.0 %
21	-	72	0.0 %
22	-	51	0.0 %
23	-	57	0.0 %
24	-	51	0.0 %
25	-	39	0.0 %
26	-	39	0.0 %
27	-	28	0.0 %
28	-	37	0.0 %
29	-	33	0.0 %
30	-	34	0.0 %
31	-	29	0.0 %
32	-	27	0.0 %
33	-	13	0.0 %
34	-	25	0.0 %
35	-	14	0.0 %
36	-	23	0.0 %
37	-	13	0.0 %
38	-	22	0.0 %
39	-	13	0.0 %
40	-	13	0.0 %
41	-	16	0.0 %
42	-	11	0.0 %
43	-	12	0.0 %
44	-	11	0.0 %
45	-	9	0.0 %
46	-	8	0.0 %
47	-	14	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 4.07

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	113171	51.6 %
1	-	40477	18.4 %
2	-	17021	7.8 %
3	-	9680	4.4 %
4	-	6370	2.9 %
5	-	4568	2.1 %
6	-	3460	1.6 %
7	-	2775	1.3 %
8	-	2119	1.0 %
9	-	1811	0.8 %
10	-	1469	0.7 %
11	-	1231	0.6 %
12	-	1140	0.5 %
13	-	967	0.4 %
14	-	821	0.4 %
15	-	735	0.3 %
16	-	645	0.3 %
17	-	581	0.3 %
18	-	541	0.2 %
19	-	470	0.2 %
20	-	409	0.2 %

Value	Label	Unweighted Frequency	%
21	-	383	0.2 %
22	-	386	0.2 %
23	-	316	0.1 %
24	-	304	0.1 %
25	-	302	0.1 %
26	-	243	0.1 %
27	-	256	0.1 %
28	-	224	0.1 %
29	-	216	0.1 %
30	-	212	0.1 %
31	-	211	0.1 %
32	-	205	0.1 %
33	-	154	0.1 %
34	-	173	0.1 %
35	-	149	0.1 %
36	-	108	0.0 %
37	-	117	0.1 %
38	-	113	0.1 %
39	-	98	0.0 %
40	-	113	0.1 %
41	-	100	0.0 %
42	-	92	0.0 %
43	-	85	0.0 %
44	-	91	0.0 %
45	-	78	0.0 %
46	-	95	0.0 %
47	-	76	0.0 %
48	-	67	0.0 %
49	-	66	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 3.89
- Minimum: 0.00
- Maximum: 2492.00
- Standard Deviation: 21.91

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	109170	49.7 %
1	-	41495	18.9 %
2	-	17416	7.9 %
3	-	10144	4.6 %
4	-	6610	3.0 %
5	-	4785	2.2 %
6	-	3554	1.6 %
7	-	2909	1.3 %
8	-	2366	1.1 %
9	-	1936	0.9 %
10	-	1560	0.7 %
11	-	1303	0.6 %
12	-	1169	0.5 %
13	-	1026	0.5 %
14	-	904	0.4 %
15	-	757	0.3 %
16	-	702	0.3 %
17	-	623	0.3 %
18	-	546	0.2 %
19	-	494	0.2 %
20	-	471	0.2 %
21	-	425	0.2 %
22	-	367	0.2 %
23	-	331	0.2 %
24	-	324	0.1 %
25	-	284	0.1 %
26	-	284	0.1 %
27	-	286	0.1 %
28	-	268	0.1 %
29	-	215	0.1 %
30	-	215	0.1 %
31	-	213	0.1 %
32	-	193	0.1 %
33	-	184	0.1 %
34	-	139	0.1 %

Value	Label	Unweighted Frequency	%
35	-	168	0.1 %
36	-	153	0.1 %
37	-	137	0.1 %
38	-	123	0.1 %
39	-	113	0.1 %
40	-	109	0.0 %
41	-	103	0.0 %
42	-	99	0.0 %
43	-	94	0.0 %
44	-	87	0.0 %
45	-	103	0.0 %
46	-	75	0.0 %
47	-	99	0.0 %
48	-	72	0.0 %
49	-	66	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 4.16
- Minimum: 0.00
- Maximum: 3032.00
- Standard Deviation: 23.43

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	115435	52.6 %
1	-	40510	18.5 %
2	-	16565	7.5 %
3	-	9551	4.4 %
4	-	6306	2.9 %
5	-	4441	2.0 %
6	-	3349	1.5 %
7	-	2593	1.2 %

Value	Label	Unweighted Frequency	%
8	-	2130	1.0 %
9	-	1855	0.8 %
10	-	1443	0.7 %
11	-	1230	0.6 %
12	-	1095	0.5 %
13	-	868	0.4 %
14	-	791	0.4 %
15	-	676	0.3 %
16	-	605	0.3 %
17	-	549	0.3 %
18	-	516	0.2 %
19	-	455	0.2 %
20	-	379	0.2 %
21	-	385	0.2 %
22	-	328	0.1 %
23	-	290	0.1 %
24	-	306	0.1 %
25	-	253	0.1 %
26	-	234	0.1 %
27	-	236	0.1 %
28	-	194	0.1 %
29	-	198	0.1 %
30	-	174	0.1 %
31	-	180	0.1 %
32	-	149	0.1 %
33	-	128	0.1 %
34	-	130	0.1 %
35	-	127	0.1 %
36	-	143	0.1 %
37	-	90	0.0 %
38	-	105	0.0 %
39	-	115	0.1 %
40	-	80	0.0 %
41	-	88	0.0 %
42	-	87	0.0 %
43	-	76	0.0 %
44	-	81	0.0 %
45	-	65	0.0 %
46	-	72	0.0 %

Value	Label	Unweighted Frequency	%
47	-	52	0.0 %
48	-	73	0.0 %
49	-	65	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 3.50
- Minimum: 0.00
- Maximum: 2751.00
- Standard Deviation: 19.38

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	124233	56.6 %
1	-	38684	17.6 %
2	-	15444	7.0 %
3	-	8696	4.0 %
4	-	5802	2.6 %
5	-	4010	1.8 %
6	-	3099	1.4 %
7	-	2288	1.0 %
8	-	1891	0.9 %
9	-	1530	0.7 %
10	-	1204	0.5 %
11	-	1051	0.5 %
12	-	915	0.4 %
13	-	729	0.3 %
14	-	664	0.3 %
15	-	564	0.3 %
16	-	506	0.2 %
17	-	458	0.2 %
18	-	459	0.2 %
19	-	351	0.2 %

Value	Label	Unweighted Frequency	%
20	-	332	0.2 %
21	-	273	0.1 %
22	-	316	0.1 %
23	-	234	0.1 %
24	-	212	0.1 %
25	-	204	0.1 %
26	-	193	0.1 %
27	-	182	0.1 %
28	-	159	0.1 %
29	-	145	0.1 %
30	-	146	0.1 %
31	-	150	0.1 %
32	-	117	0.1 %
33	-	126	0.1 %
34	-	92	0.0 %
35	-	102	0.0 %
36	-	91	0.0 %
37	-	103	0.0 %
38	-	81	0.0 %
39	-	89	0.0 %
40	-	67	0.0 %
41	-	76	0.0 %
42	-	70	0.0 %
43	-	57	0.0 %
44	-	52	0.0 %
45	-	51	0.0 %
46	-	63	0.0 %
47	-	55	0.0 %
48	-	45	0.0 %
49	-	56	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 2.79
- Minimum: 0.00

- Maximum: 2090.00
- Standard Deviation: 15.39

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	141511	64.5 %
1	-	34630	15.8 %
2	-	13243	6.0 %
3	-	6890	3.1 %
4	-	4481	2.0 %
5	-	3136	1.4 %
6	-	2274	1.0 %
7	-	1701	0.8 %
8	-	1284	0.6 %
9	-	1083	0.5 %
10	-	931	0.4 %
11	-	705	0.3 %
12	-	619	0.3 %
13	-	475	0.2 %
14	-	477	0.2 %
15	-	374	0.2 %
16	-	361	0.2 %
17	-	307	0.1 %
18	-	262	0.1 %
19	-	232	0.1 %
20	-	189	0.1 %
21	-	166	0.1 %
22	-	168	0.1 %
23	-	166	0.1 %
24	-	124	0.1 %
25	-	149	0.1 %
26	-	131	0.1 %
27	-	102	0.0 %
28	-	106	0.0 %
29	-	77	0.0 %
30	-	79	0.0 %
31	-	78	0.0 %
32	-	78	0.0 %

Value	Label	Unweighted Frequency	%
33	-	81	0.0 %
34	-	69	0.0 %
35	-	51	0.0 %
36	-	51	0.0 %
37	-	41	0.0 %
38	-	51	0.0 %
39	-	40	0.0 %
40	-	29	0.0 %
41	-	42	0.0 %
42	-	33	0.0 %
43	-	41	0.0 %
44	-	34	0.0 %
45	-	34	0.0 %
46	-	36	0.0 %
47	-	25	0.0 %
48	-	26	0.0 %
49	-	32	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1229.00
- Standard Deviation: 10.18

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	150672	68.7 %
1	-	31648	14.4 %
2	-	11649	5.3 %
3	-	6208	2.8 %

Value	Label	Unweighted Frequency	%
4	-	3858	1.8 %
5	-	2582	1.2 %
6	-	1951	0.9 %
7	-	1484	0.7 %
8	-	1133	0.5 %
9	-	817	0.4 %
10	-	724	0.3 %
11	-	584	0.3 %
12	-	466	0.2 %
13	-	458	0.2 %
14	-	354	0.2 %
15	-	284	0.1 %
16	-	271	0.1 %
17	-	221	0.1 %
18	-	184	0.1 %
19	-	190	0.1 %
20	-	173	0.1 %
21	-	140	0.1 %
22	-	122	0.1 %
23	-	103	0.0 %
24	-	104	0.0 %
25	-	102	0.0 %
26	-	100	0.0 %
27	-	73	0.0 %
28	-	86	0.0 %
29	-	78	0.0 %
30	-	69	0.0 %
31	-	49	0.0 %
32	-	54	0.0 %
33	-	59	0.0 %
34	-	54	0.0 %
35	-	50	0.0 %
36	-	35	0.0 %
37	-	34	0.0 %
38	-	38	0.0 %
39	-	36	0.0 %
40	-	42	0.0 %
41	-	35	0.0 %
42	-	34	0.0 %

Value	Label	Unweighted Frequency	%
43	-	24	0.0 %
44	-	24	0.0 %
45	-	19	0.0 %
46	-	19	0.0 %
47	-	13	0.0 %
48	-	25	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1205.00
- Standard Deviation: 8.34

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	160261	73.0 %
1	-	28794	13.1 %
2	-	10348	4.7 %
3	-	5089	2.3 %
4	-	3181	1.4 %
5	-	2116	1.0 %
6	-	1457	0.7 %
7	-	1131	0.5 %
8	-	821	0.4 %
9	-	648	0.3 %
10	-	523	0.2 %
11	-	407	0.2 %
12	-	350	0.2 %
13	-	287	0.1 %

Value	Label	Unweighted Frequency	%
14	-	264	0.1 %
15	-	210	0.1 %
16	-	203	0.1 %
17	-	161	0.1 %
18	-	139	0.1 %
19	-	123	0.1 %
20	-	115	0.1 %
21	-	100	0.0 %
22	-	86	0.0 %
23	-	87	0.0 %
24	-	84	0.0 %
25	-	73	0.0 %
26	-	56	0.0 %
27	-	56	0.0 %
28	-	57	0.0 %
29	-	44	0.0 %
30	-	39	0.0 %
31	-	37	0.0 %
32	-	43	0.0 %
33	-	29	0.0 %
34	-	35	0.0 %
35	-	32	0.0 %
36	-	28	0.0 %
37	-	27	0.0 %
38	-	35	0.0 %
39	-	28	0.0 %
40	-	31	0.0 %
41	-	27	0.0 %
42	-	21	0.0 %
43	-	25	0.0 %
44	-	14	0.0 %
45	-	22	0.0 %
46	-	11	0.0 %
47	-	20	0.0 %
48	-	7	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 6.67

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	173034	78.8 %
1	-	24598	11.2 %
2	-	8069	3.7 %
3	-	3848	1.8 %
4	-	2260	1.0 %
5	-	1392	0.6 %
6	-	918	0.4 %
7	-	701	0.3 %
8	-	526	0.2 %
9	-	402	0.2 %
10	-	338	0.2 %
11	-	235	0.1 %
12	-	201	0.1 %
13	-	181	0.1 %
14	-	137	0.1 %
15	-	147	0.1 %
16	-	109	0.0 %
17	-	77	0.0 %
18	-	85	0.0 %
19	-	66	0.0 %
20	-	57	0.0 %
21	-	55	0.0 %
22	-	52	0.0 %
23	-	53	0.0 %
24	-	46	0.0 %
25	-	37	0.0 %

Value	Label	Unweighted Frequency	%
26	-	49	0.0 %
27	-	30	0.0 %
28	-	29	0.0 %
29	-	19	0.0 %
30	-	24	0.0 %
31	-	16	0.0 %
32	-	27	0.0 %
33	-	21	0.0 %
34	-	14	0.0 %
35	-	14	0.0 %
36	-	21	0.0 %
37	-	12	0.0 %
38	-	17	0.0 %
39	-	8	0.0 %
40	-	7	0.0 %
41	-	8	0.0 %
42	-	15	0.0 %
43	-	9	0.0 %
44	-	6	0.0 %
45	-	10	0.0 %
46	-	4	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 790.00
- Standard Deviation: 4.46

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	182319	83.1 %
1	-	20820	9.5 %
2	-	6401	2.9 %
3	-	2836	1.3 %
4	-	1656	0.8 %
5	-	995	0.5 %
6	-	652	0.3 %
7	-	474	0.2 %
8	-	336	0.2 %
9	-	266	0.1 %
10	-	209	0.1 %
11	-	175	0.1 %
12	-	123	0.1 %
13	-	103	0.0 %
14	-	88	0.0 %
15	-	83	0.0 %
16	-	72	0.0 %
17	-	48	0.0 %
18	-	51	0.0 %
19	-	34	0.0 %
20	-	40	0.0 %
21	-	26	0.0 %
22	-	26	0.0 %
23	-	24	0.0 %
24	-	27	0.0 %
25	-	21	0.0 %
26	-	18	0.0 %
27	-	20	0.0 %
28	-	19	0.0 %
29	-	9	0.0 %
30	-	15	0.0 %
31	-	5	0.0 %
32	-	9	0.0 %
33	-	10	0.0 %
34	-	9	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %

Value	Label	Unweighted Frequency	%
37	-	8	0.0 %
38	-	6	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	7	0.0 %
42	-	6	0.0 %
43	-	8	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	7	0.0 %
49	-	4	0.0 %
50	-	5	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 361.00
- Standard Deviation: 3.11

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	217972	99.3 %
1	-	188	0.1 %
2	-	24	0.0 %
3	-	8	0.0 %
4	-	4	0.0 %
5	-	4	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.06

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	212641	96.9 %
1	-	3458	1.6 %
2	-	988	0.5 %
3	-	391	0.2 %
4	-	239	0.1 %
5	-	133	0.1 %
6	-	71	0.0 %
7	-	64	0.0 %
8	-	46	0.0 %
9	-	34	0.0 %
10	-	25	0.0 %
11	-	21	0.0 %
12	-	13	0.0 %
13	-	9	0.0 %
14	-	9	0.0 %
15	-	17	0.0 %
16	-	5	0.0 %
17	-	4	0.0 %
18	-	6	0.0 %
19	-	5	0.0 %
21	-	1	0.0 %
23	-	3	0.0 %

Value	Label	Unweighted Frequency	%
24	-	3	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
59	-	1	0.0 %
61	-	1	0.0 %
68	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 0.63

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	203626	92.8 %
1	-	7817	3.6 %
2	-	2725	1.2 %
3	-	1307	0.6 %
4	-	701	0.3 %
5	-	433	0.2 %
6	-	304	0.1 %

Value	Label	Unweighted Frequency	%
7	-	214	0.1 %
8	-	148	0.1 %
9	-	144	0.1 %
10	-	124	0.1 %
11	-	90	0.0 %
12	-	77	0.0 %
13	-	61	0.0 %
14	-	59	0.0 %
15	-	36	0.0 %
16	-	29	0.0 %
17	-	31	0.0 %
18	-	29	0.0 %
19	-	23	0.0 %
20	-	19	0.0 %
21	-	15	0.0 %
22	-	17	0.0 %
23	-	5	0.0 %
24	-	15	0.0 %
25	-	10	0.0 %
26	-	9	0.0 %
27	-	6	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
33	-	6	0.0 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	8	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	4	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %

Value	Label	Unweighted Frequency	%
47	-	7	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 232.00
- Standard Deviation: 1.68

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	205565	93.7 %
1	-	7396	3.4 %
2	-	2257	1.0 %
3	-	1026	0.5 %
4	-	551	0.3 %
5	-	353	0.2 %
6	-	261	0.1 %
7	-	171	0.1 %
8	-	119	0.1 %
9	-	92	0.0 %
10	-	64	0.0 %
11	-	61	0.0 %
12	-	40	0.0 %
13	-	26	0.0 %
14	-	31	0.0 %
15	-	19	0.0 %
16	-	15	0.0 %

Value	Label	Unweighted Frequency	%
17	-	17	0.0 %
18	-	9	0.0 %
19	-	18	0.0 %
20	-	20	0.0 %
21	-	2	0.0 %
22	-	11	0.0 %
23	-	10	0.0 %
24	-	5	0.0 %
25	-	5	0.0 %
26	-	11	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	5	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
72	-	1	0.0 %
78	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.15

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	204469	93.2 %
1	-	8269	3.8 %
2	-	2435	1.1 %
3	-	1049	0.5 %
4	-	624	0.3 %
5	-	358	0.2 %
6	-	256	0.1 %
7	-	142	0.1 %
8	-	133	0.1 %
9	-	84	0.0 %
10	-	70	0.0 %
11	-	46	0.0 %
12	-	59	0.0 %
13	-	37	0.0 %
14	-	19	0.0 %
15	-	14	0.0 %
16	-	20	0.0 %
17	-	11	0.0 %
18	-	13	0.0 %
19	-	9	0.0 %
20	-	12	0.0 %
21	-	11	0.0 %
22	-	8	0.0 %
23	-	9	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %

Value	Label	Unweighted Frequency	%
28	-	5	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
59	-	1	0.0 %
63	-	1	0.0 %
67	-	2	0.0 %
70	-	1	0.0 %
96	-	1	0.0 %
171	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 171.00
- Standard Deviation: 1.05

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	203201	92.6 %
1	-	9484	4.3 %
2	-	2539	1.2 %

Value	Label	Unweighted Frequency	%
3	-	1126	0.5 %
4	-	628	0.3 %
5	-	370	0.2 %
6	-	220	0.1 %
7	-	150	0.1 %
8	-	107	0.0 %
9	-	85	0.0 %
10	-	44	0.0 %
11	-	49	0.0 %
12	-	40	0.0 %
13	-	21	0.0 %
14	-	20	0.0 %
15	-	19	0.0 %
16	-	16	0.0 %
17	-	12	0.0 %
18	-	6	0.0 %
19	-	8	0.0 %
20	-	4	0.0 %
21	-	9	0.0 %
22	-	7	0.0 %
23	-	3	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
33	-	1	0.0 %
36	-	4	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
64	-	2	0.0 %
74	-	1	0.0 %
174	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 0.96

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	198065	90.2 %
1	-	12841	5.9 %
2	-	3445	1.6 %
3	-	1494	0.7 %
4	-	774	0.4 %
5	-	481	0.2 %
6	-	247	0.1 %
7	-	199	0.1 %
8	-	136	0.1 %
9	-	97	0.0 %
10	-	63	0.0 %
11	-	60	0.0 %
12	-	37	0.0 %
13	-	34	0.0 %
14	-	31	0.0 %
15	-	22	0.0 %
16	-	37	0.0 %
17	-	14	0.0 %
18	-	16	0.0 %
19	-	10	0.0 %
20	-	10	0.0 %
21	-	6	0.0 %
22	-	5	0.0 %

Value	Label	Unweighted Frequency	%
23	-	9	0.0 %
24	-	5	0.0 %
25	-	6	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
53	-	2	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 116.00
- Standard Deviation: 1.18

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	196633	89.6 %
1	-	13592	6.2 %
2	-	3702	1.7 %
3	-	1510	0.7 %
4	-	862	0.4 %
5	-	534	0.2 %
6	-	327	0.1 %
7	-	217	0.1 %
8	-	177	0.1 %
9	-	113	0.1 %
10	-	84	0.0 %
11	-	83	0.0 %
12	-	52	0.0 %
13	-	45	0.0 %
14	-	35	0.0 %
15	-	27	0.0 %
16	-	21	0.0 %
17	-	21	0.0 %
18	-	12	0.0 %
19	-	15	0.0 %
20	-	13	0.0 %
21	-	10	0.0 %
22	-	7	0.0 %
23	-	15	0.0 %
24	-	6	0.0 %
25	-	6	0.0 %
26	-	1	0.0 %
27	-	5	0.0 %
28	-	6	0.0 %
29	-	6	0.0 %
30	-	9	0.0 %
31	-	6	0.0 %
32	-	2	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %

Value	Label	Unweighted Frequency	%
35	-	3	0.0 %
38	-	2	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 169.00
- Standard Deviation: 1.45

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	195567	89.1 %
1	-	14264	6.5 %
2	-	3994	1.8 %
3	-	1589	0.7 %
4	-	861	0.4 %
5	-	485	0.2 %

Value	Label	Unweighted Frequency	%
6	-	327	0.1 %
7	-	227	0.1 %
8	-	174	0.1 %
9	-	126	0.1 %
10	-	86	0.0 %
11	-	69	0.0 %
12	-	69	0.0 %
13	-	58	0.0 %
14	-	28	0.0 %
15	-	26	0.0 %
16	-	31	0.0 %
17	-	21	0.0 %
18	-	18	0.0 %
19	-	22	0.0 %
20	-	15	0.0 %
21	-	12	0.0 %
22	-	9	0.0 %
23	-	11	0.0 %
24	-	8	0.0 %
25	-	9	0.0 %
26	-	8	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	5	0.0 %
31	-	6	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	5	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
44	-	2	0.0 %
46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 141.00
- Standard Deviation: 1.50

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	194674	88.7 %
1	-	14814	6.8 %
2	-	3907	1.8 %
3	-	1775	0.8 %
4	-	897	0.4 %
5	-	580	0.3 %
6	-	369	0.2 %
7	-	247	0.1 %
8	-	194	0.1 %
9	-	116	0.1 %
10	-	107	0.0 %
11	-	65	0.0 %
12	-	61	0.0 %
13	-	53	0.0 %
14	-	38	0.0 %
15	-	29	0.0 %

Value	Label	Unweighted Frequency	%
16	-	38	0.0 %
17	-	20	0.0 %
18	-	19	0.0 %
19	-	15	0.0 %
20	-	22	0.0 %
21	-	16	0.0 %
22	-	13	0.0 %
23	-	10	0.0 %
24	-	10	0.0 %
25	-	14	0.0 %
26	-	5	0.0 %
27	-	12	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 202.00
- Standard Deviation: 1.63

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	193984	88.4 %
1	-	15149	6.9 %
2	-	4072	1.9 %
3	-	1833	0.8 %
4	-	966	0.4 %
5	-	553	0.3 %
6	-	394	0.2 %
7	-	247	0.1 %
8	-	196	0.1 %
9	-	128	0.1 %
10	-	110	0.1 %
11	-	88	0.0 %
12	-	75	0.0 %
13	-	54	0.0 %
14	-	48	0.0 %
15	-	31	0.0 %
16	-	35	0.0 %
17	-	21	0.0 %
18	-	19	0.0 %
19	-	18	0.0 %
20	-	20	0.0 %
21	-	22	0.0 %
22	-	9	0.0 %
23	-	16	0.0 %
24	-	11	0.0 %
25	-	8	0.0 %

Value	Label	Unweighted Frequency	%
26	-	6	0.0 %
27	-	4	0.0 %
28	-	5	0.0 %
30	-	4	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	8	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 216.00
- Standard Deviation: 1.68

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	193475	88.2 %
1	-	15517	7.1 %
2	-	4215	1.9 %
3	-	1824	0.8 %
4	-	955	0.4 %
5	-	573	0.3 %
6	-	366	0.2 %
7	-	251	0.1 %
8	-	199	0.1 %
9	-	134	0.1 %
10	-	117	0.1 %
11	-	83	0.0 %
12	-	60	0.0 %
13	-	45	0.0 %
14	-	39	0.0 %
15	-	43	0.0 %
16	-	31	0.0 %
17	-	38	0.0 %
18	-	28	0.0 %
19	-	24	0.0 %
20	-	12	0.0 %
21	-	11	0.0 %
22	-	8	0.0 %
23	-	12	0.0 %
24	-	17	0.0 %
25	-	16	0.0 %
26	-	7	0.0 %
27	-	8	0.0 %
28	-	13	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	6	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %

Value	Label	Unweighted Frequency	%
37	-	6	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	3	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
51	-	4	0.0 %
53	-	1	0.0 %
54	-	2	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 210.00
- Standard Deviation: 1.67

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	193614	88.2 %
1	-	15214	6.9 %
2	-	4329	2.0 %
3	-	1865	0.8 %
4	-	958	0.4 %
5	-	560	0.3 %
6	-	360	0.2 %
7	-	253	0.1 %

Value	Label	Unweighted Frequency	%
8	-	194	0.1 %
9	-	145	0.1 %
10	-	107	0.0 %
11	-	87	0.0 %
12	-	71	0.0 %
13	-	64	0.0 %
14	-	45	0.0 %
15	-	42	0.0 %
16	-	23	0.0 %
17	-	30	0.0 %
18	-	19	0.0 %
19	-	23	0.0 %
20	-	21	0.0 %
21	-	18	0.0 %
22	-	17	0.0 %
23	-	11	0.0 %
24	-	11	0.0 %
25	-	9	0.0 %
26	-	5	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	5	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	5	0.0 %
37	-	5	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
49	-	2	0.0 %
50	-	4	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 193.00
- Standard Deviation: 1.69

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	153627	70.0 %
1	-	29757	13.6 %
2	-	10988	5.0 %
3	-	5957	2.7 %
4	-	3783	1.7 %
5	-	2572	1.2 %
6	-	1840	0.8 %
7	-	1377	0.6 %
8	-	1086	0.5 %
9	-	849	0.4 %
10	-	654	0.3 %
11	-	598	0.3 %
12	-	494	0.2 %
13	-	417	0.2 %
14	-	353	0.2 %
15	-	288	0.1 %
16	-	301	0.1 %
17	-	236	0.1 %

Value	Label	Unweighted Frequency	%
18	-	217	0.1 %
19	-	202	0.1 %
20	-	175	0.1 %
21	-	164	0.1 %
22	-	118	0.1 %
23	-	143	0.1 %
24	-	124	0.1 %
25	-	98	0.0 %
26	-	102	0.0 %
27	-	91	0.0 %
28	-	76	0.0 %
29	-	73	0.0 %
30	-	71	0.0 %
31	-	64	0.0 %
32	-	58	0.0 %
33	-	58	0.0 %
34	-	51	0.0 %
35	-	50	0.0 %
36	-	47	0.0 %
37	-	32	0.0 %
38	-	33	0.0 %
39	-	26	0.0 %
40	-	38	0.0 %
41	-	40	0.0 %
42	-	31	0.0 %
43	-	31	0.0 %
44	-	22	0.0 %
45	-	26	0.0 %
46	-	25	0.0 %
47	-	19	0.0 %
48	-	20	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1002.00
- Standard Deviation: 8.48

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	148706	67.8 %
1	-	31392	14.3 %
2	-	11896	5.4 %
3	-	6255	2.9 %
4	-	4114	1.9 %
5	-	2797	1.3 %
6	-	2039	0.9 %
7	-	1568	0.7 %
8	-	1214	0.6 %
9	-	975	0.4 %
10	-	814	0.4 %
11	-	695	0.3 %
12	-	561	0.3 %
13	-	454	0.2 %
14	-	399	0.2 %
15	-	342	0.2 %
16	-	306	0.1 %
17	-	261	0.1 %
18	-	244	0.1 %
19	-	213	0.1 %
20	-	208	0.1 %
21	-	167	0.1 %
22	-	164	0.1 %
23	-	136	0.1 %
24	-	132	0.1 %
25	-	115	0.1 %
26	-	101	0.0 %
27	-	100	0.0 %
28	-	92	0.0 %
29	-	74	0.0 %

Value	Label	Unweighted Frequency	%
30	-	73	0.0 %
31	-	72	0.0 %
32	-	69	0.0 %
33	-	71	0.0 %
34	-	46	0.0 %
35	-	54	0.0 %
36	-	52	0.0 %
37	-	44	0.0 %
38	-	52	0.0 %
39	-	38	0.0 %
40	-	49	0.0 %
41	-	32	0.0 %
42	-	35	0.0 %
43	-	39	0.0 %
44	-	20	0.0 %
45	-	30	0.0 %
46	-	28	0.0 %
47	-	23	0.0 %
48	-	23	0.0 %
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1008.00
- Standard Deviation: 8.80

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	152834	69.6 %

Value	Label	Unweighted Frequency	%
1	-	30192	13.8 %
2	-	11362	5.2 %
3	-	5984	2.7 %
4	-	3793	1.7 %
5	-	2580	1.2 %
6	-	1840	0.8 %
7	-	1470	0.7 %
8	-	1102	0.5 %
9	-	898	0.4 %
10	-	726	0.3 %
11	-	615	0.3 %
12	-	501	0.2 %
13	-	401	0.2 %
14	-	329	0.1 %
15	-	336	0.2 %
16	-	272	0.1 %
17	-	219	0.1 %
18	-	219	0.1 %
19	-	183	0.1 %
20	-	145	0.1 %
21	-	142	0.1 %
22	-	141	0.1 %
23	-	116	0.1 %
24	-	108	0.0 %
25	-	94	0.0 %
26	-	91	0.0 %
27	-	75	0.0 %
28	-	64	0.0 %
29	-	65	0.0 %
30	-	84	0.0 %
31	-	55	0.0 %
32	-	35	0.0 %
33	-	40	0.0 %
34	-	53	0.0 %
35	-	42	0.0 %
36	-	40	0.0 %
37	-	44	0.0 %
38	-	35	0.0 %
39	-	38	0.0 %

Value	Label	Unweighted Frequency	%
40	-	38	0.0 %
41	-	34	0.0 %
42	-	19	0.0 %
43	-	27	0.0 %
44	-	21	0.0 %
45	-	29	0.0 %
46	-	22	0.0 %
47	-	17	0.0 %
48	-	14	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 932.00
- Standard Deviation: 7.30

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	161100	73.4 %
1	-	27722	12.6 %
2	-	10128	4.6 %
3	-	5149	2.3 %
4	-	3186	1.5 %
5	-	2172	1.0 %
6	-	1564	0.7 %
7	-	1193	0.5 %
8	-	897	0.4 %
9	-	672	0.3 %
10	-	579	0.3 %

Value	Label	Unweighted Frequency	%
11	-	424	0.2 %
12	-	408	0.2 %
13	-	314	0.1 %
14	-	247	0.1 %
15	-	223	0.1 %
16	-	169	0.1 %
17	-	157	0.1 %
18	-	141	0.1 %
19	-	133	0.1 %
20	-	108	0.0 %
21	-	118	0.1 %
22	-	100	0.0 %
23	-	75	0.0 %
24	-	79	0.0 %
25	-	70	0.0 %
26	-	71	0.0 %
27	-	65	0.0 %
28	-	50	0.0 %
29	-	45	0.0 %
30	-	39	0.0 %
31	-	43	0.0 %
32	-	30	0.0 %
33	-	35	0.0 %
34	-	36	0.0 %
35	-	35	0.0 %
36	-	25	0.0 %
37	-	15	0.0 %
38	-	21	0.0 %
39	-	25	0.0 %
40	-	20	0.0 %
41	-	20	0.0 %
42	-	14	0.0 %
43	-	17	0.0 %
44	-	14	0.0 %
45	-	17	0.0 %
46	-	17	0.0 %
47	-	18	0.0 %
48	-	14	0.0 %
49	-	16	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 669.00
- Standard Deviation: 5.51

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	174851	79.7 %
1	-	23182	10.6 %
2	-	7764	3.5 %
3	-	3803	1.7 %
4	-	2278	1.0 %
5	-	1384	0.6 %
6	-	955	0.4 %
7	-	702	0.3 %
8	-	539	0.2 %
9	-	415	0.2 %
10	-	332	0.2 %
11	-	249	0.1 %
12	-	220	0.1 %
13	-	167	0.1 %
14	-	143	0.1 %
15	-	111	0.1 %
16	-	106	0.0 %
17	-	76	0.0 %
18	-	72	0.0 %
19	-	97	0.0 %
20	-	76	0.0 %

Value	Label	Unweighted Frequency	%
21	-	54	0.0 %
22	-	38	0.0 %
23	-	36	0.0 %
24	-	37	0.0 %
25	-	31	0.0 %
26	-	36	0.0 %
27	-	29	0.0 %
28	-	20	0.0 %
29	-	22	0.0 %
30	-	19	0.0 %
31	-	19	0.0 %
32	-	14	0.0 %
33	-	17	0.0 %
34	-	15	0.0 %
35	-	23	0.0 %
36	-	18	0.0 %
37	-	16	0.0 %
38	-	12	0.0 %
39	-	9	0.0 %
40	-	3	0.0 %
41	-	16	0.0 %
42	-	7	0.0 %
43	-	5	0.0 %
44	-	5	0.0 %
45	-	3	0.0 %
46	-	11	0.0 %
47	-	5	0.0 %
48	-	10	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 449.00
- Standard Deviation: 3.51

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	181470	82.7 %
1	-	20759	9.5 %
2	-	6646	3.0 %
3	-	3057	1.4 %
4	-	1750	0.8 %
5	-	1057	0.5 %
6	-	730	0.3 %
7	-	537	0.2 %
8	-	376	0.2 %
9	-	278	0.1 %
10	-	220	0.1 %
11	-	171	0.1 %
12	-	139	0.1 %
13	-	123	0.1 %
14	-	110	0.1 %
15	-	80	0.0 %
16	-	57	0.0 %
17	-	72	0.0 %
18	-	46	0.0 %
19	-	46	0.0 %
20	-	42	0.0 %
21	-	37	0.0 %
22	-	33	0.0 %
23	-	27	0.0 %
24	-	23	0.0 %
25	-	39	0.0 %
26	-	12	0.0 %
27	-	16	0.0 %
28	-	18	0.0 %
29	-	13	0.0 %
30	-	13	0.0 %
31	-	9	0.0 %
32	-	8	0.0 %

Value	Label	Unweighted Frequency	%
33	-	10	0.0 %
34	-	8	0.0 %
35	-	6	0.0 %
36	-	13	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	9	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	5	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 572.00
- Standard Deviation: 2.87

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	189809	86.5 %
1	-	17178	7.8 %
2	-	5078	2.3 %
3	-	2205	1.0 %

Value	Label	Unweighted Frequency	%
4	-	1185	0.5 %
5	-	736	0.3 %
6	-	485	0.2 %
7	-	272	0.1 %
8	-	215	0.1 %
9	-	152	0.1 %
10	-	143	0.1 %
11	-	102	0.0 %
12	-	100	0.0 %
13	-	68	0.0 %
14	-	62	0.0 %
15	-	55	0.0 %
16	-	44	0.0 %
17	-	32	0.0 %
18	-	38	0.0 %
19	-	25	0.0 %
20	-	23	0.0 %
21	-	14	0.0 %
22	-	18	0.0 %
23	-	13	0.0 %
24	-	10	0.0 %
25	-	11	0.0 %
26	-	6	0.0 %
27	-	9	0.0 %
28	-	11	0.0 %
29	-	5	0.0 %
30	-	7	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	4	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 217.00
- Standard Deviation: 1.80

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	198922	90.6 %
1	-	12714	5.8 %
2	-	3291	1.5 %
3	-	1244	0.6 %
4	-	686	0.3 %
5	-	398	0.2 %
6	-	235	0.1 %
7	-	178	0.1 %
8	-	122	0.1 %
9	-	90	0.0 %
10	-	50	0.0 %
11	-	39	0.0 %
12	-	40	0.0 %
13	-	29	0.0 %

Value	Label	Unweighted Frequency	%
14	-	26	0.0 %
15	-	12	0.0 %
16	-	13	0.0 %
17	-	14	0.0 %
18	-	15	0.0 %
19	-	8	0.0 %
20	-	11	0.0 %
21	-	5	0.0 %
22	-	8	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
59	-	1	0.0 %
71	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 197.00
- Standard Deviation: 1.19

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	204586	93.2 %
1	-	9389	4.3 %
2	-	2213	1.0 %
3	-	830	0.4 %
4	-	429	0.2 %
5	-	224	0.1 %
6	-	148	0.1 %
7	-	74	0.0 %
8	-	65	0.0 %
9	-	51	0.0 %
10	-	40	0.0 %
11	-	25	0.0 %
12	-	18	0.0 %
13	-	12	0.0 %
14	-	15	0.0 %
15	-	12	0.0 %
16	-	10	0.0 %
17	-	4	0.0 %
18	-	8	0.0 %
19	-	5	0.0 %
20	-	4	0.0 %
21	-	3	0.0 %
22	-	3	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27	-	2	0.0 %
28	-	2	0.0 %
29	-	4	0.0 %
30	-	2	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
47	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
70	-	2	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
82	-	1	0.0 %
85	-	1	0.0 %
103	-	1	0.0 %
118	-	1	0.0 %
125	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125.00
- Standard Deviation: 0.93

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	164157	74.8 %
1	-	22847	10.4 %

Value	Label	Unweighted Frequency	%
2	-	9488	4.3 %
3	-	5011	2.3 %
4	-	3380	1.5 %
5	-	2159	1.0 %
6	-	1675	0.8 %
7	-	1301	0.6 %
8	-	991	0.5 %
9	-	758	0.3 %
10	-	694	0.3 %
11	-	584	0.3 %
12	-	422	0.2 %
13	-	407	0.2 %
14	-	358	0.2 %
15	-	322	0.1 %
16	-	261	0.1 %
17	-	211	0.1 %
18	-	229	0.1 %
19	-	181	0.1 %
20	-	176	0.1 %
21	-	153	0.1 %
22	-	143	0.1 %
23	-	106	0.0 %
24	-	125	0.1 %
25	-	117	0.1 %
26	-	117	0.1 %
27	-	82	0.0 %
28	-	88	0.0 %
29	-	71	0.0 %
30	-	72	0.0 %
31	-	79	0.0 %
32	-	66	0.0 %
33	-	66	0.0 %
34	-	57	0.0 %
35	-	41	0.0 %
36	-	42	0.0 %
37	-	50	0.0 %
38	-	30	0.0 %
39	-	39	0.0 %
40	-	44	0.0 %

Value	Label	Unweighted Frequency	%
41	-	42	0.0 %
42	-	36	0.0 %
43	-	32	0.0 %
44	-	27	0.0 %
45	-	28	0.0 %
46	-	33	0.0 %
47	-	19	0.0 %
48	-	31	0.0 %
49	-	23	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 606.00
- Standard Deviation: 7.40

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	188248	85.8 %
1	-	13610	6.2 %
2	-	5108	2.3 %
3	-	2697	1.2 %
4	-	1720	0.8 %
5	-	1138	0.5 %
6	-	811	0.4 %
7	-	589	0.3 %
8	-	532	0.2 %
9	-	373	0.2 %
10	-	335	0.2 %
11	-	283	0.1 %

Value	Label	Unweighted Frequency	%
12	-	225	0.1 %
13	-	188	0.1 %
14	-	193	0.1 %
15	-	157	0.1 %
16	-	144	0.1 %
17	-	107	0.0 %
18	-	134	0.1 %
19	-	95	0.0 %
20	-	105	0.0 %
21	-	92	0.0 %
22	-	62	0.0 %
23	-	70	0.0 %
24	-	67	0.0 %
25	-	65	0.0 %
26	-	58	0.0 %
27	-	44	0.0 %
28	-	45	0.0 %
29	-	52	0.0 %
30	-	41	0.0 %
31	-	43	0.0 %
32	-	37	0.0 %
33	-	34	0.0 %
34	-	28	0.0 %
35	-	34	0.0 %
36	-	20	0.0 %
37	-	24	0.0 %
38	-	24	0.0 %
39	-	18	0.0 %
40	-	18	0.0 %
41	-	23	0.0 %
42	-	12	0.0 %
43	-	16	0.0 %
44	-	15	0.0 %
45	-	13	0.0 %
46	-	9	0.0 %
47	-	13	0.0 %
48	-	9	0.0 %
49	-	15	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1203.00
- Standard Deviation: 6.46

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	214741	97.8 %
1	-	2110	1.0 %
2	-	509	0.2 %
3	-	228	0.1 %
4	-	131	0.1 %
5	-	64	0.0 %
6	-	68	0.0 %
7	-	61	0.0 %
8	-	35	0.0 %
9	-	27	0.0 %
10	-	29	0.0 %
11	-	24	0.0 %
12	-	14	0.0 %
13	-	16	0.0 %
14	-	17	0.0 %
15	-	11	0.0 %
16	-	18	0.0 %
17	-	7	0.0 %
18	-	4	0.0 %
19	-	9	0.0 %
20	-	2	0.0 %
21	-	3	0.0 %

Value	Label	Unweighted Frequency	%
22	-	8	0.0 %
23	-	3	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
33	-	8	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
58	-	2	0.0 %
59	-	2	0.0 %
60	-	2	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00

• Standard Deviation: 0.92

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	214812	97.9 %
1	-	2387	1.1 %
2	-	505	0.2 %
3	-	182	0.1 %
4	-	118	0.1 %
5	-	47	0.0 %
6	-	39	0.0 %
7	-	21	0.0 %
8	-	11	0.0 %
9	-	9	0.0 %
10	-	10	0.0 %
11	-	6	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
14	-	4	0.0 %
15	-	5	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	12	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
53	-	1	0.0 %
61	-	1	0.0 %
81	-	1	0.0 %
91	-	1	0.0 %
148	-	1	0.0 %
246	-	1	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 246.00
- Standard Deviation: 0.82

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	196084	89.3 %
1	-	11028	5.0 %
2	-	3896	1.8 %
3	-	1855	0.8 %
4	-	1195	0.5 %
5	-	724	0.3 %
6	-	525	0.2 %
7	-	437	0.2 %
8	-	330	0.2 %
9	-	244	0.1 %
10	-	224	0.1 %
11	-	176	0.1 %
12	-	139	0.1 %
13	-	117	0.1 %
14	-	91	0.0 %
15	-	95	0.0 %
16	-	84	0.0 %

Value	Label	Unweighted Frequency	%
17	-	57	0.0 %
18	-	57	0.0 %
19	-	65	0.0 %
20	-	48	0.0 %
21	-	31	0.0 %
22	-	35	0.0 %
23	-	31	0.0 %
24	-	36	0.0 %
25	-	36	0.0 %
26	-	31	0.0 %
27	-	23	0.0 %
28	-	19	0.0 %
29	-	17	0.0 %
30	-	20	0.0 %
31	-	13	0.0 %
32	-	20	0.0 %
33	-	10	0.0 %
34	-	20	0.0 %
35	-	15	0.0 %
36	-	17	0.0 %
37	-	8	0.0 %
38	-	16	0.0 %
39	-	8	0.0 %
40	-	15	0.0 %
41	-	6	0.0 %
42	-	9	0.0 %
43	-	9	0.0 %
44	-	13	0.0 %
45	-	10	0.0 %
46	-	11	0.0 %
47	-	6	0.0 %
48	-	9	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 427.00
- Standard Deviation: 4.18

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	168444	76.8 %
1	-	20637	9.4 %
2	-	8468	3.9 %
3	-	4757	2.2 %
4	-	3048	1.4 %
5	-	2024	0.9 %
6	-	1480	0.7 %
7	-	1156	0.5 %
8	-	939	0.4 %
9	-	761	0.3 %
10	-	676	0.3 %
11	-	506	0.2 %
12	-	427	0.2 %
13	-	355	0.2 %
14	-	314	0.1 %
15	-	297	0.1 %
16	-	279	0.1 %
17	-	236	0.1 %
18	-	214	0.1 %
19	-	197	0.1 %
20	-	188	0.1 %
21	-	168	0.1 %
22	-	145	0.1 %
23	-	110	0.1 %
24	-	125	0.1 %
25	-	125	0.1 %
26	-	107	0.0 %
27	-	99	0.0 %

Value	Label	Unweighted Frequency	%
28	-	98	0.0 %
29	-	81	0.0 %
30	-	84	0.0 %
31	-	57	0.0 %
32	-	62	0.0 %
33	-	66	0.0 %
34	-	51	0.0 %
35	-	63	0.0 %
36	-	58	0.0 %
37	-	51	0.0 %
38	-	58	0.0 %
39	-	38	0.0 %
40	-	42	0.0 %
41	-	38	0.0 %
42	-	37	0.0 %
43	-	36	0.0 %
44	-	42	0.0 %
45	-	23	0.0 %
46	-	41	0.0 %
47	-	26	0.0 %
48	-	31	0.0 %
49	-	27	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1778.00
- Standard Deviation: 9.01

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	26886	12.3 %
1	-	47971	21.9 %
2	-	24923	11.4 %
3	-	15675	7.1 %
4	-	11242	5.1 %
5	-	8509	3.9 %
6	-	6839	3.1 %
7	-	5497	2.5 %
8	-	4700	2.1 %
9	-	3929	1.8 %
10	-	3482	1.6 %
11	-	3048	1.4 %
12	-	2813	1.3 %
13	-	2362	1.1 %
14	-	2205	1.0 %
15	-	1932	0.9 %
16	-	1788	0.8 %
17	-	1690	0.8 %
18	-	1539	0.7 %
19	-	1509	0.7 %
20	-	1287	0.6 %
21	-	1240	0.6 %
22	-	1183	0.5 %
23	-	1099	0.5 %
24	-	1081	0.5 %
25	-	975	0.4 %
26	-	903	0.4 %
27	-	845	0.4 %
28	-	834	0.4 %
29	-	802	0.4 %
30	-	754	0.3 %
31	-	705	0.3 %
32	-	687	0.3 %
33	-	656	0.3 %
34	-	607	0.3 %
35	-	635	0.3 %
36	-	573	0.3 %
37	-	512	0.2 %
38	-	541	0.2 %

Value	Label	Unweighted Frequency	%
39	-	477	0.2 %
40	-	484	0.2 %
41	-	437	0.2 %
42	-	445	0.2 %
43	-	455	0.2 %
44	-	466	0.2 %
45	-	394	0.2 %
46	-	392	0.2 %
47	-	380	0.2 %
48	-	371	0.2 %
49	-	369	0.2 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 22.27
- Minimum: 0.00
- Maximum: 18500.00
- Standard Deviation: 116.16

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	104512	47.6 %
1	-	37905	17.3 %
2	-	16571	7.6 %
3	-	9945	4.5 %
4	-	6549	3.0 %
5	-	4953	2.3 %
6	-	3888	1.8 %
7	-	2944	1.3 %
8	-	2520	1.1 %
9	-	2039	0.9 %
10	-	1776	0.8 %
11	-	1558	0.7 %

Value	Label	Unweighted Frequency	%
12	-	1381	0.6 %
13	-	1121	0.5 %
14	-	1057	0.5 %
15	-	965	0.4 %
16	-	882	0.4 %
17	-	789	0.4 %
18	-	721	0.3 %
19	-	642	0.3 %
20	-	582	0.3 %
21	-	545	0.2 %
22	-	497	0.2 %
23	-	490	0.2 %
24	-	460	0.2 %
25	-	407	0.2 %
26	-	416	0.2 %
27	-	369	0.2 %
28	-	334	0.2 %
29	-	383	0.2 %
30	-	279	0.1 %
31	-	305	0.1 %
32	-	275	0.1 %
33	-	292	0.1 %
34	-	223	0.1 %
35	-	241	0.1 %
36	-	217	0.1 %
37	-	238	0.1 %
38	-	209	0.1 %
39	-	201	0.1 %
40	-	208	0.1 %
41	-	181	0.1 %
42	-	175	0.1 %
43	-	174	0.1 %
44	-	164	0.1 %
45	-	178	0.1 %
46	-	152	0.1 %
47	-	138	0.1 %
48	-	130	0.1 %
49	-	147	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 8.92
- Minimum: 0.00
- Maximum: 8499.00
- Standard Deviation: 67.98

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	197395	89.9 %
1	-	10671	4.9 %
2	-	3299	1.5 %
3	-	1632	0.7 %
4	-	967	0.4 %
5	-	658	0.3 %
6	-	503	0.2 %
7	-	353	0.2 %
8	-	301	0.1 %
9	-	222	0.1 %
10	-	195	0.1 %
11	-	170	0.1 %
12	-	146	0.1 %
13	-	98	0.0 %
14	-	112	0.1 %
15	-	91	0.0 %
16	-	69	0.0 %
17	-	68	0.0 %
18	-	72	0.0 %
19	-	55	0.0 %
20	-	46	0.0 %
21	-	36	0.0 %
22	-	41	0.0 %
23	-	40	0.0 %

Value	Label	Unweighted Frequency	%
24	-	31	0.0 %
25	-	48	0.0 %
26	-	31	0.0 %
27	-	30	0.0 %
28	-	34	0.0 %
29	-	34	0.0 %
30	-	19	0.0 %
31	-	23	0.0 %
32	-	21	0.0 %
33	-	20	0.0 %
34	-	17	0.0 %
35	-	15	0.0 %
36	-	19	0.0 %
37	-	15	0.0 %
38	-	16	0.0 %
39	-	18	0.0 %
40	-	10	0.0 %
41	-	15	0.0 %
42	-	8	0.0 %
43	-	14	0.0 %
44	-	7	0.0 %
45	-	12	0.0 %
46	-	9	0.0 %
47	-	14	0.0 %
48	-	11	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3393.00
- Standard Deviation: 15.61

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	192126	87.5 %
1	-	14322	6.5 %
2	-	4336	2.0 %
3	-	2060	0.9 %
4	-	1159	0.5 %
5	-	812	0.4 %
6	-	564	0.3 %
7	-	412	0.2 %
8	-	318	0.1 %
9	-	226	0.1 %
10	-	201	0.1 %
11	-	144	0.1 %
12	-	153	0.1 %
13	-	110	0.1 %
14	-	118	0.1 %
15	-	75	0.0 %
16	-	89	0.0 %
17	-	69	0.0 %
18	-	51	0.0 %
19	-	51	0.0 %
20	-	55	0.0 %
21	-	33	0.0 %
22	-	36	0.0 %
23	-	32	0.0 %
24	-	32	0.0 %
25	-	36	0.0 %
26	-	22	0.0 %
27	-	21	0.0 %
28	-	24	0.0 %
29	-	33	0.0 %
30	-	20	0.0 %
31	-	17	0.0 %
32	-	14	0.0 %
33	-	16	0.0 %
34	-	13	0.0 %
35	-	13	0.0 %

Value	Label	Unweighted Frequency	%
36	-	13	0.0 %
37	-	12	0.0 %
38	-	19	0.0 %
39	-	15	0.0 %
40	-	8	0.0 %
41	-	2	0.0 %
42	-	9	0.0 %
43	-	8	0.0 %
44	-	7	0.0 %
45	-	8	0.0 %
46	-	12	0.0 %
47	-	3	0.0 %
48	-	8	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5411.00
- Standard Deviation: 14.18

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	135553	61.8 %
1	-	30444	13.9 %
2	-	12532	5.7 %
3	-	7089	3.2 %
4	-	4605	2.1 %
5	-	3250	1.5 %
6	-	2616	1.2 %

Value	Label	Unweighted Frequency	%
7	-	2113	1.0 %
8	-	1671	0.8 %
9	-	1340	0.6 %
10	-	1139	0.5 %
11	-	1029	0.5 %
12	-	852	0.4 %
13	-	813	0.4 %
14	-	640	0.3 %
15	-	635	0.3 %
16	-	555	0.3 %
17	-	508	0.2 %
18	-	483	0.2 %
19	-	431	0.2 %
20	-	408	0.2 %
21	-	392	0.2 %
22	-	331	0.2 %
23	-	339	0.2 %
24	-	278	0.1 %
25	-	287	0.1 %
26	-	270	0.1 %
27	-	241	0.1 %
28	-	231	0.1 %
29	-	209	0.1 %
30	-	212	0.1 %
31	-	194	0.1 %
32	-	185	0.1 %
33	-	192	0.1 %
34	-	171	0.1 %
35	-	146	0.1 %
36	-	158	0.1 %
37	-	132	0.1 %
38	-	131	0.1 %
39	-	146	0.1 %
40	-	123	0.1 %
41	-	115	0.1 %
42	-	115	0.1 %
43	-	100	0.0 %
44	-	103	0.0 %
45	-	72	0.0 %

Value	Label	Unweighted Frequency	%
46	-	92	0.0 %
47	-	110	0.1 %
48	-	91	0.0 %
49	-	86	0.0 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 5.63
- Minimum: 0.00
- Maximum: 14463.00
- Standard Deviation: 56.89

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	41265	18.8 %
1	-	43858	20.0 %
2	-	22792	10.4 %
3	-	14359	6.5 %
4	-	10336	4.7 %
5	-	7734	3.5 %
6	-	6326	2.9 %
7	-	5042	2.3 %
8	-	4329	2.0 %
9	-	3746	1.7 %
10	-	3285	1.5 %
11	-	2881	1.3 %
12	-	2557	1.2 %
13	-	2241	1.0 %
14	-	2053	0.9 %
15	-	1884	0.9 %
16	-	1689	0.8 %
17	-	1584	0.7 %
18	-	1455	0.7 %

Value	Label	Unweighted Frequency	%
19	-	1350	0.6 %
20	-	1238	0.6 %
21	-	1125	0.5 %
22	-	1098	0.5 %
23	-	1032	0.5 %
24	-	993	0.5 %
25	-	896	0.4 %
26	-	870	0.4 %
27	-	834	0.4 %
28	-	732	0.3 %
29	-	758	0.3 %
30	-	695	0.3 %
31	-	660	0.3 %
32	-	628	0.3 %
33	-	598	0.3 %
34	-	534	0.2 %
35	-	548	0.2 %
36	-	526	0.2 %
37	-	498	0.2 %
38	-	490	0.2 %
39	-	446	0.2 %
40	-	428	0.2 %
41	-	449	0.2 %
42	-	428	0.2 %
43	-	401	0.2 %
44	-	374	0.2 %
45	-	351	0.2 %
46	-	394	0.2 %
47	-	372	0.2 %
48	-	332	0.2 %
49	-	342	0.2 %
	Missing Data		
999998	Not applicable	1261	0.6 %
	Total	219,464	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 218,203 valid cases out of 219,464 total cases.

- Mean: 22.33

- Minimum: 0.00
- Maximum: 13033.00
- Standard Deviation: 121.47

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998