

ICPSR 39063

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2022**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/39063/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #39063

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2022

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2022_ASR6MON_NATIONAL_MASTER_FILE.txt and 2022_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2022_ASR12MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.

4. Data Discrepancies:

- a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
- b. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variable in the codebook.
- c. The variable **AGENCNT** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 39063

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2022

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	198353	100.0 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	913	0.5 %
2	Detail record	197440	99.5 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	5098	2.6 %
2	Arizona	2022	1.0 %
3	Arkansas	4338	2.2 %
4	California	15147	7.6 %
5	Colorado	3334	1.7 %
6	Connecticut	2011	1.0 %
7	Delaware	847	0.4 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	63	0.0 %
9	Florida	1132	0.6 %
10	Georgia	6679	3.4 %
11	Idaho	1869	0.9 %
12	Illinois	5989	3.0 %
13	Indiana	2962	1.5 %
14	Iowa	3469	1.7 %
15	Kansas	3399	1.7 %
16	Kentucky	5920	3.0 %
17	Louisiana	2601	1.3 %
18	Maine	1959	1.0 %
19	Maryland	1550	0.8 %
20	Massachusetts	5131	2.6 %
21	Michigan	8749	4.4 %
22	Minnesota	5990	3.0 %
23	Mississippi	2195	1.1 %
24	Missouri	6010	3.0 %
25	Montana	1268	0.6 %
26	Nebraska	1818	0.9 %
27	Nevada	916	0.5 %
28	New Hampshire	2449	1.2 %
29	New Jersey	6753	3.4 %
30	New Mexico	1263	0.6 %
31	New York	5566	2.8 %
32	North Carolina	6871	3.5 %
33	North Dakota	1432	0.7 %
34	Ohio	7138	3.6 %
35	Oklahoma	5703	2.9 %
36	Oregon	3065	1.5 %
37	Pennsylvania	3754	1.9 %
38	Rhode Island	977	0.5 %
39	South Carolina	5126	2.6 %
40	South Dakota	1075	0.5 %
41	Tennessee	6611	3.3 %
42	Texas	15494	7.8 %
43	Utah	2368	1.2 %
44	Vermont	1019	0.5 %
45	Virginia	5666	2.9 %
46	Washington	3639	1.8 %

Value	Label	Unweighted Frequency	%
47	West Virginia	1801	0.9 %
48	Wisconsin	6640	3.3 %
49	Wyoming	762	0.4 %
50	Alaska	426	0.2 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198,353 valid cases out of 198,353 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-

Value	Label	Unweighted Frequency	%
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00118	BRIGHTON	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
AL00122	ADAMSVILLE	-	-
AL00123	WARRIOR	-	-
AL00124	UNIV OF AL: BIRMINGHAM	-	-
AL00125	TRAFFORD	-	-
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198,353 valid cases out of 198,353 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	210	0.1 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	330	0.2 %
1B	Cities from 500,000 thru 999,999	919	0.5 %
1C	Cities from 250,000 thru 499,999	1622	0.8 %
2	Cities from 100,000 thru 249,000	6520	3.3 %
3	Cities from 50,000 thru 99,000	12618	6.4 %
4	Cities from 25,000 thru 49,999	19911	10.0 %
5	Cities from 10,000 thru 24,999	32903	16.6 %
6	Cities from 2,500 thru 9,999	41883	21.1 %
7	Cities under 2,500	25162	12.7 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	69	0.0 %
8B	Non-MSA counties from 25,000 thru 99,999	5629	2.8 %
8C	Non-MSA counties from 10,000 thru 24,999	9956	5.0 %
8D	Non-MSA counties under 10,000	12611	6.4 %
8E	Non-MSA State Police	795	0.4 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4994	2.5 %
9B	MSA counties from 25,000 thru 99,999	10744	5.4 %
9C	MSA counties from 10,000 thru 24,999	4728	2.4 %
9D	MSA counties under 10,000	6637	3.3 %
9E	MSA State Police	112	0.1 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	29	0.0 %
1	New England	13546	6.8 %
2	Middle Atlantic	16073	8.1 %
3	East North Central	31478	15.9 %

Value	Label	Unweighted Frequency	%
4	West North Central	23193	11.7 %
5	South Atlantic	29735	15.0 %
6	East South Central	19824	10.0 %
7	West South Central	28136	14.2 %
8	Mountain	13802	7.0 %
9	Pacific	22347	11.3 %
	Missing Data		
.	-	190	0.1 %
	Total	198,353	100%

Based upon 198,163 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2022	-	198353	100.0 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 2022.00
- Median: 2022.00
- Mode: 2022.00
- Minimum: 2022.00
- Maximum: 2022.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
0	-	69257	34.9 %
4	-	140	0.1 %
9	-	529	0.3 %

Value	Label	Unweighted Frequency	%
13	-	119	0.1 %
15	-	116	0.1 %
18	-	583	0.3 %
23	-	299	0.2 %
25	-	87	0.0 %
27	-	281	0.1 %
32	-	28	0.0 %
36	-	132	0.1 %
37	-	73	0.0 %
38	-	64	0.0 %
41	-	239	0.1 %
42	-	109	0.1 %
43	-	224	0.1 %
46	-	271	0.1 %
48	-	140	0.1 %
50	-	2502	1.3 %
55	-	314	0.2 %
57	-	94	0.0 %
59	-	296	0.1 %
64	-	756	0.4 %
69	-	342	0.2 %
73	-	476	0.2 %
74	-	218	0.1 %
76	-	263	0.1 %
78	-	426	0.2 %
80	-	142	0.1 %
82	-	81	0.0 %
87	-	319	0.2 %
88	-	132	0.1 %
89	-	158	0.1 %
90	-	133	0.1 %
92	-	112	0.1 %
96	-	180	0.1 %
98	-	1020	0.5 %
99	-	135	0.1 %
100	-	276	0.1 %
101	-	99	0.0 %
102	-	58	0.0 %
103	-	112	0.1 %

Value	Label	Unweighted Frequency	%
104	-	301	0.2 %
105	-	1062	0.5 %
106	-	1456	0.7 %
108	-	698	0.4 %
109	-	161	0.1 %
110	-	193	0.1 %
115	-	109	0.1 %
117	-	425	0.2 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 301.77
- Minimum: 0.00
- Maximum: 992.00
- Standard Deviation: 315.33

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	122444	61.7 %
1	Suburban	75909	38.3 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	171871	86.6 %
1	Juvenile only reported	109	0.1 %
2	Adult only reported	25460	12.8 %

Value	Label	Unweighted Frequency	%
3	Not reported	913	0.5 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	197798	99.7 %
1	No age reported	0	0.0 %
2	No race reported	167	0.1 %
3	No ethnic origin reported	388	0.2 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	198353	100.0 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	5850	2.9 %
1	-	4160	2.1 %
2	-	4706	2.4 %
3	-	3963	2.0 %
4	-	3271	1.6 %
5	-	3424	1.7 %
6	-	2711	1.4 %
7	-	4275	2.2 %
8	-	3169	1.6 %
9	-	3194	1.6 %
10	-	3392	1.7 %
11	-	2916	1.5 %
12	-	2517	1.3 %
13	-	3412	1.7 %
14	-	3559	1.8 %
15	-	3182	1.6 %
16	-	4051	2.0 %
17	-	2209	1.1 %
18	-	3210	1.6 %
19	-	4538	2.3 %
20	-	2200	1.1 %
21	-	2185	1.1 %
22	-	1660	0.8 %
23	-	1970	1.0 %
24	-	1954	1.0 %
25	-	2769	1.4 %
26	-	1745	0.9 %
27	-	2683	1.4 %
28	-	1915	1.0 %
29	-	1844	0.9 %
30	-	2772	1.4 %
31	-	2627	1.3 %

Value	Label	Unweighted Frequency	%
32	-	1744	0.9 %
33	-	2221	1.1 %
34	-	2208	1.1 %
35	-	1329	0.7 %
36	-	2894	1.5 %
37	-	2457	1.2 %
38	-	1133	0.6 %
39	-	1759	0.9 %
40	-	2193	1.1 %
41	-	1938	1.0 %
42	-	1753	0.9 %
43	-	2176	1.1 %
44	-	1584	0.8 %
45	-	1867	0.9 %
46	-	1837	0.9 %
47	-	1653	0.8 %
48	-	1744	0.9 %
49	-	2005	1.0 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 42.34
- Median: 32.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 41.65

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	181291	91.4 %
Y	Agency is core city	17062	8.6 %
	Total	198,353	100%

Based upon 198,353 valid cases out of 198,353 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 198,353 valid cases out of 198,353 total cases.

- Mean: 38239.07
- Minimum: 0.00
- Maximum: 3809182.00
- Standard Deviation: 120005.08

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	198353	100.0 %
	Total	198,353	100%

Based upon 0 valid cases out of 198,353 total cases.

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 198,353 valid cases out of 198,353 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
Alabam	-	5098	2.6 %
Alaska	-	426	0.2 %
Arizon	-	2022	1.0 %
Arkans	-	4338	2.2 %
Califo	-	15147	7.6 %
Colora	-	3334	1.7 %
Conne c	-	2011	1.0 %
Delawa	-	847	0.4 %
Distri	-	63	0.0 %

Value	Label	Unweighted Frequency	%
Federa	-	190	0.1 %
Florid	-	1132	0.6 %
Georgi	-	6679	3.4 %
Guam	-	29	0.0 %
Hawaii	-	70	0.0 %
Idaho	-	1869	0.9 %
Illino	-	5989	3.0 %
Indian	-	2962	1.5 %
Iowa	-	3469	1.7 %
Kansas	-	3399	1.7 %
Kentuc	-	5920	3.0 %
Louisi	-	2601	1.3 %
Maine	-	1959	1.0 %
Maryla	-	1550	0.8 %
Massa c	-	5131	2.6 %
Michig	-	8749	4.4 %
Minnes	-	5990	3.0 %
Missis	-	2195	1.1 %
Missou	-	6010	3.0 %
Montan	-	1268	0.6 %
Nebras	-	1818	0.9 %
Nevad a	-	916	0.5 %
New Ha	-	2449	1.2 %
New Je	-	6753	3.4 %
New Me	-	1263	0.6 %
New Yo	-	5566	2.8 %
North	-	8303	4.2 %
Ohio	-	7138	3.6 %
Oklaho	-	5703	2.9 %
Oregon	-	3065	1.5 %
Pennsy	-	3754	1.9 %
Rhode	-	977	0.5 %
South	-	6201	3.1 %
Tennes	-	6611	3.3 %
Texas	-	15494	7.8 %
Utah	-	2368	1.2 %

Value	Label	Unweighted Frequency	%
Vermont	-	1019	0.5 %
Virgin	-	5666	2.9 %
Washin	-	3639	1.8 %
West V	-	1801	0.9 %
Wiscon	-	6640	3.3 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 198,353 valid cases out of 198,353 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	16223	8.2 %
1	Adult male reported	181217	91.4 %
	Missing Data		
8	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	68439	34.5 %
1	Adult female reported	129001	65.0 %
	Missing Data		
8	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	134750	67.9 %
1	Juvenile reported	62690	31.6 %
	Missing Data		
8	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	0	0.0 %
011	Murder and non-negligent manslaughter	2179	1.1 %
012	Manslaughter by negligence	650	0.3 %
020	Forcible rape	3934	2.0 %
030	Robbery	3685	1.9 %
040	Aggravated assault	8787	4.4 %
050	Burglary-breaking or entering	7065	3.6 %
060	Larceny-theft (not motor vehicle)	8716	4.4 %
070	Motor vehicle theft	6033	3.0 %
080	Other assaults	10182	5.1 %
090	Arson	2424	1.2 %
100	Forgery and counterfeiting	4344	2.2 %
110	Fraud	6004	3.0 %
120	Embezzlement	1816	0.9 %
130	Stolen property-buy, receive, poss.	5313	2.7 %
140	Vandalism	7715	3.9 %
150	Weapons-carry, posses, etc.	7601	3.8 %
160	Prostitution and commercialized vice	833	0.4 %

Value	Label	Unweighted Frequency	%
161	Prostitution and commercialized vice - Prostitution	513	0.3 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	305	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	165	0.1 %
170	Sex offenses (not rape or prostitution)	4060	2.0 %
18	Total drug abuse violations	9844	5.0 %
180	Sale/manufacture (subtotal)	6040	3.0 %
181	Sale: Opium, coke, and their derivatives	3206	1.6 %
182	Sale: Marijuana	3367	1.7 %
183	Sale: Truly addicting synthetic narcotics	1338	0.7 %
184	Sale: Other dangerous non-narc drugs	4434	2.2 %
185	Possession (subtotal)	9626	4.9 %
186	Possession: Opium, coke, and their derivatives	6593	3.3 %
187	Possession: Marijuana	7033	3.5 %
188	Possession: Truly addicting synthetic narcotics	4349	2.2 %
189	Possession: Other dangerous non-narc drugs	8414	4.2 %
19	Gambling (total)	213	0.1 %
191	Bookmaking (horse and sports)	7	0.0 %
192	Number and lottery	0	0.0 %
193	All other gambling	32	0.0 %
200	Offenses against family and children	4276	2.2 %
210	Driving under the influence	9911	5.0 %
220	Liquor laws	5356	2.7 %
230	Drunkenness	343	0.2 %
240	Disorderly conduct	7838	4.0 %
250	Vagrancy	893	0.5 %
260	All other offenses (not traffic)	10833	5.5 %
270	Suspicion	5	0.0 %
280	Curfew and loitering violations	732	0.4 %
290	Runaways	240	0.1 %
301	Human Trafficking - Commercial Sex Acts	146	0.1 %
302	Human Trafficking - Involuntary Servitude	47	0.0 %
990	Juvenile Disposition Data	0	0.0 %
	Missing Data		
998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character
(Range of) Missing Values: 998

M0_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	196750	99.2 %
1	-	517	0.3 %
2	-	104	0.1 %
3	-	33	0.0 %
4	-	15	0.0 %
5	-	7	0.0 %
6	-	6	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 0.12

Location: 78-83 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	188288	94.9 %
1	-	5519	2.8 %
2	-	1714	0.9 %
3	-	678	0.3 %
4	-	378	0.2 %
5	-	249	0.1 %

Value	Label	Unweighted Frequency	%
6	-	141	0.1 %
7	-	92	0.0 %
8	-	66	0.0 %
9	-	68	0.0 %
10	-	45	0.0 %
11	-	30	0.0 %
12	-	15	0.0 %
13	-	23	0.0 %
14	-	19	0.0 %
15	-	20	0.0 %
16	-	8	0.0 %
17	-	11	0.0 %
18	-	12	0.0 %
19	-	11	0.0 %
20	-	3	0.0 %
21	-	4	0.0 %
22	-	3	0.0 %
23	-	5	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
37	-	3	0.0 %
41	-	3	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
63	-	1	0.0 %
67	-	1	0.0 %
82	-	1	0.0 %
91	-	1	0.0 %
106	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 106.00
- Standard Deviation: 0.90

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	173932	87.7 %
1	-	12074	6.1 %
2	-	4384	2.2 %
3	-	2149	1.1 %
4	-	1194	0.6 %
5	-	789	0.4 %
6	-	560	0.3 %
7	-	406	0.2 %
8	-	304	0.2 %
9	-	260	0.1 %
10	-	188	0.1 %
11	-	177	0.1 %
12	-	135	0.1 %
13	-	94	0.0 %
14	-	84	0.0 %
15	-	68	0.0 %
16	-	65	0.0 %
17	-	45	0.0 %
18	-	58	0.0 %
19	-	37	0.0 %
20	-	40	0.0 %
21	-	25	0.0 %
22	-	34	0.0 %

Value	Label	Unweighted Frequency	%
23	-	27	0.0 %
24	-	21	0.0 %
25	-	22	0.0 %
26	-	16	0.0 %
27	-	18	0.0 %
28	-	16	0.0 %
29	-	10	0.0 %
30	-	11	0.0 %
31	-	11	0.0 %
32	-	7	0.0 %
33	-	10	0.0 %
34	-	8	0.0 %
35	-	11	0.0 %
36	-	10	0.0 %
37	-	5	0.0 %
38	-	9	0.0 %
39	-	9	0.0 %
40	-	5	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 291.00
- Standard Deviation: 2.35

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	174521	88.0 %
1	-	12660	6.4 %
2	-	4065	2.0 %
3	-	2040	1.0 %
4	-	1057	0.5 %
5	-	712	0.4 %
6	-	525	0.3 %
7	-	370	0.2 %
8	-	235	0.1 %
9	-	226	0.1 %
10	-	151	0.1 %
11	-	115	0.1 %
12	-	102	0.1 %
13	-	90	0.0 %
14	-	73	0.0 %
15	-	56	0.0 %
16	-	45	0.0 %
17	-	34	0.0 %
18	-	35	0.0 %
19	-	34	0.0 %
20	-	31	0.0 %
21	-	19	0.0 %
22	-	21	0.0 %
23	-	21	0.0 %
24	-	18	0.0 %
25	-	15	0.0 %
26	-	10	0.0 %
27	-	7	0.0 %
28	-	13	0.0 %
29	-	7	0.0 %
30	-	10	0.0 %
31	-	9	0.0 %
32	-	9	0.0 %
33	-	8	0.0 %
34	-	6	0.0 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	5	0.0 %
37	-	5	0.0 %
38	-	5	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
47	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	6	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 189.00
- Standard Deviation: 1.87

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	170501	86.0 %
1	-	14769	7.4 %
2	-	4923	2.5 %
3	-	2311	1.2 %
4	-	1387	0.7 %
5	-	857	0.4 %

Value	Label	Unweighted Frequency	%
6	-	547	0.3 %
7	-	359	0.2 %
8	-	314	0.2 %
9	-	219	0.1 %
10	-	196	0.1 %
11	-	152	0.1 %
12	-	110	0.1 %
13	-	89	0.0 %
14	-	90	0.0 %
15	-	68	0.0 %
16	-	67	0.0 %
17	-	66	0.0 %
18	-	49	0.0 %
19	-	32	0.0 %
20	-	24	0.0 %
21	-	34	0.0 %
22	-	27	0.0 %
23	-	20	0.0 %
24	-	18	0.0 %
25	-	10	0.0 %
26	-	20	0.0 %
27	-	19	0.0 %
28	-	18	0.0 %
29	-	8	0.0 %
30	-	11	0.0 %
31	-	8	0.0 %
32	-	5	0.0 %
33	-	5	0.0 %
34	-	5	0.0 %
35	-	8	0.0 %
36	-	5	0.0 %
37	-	6	0.0 %
38	-	3	0.0 %
39	-	2	0.0 %
40	-	5	0.0 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %

Value	Label	Unweighted Frequency	%
45	-	5	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 142.00
- Standard Deviation: 1.97

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	166466	83.9 %
1	-	17335	8.7 %
2	-	5571	2.8 %
3	-	2702	1.4 %
4	-	1494	0.8 %
5	-	876	0.4 %
6	-	668	0.3 %
7	-	433	0.2 %
8	-	314	0.2 %
9	-	246	0.1 %
10	-	200	0.1 %
11	-	163	0.1 %
12	-	137	0.1 %
13	-	104	0.1 %
14	-	82	0.0 %
15	-	68	0.0 %

Value	Label	Unweighted Frequency	%
16	-	62	0.0 %
17	-	71	0.0 %
18	-	43	0.0 %
19	-	37	0.0 %
20	-	35	0.0 %
21	-	31	0.0 %
22	-	28	0.0 %
23	-	29	0.0 %
24	-	15	0.0 %
25	-	14	0.0 %
26	-	9	0.0 %
27	-	12	0.0 %
28	-	12	0.0 %
29	-	16	0.0 %
30	-	5	0.0 %
31	-	16	0.0 %
32	-	14	0.0 %
33	-	11	0.0 %
34	-	6	0.0 %
35	-	12	0.0 %
36	-	8	0.0 %
37	-	3	0.0 %
38	-	6	0.0 %
39	-	2	0.0 %
40	-	6	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	8	0.0 %
44	-	2	0.0 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
51	-	3	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 256.00
- Standard Deviation: 2.25

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	156580	78.9 %
1	-	22565	11.4 %
2	-	7415	3.7 %
3	-	3511	1.8 %
4	-	1973	1.0 %
5	-	1264	0.6 %
6	-	879	0.4 %
7	-	595	0.3 %
8	-	404	0.2 %
9	-	336	0.2 %
10	-	245	0.1 %
11	-	221	0.1 %
12	-	172	0.1 %
13	-	152	0.1 %
14	-	142	0.1 %
15	-	97	0.0 %
16	-	72	0.0 %
17	-	76	0.0 %
18	-	66	0.0 %
19	-	55	0.0 %
20	-	44	0.0 %
21	-	31	0.0 %
22	-	52	0.0 %
23	-	36	0.0 %
24	-	27	0.0 %
25	-	29	0.0 %

Value	Label	Unweighted Frequency	%
26	-	37	0.0 %
27	-	27	0.0 %
28	-	31	0.0 %
29	-	18	0.0 %
30	-	21	0.0 %
31	-	24	0.0 %
32	-	10	0.0 %
33	-	13	0.0 %
34	-	9	0.0 %
35	-	10	0.0 %
36	-	6	0.0 %
37	-	10	0.0 %
38	-	9	0.0 %
39	-	11	0.0 %
40	-	5	0.0 %
41	-	13	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	6	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 266.00
- Standard Deviation: 2.87

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	155260	78.3 %
1	-	22871	11.5 %
2	-	7737	3.9 %
3	-	3631	1.8 %
4	-	2120	1.1 %
5	-	1333	0.7 %
6	-	892	0.4 %
7	-	565	0.3 %
8	-	480	0.2 %
9	-	383	0.2 %
10	-	285	0.1 %
11	-	229	0.1 %
12	-	189	0.1 %
13	-	161	0.1 %
14	-	132	0.1 %
15	-	114	0.1 %
16	-	86	0.0 %
17	-	84	0.0 %
18	-	70	0.0 %
19	-	71	0.0 %
20	-	68	0.0 %
21	-	50	0.0 %
22	-	49	0.0 %
23	-	35	0.0 %
24	-	36	0.0 %
25	-	30	0.0 %
26	-	33	0.0 %
27	-	30	0.0 %
28	-	26	0.0 %
29	-	20	0.0 %
30	-	10	0.0 %
31	-	16	0.0 %
32	-	19	0.0 %
33	-	15	0.0 %
34	-	9	0.0 %
35	-	16	0.0 %
36	-	8	0.0 %

Value	Label	Unweighted Frequency	%
37	-	15	0.0 %
38	-	8	0.0 %
39	-	12	0.0 %
40	-	13	0.0 %
41	-	11	0.0 %
42	-	12	0.0 %
43	-	12	0.0 %
44	-	9	0.0 %
45	-	8	0.0 %
46	-	7	0.0 %
47	-	4	0.0 %
48	-	11	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 277.00
- Standard Deviation: 3.35

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	154967	78.1 %
1	-	23229	11.7 %
2	-	7564	3.8 %
3	-	3673	1.9 %
4	-	2147	1.1 %
5	-	1315	0.7 %
6	-	909	0.5 %
7	-	574	0.3 %

Value	Label	Unweighted Frequency	%
8	-	458	0.2 %
9	-	357	0.2 %
10	-	288	0.1 %
11	-	233	0.1 %
12	-	189	0.1 %
13	-	184	0.1 %
14	-	137	0.1 %
15	-	129	0.1 %
16	-	93	0.0 %
17	-	87	0.0 %
18	-	61	0.0 %
19	-	62	0.0 %
20	-	69	0.0 %
21	-	56	0.0 %
22	-	44	0.0 %
23	-	47	0.0 %
24	-	35	0.0 %
25	-	36	0.0 %
26	-	30	0.0 %
27	-	26	0.0 %
28	-	22	0.0 %
29	-	28	0.0 %
30	-	30	0.0 %
31	-	22	0.0 %
32	-	14	0.0 %
33	-	13	0.0 %
34	-	11	0.0 %
35	-	15	0.0 %
36	-	10	0.0 %
37	-	11	0.0 %
38	-	14	0.0 %
39	-	13	0.0 %
40	-	10	0.0 %
41	-	12	0.0 %
42	-	10	0.0 %
43	-	3	0.0 %
44	-	6	0.0 %
45	-	8	0.0 %
46	-	9	0.0 %

Value	Label	Unweighted Frequency	%
47	-	10	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 344.00
- Standard Deviation: 3.52

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	154790	78.0 %
1	-	22950	11.6 %
2	-	7616	3.8 %
3	-	3487	1.8 %
4	-	2122	1.1 %
5	-	1427	0.7 %
6	-	978	0.5 %
7	-	689	0.3 %
8	-	560	0.3 %
9	-	407	0.2 %
10	-	298	0.2 %
11	-	230	0.1 %
12	-	220	0.1 %
13	-	177	0.1 %
14	-	147	0.1 %
15	-	133	0.1 %
16	-	100	0.1 %
17	-	97	0.0 %

Value	Label	Unweighted Frequency	%
18	-	88	0.0 %
19	-	53	0.0 %
20	-	57	0.0 %
21	-	68	0.0 %
22	-	43	0.0 %
23	-	45	0.0 %
24	-	48	0.0 %
25	-	42	0.0 %
26	-	35	0.0 %
27	-	30	0.0 %
28	-	37	0.0 %
29	-	20	0.0 %
30	-	18	0.0 %
31	-	24	0.0 %
32	-	18	0.0 %
33	-	21	0.0 %
34	-	24	0.0 %
35	-	17	0.0 %
36	-	6	0.0 %
37	-	14	0.0 %
38	-	14	0.0 %
39	-	13	0.0 %
40	-	10	0.0 %
41	-	18	0.0 %
42	-	15	0.0 %
43	-	8	0.0 %
44	-	13	0.0 %
45	-	5	0.0 %
46	-	5	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 347.00
- Standard Deviation: 3.86

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	154006	77.6 %
1	-	23217	11.7 %
2	-	7687	3.9 %
3	-	3834	1.9 %
4	-	2171	1.1 %
5	-	1417	0.7 %
6	-	952	0.5 %
7	-	689	0.3 %
8	-	510	0.3 %
9	-	392	0.2 %
10	-	327	0.2 %
11	-	247	0.1 %
12	-	226	0.1 %
13	-	152	0.1 %
14	-	175	0.1 %
15	-	131	0.1 %
16	-	133	0.1 %
17	-	110	0.1 %
18	-	77	0.0 %
19	-	87	0.0 %
20	-	62	0.0 %
21	-	64	0.0 %
22	-	51	0.0 %
23	-	50	0.0 %
24	-	43	0.0 %
25	-	36	0.0 %
26	-	38	0.0 %
27	-	36	0.0 %
28	-	37	0.0 %
29	-	27	0.0 %

Value	Label	Unweighted Frequency	%
30	-	24	0.0 %
31	-	23	0.0 %
32	-	20	0.0 %
33	-	19	0.0 %
34	-	20	0.0 %
35	-	17	0.0 %
36	-	17	0.0 %
37	-	17	0.0 %
38	-	10	0.0 %
39	-	12	0.0 %
40	-	9	0.0 %
41	-	11	0.0 %
42	-	17	0.0 %
43	-	9	0.0 %
44	-	12	0.0 %
45	-	10	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 423.00
- Standard Deviation: 4.00

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	153498	77.4 %

Value	Label	Unweighted Frequency	%
1	-	23489	11.8 %
2	-	7935	4.0 %
3	-	3744	1.9 %
4	-	2218	1.1 %
5	-	1411	0.7 %
6	-	935	0.5 %
7	-	706	0.4 %
8	-	537	0.3 %
9	-	383	0.2 %
10	-	330	0.2 %
11	-	272	0.1 %
12	-	202	0.1 %
13	-	200	0.1 %
14	-	154	0.1 %
15	-	126	0.1 %
16	-	114	0.1 %
17	-	85	0.0 %
18	-	97	0.0 %
19	-	75	0.0 %
20	-	80	0.0 %
21	-	61	0.0 %
22	-	51	0.0 %
23	-	52	0.0 %
24	-	43	0.0 %
25	-	51	0.0 %
26	-	40	0.0 %
27	-	33	0.0 %
28	-	27	0.0 %
29	-	29	0.0 %
30	-	27	0.0 %
31	-	29	0.0 %
32	-	24	0.0 %
33	-	21	0.0 %
34	-	20	0.0 %
35	-	8	0.0 %
36	-	16	0.0 %
37	-	14	0.0 %
38	-	12	0.0 %
39	-	6	0.0 %

Value	Label	Unweighted Frequency	%
40	-	9	0.0 %
41	-	11	0.0 %
42	-	12	0.0 %
43	-	9	0.0 %
44	-	7	0.0 %
45	-	11	0.0 %
46	-	14	0.0 %
47	-	6	0.0 %
48	-	6	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 408.00
- Standard Deviation: 4.11

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	153022	77.1 %
1	-	23959	12.1 %
2	-	7947	4.0 %
3	-	3768	1.9 %
4	-	2171	1.1 %
5	-	1442	0.7 %
6	-	939	0.5 %
7	-	669	0.3 %
8	-	498	0.3 %
9	-	402	0.2 %
10	-	334	0.2 %

Value	Label	Unweighted Frequency	%
11	-	289	0.1 %
12	-	192	0.1 %
13	-	164	0.1 %
14	-	142	0.1 %
15	-	111	0.1 %
16	-	123	0.1 %
17	-	111	0.1 %
18	-	94	0.0 %
19	-	83	0.0 %
20	-	65	0.0 %
21	-	71	0.0 %
22	-	48	0.0 %
23	-	57	0.0 %
24	-	50	0.0 %
25	-	39	0.0 %
26	-	37	0.0 %
27	-	28	0.0 %
28	-	36	0.0 %
29	-	29	0.0 %
30	-	33	0.0 %
31	-	29	0.0 %
32	-	27	0.0 %
33	-	13	0.0 %
34	-	24	0.0 %
35	-	13	0.0 %
36	-	23	0.0 %
37	-	13	0.0 %
38	-	22	0.0 %
39	-	11	0.0 %
40	-	13	0.0 %
41	-	16	0.0 %
42	-	11	0.0 %
43	-	12	0.0 %
44	-	11	0.0 %
45	-	9	0.0 %
46	-	8	0.0 %
47	-	13	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 4.24

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	99827	50.3 %
1	-	36571	18.4 %
2	-	15726	7.9 %
3	-	9032	4.6 %
4	-	6005	3.0 %
5	-	4346	2.2 %
6	-	3276	1.7 %
7	-	2634	1.3 %
8	-	2033	1.0 %
9	-	1739	0.9 %
10	-	1412	0.7 %
11	-	1185	0.6 %
12	-	1106	0.6 %
13	-	931	0.5 %
14	-	796	0.4 %
15	-	717	0.4 %
16	-	626	0.3 %
17	-	563	0.3 %
18	-	530	0.3 %
19	-	454	0.2 %
20	-	397	0.2 %

Value	Label	Unweighted Frequency	%
21	-	375	0.2 %
22	-	372	0.2 %
23	-	302	0.2 %
24	-	297	0.1 %
25	-	290	0.1 %
26	-	237	0.1 %
27	-	252	0.1 %
28	-	216	0.1 %
29	-	209	0.1 %
30	-	207	0.1 %
31	-	200	0.1 %
32	-	197	0.1 %
33	-	151	0.1 %
34	-	172	0.1 %
35	-	147	0.1 %
36	-	107	0.1 %
37	-	113	0.1 %
38	-	110	0.1 %
39	-	93	0.0 %
40	-	109	0.1 %
41	-	98	0.0 %
42	-	89	0.0 %
43	-	84	0.0 %
44	-	84	0.0 %
45	-	76	0.0 %
46	-	92	0.0 %
47	-	74	0.0 %
48	-	67	0.0 %
49	-	65	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 4.15
- Minimum: 0.00
- Maximum: 2492.00
- Standard Deviation: 22.84

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	96285	48.5 %
1	-	37314	18.8 %
2	-	16071	8.1 %
3	-	9510	4.8 %
4	-	6214	3.1 %
5	-	4508	2.3 %
6	-	3360	1.7 %
7	-	2773	1.4 %
8	-	2262	1.1 %
9	-	1859	0.9 %
10	-	1502	0.8 %
11	-	1253	0.6 %
12	-	1119	0.6 %
13	-	998	0.5 %
14	-	884	0.4 %
15	-	737	0.4 %
16	-	674	0.3 %
17	-	609	0.3 %
18	-	524	0.3 %
19	-	482	0.2 %
20	-	455	0.2 %
21	-	414	0.2 %
22	-	355	0.2 %
23	-	318	0.2 %
24	-	316	0.2 %
25	-	276	0.1 %
26	-	278	0.1 %
27	-	281	0.1 %
28	-	257	0.1 %
29	-	214	0.1 %
30	-	208	0.1 %
31	-	208	0.1 %
32	-	189	0.1 %
33	-	175	0.1 %
34	-	137	0.1 %

Value	Label	Unweighted Frequency	%
35	-	161	0.1 %
36	-	150	0.1 %
37	-	131	0.1 %
38	-	118	0.1 %
39	-	112	0.1 %
40	-	107	0.1 %
41	-	102	0.1 %
42	-	95	0.0 %
43	-	92	0.0 %
44	-	85	0.0 %
45	-	97	0.0 %
46	-	74	0.0 %
47	-	97	0.0 %
48	-	69	0.0 %
49	-	65	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 4.44
- Minimum: 0.00
- Maximum: 3032.00
- Standard Deviation: 24.40

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	102004	51.4 %
1	-	36598	18.5 %
2	-	15299	7.7 %
3	-	8936	4.5 %
4	-	5930	3.0 %
5	-	4169	2.1 %
6	-	3187	1.6 %
7	-	2481	1.3 %

Value	Label	Unweighted Frequency	%
8	-	2027	1.0 %
9	-	1785	0.9 %
10	-	1386	0.7 %
11	-	1187	0.6 %
12	-	1063	0.5 %
13	-	842	0.4 %
14	-	773	0.4 %
15	-	656	0.3 %
16	-	583	0.3 %
17	-	541	0.3 %
18	-	496	0.3 %
19	-	439	0.2 %
20	-	372	0.2 %
21	-	376	0.2 %
22	-	316	0.2 %
23	-	286	0.1 %
24	-	293	0.1 %
25	-	243	0.1 %
26	-	226	0.1 %
27	-	229	0.1 %
28	-	188	0.1 %
29	-	194	0.1 %
30	-	171	0.1 %
31	-	174	0.1 %
32	-	145	0.1 %
33	-	124	0.1 %
34	-	129	0.1 %
35	-	125	0.1 %
36	-	139	0.1 %
37	-	89	0.0 %
38	-	105	0.1 %
39	-	112	0.1 %
40	-	77	0.0 %
41	-	83	0.0 %
42	-	84	0.0 %
43	-	75	0.0 %
44	-	78	0.0 %
45	-	63	0.0 %
46	-	71	0.0 %

Value	Label	Unweighted Frequency	%
47	-	51	0.0 %
48	-	72	0.0 %
49	-	64	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 3.73
- Minimum: 0.00
- Maximum: 2751.00
- Standard Deviation: 20.19

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	109836	55.4 %
1	-	35119	17.7 %
2	-	14332	7.2 %
3	-	8213	4.1 %
4	-	5491	2.8 %
5	-	3813	1.9 %
6	-	2960	1.5 %
7	-	2187	1.1 %
8	-	1817	0.9 %
9	-	1484	0.7 %
10	-	1176	0.6 %
11	-	1013	0.5 %
12	-	889	0.4 %
13	-	704	0.4 %
14	-	645	0.3 %
15	-	544	0.3 %
16	-	496	0.3 %
17	-	449	0.2 %
18	-	446	0.2 %
19	-	342	0.2 %

Value	Label	Unweighted Frequency	%
20	-	327	0.2 %
21	-	266	0.1 %
22	-	308	0.2 %
23	-	228	0.1 %
24	-	207	0.1 %
25	-	198	0.1 %
26	-	185	0.1 %
27	-	177	0.1 %
28	-	158	0.1 %
29	-	141	0.1 %
30	-	143	0.1 %
31	-	145	0.1 %
32	-	116	0.1 %
33	-	120	0.1 %
34	-	91	0.0 %
35	-	98	0.0 %
36	-	90	0.0 %
37	-	101	0.1 %
38	-	80	0.0 %
39	-	85	0.0 %
40	-	65	0.0 %
41	-	74	0.0 %
42	-	67	0.0 %
43	-	55	0.0 %
44	-	48	0.0 %
45	-	50	0.0 %
46	-	62	0.0 %
47	-	54	0.0 %
48	-	45	0.0 %
49	-	55	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 2.98
- Minimum: 0.00

- Maximum: 2090.00
- Standard Deviation: 16.01

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	125714	63.4 %
1	-	31627	15.9 %
2	-	12404	6.3 %
3	-	6511	3.3 %
4	-	4284	2.2 %
5	-	3008	1.5 %
6	-	2208	1.1 %
7	-	1645	0.8 %
8	-	1243	0.6 %
9	-	1038	0.5 %
10	-	895	0.5 %
11	-	694	0.3 %
12	-	603	0.3 %
13	-	463	0.2 %
14	-	467	0.2 %
15	-	365	0.2 %
16	-	354	0.2 %
17	-	295	0.1 %
18	-	253	0.1 %
19	-	228	0.1 %
20	-	181	0.1 %
21	-	164	0.1 %
22	-	163	0.1 %
23	-	161	0.1 %
24	-	118	0.1 %
25	-	144	0.1 %
26	-	131	0.1 %
27	-	100	0.1 %
28	-	103	0.1 %
29	-	75	0.0 %
30	-	77	0.0 %
31	-	78	0.0 %
32	-	77	0.0 %

Value	Label	Unweighted Frequency	%
33	-	78	0.0 %
34	-	66	0.0 %
35	-	50	0.0 %
36	-	49	0.0 %
37	-	39	0.0 %
38	-	48	0.0 %
39	-	38	0.0 %
40	-	27	0.0 %
41	-	42	0.0 %
42	-	30	0.0 %
43	-	41	0.0 %
44	-	33	0.0 %
45	-	32	0.0 %
46	-	35	0.0 %
47	-	24	0.0 %
48	-	26	0.0 %
49	-	30	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1229.00
- Standard Deviation: 10.58

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	134132	67.6 %
1	-	29018	14.6 %
2	-	10963	5.5 %
3	-	5892	3.0 %

Value	Label	Unweighted Frequency	%
4	-	3706	1.9 %
5	-	2474	1.2 %
6	-	1865	0.9 %
7	-	1450	0.7 %
8	-	1106	0.6 %
9	-	797	0.4 %
10	-	708	0.4 %
11	-	566	0.3 %
12	-	455	0.2 %
13	-	448	0.2 %
14	-	346	0.2 %
15	-	273	0.1 %
16	-	262	0.1 %
17	-	213	0.1 %
18	-	181	0.1 %
19	-	185	0.1 %
20	-	164	0.1 %
21	-	139	0.1 %
22	-	117	0.1 %
23	-	99	0.0 %
24	-	98	0.0 %
25	-	102	0.1 %
26	-	96	0.0 %
27	-	71	0.0 %
28	-	84	0.0 %
29	-	77	0.0 %
30	-	67	0.0 %
31	-	49	0.0 %
32	-	52	0.0 %
33	-	55	0.0 %
34	-	53	0.0 %
35	-	49	0.0 %
36	-	35	0.0 %
37	-	33	0.0 %
38	-	38	0.0 %
39	-	36	0.0 %
40	-	41	0.0 %
41	-	34	0.0 %
42	-	33	0.0 %

Value	Label	Unweighted Frequency	%
43	-	21	0.0 %
44	-	24	0.0 %
45	-	18	0.0 %
46	-	19	0.0 %
47	-	12	0.0 %
48	-	25	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1205.00
- Standard Deviation: 8.69

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	143079	72.1 %
1	-	26477	13.3 %
2	-	9767	4.9 %
3	-	4867	2.5 %
4	-	3068	1.5 %
5	-	2036	1.0 %
6	-	1400	0.7 %
7	-	1093	0.6 %
8	-	793	0.4 %
9	-	628	0.3 %
10	-	506	0.3 %
11	-	395	0.2 %
12	-	342	0.2 %
13	-	275	0.1 %

Value	Label	Unweighted Frequency	%
14	-	258	0.1 %
15	-	208	0.1 %
16	-	201	0.1 %
17	-	155	0.1 %
18	-	133	0.1 %
19	-	119	0.1 %
20	-	111	0.1 %
21	-	99	0.0 %
22	-	81	0.0 %
23	-	82	0.0 %
24	-	78	0.0 %
25	-	72	0.0 %
26	-	54	0.0 %
27	-	54	0.0 %
28	-	55	0.0 %
29	-	44	0.0 %
30	-	38	0.0 %
31	-	37	0.0 %
32	-	41	0.0 %
33	-	28	0.0 %
34	-	33	0.0 %
35	-	32	0.0 %
36	-	28	0.0 %
37	-	26	0.0 %
38	-	34	0.0 %
39	-	28	0.0 %
40	-	30	0.0 %
41	-	26	0.0 %
42	-	20	0.0 %
43	-	25	0.0 %
44	-	14	0.0 %
45	-	22	0.0 %
46	-	11	0.0 %
47	-	18	0.0 %
48	-	7	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 6.95

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	154947	78.1 %
1	-	22752	11.5 %
2	-	7684	3.9 %
3	-	3681	1.9 %
4	-	2176	1.1 %
5	-	1345	0.7 %
6	-	886	0.4 %
7	-	687	0.3 %
8	-	517	0.3 %
9	-	388	0.2 %
10	-	331	0.2 %
11	-	229	0.1 %
12	-	194	0.1 %
13	-	173	0.1 %
14	-	131	0.1 %
15	-	144	0.1 %
16	-	104	0.1 %
17	-	74	0.0 %
18	-	82	0.0 %
19	-	64	0.0 %
20	-	56	0.0 %
21	-	51	0.0 %
22	-	47	0.0 %
23	-	52	0.0 %
24	-	46	0.0 %
25	-	37	0.0 %

Value	Label	Unweighted Frequency	%
26	-	47	0.0 %
27	-	28	0.0 %
28	-	27	0.0 %
29	-	18	0.0 %
30	-	22	0.0 %
31	-	16	0.0 %
32	-	27	0.0 %
33	-	21	0.0 %
34	-	13	0.0 %
35	-	13	0.0 %
36	-	21	0.0 %
37	-	12	0.0 %
38	-	16	0.0 %
39	-	8	0.0 %
40	-	7	0.0 %
41	-	8	0.0 %
42	-	15	0.0 %
43	-	9	0.0 %
44	-	6	0.0 %
45	-	10	0.0 %
46	-	4	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 790.00
- Standard Deviation: 4.64

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	163670	82.5 %
1	-	19349	9.8 %
2	-	6085	3.1 %
3	-	2711	1.4 %
4	-	1591	0.8 %
5	-	965	0.5 %
6	-	632	0.3 %
7	-	458	0.2 %
8	-	327	0.2 %
9	-	260	0.1 %
10	-	201	0.1 %
11	-	169	0.1 %
12	-	117	0.1 %
13	-	100	0.1 %
14	-	84	0.0 %
15	-	77	0.0 %
16	-	71	0.0 %
17	-	44	0.0 %
18	-	48	0.0 %
19	-	33	0.0 %
20	-	38	0.0 %
21	-	25	0.0 %
22	-	25	0.0 %
23	-	23	0.0 %
24	-	26	0.0 %
25	-	21	0.0 %
26	-	18	0.0 %
27	-	20	0.0 %
28	-	18	0.0 %
29	-	9	0.0 %
30	-	15	0.0 %
31	-	5	0.0 %
32	-	9	0.0 %
33	-	10	0.0 %
34	-	8	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %

Value	Label	Unweighted Frequency	%
37	-	8	0.0 %
38	-	6	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	7	0.0 %
42	-	6	0.0 %
43	-	8	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	6	0.0 %
49	-	4	0.0 %
50	-	5	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 361.00
- Standard Deviation: 3.22

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	197219	99.4 %
1	-	179	0.1 %
2	-	23	0.0 %
3	-	8	0.0 %
4	-	4	0.0 %
5	-	4	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.06

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	192173	96.9 %
1	-	3261	1.6 %
2	-	935	0.5 %
3	-	370	0.2 %
4	-	226	0.1 %
5	-	129	0.1 %
6	-	68	0.0 %
7	-	64	0.0 %
8	-	46	0.0 %
9	-	32	0.0 %
10	-	24	0.0 %
11	-	20	0.0 %
12	-	13	0.0 %
13	-	9	0.0 %
14	-	9	0.0 %
15	-	17	0.0 %
16	-	5	0.0 %
17	-	4	0.0 %
18	-	6	0.0 %
19	-	5	0.0 %
21	-	1	0.0 %
23	-	3	0.0 %

Value	Label	Unweighted Frequency	%
24	-	3	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
59	-	1	0.0 %
61	-	1	0.0 %
68	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 0.65

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	183723	92.6 %
1	-	7305	3.7 %
2	-	2554	1.3 %
3	-	1243	0.6 %
4	-	670	0.3 %
5	-	407	0.2 %
6	-	285	0.1 %

Value	Label	Unweighted Frequency	%
7	-	207	0.1 %
8	-	142	0.1 %
9	-	141	0.1 %
10	-	118	0.1 %
11	-	89	0.0 %
12	-	72	0.0 %
13	-	60	0.0 %
14	-	59	0.0 %
15	-	34	0.0 %
16	-	27	0.0 %
17	-	31	0.0 %
18	-	29	0.0 %
19	-	22	0.0 %
20	-	19	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	5	0.0 %
24	-	15	0.0 %
25	-	10	0.0 %
26	-	8	0.0 %
27	-	6	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
33	-	6	0.0 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	8	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	4	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %

Value	Label	Unweighted Frequency	%
47	-	7	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 232.00
- Standard Deviation: 1.75

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	185524	93.5 %
1	-	6931	3.5 %
2	-	2112	1.1 %
3	-	986	0.5 %
4	-	530	0.3 %
5	-	337	0.2 %
6	-	250	0.1 %
7	-	161	0.1 %
8	-	114	0.1 %
9	-	90	0.0 %
10	-	64	0.0 %
11	-	58	0.0 %
12	-	40	0.0 %
13	-	26	0.0 %
14	-	30	0.0 %
15	-	19	0.0 %
16	-	15	0.0 %

Value	Label	Unweighted Frequency	%
17	-	17	0.0 %
18	-	9	0.0 %
19	-	17	0.0 %
20	-	20	0.0 %
21	-	2	0.0 %
22	-	11	0.0 %
23	-	9	0.0 %
24	-	5	0.0 %
25	-	5	0.0 %
26	-	11	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	5	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
72	-	1	0.0 %
78	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.19

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	184450	93.0 %
1	-	7772	3.9 %
2	-	2322	1.2 %
3	-	994	0.5 %
4	-	590	0.3 %
5	-	336	0.2 %
6	-	250	0.1 %
7	-	138	0.1 %
8	-	129	0.1 %
9	-	84	0.0 %
10	-	67	0.0 %
11	-	45	0.0 %
12	-	58	0.0 %
13	-	37	0.0 %
14	-	18	0.0 %
15	-	14	0.0 %
16	-	20	0.0 %
17	-	11	0.0 %
18	-	12	0.0 %
19	-	9	0.0 %
20	-	11	0.0 %
21	-	11	0.0 %
22	-	8	0.0 %
23	-	9	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %

Value	Label	Unweighted Frequency	%
28	-	5	0.0 %
29	-	4	0.0 %
30	-	2	0.0 %
31	-	4	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
59	-	1	0.0 %
63	-	1	0.0 %
67	-	2	0.0 %
70	-	1	0.0 %
96	-	1	0.0 %
171	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 171.00
- Standard Deviation: 1.09

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	183220	92.4 %
1	-	8928	4.5 %
2	-	2409	1.2 %

Value	Label	Unweighted Frequency	%
3	-	1085	0.5 %
4	-	606	0.3 %
5	-	356	0.2 %
6	-	214	0.1 %
7	-	147	0.1 %
8	-	103	0.1 %
9	-	84	0.0 %
10	-	44	0.0 %
11	-	47	0.0 %
12	-	39	0.0 %
13	-	21	0.0 %
14	-	20	0.0 %
15	-	19	0.0 %
16	-	15	0.0 %
17	-	11	0.0 %
18	-	6	0.0 %
19	-	8	0.0 %
20	-	4	0.0 %
21	-	9	0.0 %
22	-	7	0.0 %
23	-	3	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
33	-	1	0.0 %
36	-	4	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
64	-	2	0.0 %
74	-	1	0.0 %
174	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 1.00

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	178379	89.9 %
1	-	12041	6.1 %
2	-	3278	1.7 %
3	-	1436	0.7 %
4	-	757	0.4 %
5	-	468	0.2 %
6	-	242	0.1 %
7	-	192	0.1 %
8	-	134	0.1 %
9	-	95	0.0 %
10	-	62	0.0 %
11	-	60	0.0 %
12	-	37	0.0 %
13	-	34	0.0 %
14	-	31	0.0 %
15	-	21	0.0 %
16	-	35	0.0 %
17	-	14	0.0 %
18	-	15	0.0 %
19	-	10	0.0 %
20	-	10	0.0 %
21	-	6	0.0 %
22	-	5	0.0 %

Value	Label	Unweighted Frequency	%
23	-	9	0.0 %
24	-	5	0.0 %
25	-	6	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
53	-	2	0.0 %
54	-	1	0.0 %
58	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 116.00
- Standard Deviation: 1.23

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	177021	89.2 %
1	-	12746	6.4 %
2	-	3520	1.8 %
3	-	1457	0.7 %
4	-	832	0.4 %
5	-	520	0.3 %
6	-	318	0.2 %
7	-	215	0.1 %
8	-	173	0.1 %
9	-	112	0.1 %
10	-	82	0.0 %
11	-	80	0.0 %
12	-	50	0.0 %
13	-	43	0.0 %
14	-	35	0.0 %
15	-	27	0.0 %
16	-	21	0.0 %
17	-	21	0.0 %
18	-	12	0.0 %
19	-	15	0.0 %
20	-	13	0.0 %
21	-	10	0.0 %
22	-	7	0.0 %
23	-	15	0.0 %
24	-	6	0.0 %
25	-	6	0.0 %
26	-	1	0.0 %
27	-	5	0.0 %
28	-	6	0.0 %
29	-	6	0.0 %
30	-	9	0.0 %
31	-	6	0.0 %
32	-	2	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %

Value	Label	Unweighted Frequency	%
35	-	3	0.0 %
38	-	2	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
61	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 169.00
- Standard Deviation: 1.51

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	175915	88.7 %
1	-	13436	6.8 %
2	-	3857	1.9 %
3	-	1523	0.8 %
4	-	831	0.4 %
5	-	466	0.2 %

Value	Label	Unweighted Frequency	%
6	-	318	0.2 %
7	-	225	0.1 %
8	-	169	0.1 %
9	-	119	0.1 %
10	-	86	0.0 %
11	-	68	0.0 %
12	-	67	0.0 %
13	-	58	0.0 %
14	-	27	0.0 %
15	-	25	0.0 %
16	-	31	0.0 %
17	-	20	0.0 %
18	-	18	0.0 %
19	-	22	0.0 %
20	-	14	0.0 %
21	-	12	0.0 %
22	-	9	0.0 %
23	-	11	0.0 %
24	-	8	0.0 %
25	-	9	0.0 %
26	-	8	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	5	0.0 %
31	-	6	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	5	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
44	-	2	0.0 %
46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 141.00
- Standard Deviation: 1.56

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	175039	88.2 %
1	-	13964	7.0 %
2	-	3745	1.9 %
3	-	1726	0.9 %
4	-	875	0.4 %
5	-	571	0.3 %
6	-	358	0.2 %
7	-	243	0.1 %
8	-	190	0.1 %
9	-	115	0.1 %
10	-	104	0.1 %
11	-	65	0.0 %
12	-	59	0.0 %
13	-	50	0.0 %
14	-	35	0.0 %
15	-	27	0.0 %

Value	Label	Unweighted Frequency	%
16	-	36	0.0 %
17	-	20	0.0 %
18	-	19	0.0 %
19	-	15	0.0 %
20	-	22	0.0 %
21	-	16	0.0 %
22	-	13	0.0 %
23	-	10	0.0 %
24	-	10	0.0 %
25	-	14	0.0 %
26	-	5	0.0 %
27	-	12	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 202.00
- Standard Deviation: 1.70

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	174467	88.0 %
1	-	14223	7.2 %
2	-	3898	2.0 %
3	-	1774	0.9 %
4	-	937	0.5 %
5	-	532	0.3 %
6	-	389	0.2 %
7	-	239	0.1 %
8	-	191	0.1 %
9	-	123	0.1 %
10	-	109	0.1 %
11	-	88	0.0 %
12	-	69	0.0 %
13	-	53	0.0 %
14	-	48	0.0 %
15	-	31	0.0 %
16	-	35	0.0 %
17	-	19	0.0 %
18	-	18	0.0 %
19	-	16	0.0 %
20	-	20	0.0 %
21	-	22	0.0 %
22	-	9	0.0 %
23	-	16	0.0 %
24	-	11	0.0 %
25	-	8	0.0 %

Value	Label	Unweighted Frequency	%
26	-	6	0.0 %
27	-	4	0.0 %
28	-	5	0.0 %
30	-	4	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	7	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 216.00
- Standard Deviation: 1.75

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	174007	87.7 %
1	-	14520	7.3 %
2	-	4057	2.0 %
3	-	1771	0.9 %
4	-	925	0.5 %
5	-	560	0.3 %
6	-	357	0.2 %
7	-	242	0.1 %
8	-	197	0.1 %
9	-	129	0.1 %
10	-	114	0.1 %
11	-	82	0.0 %
12	-	58	0.0 %
13	-	43	0.0 %
14	-	37	0.0 %
15	-	40	0.0 %
16	-	30	0.0 %
17	-	37	0.0 %
18	-	28	0.0 %
19	-	24	0.0 %
20	-	12	0.0 %
21	-	11	0.0 %
22	-	8	0.0 %
23	-	11	0.0 %
24	-	16	0.0 %
25	-	15	0.0 %
26	-	7	0.0 %
27	-	8	0.0 %
28	-	13	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	6	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %

Value	Label	Unweighted Frequency	%
37	-	6	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	3	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
51	-	4	0.0 %
53	-	1	0.0 %
54	-	2	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 210.00
- Standard Deviation: 1.74

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	174075	87.8 %
1	-	14287	7.2 %
2	-	4156	2.1 %
3	-	1822	0.9 %
4	-	937	0.5 %
5	-	545	0.3 %
6	-	353	0.2 %
7	-	246	0.1 %

Value	Label	Unweighted Frequency	%
8	-	189	0.1 %
9	-	140	0.1 %
10	-	102	0.1 %
11	-	81	0.0 %
12	-	70	0.0 %
13	-	64	0.0 %
14	-	43	0.0 %
15	-	41	0.0 %
16	-	23	0.0 %
17	-	30	0.0 %
18	-	19	0.0 %
19	-	23	0.0 %
20	-	20	0.0 %
21	-	16	0.0 %
22	-	17	0.0 %
23	-	10	0.0 %
24	-	10	0.0 %
25	-	9	0.0 %
26	-	5	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	5	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	5	0.0 %
37	-	5	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
49	-	2	0.0 %
50	-	4	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 193.00
- Standard Deviation: 1.76

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	137003	69.1 %
1	-	27237	13.7 %
2	-	10312	5.2 %
3	-	5626	2.8 %
4	-	3622	1.8 %
5	-	2459	1.2 %
6	-	1770	0.9 %
7	-	1335	0.7 %
8	-	1045	0.5 %
9	-	826	0.4 %
10	-	638	0.3 %
11	-	578	0.3 %
12	-	485	0.2 %
13	-	411	0.2 %
14	-	343	0.2 %
15	-	282	0.1 %
16	-	290	0.1 %
17	-	225	0.1 %

Value	Label	Unweighted Frequency	%
18	-	214	0.1 %
19	-	198	0.1 %
20	-	172	0.1 %
21	-	160	0.1 %
22	-	114	0.1 %
23	-	137	0.1 %
24	-	121	0.1 %
25	-	95	0.0 %
26	-	100	0.1 %
27	-	84	0.0 %
28	-	76	0.0 %
29	-	70	0.0 %
30	-	70	0.0 %
31	-	64	0.0 %
32	-	56	0.0 %
33	-	57	0.0 %
34	-	51	0.0 %
35	-	50	0.0 %
36	-	47	0.0 %
37	-	30	0.0 %
38	-	32	0.0 %
39	-	26	0.0 %
40	-	38	0.0 %
41	-	38	0.0 %
42	-	30	0.0 %
43	-	30	0.0 %
44	-	22	0.0 %
45	-	25	0.0 %
46	-	24	0.0 %
47	-	18	0.0 %
48	-	20	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1002.00
- Standard Deviation: 8.84

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	132377	66.7 %
1	-	28764	14.5 %
2	-	11144	5.6 %
3	-	5945	3.0 %
4	-	3903	2.0 %
5	-	2680	1.4 %
6	-	1935	1.0 %
7	-	1510	0.8 %
8	-	1171	0.6 %
9	-	946	0.5 %
10	-	796	0.4 %
11	-	677	0.3 %
12	-	546	0.3 %
13	-	439	0.2 %
14	-	389	0.2 %
15	-	332	0.2 %
16	-	299	0.2 %
17	-	253	0.1 %
18	-	238	0.1 %
19	-	205	0.1 %
20	-	203	0.1 %
21	-	161	0.1 %
22	-	163	0.1 %
23	-	132	0.1 %
24	-	125	0.1 %
25	-	110	0.1 %
26	-	100	0.1 %
27	-	99	0.0 %
28	-	89	0.0 %
29	-	72	0.0 %

Value	Label	Unweighted Frequency	%
30	-	73	0.0 %
31	-	72	0.0 %
32	-	67	0.0 %
33	-	71	0.0 %
34	-	44	0.0 %
35	-	53	0.0 %
36	-	51	0.0 %
37	-	43	0.0 %
38	-	51	0.0 %
39	-	38	0.0 %
40	-	49	0.0 %
41	-	32	0.0 %
42	-	34	0.0 %
43	-	37	0.0 %
44	-	20	0.0 %
45	-	30	0.0 %
46	-	27	0.0 %
47	-	23	0.0 %
48	-	22	0.0 %
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1008.00
- Standard Deviation: 9.15

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	136159	68.6 %

Value	Label	Unweighted Frequency	%
1	-	27774	14.0 %
2	-	10639	5.4 %
3	-	5660	2.9 %
4	-	3620	1.8 %
5	-	2486	1.3 %
6	-	1753	0.9 %
7	-	1410	0.7 %
8	-	1066	0.5 %
9	-	875	0.4 %
10	-	700	0.4 %
11	-	599	0.3 %
12	-	490	0.2 %
13	-	394	0.2 %
14	-	320	0.2 %
15	-	327	0.2 %
16	-	263	0.1 %
17	-	213	0.1 %
18	-	215	0.1 %
19	-	179	0.1 %
20	-	143	0.1 %
21	-	139	0.1 %
22	-	138	0.1 %
23	-	112	0.1 %
24	-	107	0.1 %
25	-	91	0.0 %
26	-	90	0.0 %
27	-	74	0.0 %
28	-	64	0.0 %
29	-	65	0.0 %
30	-	84	0.0 %
31	-	53	0.0 %
32	-	33	0.0 %
33	-	40	0.0 %
34	-	52	0.0 %
35	-	41	0.0 %
36	-	40	0.0 %
37	-	43	0.0 %
38	-	34	0.0 %
39	-	35	0.0 %

Value	Label	Unweighted Frequency	%
40	-	38	0.0 %
41	-	32	0.0 %
42	-	19	0.0 %
43	-	27	0.0 %
44	-	21	0.0 %
45	-	28	0.0 %
46	-	21	0.0 %
47	-	17	0.0 %
48	-	14	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 932.00
- Standard Deviation: 7.57

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	143725	72.5 %
1	-	25602	12.9 %
2	-	9528	4.8 %
3	-	4939	2.5 %
4	-	3041	1.5 %
5	-	2106	1.1 %
6	-	1513	0.8 %
7	-	1148	0.6 %
8	-	875	0.4 %
9	-	647	0.3 %
10	-	567	0.3 %

Value	Label	Unweighted Frequency	%
11	-	413	0.2 %
12	-	400	0.2 %
13	-	299	0.2 %
14	-	244	0.1 %
15	-	221	0.1 %
16	-	164	0.1 %
17	-	153	0.1 %
18	-	136	0.1 %
19	-	131	0.1 %
20	-	105	0.1 %
21	-	117	0.1 %
22	-	94	0.0 %
23	-	74	0.0 %
24	-	77	0.0 %
25	-	69	0.0 %
26	-	69	0.0 %
27	-	65	0.0 %
28	-	49	0.0 %
29	-	45	0.0 %
30	-	39	0.0 %
31	-	41	0.0 %
32	-	30	0.0 %
33	-	35	0.0 %
34	-	34	0.0 %
35	-	32	0.0 %
36	-	23	0.0 %
37	-	15	0.0 %
38	-	20	0.0 %
39	-	24	0.0 %
40	-	19	0.0 %
41	-	19	0.0 %
42	-	12	0.0 %
43	-	17	0.0 %
44	-	14	0.0 %
45	-	17	0.0 %
46	-	17	0.0 %
47	-	18	0.0 %
48	-	13	0.0 %
49	-	16	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 669.00
- Standard Deviation: 5.73

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	156571	78.9 %
1	-	21479	10.8 %
2	-	7400	3.7 %
3	-	3651	1.8 %
4	-	2186	1.1 %
5	-	1348	0.7 %
6	-	917	0.5 %
7	-	681	0.3 %
8	-	526	0.3 %
9	-	404	0.2 %
10	-	324	0.2 %
11	-	243	0.1 %
12	-	215	0.1 %
13	-	162	0.1 %
14	-	141	0.1 %
15	-	110	0.1 %
16	-	104	0.1 %
17	-	74	0.0 %
18	-	70	0.0 %
19	-	96	0.0 %
20	-	71	0.0 %

Value	Label	Unweighted Frequency	%
21	-	52	0.0 %
22	-	37	0.0 %
23	-	33	0.0 %
24	-	37	0.0 %
25	-	29	0.0 %
26	-	35	0.0 %
27	-	29	0.0 %
28	-	20	0.0 %
29	-	21	0.0 %
30	-	19	0.0 %
31	-	19	0.0 %
32	-	14	0.0 %
33	-	17	0.0 %
34	-	15	0.0 %
35	-	22	0.0 %
36	-	18	0.0 %
37	-	16	0.0 %
38	-	12	0.0 %
39	-	9	0.0 %
40	-	3	0.0 %
41	-	16	0.0 %
42	-	7	0.0 %
43	-	5	0.0 %
44	-	5	0.0 %
45	-	3	0.0 %
46	-	10	0.0 %
47	-	5	0.0 %
48	-	10	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 449.00
- Standard Deviation: 3.65

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	162757	82.1 %
1	-	19291	9.7 %
2	-	6363	3.2 %
3	-	2955	1.5 %
4	-	1680	0.8 %
5	-	1020	0.5 %
6	-	717	0.4 %
7	-	520	0.3 %
8	-	367	0.2 %
9	-	270	0.1 %
10	-	213	0.1 %
11	-	168	0.1 %
12	-	133	0.1 %
13	-	119	0.1 %
14	-	108	0.1 %
15	-	78	0.0 %
16	-	55	0.0 %
17	-	71	0.0 %
18	-	43	0.0 %
19	-	44	0.0 %
20	-	42	0.0 %
21	-	36	0.0 %
22	-	32	0.0 %
23	-	26	0.0 %
24	-	22	0.0 %
25	-	39	0.0 %
26	-	10	0.0 %
27	-	16	0.0 %
28	-	17	0.0 %
29	-	13	0.0 %
30	-	13	0.0 %
31	-	7	0.0 %
32	-	8	0.0 %

Value	Label	Unweighted Frequency	%
33	-	10	0.0 %
34	-	7	0.0 %
35	-	6	0.0 %
36	-	13	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	9	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	5	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 572.00
- Standard Deviation: 2.98

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	170647	86.0 %
1	-	16000	8.1 %
2	-	4847	2.4 %
3	-	2122	1.1 %

Value	Label	Unweighted Frequency	%
4	-	1148	0.6 %
5	-	717	0.4 %
6	-	472	0.2 %
7	-	267	0.1 %
8	-	213	0.1 %
9	-	144	0.1 %
10	-	142	0.1 %
11	-	101	0.1 %
12	-	94	0.0 %
13	-	64	0.0 %
14	-	60	0.0 %
15	-	52	0.0 %
16	-	43	0.0 %
17	-	27	0.0 %
18	-	38	0.0 %
19	-	25	0.0 %
20	-	23	0.0 %
21	-	14	0.0 %
22	-	18	0.0 %
23	-	13	0.0 %
24	-	10	0.0 %
25	-	11	0.0 %
26	-	6	0.0 %
27	-	9	0.0 %
28	-	11	0.0 %
29	-	5	0.0 %
30	-	7	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	4	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 217.00
- Standard Deviation: 1.86

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	179170	90.3 %
1	-	11927	6.0 %
2	-	3159	1.6 %
3	-	1201	0.6 %
4	-	666	0.3 %
5	-	387	0.2 %
6	-	230	0.1 %
7	-	175	0.1 %
8	-	118	0.1 %
9	-	88	0.0 %
10	-	50	0.0 %
11	-	38	0.0 %
12	-	39	0.0 %
13	-	29	0.0 %

Value	Label	Unweighted Frequency	%
14	-	26	0.0 %
15	-	11	0.0 %
16	-	13	0.0 %
17	-	14	0.0 %
18	-	15	0.0 %
19	-	8	0.0 %
20	-	11	0.0 %
21	-	5	0.0 %
22	-	8	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
59	-	1	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 197.00
- Standard Deviation: 1.24

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	184532	93.0 %
1	-	8842	4.5 %
2	-	2125	1.1 %
3	-	791	0.4 %
4	-	416	0.2 %
5	-	216	0.1 %
6	-	142	0.1 %
7	-	73	0.0 %
8	-	63	0.0 %
9	-	50	0.0 %
10	-	40	0.0 %
11	-	24	0.0 %
12	-	18	0.0 %
13	-	12	0.0 %
14	-	15	0.0 %
15	-	12	0.0 %
16	-	10	0.0 %
17	-	4	0.0 %
18	-	8	0.0 %
19	-	5	0.0 %
20	-	4	0.0 %
21	-	3	0.0 %
22	-	3	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27	-	2	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
39	-	2	0.0 %
47	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
82	-	1	0.0 %
85	-	1	0.0 %
103	-	1	0.0 %
118	-	1	0.0 %
125	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125.00
- Standard Deviation: 0.95

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	146922	74.1 %
1	-	21102	10.6 %
2	-	8812	4.4 %

Value	Label	Unweighted Frequency	%
3	-	4694	2.4 %
4	-	3172	1.6 %
5	-	2045	1.0 %
6	-	1583	0.8 %
7	-	1240	0.6 %
8	-	928	0.5 %
9	-	721	0.4 %
10	-	670	0.3 %
11	-	552	0.3 %
12	-	406	0.2 %
13	-	399	0.2 %
14	-	347	0.2 %
15	-	310	0.2 %
16	-	246	0.1 %
17	-	204	0.1 %
18	-	216	0.1 %
19	-	175	0.1 %
20	-	172	0.1 %
21	-	150	0.1 %
22	-	138	0.1 %
23	-	100	0.1 %
24	-	120	0.1 %
25	-	116	0.1 %
26	-	111	0.1 %
27	-	80	0.0 %
28	-	88	0.0 %
29	-	71	0.0 %
30	-	69	0.0 %
31	-	73	0.0 %
32	-	65	0.0 %
33	-	63	0.0 %
34	-	56	0.0 %
35	-	40	0.0 %
36	-	41	0.0 %
37	-	50	0.0 %
38	-	28	0.0 %
39	-	38	0.0 %
40	-	43	0.0 %
41	-	40	0.0 %

Value	Label	Unweighted Frequency	%
42	-	35	0.0 %
43	-	31	0.0 %
44	-	27	0.0 %
45	-	27	0.0 %
46	-	33	0.0 %
47	-	19	0.0 %
48	-	31	0.0 %
49	-	22	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 606.00
- Standard Deviation: 7.72

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	169454	85.4 %
1	-	12600	6.4 %
2	-	4748	2.4 %
3	-	2515	1.3 %
4	-	1636	0.8 %
5	-	1072	0.5 %
6	-	767	0.4 %
7	-	553	0.3 %
8	-	507	0.3 %
9	-	354	0.2 %
10	-	322	0.2 %
11	-	263	0.1 %
12	-	219	0.1 %

Value	Label	Unweighted Frequency	%
13	-	177	0.1 %
14	-	179	0.1 %
15	-	152	0.1 %
16	-	138	0.1 %
17	-	102	0.1 %
18	-	129	0.1 %
19	-	91	0.0 %
20	-	100	0.1 %
21	-	89	0.0 %
22	-	61	0.0 %
23	-	65	0.0 %
24	-	64	0.0 %
25	-	64	0.0 %
26	-	55	0.0 %
27	-	43	0.0 %
28	-	44	0.0 %
29	-	51	0.0 %
30	-	41	0.0 %
31	-	41	0.0 %
32	-	36	0.0 %
33	-	33	0.0 %
34	-	26	0.0 %
35	-	32	0.0 %
36	-	20	0.0 %
37	-	23	0.0 %
38	-	24	0.0 %
39	-	14	0.0 %
40	-	18	0.0 %
41	-	22	0.0 %
42	-	10	0.0 %
43	-	16	0.0 %
44	-	14	0.0 %
45	-	11	0.0 %
46	-	8	0.0 %
47	-	13	0.0 %
48	-	9	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %

Value	Label	Unweighted Frequency	%
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1203.00
- Standard Deviation: 6.72

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	194149	97.9 %
1	-	2007	1.0 %
2	-	490	0.2 %
3	-	212	0.1 %
4	-	120	0.1 %
5	-	62	0.0 %
6	-	62	0.0 %
7	-	59	0.0 %
8	-	32	0.0 %
9	-	26	0.0 %
10	-	26	0.0 %
11	-	23	0.0 %
12	-	14	0.0 %
13	-	16	0.0 %
14	-	17	0.0 %
15	-	11	0.0 %
16	-	16	0.0 %
17	-	7	0.0 %
18	-	4	0.0 %
19	-	9	0.0 %
20	-	2	0.0 %
21	-	3	0.0 %
22	-	6	0.0 %

Value	Label	Unweighted Frequency	%
23	-	3	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
33	-	8	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
58	-	2	0.0 %
59	-	2	0.0 %
60	-	2	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 0.96

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	194218	97.9 %
1	-	2278	1.1 %
2	-	482	0.2 %
3	-	176	0.1 %
4	-	103	0.1 %
5	-	45	0.0 %
6	-	39	0.0 %
7	-	19	0.0 %
8	-	10	0.0 %
9	-	6	0.0 %
10	-	10	0.0 %
11	-	6	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	4	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
21	-	11	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
47	-	1	0.0 %
53	-	1	0.0 %
61	-	1	0.0 %
81	-	1	0.0 %
91	-	1	0.0 %

Value	Label	Unweighted Frequency	%
148	-	1	0.0 %
246	-	1	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 246.00
- Standard Deviation: 0.85

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	176411	88.9 %
1	-	10419	5.3 %
2	-	3697	1.9 %
3	-	1768	0.9 %
4	-	1135	0.6 %
5	-	697	0.4 %
6	-	506	0.3 %
7	-	419	0.2 %
8	-	310	0.2 %
9	-	239	0.1 %
10	-	220	0.1 %
11	-	168	0.1 %
12	-	130	0.1 %
13	-	114	0.1 %
14	-	90	0.0 %
15	-	91	0.0 %
16	-	79	0.0 %
17	-	55	0.0 %
18	-	56	0.0 %
19	-	65	0.0 %
20	-	48	0.0 %

Value	Label	Unweighted Frequency	%
21	-	31	0.0 %
22	-	33	0.0 %
23	-	31	0.0 %
24	-	33	0.0 %
25	-	36	0.0 %
26	-	31	0.0 %
27	-	23	0.0 %
28	-	19	0.0 %
29	-	17	0.0 %
30	-	20	0.0 %
31	-	13	0.0 %
32	-	19	0.0 %
33	-	10	0.0 %
34	-	20	0.0 %
35	-	15	0.0 %
36	-	17	0.0 %
37	-	8	0.0 %
38	-	15	0.0 %
39	-	8	0.0 %
40	-	15	0.0 %
41	-	6	0.0 %
42	-	9	0.0 %
43	-	9	0.0 %
44	-	13	0.0 %
45	-	10	0.0 %
46	-	11	0.0 %
47	-	5	0.0 %
48	-	8	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 427.00
- Standard Deviation: 4.38

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	151329	76.3 %
1	-	18939	9.5 %
2	-	7800	3.9 %
3	-	4384	2.2 %
4	-	2826	1.4 %
5	-	1888	1.0 %
6	-	1382	0.7 %
7	-	1099	0.6 %
8	-	883	0.4 %
9	-	707	0.4 %
10	-	637	0.3 %
11	-	481	0.2 %
12	-	409	0.2 %
13	-	340	0.2 %
14	-	295	0.1 %
15	-	284	0.1 %
16	-	267	0.1 %
17	-	216	0.1 %
18	-	206	0.1 %
19	-	184	0.1 %
20	-	179	0.1 %
21	-	162	0.1 %
22	-	141	0.1 %
23	-	104	0.1 %
24	-	122	0.1 %
25	-	116	0.1 %
26	-	105	0.1 %
27	-	93	0.0 %
28	-	95	0.0 %
29	-	77	0.0 %
30	-	83	0.0 %
31	-	54	0.0 %
32	-	62	0.0 %

Value	Label	Unweighted Frequency	%
33	-	65	0.0 %
34	-	50	0.0 %
35	-	62	0.0 %
36	-	55	0.0 %
37	-	51	0.0 %
38	-	55	0.0 %
39	-	34	0.0 %
40	-	40	0.0 %
41	-	35	0.0 %
42	-	37	0.0 %
43	-	35	0.0 %
44	-	40	0.0 %
45	-	22	0.0 %
46	-	38	0.0 %
47	-	24	0.0 %
48	-	30	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1778.00
- Standard Deviation: 9.37

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	23705	12.0 %
1	-	41856	21.1 %
2	-	22103	11.1 %
3	-	13962	7.0 %

Value	Label	Unweighted Frequency	%
4	-	10136	5.1 %
5	-	7669	3.9 %
6	-	6217	3.1 %
7	-	5061	2.6 %
8	-	4304	2.2 %
9	-	3628	1.8 %
10	-	3186	1.6 %
11	-	2803	1.4 %
12	-	2634	1.3 %
13	-	2205	1.1 %
14	-	2049	1.0 %
15	-	1798	0.9 %
16	-	1674	0.8 %
17	-	1581	0.8 %
18	-	1468	0.7 %
19	-	1424	0.7 %
20	-	1203	0.6 %
21	-	1171	0.6 %
22	-	1113	0.6 %
23	-	1011	0.5 %
24	-	1010	0.5 %
25	-	923	0.5 %
26	-	836	0.4 %
27	-	802	0.4 %
28	-	787	0.4 %
29	-	772	0.4 %
30	-	713	0.4 %
31	-	671	0.3 %
32	-	651	0.3 %
33	-	623	0.3 %
34	-	573	0.3 %
35	-	599	0.3 %
36	-	555	0.3 %
37	-	483	0.2 %
38	-	508	0.3 %
39	-	450	0.2 %
40	-	467	0.2 %
41	-	413	0.2 %
42	-	414	0.2 %

Value	Label	Unweighted Frequency	%
43	-	438	0.2 %
44	-	447	0.2 %
45	-	381	0.2 %
46	-	359	0.2 %
47	-	371	0.2 %
48	-	358	0.2 %
49	-	355	0.2 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 23.74
- Minimum: 0.00
- Maximum: 18500.00
- Standard Deviation: 121.10

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	92618	46.7 %
1	-	34034	17.2 %
2	-	15106	7.6 %
3	-	9124	4.6 %
4	-	6055	3.1 %
5	-	4602	2.3 %
6	-	3634	1.8 %
7	-	2741	1.4 %
8	-	2352	1.2 %
9	-	1909	1.0 %
10	-	1684	0.8 %
11	-	1481	0.7 %
12	-	1324	0.7 %
13	-	1069	0.5 %
14	-	999	0.5 %
15	-	922	0.5 %

Value	Label	Unweighted Frequency	%
16	-	840	0.4 %
17	-	762	0.4 %
18	-	680	0.3 %
19	-	612	0.3 %
20	-	560	0.3 %
21	-	522	0.3 %
22	-	469	0.2 %
23	-	460	0.2 %
24	-	435	0.2 %
25	-	382	0.2 %
26	-	396	0.2 %
27	-	356	0.2 %
28	-	318	0.2 %
29	-	371	0.2 %
30	-	275	0.1 %
31	-	293	0.1 %
32	-	258	0.1 %
33	-	277	0.1 %
34	-	213	0.1 %
35	-	233	0.1 %
36	-	207	0.1 %
37	-	229	0.1 %
38	-	198	0.1 %
39	-	194	0.1 %
40	-	200	0.1 %
41	-	169	0.1 %
42	-	167	0.1 %
43	-	168	0.1 %
44	-	161	0.1 %
45	-	171	0.1 %
46	-	147	0.1 %
47	-	135	0.1 %
48	-	127	0.1 %
49	-	139	0.1 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 9.49
- Minimum: 0.00
- Maximum: 8499.00
- Standard Deviation: 70.70

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	177636	89.6 %
1	-	10109	5.1 %
2	-	3176	1.6 %
3	-	1570	0.8 %
4	-	928	0.5 %
5	-	614	0.3 %
6	-	488	0.2 %
7	-	335	0.2 %
8	-	291	0.1 %
9	-	215	0.1 %
10	-	186	0.1 %
11	-	160	0.1 %
12	-	139	0.1 %
13	-	90	0.0 %
14	-	106	0.1 %
15	-	85	0.0 %
16	-	67	0.0 %
17	-	65	0.0 %
18	-	69	0.0 %
19	-	51	0.0 %
20	-	42	0.0 %
21	-	31	0.0 %
22	-	39	0.0 %
23	-	39	0.0 %
24	-	29	0.0 %
25	-	45	0.0 %
26	-	30	0.0 %
27	-	29	0.0 %

Value	Label	Unweighted Frequency	%
28	-	33	0.0 %
29	-	31	0.0 %
30	-	19	0.0 %
31	-	22	0.0 %
32	-	21	0.0 %
33	-	20	0.0 %
34	-	17	0.0 %
35	-	12	0.0 %
36	-	17	0.0 %
37	-	15	0.0 %
38	-	15	0.0 %
39	-	17	0.0 %
40	-	10	0.0 %
41	-	13	0.0 %
42	-	8	0.0 %
43	-	13	0.0 %
44	-	6	0.0 %
45	-	10	0.0 %
46	-	9	0.0 %
47	-	13	0.0 %
48	-	9	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3393.00
- Standard Deviation: 16.23

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	172560	87.0 %
1	-	13541	6.8 %
2	-	4153	2.1 %
3	-	1989	1.0 %
4	-	1121	0.6 %
5	-	780	0.4 %
6	-	548	0.3 %
7	-	398	0.2 %
8	-	307	0.2 %
9	-	217	0.1 %
10	-	198	0.1 %
11	-	139	0.1 %
12	-	149	0.1 %
13	-	107	0.1 %
14	-	118	0.1 %
15	-	74	0.0 %
16	-	89	0.0 %
17	-	68	0.0 %
18	-	50	0.0 %
19	-	48	0.0 %
20	-	55	0.0 %
21	-	31	0.0 %
22	-	36	0.0 %
23	-	29	0.0 %
24	-	32	0.0 %
25	-	34	0.0 %
26	-	22	0.0 %
27	-	21	0.0 %
28	-	24	0.0 %
29	-	33	0.0 %
30	-	19	0.0 %
31	-	17	0.0 %
32	-	14	0.0 %
33	-	16	0.0 %
34	-	13	0.0 %
35	-	12	0.0 %
36	-	13	0.0 %
37	-	12	0.0 %
38	-	19	0.0 %

Value	Label	Unweighted Frequency	%
39	-	15	0.0 %
40	-	8	0.0 %
41	-	2	0.0 %
42	-	8	0.0 %
43	-	7	0.0 %
44	-	7	0.0 %
45	-	8	0.0 %
46	-	12	0.0 %
47	-	3	0.0 %
48	-	8	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5411.00
- Standard Deviation: 14.65

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	120088	60.5 %
1	-	27880	14.1 %
2	-	11632	5.9 %
3	-	6649	3.4 %
4	-	4337	2.2 %
5	-	3101	1.6 %
6	-	2480	1.3 %
7	-	1991	1.0 %
8	-	1597	0.8 %
9	-	1278	0.6 %

Value	Label	Unweighted Frequency	%
10	-	1095	0.6 %
11	-	980	0.5 %
12	-	813	0.4 %
13	-	789	0.4 %
14	-	619	0.3 %
15	-	597	0.3 %
16	-	530	0.3 %
17	-	493	0.2 %
18	-	466	0.2 %
19	-	408	0.2 %
20	-	396	0.2 %
21	-	376	0.2 %
22	-	319	0.2 %
23	-	323	0.2 %
24	-	267	0.1 %
25	-	278	0.1 %
26	-	259	0.1 %
27	-	234	0.1 %
28	-	223	0.1 %
29	-	201	0.1 %
30	-	208	0.1 %
31	-	186	0.1 %
32	-	178	0.1 %
33	-	185	0.1 %
34	-	165	0.1 %
35	-	141	0.1 %
36	-	150	0.1 %
37	-	130	0.1 %
38	-	128	0.1 %
39	-	140	0.1 %
40	-	119	0.1 %
41	-	113	0.1 %
42	-	109	0.1 %
43	-	97	0.0 %
44	-	100	0.1 %
45	-	71	0.0 %
46	-	88	0.0 %
47	-	107	0.1 %
48	-	86	0.0 %

Value	Label	Unweighted Frequency	%
49	-	82	0.0 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 6.05
- Minimum: 0.00
- Maximum: 14463.00
- Standard Deviation: 59.47

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	37581	18.9 %
1	-	38150	19.2 %
2	-	20144	10.2 %
3	-	12727	6.4 %
4	-	9177	4.6 %
5	-	6971	3.5 %
6	-	5685	2.9 %
7	-	4566	2.3 %
8	-	3964	2.0 %
9	-	3399	1.7 %
10	-	3011	1.5 %
11	-	2617	1.3 %
12	-	2366	1.2 %
13	-	2073	1.0 %
14	-	1904	1.0 %
15	-	1762	0.9 %
16	-	1569	0.8 %
17	-	1470	0.7 %
18	-	1364	0.7 %
19	-	1275	0.6 %
20	-	1146	0.6 %
21	-	1044	0.5 %

Value	Label	Unweighted Frequency	%
22	-	1024	0.5 %
23	-	959	0.5 %
24	-	934	0.5 %
25	-	832	0.4 %
26	-	824	0.4 %
27	-	785	0.4 %
28	-	688	0.3 %
29	-	708	0.4 %
30	-	662	0.3 %
31	-	624	0.3 %
32	-	585	0.3 %
33	-	561	0.3 %
34	-	501	0.3 %
35	-	524	0.3 %
36	-	496	0.3 %
37	-	470	0.2 %
38	-	457	0.2 %
39	-	419	0.2 %
40	-	411	0.2 %
41	-	429	0.2 %
42	-	398	0.2 %
43	-	379	0.2 %
44	-	362	0.2 %
45	-	330	0.2 %
46	-	378	0.2 %
47	-	354	0.2 %
48	-	313	0.2 %
49	-	329	0.2 %
	Missing Data		
999998	Not applicable	913	0.5 %
	Total	198,353	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 197,440 valid cases out of 198,353 total cases.

- Mean: 23.69
- Minimum: 0.00
- Maximum: 13033.00
- Standard Deviation: 125.86

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998