



ICPSR 37679

Radicalization on the Internet: Virtual Extremism in the United States, 2015-2017

Matthew Costello
Clemson University

James Hawdon
Virginia Tech University

David Snow
University of California, Irvine

ICPSR Codebook for Online Extremism Survey
Data Wave 1



National Institute of Justice
Data Resources Program

ICPSR

P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/37679/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37679

Radicalization on the Internet: Virtual Extremism in the United States, 2015-2017

DS 1: Online Extremism Survey Data Wave 1

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded the variables **Q56**, **STATENAME**, and **Q4_STATE**. All information has been replaced with "MASKED BY ICPSR".
2. **Missing Labels:** Throughout the dataset, there are variables and values missing labels. For the majority of variables with only 0 or 1 responses, 0 represents "Not Marked" and 1 represents "Marked." Please refer to the P.I. codebook for full listings.

ICPSR 37679

Radicalization on the Internet: Virtual Extremism in the United States, 2015-2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Online Extremism Survey Data Wave 1

Q1_SEX: Q1_SEX

Value	Label	Unweighted Frequency	%
1	-	514	49.7 %
2	-	515	49.8 %
	Missing Data		
.	-	5	0.5 %
	Total	1,034	100%

Based upon 1,029 valid cases out of 1,034 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

Q2_BIRTH: Q2_BIRTH

Value	Label	Unweighted Frequency	%
1979	-	46	4.4 %
1980	-	37	3.6 %
1981	-	27	2.6 %
1982	-	39	3.8 %
1983	-	39	3.8 %
1984	-	38	3.7 %
1985	-	47	4.5 %
1986	-	31	3.0 %
1987	-	46	4.4 %
1988	-	44	4.3 %
1989	-	37	3.6 %
1990	-	73	7.1 %
1991	-	55	5.3 %
1992	-	65	6.3 %
1993	-	44	4.3 %
1994	-	43	4.2 %
1995	-	49	4.7 %
1996	-	39	3.8 %

Value	Label	Unweighted Frequency	%
1997	-	48	4.6 %
1998	-	95	9.2 %
1999	-	79	7.6 %
2000	-	13	1.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 1990.34
- Median: 1991.00
- Mode: 1998.00
- Minimum: 1979.00
- Maximum: 2000.00
- Standard Deviation: 6.19

Location: 2-5 (width: 4; decimal: 0)

Variable Type: numeric

AGE: AGE

Value	Label	Unweighted Frequency	%
15	-	13	1.3 %
16	-	79	7.6 %
17	-	95	9.2 %
18	-	48	4.6 %
19	-	39	3.8 %
20	-	49	4.7 %
21	-	43	4.2 %
22	-	44	4.3 %
23	-	65	6.3 %
24	-	55	5.3 %
25	-	73	7.1 %
26	-	37	3.6 %
27	-	44	4.3 %
28	-	46	4.4 %
29	-	31	3.0 %
30	-	47	4.5 %
31	-	38	3.7 %
32	-	39	3.8 %
33	-	39	3.8 %
34	-	27	2.6 %
35	-	37	3.6 %
36	-	46	4.4 %

Value	Label	Unweighted Frequency	%
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 24.66
- Median: 24.00
- Mode: 17.00
- Minimum: 15.00
- Maximum: 36.00
- Standard Deviation: 6.19

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

Q3_BORNUS: Q3_BORNUS

Value	Label	Unweighted Frequency	%
1	-	955	92.4 %
2	-	74	7.2 %
	Missing Data		
.	-	5	0.5 %
	Total	1,034	100%

Based upon 1,029 valid cases out of 1,034 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

Q4_STATE: Q4_STATE

Value	Label	Unweighted Frequency	%
	Missing Data		
1	MASKED BY ICPSR	1020	98.6 %
.	-	14	1.4 %
	Total	1,034	100%

Based upon 0 valid cases out of 1,034 total cases.

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 1 , .

STATENAME: STATENAME

Value	Label	Unweighted Frequency	%
.	-	14	1.4 %
MASKED BY ICPSR	-	1020	98.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

Location: 10-24 (width: 15; decimal: 0)

Variable Type: character

Q5_PARENTSOUTSIDEUS: Q5_PARENTSOUTSIDEUS

Value	Label	Unweighted Frequency	%
0	-	733	70.9 %
1	-	298	28.8 %
	Missing Data		
.	-	3	0.3 %
	Total	1,034	100%

Based upon 1,031 valid cases out of 1,034 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

Q6_RESIDENCE: Q6_RESIDENCE

Value	Label	Unweighted Frequency	%
1	-	294	28.4 %
2	-	268	25.9 %
3	-	218	21.1 %
4	-	165	16.0 %
5	-	87	8.4 %
	Missing Data		
.	-	2	0.2 %
	Total	1,034	100%

Based upon 1,032 valid cases out of 1,034 total cases.

- Mean: 2.50
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.28

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

Q7_LIVINGSTATUS: Q7_LIVINGSTATUS

Value	Label	Unweighted Frequency	%
1	-	119	11.5 %
2	-	148	14.3 %
3	-	38	3.7 %
4	-	220	21.3 %
5	-	430	41.6 %
6	-	76	7.4 %
	Missing Data		
.	-	3	0.3 %
	Total	1,034	100%

Based upon 1,031 valid cases out of 1,034 total cases.

- Mean: 3.89
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.53

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

Q8_EDUCATION: Q8_EDUCATION

Value	Label	Unweighted Frequency	%
1	-	215	20.8 %
2	-	180	17.4 %
3	-	290	28.0 %
4	-	270	26.1 %
5	-	74	7.2 %
	Missing Data		
.	-	5	0.5 %
	Total	1,034	100%

Based upon 1,029 valid cases out of 1,034 total cases.

- Mean: 2.81
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.24

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

Q9_OCCUPATION: Q9_OCCUPATION

Value	Label	Unweighted Frequency	%
1	-	412	39.8 %
2	-	302	29.2 %
3	-	124	12.0 %
4	-	103	10.0 %
5	-	91	8.8 %
	Missing Data		
.	-	2	0.2 %
	Total	1,034	100%

Based upon 1,032 valid cases out of 1,034 total cases.

- Mean: 2.19
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

Q9A_SCHOOLSTATUS: Q9A_SCHOOLSTATUS

Value	Label	Unweighted Frequency	%
1	-	224	21.7 %
2	-	8	0.8 %
3	-	170	16.4 %
4	-	8	0.8 %
	Missing Data		
.	-	624	60.3 %
	Total	1,034	100%

Based upon 410 valid cases out of 1,034 total cases.

- Mean: 1.91

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.02

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

Q10_RACE: Q10_RACE

Value	Label	Unweighted Frequency	%
1	-	682	66.0 %
2	-	111	10.7 %
3	-	113	10.9 %
4	-	79	7.6 %
5	-	36	3.5 %
6	-	10	1.0 %
	Missing Data		
.	-	3	0.3 %
	Total	1,034	100%

Based upon 1,031 valid cases out of 1,034 total cases.

- Mean: 1.74
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.22

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

Q11A_USE_FACEBOOK: Q11A_USE_FACEBOOK

Value	Label	Unweighted Frequency	%
0	-	96	9.3 %
1	-	938	90.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

Q11B_USE_YOUTUBE: Q11B_USE_YOUTUBE

Value	Label	Unweighted Frequency	%
0	-	106	10.3 %
1	-	928	89.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

Q11_CUSE_TWITTER: Q11_CUSE_TWITTER

Value	Label	Unweighted Frequency	%
0	-	483	46.7 %
1	-	551	53.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Q11D_USE_IRC: Q11D_USE_IRC

Value	Label	Unweighted Frequency	%
0	-	1011	97.8 %
1	-	23	2.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

Q11E_USE_GOOGLEPLUS: Q11E_USE_GOOGLEPLUS

Value	Label	Unweighted Frequency	%
0	-	620	60.0 %
1	-	414	40.0 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

Q11F_USE_HABBO: Q11F_USE_HABBO

Value	Label	Unweighted Frequency	%
0	-	1008	97.5 %
1	-	26	2.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Q11G_USE_WIKIPEDIA: Q11G_USE_WIKIPEDIA

Value	Label	Unweighted Frequency	%
0	-	503	48.6 %
1	-	531	51.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

Q11H_USE_MYSPACE: Q11H_USE_MYSPACE

Value	Label	Unweighted Frequency	%
0	-	939	90.8 %
1	-	95	9.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

Q11I_USE_NING: Q11I_USE_NING

Value	Label	Unweighted Frequency	%
0	-	1022	98.8 %
1	-	12	1.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.11

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

Q11J_USE_MYLIFE: Q11J_USE_MYLIFE

Value	Label	Unweighted Frequency	%
0	-	997	96.4 %
1	-	37	3.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

Q11K_USE_TUMBLR: Q11K_USE_TUMBLR

Value	Label	Unweighted Frequency	%
0	-	767	74.2 %
1	-	267	25.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

Q11L_USE_LIVEJOURNAL: Q11L_USE_LIVEJOURNAL

Value	Label	Unweighted Frequency	%
0	-	999	96.6 %
1	-	35	3.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

Q11M_USE_NEWSPAPER: Q11M_USE_NEWSPAPER

Value	Label	Unweighted Frequency	%
0	-	964	93.2 %
1	-	70	6.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

Q11N_USE_GENERALMESSAGE: Q11N_USE_GENERALMESSAGE

Value	Label	Unweighted Frequency	%
0	-	903	87.3 %
1	-	131	12.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

Q11O_USE_IMAGEBOARD: Q11O_USE_IMAGEBOARD

Value	Label	Unweighted Frequency	%
0	-	970	93.8 %
1	-	64	6.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

Q11P_USE_INSTANTMESSAGE: Q11P_USE_INSTANTMESSAGE

Value	Label	Unweighted Frequency	%
0	-	790	76.4 %
1	-	244	23.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

Q11Q_USE_RPGS: Q11Q_USE_RPGS

Value	Label	Unweighted Frequency	%
0	-	864	83.6 %
1	-	170	16.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.37

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

Q11R_USE_PHOTOSHARING: Q11R_USE_PHOTOSHARING

Value	Label	Unweighted Frequency	%
0	-	645	62.4 %
1	-	389	37.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

Q11S_USE_BLOGS: Q11S_USE_BLOGS

Value	Label	Unweighted Frequency	%
0	-	806	77.9 %
1	-	228	22.1 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

Q11T_USE_SKYPE: Q11T_USE_SKYPE

Value	Label	Unweighted Frequency	%
0	-	646	62.5 %
1	-	388	37.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

Q11U_USE_ANONYMOUS: Q11U_USE_ANONYMOUS

Value	Label	Unweighted Frequency	%
0	-	995	96.2 %
1	-	39	3.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

Q11V_USE_EMAIL: Q11V_USE_EMAIL

Value	Label	Unweighted Frequency	%
0	-	244	23.6 %
1	-	790	76.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

Q12_HOURLSONLINE: Q12_HOURLSONLINE

Value	Label	Unweighted Frequency	%
1	-	35	3.4 %
2	-	142	13.7 %
3	-	417	40.3 %
4	-	432	41.8 %
	Missing Data		
.	-	8	0.8 %
	Total	1,034	100%

Based upon 1,026 valid cases out of 1,034 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

Q13_HATEFULEXPOSURE1: Q13_HATEFULEXPOSURE1

Value	Label	Unweighted Frequency	%
0	-	376	36.4 %
1	-	652	63.1 %
	Missing Data		
.	-	6	0.6 %
	Total	1,034	100%

Based upon 1,028 valid cases out of 1,034 total cases.

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

Q14_HATEFULEXPOSURE2: Q14_HATEFULEXPOSURE2

Value	Label	Unweighted Frequency	%
0	-	356	34.4 %
1	-	676	65.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2	0.2 %
	Total	1,034	100%

Based upon 1,032 valid cases out of 1,034 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

Q15_1_SAW_HATEFULVIOLENCE: Q15_1_SAW_HATEFULVIOLENCE

Value	Label	Unweighted Frequency	%
0	-	828	80.1 %
1	-	206	19.9 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

Q15_2_SAW_HATEFULSTEREOTYPE: Q15_2_SAW_HATEFULSTEREOTYPE

Value	Label	Unweighted Frequency	%
0	-	561	54.3 %
1	-	473	45.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

Q15_3_SAW_HATEFULSCAPEGOAT: Q15_3_SAW_HATEFULSCAPEGOAT

Value	Label	Unweighted Frequency	%
0	-	755	73.0 %
1	-	279	27.0 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

Q15_4_SAW_HATEFULSCAPEGOAT2: Q15_4_SAW_HATEFULSCAPEGOAT2

Value	Label	Unweighted Frequency	%
0	-	781	75.5 %
1	-	253	24.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

Q15_5_SAW_HATEFULADVOCATED: Q15_5_SAW_HATEFULADVOCATED

Value	Label	Unweighted Frequency	%
0	-	778	75.2 %
1	-	256	24.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

Q15_6_SAW_HATEFULDISCRIMINATE: Q15_6_SAW_HATEFULDISCRIMINATE

Value	Label	Unweighted Frequency	%
0	-	862	83.4 %
1	-	172	16.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

Q16_1_SAW_HATEFULRACE: Q16_1_SAW_HATEFULRACE

Value	Label	Unweighted Frequency	%
0	-	555	53.7 %
1	-	479	46.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

Q16_2_SAW_HATEFULIMMIGRANT: Q16_2_SAW_HATEFULIMMIGRANT

Value	Label	Unweighted Frequency	%
0	-	820	79.3 %
1	-	214	20.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

Q16_3_SAW_HATEFULSEXUALITY: Q16_3_SAW_HATEFULSEXUALITY

Value	Label	Unweighted Frequency	%
0	-	693	67.0 %
1	-	341	33.0 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Q16_4_SAW_HATEFULRELIGION: Q16_4_SAW_HATEFULRELIGION

Value	Label	Unweighted Frequency	%
0	-	752	72.7 %
1	-	282	27.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.45

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Q16_5_SAW_HATEFULPOLITICS: Q16_5_SAW_HATEFULPOLITICS

Value	Label	Unweighted Frequency	%
0	-	833	80.6 %
1	-	201	19.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

Q16_6_SAW_HATEFULGENDER: Q16_6_SAW_HATEFULGENDER

Value	Label	Unweighted Frequency	%
0	-	821	79.4 %
1	-	213	20.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

Q_16_7_SAW_HATEFULOTHER: Q_16_7_SAW_HATEFULOTHER

Value	Label	Unweighted Frequency	%
0	-	1015	98.2 %
1	-	19	1.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

Q17_1_EXPOSURE_FACEBOOK: Q17_1_EXPOSURE_FACEBOOK

Value	Label	Unweighted Frequency	%
0	-	542	52.4 %
1	-	492	47.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

Q17_2_EXPOSURE_YOUTUBE: Q17_2_EXPOSURE_YOUTUBE

Value	Label	Unweighted Frequency	%
0	-	725	70.1 %
1	-	309	29.9 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

Q17_3_EXPOSURE_TWITTER: Q17_3_EXPOSURE_TWITTER

Value	Label	Unweighted Frequency	%
0	-	840	81.2 %
1	-	194	18.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

Q17_4_EXPOSURE_GOOGLEPLUS: Q17_4_EXPOSURE_GOOGLEPLUS

Value	Label	Unweighted Frequency	%
0	-	986	95.4 %
1	-	48	4.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

Q17_5_EXPOSURE_HABBO: Q17_5_EXPOSURE_HABBO

Value	Label	Unweighted Frequency	%
0	-	1022	98.8 %
1	-	12	1.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.11

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

Q17_6_EXPOSURE_WIKIPEDIA: Q17_6_EXPOSURE_WIKIPEDIA

Value	Label	Unweighted Frequency	%
0	-	1012	97.9 %
1	-	22	2.1 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

Q17_7_EXPOSURE_MYSPEACE: Q17_7_EXPOSURE_MYSPEACE

Value	Label	Unweighted Frequency	%
0	-	1009	97.6 %
1	-	25	2.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

Q17_8_EXPOSURE_NING: Q17_8_EXPOSURE_NING

Value	Label	Unweighted Frequency	%
0	-	1027	99.3 %
1	-	7	0.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

Q17_9_EXPOSURE_MYLIFE: Q17_9_EXPOSURE_MYLIFE

Value	Label	Unweighted Frequency	%
0	-	1022	98.8 %
1	-	12	1.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

Q17_10_EXPOSURETUMBLR: Q17_10_EXPOSURETUMBLR

Value	Label	Unweighted Frequency	%
0	-	960	92.8 %
1	-	74	7.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

Q17_11_EXPOSURE_LIVEJOURNAL: Q17_11_EXPOSURE_LIVEJOURNAL

Value	Label	Unweighted Frequency	%
0	-	1021	98.7 %
1	-	13	1.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

Q17_12_EXPOSURE_NEWSPAPER: Q17_12_EXPOSURE_NEWSPAPER

Value	Label	Unweighted Frequency	%
0	-	987	95.5 %
1	-	47	4.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

Q17_13_EXPOSURE_MESSAGEBOARD: Q17_13_EXPOSURE_MESSAGEBOARD

Value	Label	Unweighted Frequency	%
0	-	948	91.7 %
1	-	86	8.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.28

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

Q17_14_EXPOSURE_IMAGE: Q17_14_EXPOSURE_IMAGE

Value	Label	Unweighted Frequency	%
0	-	995	96.2 %
1	-	39	3.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

Q17_15_EXPOSURE_INSTANTMESSAGE: Q17_15_EXPOSURE_INSTANTMESSAGE

Value	Label	Unweighted Frequency	%
0	-	1009	97.6 %
1	-	25	2.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

Q17_16_EXPOSURE_RPG: Q17_16_EXPOSURE_RPG

Value	Label	Unweighted Frequency	%
0	-	1005	97.2 %
1	-	29	2.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

Q17_17_EXPOSURE_PHOTOSHARING: Q17_17_EXPOSURE_PHOTOSHARING

Value	Label	Unweighted Frequency	%
0	-	985	95.3 %
1	-	49	4.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

Q17_18_EXPOSURE_BLOGS: Q17_18_EXPOSURE_BLOGS

Value	Label	Unweighted Frequency	%
0	-	956	92.5 %
1	-	78	7.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

Q17_19_EXPOSURE_HOMEPAGE: Q17_19_EXPOSURE_HOMEPAGE

Value	Label	Unweighted Frequency	%
0	-	1006	97.3 %
1	-	28	2.7 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

Q17_20_EXPOSURE_POPUPS: Q17_20_EXPOSURE_POPUPS

Value	Label	Unweighted Frequency	%
0	-	1015	98.2 %
1	-	19	1.8 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

Q17_21_EXPOSURE_SKYPE: Q17_21_EXPOSURE_SKYPE

Value	Label	Unweighted Frequency	%
0	-	1003	97.0 %
1	-	31	3.0 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.17

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

Q17_22_EXPOSURE_ANONYMOUS: Q17_22_EXPOSURE_ANONYMOUS

Value	Label	Unweighted Frequency	%
0	-	1012	97.9 %
1	-	22	2.1 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

Q17_23_EXPOSURE_EMAIL: Q17_23_EXPOSURE_EMAIL

Value	Label	Unweighted Frequency	%
0	-	990	95.7 %
1	-	44	4.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.20

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

Q18_NAVIGATION_TOSITE: Q18_NAVIGATION_TOSITE

Value	Label	Unweighted Frequency	%
1	-	329	31.8 %
2	-	145	14.0 %
3	-	184	17.8 %

Value	Label	Unweighted Frequency	%
.	-	376	36.4 %
	Missing Data		
	Total	1,034	100%

Based upon 658 valid cases out of 1,034 total cases.

- Mean: 1.78
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Q19_DISTURBINGLEVEL: Q19_DISTURBINGLEVEL

Value	Label	Unweighted Frequency	%
1	-	137	13.2 %
2	-	154	14.9 %
3	-	247	23.9 %
4	-	104	10.1 %
5	-	27	2.6 %
	Missing Data		
.	-	365	35.3 %
	Total	1,034	100%

Based upon 669 valid cases out of 1,034 total cases.

- Mean: 2.60
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Q20_EXPOSUREFREQUENCY: Q20_EXPOSUREFREQUENCY

Value	Label	Unweighted Frequency	%
1	-	125	12.1 %
2	-	265	25.6 %
3	-	457	44.2 %
4	-	177	17.1 %

Value	Label	Unweighted Frequency	%
.	-	10	1.0 %
	Missing Data		
	Total	1,034	100%

Based upon 1,024 valid cases out of 1,034 total cases.

- Mean: 2.67
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.90

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Q21_BEENTARGET: Q21_BEENTARGET

Value	Label	Unweighted Frequency	%
0	-	791	76.5 %
1	-	236	22.8 %
	Missing Data		
.	-	7	0.7 %
	Total	1,034	100%

Based upon 1,027 valid cases out of 1,034 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Q22A_BEENTARGET_RACE: Q22A_BEENTARGET_RACE

Value	Label	Unweighted Frequency	%
0	-	935	90.4 %
1	-	99	9.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.10
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Q22B_BEENTARGET_NATIONALITY: Q22B_BEENTARGET_NATIONALITY

Value	Label	Unweighted Frequency	%
0	-	978	94.6 %
1	-	56	5.4 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Q22C_BEENTARGET_GAY: Q22C_BEENTARGET_GAY

Value	Label	Unweighted Frequency	%
0	-	973	94.1 %
1	-	61	5.9 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Q22D_BEENTARGET_RELIGION: Q22D_BEENTARGET_RELIGION

Value	Label	Unweighted Frequency	%
0	-	965	93.3 %
1	-	69	6.7 %

Value	Label	Unweighted Frequency	%
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Q22E_BEENTARGET_POLITICS: Q22E_BEENTARGET_POLITICS

Value	Label	Unweighted Frequency	%
0	-	976	94.4 %
1	-	58	5.6 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.23

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Q22F_BEENTARGET_DISABILITY: Q22F_BEENTARGET_DISABILITY

Value	Label	Unweighted Frequency	%
0	-	1021	98.7 %
1	-	13	1.3 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Q22G_BEENTARGET_SEX: Q22G_BEENTARGET_SEX

Value	Label	Unweighted Frequency	%
0	-	987	95.5 %
1	-	47	4.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Q22H_BEENTARGET_APPEARANCE: Q22H_BEENTARGET_APPEARANCE

Value	Label	Unweighted Frequency	%
0	-	956	92.5 %
1	-	78	7.5 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Q22I_BEENTARGET_NOTA: Q22I_BEENTARGET_NOTA

Value	Label	Unweighted Frequency	%
0	-	1023	98.9 %
1	-	11	1.1 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

- Mean: 0.01

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Q23_FREQUENCY_HATEFUL: Q23_FREQUENCY_HATEFUL

Value	Label	Unweighted Frequency	%
1	-	63	6.1 %
2	-	367	35.5 %
3	-	401	38.8 %
4	-	176	17.0 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 2.69
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.83

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Q24_MOSTLYKIND: Q24_MOSTLYKIND

Value	Label	Unweighted Frequency	%
1	-	347	33.6 %
2	-	159	15.4 %
3	-	494	47.8 %
	Missing Data		
.	-	34	3.3 %
	Total	1,034	100%

Based upon 1,000 valid cases out of 1,034 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00

- Standard Deviation: 0.91

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Q25_FREQUENCY_OFFENSIVE: Q25_FREQUENCY_OFFENSIVE

Value	Label	Unweighted Frequency	%
1	-	89	8.6 %
2	-	396	38.3 %
3	-	360	34.8 %
4	-	161	15.6 %
	Missing Data		
.	-	28	2.7 %
	Total	1,034	100%

Based upon 1,006 valid cases out of 1,034 total cases.

- Mean: 2.59
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Q26_OFFENSIVE_TELLTOSTOP: Q26_OFFENSIVE_TELLTOSTOP

Value	Label	Unweighted Frequency	%
1	-	285	27.6 %
2	-	343	33.2 %
3	-	277	26.8 %
4	-	103	10.0 %
	Missing Data		
.	-	26	2.5 %
	Total	1,034	100%

Based upon 1,008 valid cases out of 1,034 total cases.

- Mean: 2.20
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.96

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Q27_OFFENSIVE_DEFEND: Q27_OFFENSIVE_DEFEND

Value	Label	Unweighted Frequency	%
1	-	203	19.6 %
2	-	338	32.7 %
3	-	328	31.7 %
4	-	138	13.3 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.96

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Q28_OFFENSIVE_IGNORE: Q28_OFFENSIVE_IGNORE

Value	Label	Unweighted Frequency	%
1	-	86	8.3 %
2	-	235	22.7 %
3	-	313	30.3 %
4	-	369	35.7 %
	Missing Data		
.	-	31	3.0 %
	Total	1,034	100%

Based upon 1,003 valid cases out of 1,034 total cases.

- Mean: 2.96
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.97

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Q29_OFFENSIVE_JOININ: Q29_OFFENSIVE_JOININ

Value	Label	Unweighted Frequency	%
1	-	734	71.0 %
2	-	126	12.2 %
3	-	115	11.1 %
4	-	31	3.0 %
	Missing Data		
.	-	28	2.7 %
	Total	1,034	100%

Based upon 1,006 valid cases out of 1,034 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.81

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Q30OFFENSIVE_OTHERSTELLTOSTOP: Q30OFFENSIVE_OTHERSTELLTOSTOP

Value	Label	Unweighted Frequency	%
1	-	98	9.5 %
2	-	314	30.4 %
3	-	375	36.3 %
4	-	213	20.6 %
	Missing Data		
.	-	34	3.3 %
	Total	1,034	100%

Based upon 1,000 valid cases out of 1,034 total cases.

- Mean: 2.70
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.91

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

Q31_OFFENSIVE_OTHERSDEFEND: Q31_OFFENSIVE_OTHERSDEFEND

Value	Label	Unweighted Frequency	%
1	-	73	7.1 %

Value	Label	Unweighted Frequency	%
2	-	299	28.9 %
3	-	423	40.9 %
4	-	211	20.4 %
	Missing Data		
.	-	28	2.7 %
	Total	1,034	100%

Based upon 1,006 valid cases out of 1,034 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.86

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

Q32_OFFENSIVE_OTHERSJOININ: Q32_OFFENSIVE_OTHERSJOININ

Value	Label	Unweighted Frequency	%
1	-	494	47.8 %
2	-	248	24.0 %
3	-	197	19.1 %
4	-	67	6.5 %
	Missing Data		
.	-	28	2.7 %
	Total	1,034	100%

Based upon 1,006 valid cases out of 1,034 total cases.

- Mean: 1.84
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.96

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

Q33_SELFESTEEM: Q33_SELFESTEEM

Value	Label	Unweighted Frequency	%
1	-	30	2.9 %
2	-	21	2.0 %

Value	Label	Unweighted Frequency	%
3	-	38	3.7 %
4	-	36	3.5 %
5	-	95	9.2 %
6	-	111	10.7 %
7	-	132	12.8 %
8	-	197	19.1 %
9	-	155	15.0 %
10	-	190	18.4 %
	Missing Data		
.	-	29	2.8 %
	Total	1,034	100%

Based upon 1,005 valid cases out of 1,034 total cases.

- Mean: 7.23
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.34

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Q34_RISKTAKING: Q34_RISKTAKING

Value	Label	Unweighted Frequency	%
1	-	44	4.3 %
2	-	32	3.1 %
3	-	55	5.3 %
4	-	75	7.3 %
5	-	137	13.2 %
6	-	123	11.9 %
7	-	143	13.8 %
8	-	169	16.3 %
9	-	112	10.8 %
10	-	113	10.9 %
	Missing Data		
.	-	31	3.0 %
	Total	1,034	100%

Based upon 1,003 valid cases out of 1,034 total cases.

- Mean: 6.47
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.44

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Q35_TALKPRIVATEONLINE: Q35_TALKPRIVATEONLINE

Value	Label	Unweighted Frequency	%
1	-	153	14.8 %
2	-	51	4.9 %
3	-	60	5.8 %
4	-	68	6.6 %
5	-	137	13.2 %
6	-	95	9.2 %
7	-	116	11.2 %
8	-	125	12.1 %
9	-	87	8.4 %
10	-	111	10.7 %
	Missing Data		
.	-	31	3.0 %
	Total	1,034	100%

Based upon 1,003 valid cases out of 1,034 total cases.

- Mean: 5.65
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.94

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Q36_TRUSTPEOPLE_GENERAL: Q36_TRUSTPEOPLE_GENERAL

Value	Label	Unweighted Frequency	%
1	-	115	11.1 %
2	-	42	4.1 %
3	-	84	8.1 %
4	-	102	9.9 %
5	-	181	17.5 %

Value	Label	Unweighted Frequency	%
6	-	128	12.4 %
7	-	151	14.6 %
8	-	73	7.1 %
9	-	66	6.4 %
10	-	63	6.1 %
	Missing Data		
.	-	29	2.8 %
	Total	1,034	100%

Based upon 1,005 valid cases out of 1,034 total cases.

- Mean: 5.37
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.55

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Q37_TRUST_COLLEAGUES: Q37_TRUST_COLLEAGUES

Value	Label	Unweighted Frequency	%
1	-	60	5.8 %
2	-	21	2.0 %
3	-	48	4.6 %
4	-	72	7.0 %
5	-	183	17.7 %
6	-	124	12.0 %
7	-	181	17.5 %
8	-	171	16.5 %
9	-	83	8.0 %
10	-	66	6.4 %
	Missing Data		
.	-	25	2.4 %
	Total	1,034	100%

Based upon 1,009 valid cases out of 1,034 total cases.

- Mean: 6.18
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00

- Standard Deviation: 2.31

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Q38_TRUST_ONLINE: Q38_TRUST_ONLINE

Value	Label	Unweighted Frequency	%
1	-	229	22.1 %
2	-	106	10.3 %
3	-	111	10.7 %
4	-	110	10.6 %
5	-	143	13.8 %
6	-	91	8.8 %
7	-	62	6.0 %
8	-	62	6.0 %
9	-	50	4.8 %
10	-	43	4.2 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 4.26
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.71

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Q39_TRUST_LOCALGOVT: Q39_TRUST_LOCALGOVT

Value	Label	Unweighted Frequency	%
1	-	155	15.0 %
2	-	86	8.3 %
3	-	96	9.3 %
4	-	111	10.7 %
5	-	177	17.1 %
6	-	109	10.5 %
7	-	103	10.0 %
8	-	73	7.1 %
9	-	46	4.4 %

Value	Label	Unweighted Frequency	%
10	-	52	5.0 %
	Missing Data		
.	-	26	2.5 %
	Total	1,034	100%

Based upon 1,008 valid cases out of 1,034 total cases.

- Mean: 4.80
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.62

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Q40_TRUST_CONGRESS: Q40_TRUST_CONGRESS

Value	Label	Unweighted Frequency	%
1	-	186	18.0 %
2	-	103	10.0 %
3	-	103	10.0 %
4	-	96	9.3 %
5	-	165	16.0 %
6	-	110	10.6 %
7	-	80	7.7 %
8	-	69	6.7 %
9	-	49	4.7 %
10	-	46	4.4 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 4.55
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.67

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Q41_TRUST_PRESIDENT: Q41_TRUST_PRESIDENT

Value	Label	Unweighted Frequency	%
1	-	161	15.6 %
2	-	63	6.1 %
3	-	77	7.4 %
4	-	80	7.7 %
5	-	148	14.3 %
6	-	98	9.5 %
7	-	117	11.3 %
8	-	115	11.1 %
9	-	83	8.0 %
10	-	66	6.4 %
	Missing Data		
.	-	26	2.5 %
	Total	1,034	100%

Based upon 1,008 valid cases out of 1,034 total cases.

- Mean: 5.27
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.83

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Q42_TRUST_POLICE: Q42_TRUST_POLICE

Value	Label	Unweighted Frequency	%
1	-	98	9.5 %
2	-	39	3.8 %
3	-	66	6.4 %
4	-	65	6.3 %
5	-	154	14.9 %
6	-	119	11.5 %
7	-	146	14.1 %
8	-	141	13.6 %
9	-	102	9.9 %
10	-	68	6.6 %
	Missing Data		
.	-	36	3.5 %

Value	Label	Unweighted Frequency	%
	Total	1,034	100%

Based upon 998 valid cases out of 1,034 total cases.

- Mean: 5.88
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.61

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Q43_TRUST_CORPORATIONS: Q43_TRUST_CORPORATIONS

Value	Label	Unweighted Frequency	%
1	-	154	14.9 %
2	-	87	8.4 %
3	-	91	8.8 %
4	-	95	9.2 %
5	-	206	19.9 %
6	-	108	10.4 %
7	-	85	8.2 %
8	-	82	7.9 %
9	-	54	5.2 %
10	-	38	3.7 %
	Missing Data		
.	-	34	3.3 %
	Total	1,034	100%

Based upon 1,000 valid cases out of 1,034 total cases.

- Mean: 4.78
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.58

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

Q44_TRUST_BANKS: Q44_TRUST_BANKS

Value	Label	Unweighted Frequency	%
1	-	132	12.8 %

Value	Label	Unweighted Frequency	%
2	-	75	7.3 %
3	-	80	7.7 %
4	-	80	7.7 %
5	-	191	18.5 %
6	-	136	13.2 %
7	-	90	8.7 %
8	-	100	9.7 %
9	-	55	5.3 %
10	-	58	5.6 %
	Missing Data		
.	-	37	3.6 %
	Total	1,034	100%

Based upon 997 valid cases out of 1,034 total cases.

- Mean: 5.13
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.63

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Q45_FACEBOOKFRIENDS: Q45_FACEBOOKFRIENDS

Value	Label	Unweighted Frequency	%
0	-	43	4.2 %
1	-	3	0.3 %
2	-	1	0.1 %
3	-	1	0.1 %
4	-	1	0.1 %
5	-	11	1.1 %
6	-	5	0.5 %
7	-	1	0.1 %
8	-	2	0.2 %
10	-	9	0.9 %
11	-	2	0.2 %
12	-	1	0.1 %
13	-	1	0.1 %
15	-	12	1.2 %
17	-	1	0.1 %

Value	Label	Unweighted Frequency	%
18	-	1	0.1 %
20	-	15	1.5 %
22	-	2	0.2 %
23	-	4	0.4 %
25	-	12	1.2 %
26	-	4	0.4 %
28	-	2	0.2 %
29	-	1	0.1 %
30	-	13	1.3 %
34	-	1	0.1 %
35	-	6	0.6 %
36	-	2	0.2 %
38	-	1	0.1 %
39	-	1	0.1 %
40	-	16	1.5 %
41	-	1	0.1 %
42	-	1	0.1 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	2	0.2 %
46	-	1	0.1 %
47	-	2	0.2 %
50	-	30	2.9 %
52	-	2	0.2 %
53	-	3	0.3 %
54	-	2	0.2 %
55	-	2	0.2 %
56	-	4	0.4 %
58	-	1	0.1 %
59	-	2	0.2 %
60	-	7	0.7 %
61	-	1	0.1 %
63	-	3	0.3 %
67	-	2	0.2 %
70	-	5	0.5 %
	Missing Data		
.	-	50	4.8 %
	Total	1,034	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 984 valid cases out of 1,034 total cases.

- Mean: 441.73
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 3220.18

Location: 140-145 (width: 6; decimal: 0)

Variable Type: numeric

Q46_CLOSEFRIENDS: Q46_CLOSEFRIENDS

Value	Label	Unweighted Frequency	%
0	-	47	4.5 %
1	-	57	5.5 %
2	-	121	11.7 %
3	-	122	11.8 %
4	-	55	5.3 %
5	-	177	17.1 %
6	-	29	2.8 %
7	-	19	1.8 %
8	-	10	1.0 %
9	-	4	0.4 %
10	-	123	11.9 %
11	-	2	0.2 %
12	-	18	1.7 %
13	-	1	0.1 %
15	-	28	2.7 %
17	-	1	0.1 %
20	-	53	5.1 %
21	-	2	0.2 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	1	0.1 %
25	-	14	1.4 %
27	-	1	0.1 %
28	-	1	0.1 %
30	-	10	1.0 %
34	-	1	0.1 %
35	-	1	0.1 %
40	-	6	0.6 %
45	-	2	0.2 %

Value	Label	Unweighted Frequency	%
47	-	1	0.1 %
50	-	25	2.4 %
53	-	1	0.1 %
54	-	1	0.1 %
55	-	1	0.1 %
63	-	1	0.1 %
69	-	1	0.1 %
75	-	3	0.3 %
77	-	1	0.1 %
80	-	2	0.2 %
100	-	21	2.0 %
120	-	2	0.2 %
150	-	4	0.4 %
195	-	1	0.1 %
200	-	6	0.6 %
215	-	1	0.1 %
260	-	1	0.1 %
300	-	4	0.4 %
400	-	1	0.1 %
500	-	5	0.5 %
599	-	1	0.1 %
	Missing Data		
.	-	36	3.5 %
	Total	1,034	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 998 valid cases out of 1,034 total cases.

- Mean: 24.79
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 2222.00
- Standard Deviation: 108.76

Location: 146-149 (width: 4; decimal: 0)

Variable Type: numeric

Q47_CLOSEFRIENDS_INTERACTONLINE: Q47_CLOSEFRIENDS_INTERACTONLINE

Value	Label	Unweighted Frequency	%
1	-	282	27.3 %

Value	Label	Unweighted Frequency	%
2	-	447	43.2 %
3	-	187	18.1 %
4	-	92	8.9 %
	Missing Data		
.	-	26	2.5 %
	Total	1,034	100%

Based upon 1,008 valid cases out of 1,034 total cases.

- Mean: 2.09
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.91

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

Q48_CLOSETO_FAMILY: Q48_CLOSETO_FAMILY

Value	Label	Unweighted Frequency	%
1	-	25	2.4 %
2	-	25	2.4 %
3	-	119	11.5 %
4	-	201	19.4 %
5	-	624	60.3 %
6	-	15	1.5 %
	Missing Data		
.	-	25	2.4 %
	Total	1,034	100%

Based upon 1,009 valid cases out of 1,034 total cases.

- Mean: 4.41
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.98

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

Q49_CLOSETO_FRIENDS: Q49_CLOSETO_FRIENDS

Value	Label	Unweighted Frequency	%
1	-	16	1.5 %
2	-	43	4.2 %
3	-	147	14.2 %
4	-	362	35.0 %
5	-	419	40.5 %
6	-	20	1.9 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 4.18
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.96

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

Q50_CLOSETO_NEIGHBORS: Q50_CLOSETO_NEIGHBORS

Value	Label	Unweighted Frequency	%
1	-	239	23.1 %
2	-	194	18.8 %
3	-	285	27.6 %
4	-	177	17.1 %
5	-	89	8.6 %
6	-	25	2.4 %
	Missing Data		
.	-	25	2.4 %
	Total	1,034	100%

Based upon 1,009 valid cases out of 1,034 total cases.

- Mean: 2.76
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.35

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

Q51_CLOSETO_ONLINECOMMUNITY: Q51_CLOSETO_ONLINECOMMUNITY

Value	Label	Unweighted Frequency	%
1	-	148	14.3 %
2	-	188	18.2 %
3	-	297	28.7 %
4	-	205	19.8 %
5	-	91	8.8 %
6	-	76	7.4 %
	Missing Data		
.	-	29	2.8 %
	Total	1,034	100%

Based upon 1,005 valid cases out of 1,034 total cases.

- Mean: 3.13
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.42

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

Q52_CLOSETO_RELIGION: Q52_CLOSETO_RELIGION

Value	Label	Unweighted Frequency	%
1	-	216	20.9 %
2	-	145	14.0 %
3	-	175	16.9 %
4	-	174	16.8 %
5	-	166	16.1 %
6	-	131	12.7 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 3.32
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.70

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

Q53_CLOSETO_CLUB: Q53_CLOSETO_CLUB

Value	Label	Unweighted Frequency	%
1	-	168	16.2 %
2	-	120	11.6 %
3	-	235	22.7 %
4	-	188	18.2 %
5	-	126	12.2 %
6	-	162	15.7 %
	Missing Data		
.	-	35	3.4 %
	Total	1,034	100%

Based upon 999 valid cases out of 1,034 total cases.

- Mean: 3.47
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.65

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

Q54_VICTIME_ONLINECRIME: Q54_VICTIME_ONLINECRIME

Value	Label	Unweighted Frequency	%
1	-	136	13.2 %
2	-	871	84.2 %
	Missing Data		
.	-	27	2.6 %
	Total	1,034	100%

Based upon 1,007 valid cases out of 1,034 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.34

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

Q55_ONLINECRIME_TYPE: Q55_ONLINECRIME_TYPE

Value	Label	Unweighted Frequency	%
1	-	49	4.7 %
2	-	23	2.2 %
3	-	15	1.5 %
4	-	24	2.3 %
5	-	19	1.8 %
6	-	10	1.0 %
	Missing Data		
.	-	894	86.5 %
	Total	1,034	100%

Based upon 140 valid cases out of 1,034 total cases.

- Mean: 2.79
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.70

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

Q56: Q56

Value	Label	Unweighted Frequency	%
	-	412	39.8 %
MASKED BY ICPSR	-	622	60.2 %
	Total	1,034	100%

Based upon 1,034 valid cases out of 1,034 total cases.

Location: 159-173 (width: 15; decimal: 0)

Variable Type: character