

AJIF Photoelectrocatalysis

PLD Sample — Photocurrent Analysis Report

1776998614755_dataofPLD_sample.xlsx


#	Sample	Material	Substrate	Has Light Data
I	Ag ₂ O/C-11	Ag ₂ O	C-11	✓ Light + Dark
II	CuO/C-12	CuO	C-12	✓ Light + Dark
III	Ag ₂ O/C-14	Ag ₂ O	C-14	Dark only
IV	CuO/C-15	CuO	C-15	Dark only
V	Ag ₂ O/gr-C-17	Ag ₂ O	gr-C-17	✓ Light + Dark
VI	CuO/gr-C-18	CuO	gr-C-18	✓ Light + Dark

Figures in this report:


- J-V grid — light vs dark, all samples
- Photocurrent ΔI comparison — all active samples
- CuO/C-12 scan-window dependence (HER)
- CuO/C-12 HER vs OER comparison
- Summary metrics — max ΔI and onset potential

Linear Sweep Voltammetry — PLD Photoelectrocatalysis Samples
Light (solid) vs Dark (dashed) | HER region


Sample I: Ag₂O/C-11




Sample II: CuO/C-12




Sample III: Ag₂O/C-14




Sample IV: CuO/C-15




Sample V: Ag₂O/gr-C-17



Sample VI: CuO/gr-C-18




Photocurrent Response: $\Delta I = I_{light} - I_{dark}$
PLD Photoelectrocatalysis Samples — HER Region




Sample II: CuO/C-12 — Scan Window Dependence (HER)

Left: light scans | Right: photocurrent ΔI per window

Light J-V (all scan windows)




Photocurrent ΔI per Scan Window




Sample II: CuO/C-12 — HER vs OER
Light (solid) vs Dark (dashed)

HER (Cathodic)



OER (Anodic)



Summary: Photocurrent Performance — AJIF PLD Samples

