✓ Back to Week 1
 XLessons
 Prev
 Next

Addition and Scalar Multiplication

Addition and subtraction are **element-wise**, so you simply add or subtract each corresponding element:

$$\left[egin{array}{cc} a & b \ c & d \end{array}
ight] + \left[egin{array}{cc} w & x \ y & z \end{array}
ight] = \left[egin{array}{cc} a+w & b+x \ c+y & d+z \end{array}
ight]$$

Subtracting Matrices:

$$egin{bmatrix} a & b \ c & d \end{bmatrix} - egin{bmatrix} w & x \ y & z \end{bmatrix} = egin{bmatrix} a-w & b-x \ c-y & d-z \end{bmatrix}$$

To add or subtract two matrices, their dimensions must be **the same**.

In scalar multiplication, we simply multiply every element by the scalar value:

$$egin{bmatrix} a & b \ c & d \end{bmatrix} * x = egin{bmatrix} a*x & b*x \ c*x & d*x \end{bmatrix}$$

In scalar division, we simply divide every element by the scalar value:

$$egin{bmatrix} a & b \ c & d \end{bmatrix}/x = egin{bmatrix} a/x & b/x \ c/x & d/x \end{bmatrix}$$

Experiment below with the Octave/Matlab commands for matrix addition and scalar multiplication. Feel free to try out different commands. Try to write out your answers for each command before running the cell below.

```
% Initialize matrix A and B
2 A = [1, 2, 4; 5, 3, 2]
3
   B = [1, 3, 4; 1, 1, 1]
4
   % Initialize constant s
8 % See how element-wise addition works
9
   add_AB = A + B
10
11
   % See how element-wise subtraction works
12
    sub\_AB = A - B
13
14 % See how scalar multiplication works
   mult_As = A * s
15
16
17
   % Divide A by s
   div_As = A / s
18
19
                                                                                Run
20 % What happens if we have a Matrix + scalar?
21
   add_As = A + s
                                                                               Reset
22
                                                                       Mark as completed
```