

**Code No: 114DD****JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD****B.Tech II Year II Semester Examinations, May - 2016****MATHEMATICS - II****(Common to ME, MCT, MIE, MSNT)****Time: 3 Hours****Max. Marks: 75****Note:** This question paper contains two parts A and B.

Part A is compulsory which carries 25 marks. Answer all questions in Part A.

Part B consists of 5 Units. Answer any one full question from each unit.

Each question carries 10 marks and may have a, b, c as sub questions.

**PART- A****(25 Marks)**

- 1.a) Find  $\nabla x^2 y z^3$ . [2]
- b) State Stoke's theorem. [3]
- c) If  $f(x) = x + x^2$  in  $(-\pi, \pi)$  then find  $a_0$  in the fourier series of  $f(x)$ . [2]
- d) If the Fourier transform of  $f(t) = \frac{2 \sin at}{s}$ , then find  $F[t f(t)]$ . [3]
- e) If  $h = 1$ , find  $\Delta^2(x^3 - 3x^2)$ . [2]
- f) Write the three normal equations to fit  $y = a + bx + cx^2$ . [3]
- g) Find the two points between which the root of  $x \log_{10} x = 1.2$  lies. [2]
- h) Find the LU decomposition of  $A = \begin{bmatrix} 1 & 5 \\ 2 & 3 \end{bmatrix}$ . [3]
- i) If  $\frac{dy}{dx} = 1 + xy$  and  $y(0) = 1$  then find  $y^{(1)}(x)$  by Picard's methods. [2]
- j) If  $y'' + y = 2$ , then find the recurrence relation connecting  $y_i, y_{i-1}, y_{i+1}$  [3]

**PART - B****(50 Marks)**

2. Verify Green's theorem for  $\int_c (xy + y^2) dx + x^2 dy$  where  $c$  is bounded by  $y = x$  and  $y = x^2$ . [10]

**OR**

3. Verify stokes theorem for  $F = (x^2 + y^2)i - 2xy j$  taken around the rectangle bounded by the lines  $x = \pm a, y = 0, y = b$ . [10]

- 4.a) Find the Fourier series of the periodic function as defined by

$$f(x) = \begin{cases} -\pi & \text{in } -\pi < x < 0 \\ x & \text{in } 0 < x < \pi \end{cases}$$

- b) Obtain the Fourier cosine transform of [5+5]

$$f(x) = \begin{cases} x, & 0 < x < 1 \\ 2 - x, & 1 < x < 2 \\ 0, & x > 2 \end{cases}$$

**OR**

5.a) Obtain the Fourier series to represent  $f(x) = \frac{1}{4}(\pi - x)^2, 0 < x < 2\pi$

b) Find the fourier transform of  $f(x) = \begin{cases} 1-|x|, & \text{if } |x| < 1 \\ 0 & \text{if } |x| > 1 \end{cases}$  [5+5]

6. Fit a natural cubic spline to the following data. Hence determine  $y(0.5)$  and  $y(1.5)$ . [10]

x	0	1	2
y	4	1	2

**OR**

7.a) Find  $y(15)$ , given that  $y(5)=12, y(6)=13, y(9)=14, y(11)=16$  by Lagrange's interpolation formula.

b) Fit the curve  $y = a + bx$ . [5+5]

x	0	1	2	3	4
y	1	1.8	3.3	4.5	6.3

8. Solve the following equations by Gauss seidel method. [10]  
 $6x + y + 2z = 3, \quad x + 8y + z = 8, \quad 2x + 4y + 9z = 9$

**OR**

9.a) Find a real root of the equation  $3x - 1 = \cos x$  by iterative method.

b) Give the geometric interpretation of Regula Falsi method. [5+5]

10. Find  $y(0.2)$  using Taylor's series given that  $\frac{dy}{dx} = xy^2 + 1$  and  $y(0)=1$ , taking  $h=0.2$ . [10]

**OR**

11. Find the values of  $y\left(\frac{\pi}{8}\right), y\left(\frac{\pi}{4}\right)$  and  $y\left(\frac{3\pi}{8}\right)$  by finite difference method, given that  $y'' + y = 2, y(0) = 0, y\left(\frac{\pi}{2}\right) = 0$ . [10]

**--ooOoo--**