


1 CORNER COLUMN - PLAN  
SCALE: 3/4" = 1'-0"



2 EXTERIOR COLUMN - PLAN  
SCALE: 3/4" = 1'-0"

FOUNDATION AND FIRST FLOOR PLAN 1/16" = 1'-0"

- ELEVATION TOP OF STRUCTURAL SLAB = 45.50
- STRUCTURAL SLAB SHALL BE 5" CONCRETE SLAB ON GRADE REINFORCED WITH 6" X 6" - W1.4/W1.4 WELDED WIRE FABRIC AND POURED OVER VAPOR BARRIER OVER 4" POROUS FILL.
- FOUNDATION WALL TYPES ARE INDICATED THUS:  
 REINFORCED CONCRETE FILLED BLOCK RETAINING WALLS OR MASONRY PILLASTERS  
 BRICK AND HOLLOW CONCRETE BLOCK WALLS (ASTM C-90)
- ALL WALL FOOTINGS NOT SPECIFICALLY SHOWN ON PLAN SHALL BE 12" DEEP BY WALL WIDTH PLUS 6" PROJECTION EACH SIDE OF WALL.
- ELEVATION BOTTOM OF FOOTING IS SHOWN ON PLAN.
- SOIL BEARING VALUE SHALL BE 1500 PSF. & SHALL BE FIELD VERIFIED BY REGISTERED GEOTECHNICAL ENGINEER.
- PROVIDE 1'-0" X 3'-0" DEEP UNREINFORCED CONCRETE FOOTING FOR STAIR PLATFORM AT LOADING DOCK.
- PROVIDE BLOCKOUT IN CONCRETE SLAB ON GRADE.

FOOTING SCHEDULE

MARK	SIZE	BOTTOM REINFORCING EACH WAY
F1	7'-6" X 7'-6" X 12"	7 #5
F2	6'-0" X 6'-0" X 12"	6 #5
F3	5'-0" X 5'-0" X 12"	5 #5

Revision No.	Date	Item	Ref.

Seal

#87142

CONSULTANTS:

STRUCTURAL:


Marabito Consultants, Inc.  
2519 North Calvert Street  
Baltimore, Maryland 21218  
301/467-2377

MECHANICAL/ELECTRICAL:

Kibart Consulting Engineers -  
698 Fairmont  
Towson, Maryland 21204  
301/494-1111

Meyers and D'Aleo, Inc.  
Architects and Planners

108 Water Street Baltimore Md 21202



PATAPSCO INDUSTRIAL PARK

OREGON AVENUE  
ANNE ARUNDEL COUNTY  
MARYLAND

FOUNDATION AND FIRST FLOOR PLAN

Project	87142	Date	6-10-88
Scale	1/8" = 1'-0"	Last Rev.	

S1.1