TEST PLAN FOR

COURSEHUB

ChangeLog

Version	Change Date	By	Description
version number	Date of Change	Name of person who made changes	Description of the changes made
1	2nd March 2026	Opeyemi Ogundimu	Initial Testing plan

1 Introduction

1.1 Scope

CourseHub is a course platform project. In Sprint 2, the implemented feature is User Authentication & Role Management (Professor/Student), including registration, login, JWT/session handling, and protected routes.

Functional Scope (Sprint 2 only)

- **User Authentication & Role Management:** Users can register with name, email, password, and role (Professor/Student), then log in with valid credentials.
- **Credential Security Flow:** Passwords are hashed before storage; successful authentication establishes user access state and redirects to dashboard.

- **Role-Aware Access:** Role is captured at sign-up and used to enforce role-specific access behavior (e.g., restricted professor-only areas).
- **Error Handling in Auth Flows:** Registration/login return clear user-facing errors (e.g., duplicate email, invalid credentials, invalid payload).
- **Course Creation & Management (new feature scope):** Professors can create, edit, and delete their own courses; students cannot perform professor-only course management actions.
- **Course CRUD UX Expectations:** Required-field validation, success feedback, redirect behavior, delete confirmation, and immediate UI state update after deletion.
- **Stretch (deferred):** Course material upload and material categorization.

Non-Functional Scope(Sprint 2 only)

- **Security:** Password hashing, authenticated session handling, and role-based authorization checks for protected actions.
- **Data Integrity:** Ownership checks on course updates/deletes and safe handling of dependent records during deletion.
- **Validation & Correctness:** Server/client validation for required fields and consistent HTTP status/error responses.
- **Usability:** Clear forms, understandable error messages, and predictable redirect/navigation behavior after auth and course actions.
- **Reliability:** Core auth and course workflows are covered by automated tests and must pass CI before merge/release.
- **Maintainability:** Feature behavior is implemented through modular backend services/controllers and testable frontend components.

1.2 Roles and Responsibilities

Name	Net ID	GitHub username	Role
Pankaj Jhanji	jhanjip	fruitlesspeak	Full-Stack Developer
Jessie Ttito Tello	ttitotej	jessiettito	Full-Stack Developer
Mohamed Hammam	hammamm	mhammam2	Full-Stack Developer
Opeyemi Ogundimu	ogundimo	ogundimo	Full-Stack Developer

Full-Stack Developers:
Roles:
- Build end-to-end features from UI to API to database.
- Ensure features are secure, tested, and releasable through CI.

Responsibilities:
- Build and maintain end-to-end features across Vue frontend, Spring Boot APIs, and PostgreSQL data models (including auth, validation, and role-based behavior).
- Ensure release quality by writing/fixing automated tests, debugging cross-layer issues, and keeping CI/CD checks passing before merge.

2 Test Methodology

CORE FEATURE 1: User Authentication & Role Management
Secure sign-up/login functionality supporting distinct roles (Professor/Student) to control access to specific features.

Unit Tests

A) Registration Logic (Service) {2 tests}

1. `registerWithValidPayloadSavesUserAndReturnsResponse`: verifies valid registration normalizes input, hashes password, saves user, and returns expected response fields.
2. `registerWithExistingEmailThrowsConflictException`: verifies duplicate email throws `EmailAlreadyInUseException` and skips password encoding.

B) Login/Auth Logic (Service) {6 tests}

1. `loginWithValidCredentialsCreatesSessionAndReturnsDashboard`: verifies valid login creates session attributes and returns correct role/dashboard path.
2. `loginWithUnknownEmailThrowsInvalidCredentials`: verifies unknown email throws `InvalidCredentialsException` and no session is created.
3. `loginWithWrongPasswordThrowsInvalidCredentials`: verifies bad password throws `InvalidCredentialsException` and no session is created.
4. `getCurrentSessionWhenAuthenticatedReturnsProfile`: verifies existing session returns populated current-session profile.
5. `getCurrentSessionWithoutSessionReturnsEmpty`: verifies no session returns empty result.
6. `logoutInvalidatesSession`: verifies logout invalidates active session.

C) Registration/Login API (Controller) {8 tests}

1. `registerWithValidPayloadReturns201AndResponseBody`: verifies `POST /api/auth/register` success returns `201` and created user body.
2. `registerWithDuplicateEmailReturns409`: verifies duplicate registration returns `409` with conflict message.
3. `loginWithValidPayloadReturns200AndResponseBody`: verifies `POST /api/auth/login` success returns `200` with `userId`, `role`, `dashboardPath`.
4. `loginWithInvalidCredentialsReturns401`: verifies invalid credentials return `401` and error message.

5. `loginWithInvalidPayloadReturns422`: verifies invalid login payload validation returns `422` with field errors.
6. `sessionWhenAuthenticatedReturns200`: verifies `GET /api/auth/session` returns authenticated session data.
7. `sessionWhenUnauthenticatedReturns401`: verifies `GET /api/auth/session` returns `401` when not authenticated.
8. `logoutReturns204`: verifies `POST /api/auth/logout` returns `204`.

D) Error Handling {3 tests}

1. `handleInvalidCredentialsReturnsUnauthorizedMessage`: verifies auth exception handler returns invalid-credentials message.
2. `handleValidationErrorReturnsBadRequestMessage`: verifies auth validation handler returns invalid-payload message.
3. `handleEmailConflictReturnsConflictMessage`: verifies API exception handler returns `409` + `"Email already in use"` payload.

<u>Acceptance Tests</u>

1. As a guest user, I want to register with email/password so that I can create a CourseHub account.
    - Given I'm in the role of a guest user
    - I open the CourseHub registration page (`/register`)
    - Then the system shows the registration form with required fields: `Full Name`, `Email`, `Password`, `Confirm Password`, and `Role (Student/Professor)`
    - When I enter a valid full name
    - And I enter a valid email address
    - And I enter a valid password
    - And I confirm the same password
    - And I select a role (`Student` or `Professor`)
    - And I click the `Create Account` button
    - Then the system should create a new account for me
    - And the system should proceed to sign me in and take me to my dashboard (or show sign-in prompt if auto sign-in is unavailable)
2. As a registered user, I want to log in so that I can access my specific dashboard.
    - Given I'm in the role of a registered user
    - I open the CourseHub login page (`/login`)
    - Then the system shows the login form with required fields: `Email` and `Password`
    - When I enter my registered email
    - And I enter my correct password
    - And I click the `Sign In` button

- Then the system should authenticate my account
- And the system should redirect me to my dashboard (`/dashboard/{userId}`)

CORE FEATURE 2: Course Creation & Management:
A set of tools for Professors to create, manage, and delete courses.

Unit Tests

A) Course Creation & Management Logic (Service) {10 tests}

1. `createWithHttpsLinkSavesLinkAsIs`: verifies valid `https://` link is preserved on create.
2. `createWithWwwLinkNormalizesToHttps`: verifies `www...` link is normalized to `https://www....`
3. `createWithHttpLinkThrowsValidationError`: verifies `http://` link is rejected and course is not saved.
4. `createWithMalformedLinkThrowsValidationError`: verifies malformed link is rejected and course is not saved.
5. `createWithBlankLinkStoresNull`: verifies blank link is normalized to `null`.
6. `createWithNonProfessorThrowsError`: verifies non-professor/invalid professor id is rejected and no save occurs.
7. `updateCourseAsOwnerUpdatesEditableFieldsAndReturnsResponse`: verifies owner can update editable fields (`description`, `tags`, `material`, `dueDate`, `link`) and gets updated response.
8. `updateCourseAsNonOwnerThrowsForbiddenAndDoesNotSave`: verifies non-owner professor update is forbidden and no save occurs.
9. `deleteCourseAsOwnerDeletesCourse`: verifies owner can delete course.
10. `deleteCourseAsNonOwnerThrowsForbiddenAndDoesNotDelete`: verifies non-owner professor delete is forbidden and no delete occurs.

B) Course Creation & Management API (Controller) {12 tests}

1. `createCourseAsProfessorReturns201AndResponse`: verifies `POST /api/courses` by professor returns `201` with created course.
2. `createCourseAsStudentReturns403`: verifies student create attempt returns `403`.
3. `createCourseWithoutSessionReturns401`: verifies unauthenticated create returns `401`.
4. `createCourseWithMissingRoleReturns401`: verifies missing session role returns `401`.
5. `createCourseWithMissingUserIdReturns401`: verifies missing session user id returns `401`.

6. `createCourseWithBlankTitleReturns422`: verifies blank title fails validation (422).
7. `createCourseWithBlankCodeReturns422`: verifies blank code fails validation (422).
8. `updateAsOwnerProfessorReturns200AndResponseBody`: verifies owner professor `PATCH /api/courses/{uuid}` returns `200` with updated body.
9. `updateAsNonOwnerReturns403`: verifies non-owner professor patch returns `403` with ownership error.
10. `updateAsStudentReturns403WithoutCallingService`: verifies student patch returns `403` and service is not called.
11. `deleteAsOwnerProfessorReturns204`: verifies owner professor delete returns `204`.
12. `deleteWithoutSessionReturns401WithoutCallingService`: verifies unauthenticated delete returns `401` and service is not called.

Acceptance Tests

1. **Professor can create a course and it appears in catalog**
    - Given I am logged in as a professor
    - When I fill in required course fields and click **Create**
    - Then the course is created successfully
    - And the new course appears in the course catalog/list
    - And a student account can view it and enroll
2. **Professor can edit course details they created**
    - Given I am logged in as the professor who created a course
    - And I am viewing that course
    - When I click **Edit**
    - And I update description, tags, material, and due date
    - And I save changes
    - Then the updated values are persisted
    - And the course displays the new description, tags, material, and due date
3. **Professor can delete a course they created**
    - Given I am logged in as the professor who created a course
    - And I am viewing that course
    - When I click **Delete**
    - And I confirm the delete action
    - Then the course is permanently removed from the platform
    - And it no longer appears in the professor dashboard/catalog
    - And it cannot be retrieved by direct course URL/API lookup

<u>Integration Tests</u> [Interaction between Features]

1. **Register professor + student test**
   Create one professor and one student via API/UI and confirm both persist in DB with correct role flags.

2. **Duplicate registration conflict test**
   Try registering an existing email and verify HTTP `409` with the expected conflict message.

3. **Login/session integration test**
   Login as each role and confirm `/api/auth/session` returns correct `role`, `userId`, and dashboard path.

4. **Logout/session invalidation test**
   Logout, then call `/api/auth/session`; verify it returns unauthorized (`401`).

5. **Professor course creation success test**
   As professor, create a course and confirm:
   - API returns `201`
   - course appears in professor dashboard
   - row exists in `courses` table

6. **Course creation validation test**
   Submit blank `title` or `code`; verify validation error (`422`) and no DB insert.

7. **Role authorization test (create)**
   As a student, attempt `POST /api/courses`; verify `403`.

8. **Ownership authorization test (update/delete)**
   As a different professor (not owner), attempt `PATCH` and `DELETE` on another professor's course; verify `403`.

9. **Owner edit integration test**
   As a owning professor, update `description`, `tags`, `material`, `dueDate`, `link`; verify API response + dashboard + DB all reflect new values.

10. **Owner delete + cascade test**
    Delete a course as owner and verify:
    - API returns `204`
    - course disappears from dashboard immediately
    - related `enrollments`/`reviews` rows are removed (cascade behavior)

11. **Validation safety invariant test**
    Submit an invalid course creation request and confirm:
    - API returns `422` validation error
    - no new course is inserted
    - total course count remains unchanged

12. **Multi-user data isolation test**
    Create a course as Professor A, then log in as Professor B and confirm:
    - Professor B cannot see Professor A's courses in B's dashboard/list
    - user data separation is preserved

13. **Logout invalidation protection test**
    Login, perform logout, then attempt a protected action with the same session and confirm:
    - logout returns `204`
    - subsequent protected call returns `401`

14. **Course search integration pipeline test**
    Create multiple courses and verify search endpoint behavior:
    - API returns `200`
    - results are filtered by title keyword
    - only matching courses are returned
    - non-matching courses are excluded

PLATFORM/SMOKE TEST (NON-FEATURE SPECIFIC)

1. `contextLoads`: verifies Spring application context boots successfully with test configuration.

Test Level	Scope & Requirement	Methodology (How will you do this?)
Unit Testing	**At least 19 unit tests per core feature(Sprint 2).** Total: 41 tests.	*We use JUnit, MockMvc, and Spring Boot Test to mock dependencies and verify logic in isolation.*
Integration Testing	**14 tests total** covering interactions between features.	*End-to-end validation of cross-feature API and session flows: auth, role/ownership authorization, course CRUD, DB persistence/cascade integrity, and multi-user isolation.*
Acceptance Testing	**End-user testing** for every user story.	*Team members will perform Manual Walkthroughs based on User Story criteria.*
Regression Testing	Unit + Integration tests executed on **every push/PR to the main branch**.	*We have configured a GitHub Actions CI pipeline to run all tests automatically.*

2.1.2 CI/CD Regression Workflow

Regression tests:

- All unit tests and integration tests are executed for each commit pushed to the main branch.
- *"Every time a push/pull request is created, our CI server triggers the Unit and Integration suites."*

3 Terms/Acronyms

TERM/ACRONYM	DEFINITION
API	Application Program Interface
AUT	Application Under Test