

METRIC CONVERSION KITS

Code No. 2204000 – M Head, Metric Conversion Kit

CODE NO.	DESCRIPTION	QTY
11202846	Scale	1
12209002	Screw, Stop	1
12199002	Nut, Micro	1
12202024	Nut, Stop	1

Code No. 2184000 – J- and 2J-Head, Metric Conversion Kit

CODE NO.	DESCRIPTION	QTY
11195307	Scale	1
12191013	Assembly, Stop	1

Code No. 2064001 – Metric Conversion Kits

Hand Feed Machines with 36" Tables

CODE NO.	DESCRIPTION	QTY
12060175	Screw, Lead, Table	1
12060183	Screw, Lead, Elevating	1
12060730	Nut, Table Feed	1
12060731	Nut, Saddle Feed	1
12060170	Nut, Elevating	1
12069016	Dial, Table and Saddle	3
12069015	Dial, Elevating Screw	1
12060182	Screw, Lead, Y-Axis, without Chrome, 12" Knee	1

Code No. 2064002 – Metric Conversion Kits

Hand Feed Machines with 42" Tables

CODE NO.	DESCRIPTION	QTY
12060177	Screw, Lead, X-Axis, Hand Feed, without Chrome, 42"	1
12060183	Screw, Lead, Elevating	1
12060730	Nut, Table Feed, X-Axis Feed, Matched Set	1
12060731	Nut, Saddle Feed, Y-Axis Feed, Matched Set	1
12060170	Nut, Elevating	1
12069016	Dial, Table and Saddle	3
12069015	Dial, Elevating Screw	1
12060182	Screw, Lead, Y-Axis, without Chrome, 12" Knee	1

Code No. 2064003 – Metric Conversion Kits

Hand Feed Machines with 48" Tables

CODE NO.	DESCRIPTION	QTY
12060179	Screw, Lead	1
12060183	Screw, Lead, Elevating	1
12060730	Nut, Table Feed	1
12060731	Nut, Saddle Feed	1
12060170	Nut, Elevating	1
12069016	Dial, Table and Saddle	3
12069015	Dial, Elevating Screw	1
12060182	Screw, Lead, Y-Axis, without Chrome, 12" Knee	1

6F Power Feed Field Conversion Kits For Machines without NFPA

Note: Field Conversion Kits DO NOT include Lead Screws

CODE NO.	DESCRIPTION	QTY
12630001	X-Axis (Longitudinal) for 36" Table, Standard Torque	
12636450	X-Axis (Longitudinal) for 42" Table, Standard Torque	
12636451	X-Axis (Longitudinal) for 42" Table, High Torque	
12636452	X-Axis (Longitudinal) for 48" Table, Standard Torque	
12636453	X-Axis (Longitudinal) for 48" Table, High Torque	
12630182	Y-Axis (Cross Feed) Standard Torque	

Note: Contact Sales Department For Machines with NFPA.

