


Chapter 2: Introduction

2.1 Lathe Overview

These figures show some of the standard and optional features of your Haas lathe. Some of the features shown are highlighted in their appropriate sections. Note that these figures are representative only; your machine's appearance may vary depending on the model and installed options.


F2.1: Lathe Features (front view)



- 1. 2X High Intensity Lights (Optional)
- 2. Work Light (2X)
- 3. Chip Conveyor (Optional)
- 4. Oil Drain Container
- 5. Chip Container
- 6. Air Gun
- 7. Foot Pedal
- 8. Parts Catcher (Optional)


- 9. Hydraulic Power Unit (HPU)
- 10. Coolant Collector
- 11. Spindle Motor
- 12. Servo Auto Door (Optional)
- A. Control Pendant
- B. Lubrication Panel Assembly
- C. Coolant Tank

F2.2: Lathe Features (front view with covers removed)




- | | |
|-----------------------------|-------------------------------------|
| 1. Spindle Motor | 6. Chuck |
| 2. Tool Turret Assembly | 7. C-Axis Drive Assembly (Optional) |
| 3. Tailstock (Optional) | 8. Hydraulic Power Unit (HPU) |
| 4. Parts Catcher (Optional) | 9. Spindle Head Assembly |
| 5. LTP Arm (Optional) | A Control Cabinet |
| | B Control Cabinet Side Panel |

F2.3: Lathe Features (front view) Detail A - Control Pendant with Cabinet



1. Work Beacon
2. Clipboard
3. Operator's Manual and Assembly Data (stored behind pendant)
4. Side panel Controls
5. Tool Holder (also shown, tool holder for thin pendant)
6. Storage Tray
7. G- and M-code Reference List
8. Remote Jog Handle

F2.4: Lathe Features Detail B - Lubrication Panel Example




1. Min Lubrication Grease Solenoid
2. Air Pressure Gauge
3. Air Relief Valve
4. Rotary Table Air Supply
5. Air/Water Separator
6. Air Shut Off Valve
7. Purge Solenoid
8. Air Inlet Port
9. Spindle Lubrication Reservoir
10. Spindle Lubrication Sight Glass (2)
11. Axis Lubrication Grease Reservoir
12. Grease Pressure Gauge


NOTE:


*More details are shown on the
decals inside of the access door.*

F2.5: Lathe Features (3/4 side view) Detail C - Coolant Tank Assembly



1. Standard Coolant Pump
2. High-Pressure Coolant Pump (Optional)
3. Coolant Level Sensor
4. Chip Strainer
5. Strainer Basket

F2.6: Toolroom Lathe (front view)



- 1. Spindle assembly
- 2. eHandwheel
- 3. Air Gun
- 4. Coolant Tank
- 5. Tailstock
- 6. Control Pendant