

# Localization and Multilingual Content Plan

Swasthya Katha — Language, Audio, and Cultural Quality

Version: 1.0

Status: Draft for localization approval

Date: 24 August 2026

## 1. Objective

Make the complete experience understandable in each supported language. Localization includes text, visual labels, narration, transcripts, quizzes, accessibility descriptions, metadata, errors, privacy notices, and referral guidance.

## 2. Language selection principles

Choose launch languages based on:

- Audience need.
- Program geography.
- Health-worker recommendation.
- Availability of clinical and native-language reviewers.
- Narration resources.
- Font support.
- Referral-service availability.
- Field-test feasibility.

Do not choose languages only because they are technically easy to add.

## 3. Locale architecture

Recommended routes:

```
/en/reader/sexual-health-basics  
/hi/reader/sexual-health-basics  
/bn/reader/sexual-health-basics
```

Locale affects:

- URL.
- Document language.
- Content selection.

- Font stack.
- Audio.
- Transcript.
- Visual labels.
- Accessibility descriptions.
- Number/date formatting.
- Analytics aggregation.

next-intl supports localized messages, formatting, and locale-based routing in Next.js applications. [web:34][web:37]

## 4. Translation lifecycle

```
Approved source content
-> Plain-language review
-> Translation
-> Clinical terminology review
-> Native-language review
-> Narration script review
-> Recording
-> Transcript generation
-> Timing validation
-> Visual label QA
-> Accessibility review
-> Publication
```

## 5. Translation responsibilities

### Source author

Maintains meaning and context.

### Translator

Creates natural target-language content and flags ambiguity.

### Clinical terminology reviewer

Confirms medical terms and safety wording.

### Native-language reviewer

Confirms naturalness, tone, and cultural appropriateness.

## Audio reviewer

Confirms pronunciation, pacing, and clarity.

## 6. Translation memory

Maintain approved terms:

```
Term ID
Source term
Locale
Preferred translation
Forbidden alternatives
Definition
Example sentence
Clinical reviewer
Language reviewer
Last reviewed
```

## 7. Visual localization

Translate:

- Labels.
- Callouts.
- Diagram text.
- Target descriptions.
- Button text.
- Action cards.
- Quiz options.
- Accessibility descriptions.

Do not flatten text into an image if it needs localization.

## 8. Audio localization

Every locale needs separate:

- Narration script.
- Recording.
- Transcript.
- Word timing.
- Visual timing.
- Pronunciation review.

Timing cannot simply be copied from the source language because sentence length changes.

## 9. Layout QA

Test:

- Text expansion.
- Long words.
- Script shaping.
- Line breaks.
- Numerals.
- Punctuation.
- Mixed scripts.
- Button widths.
- Diagram labels.
- Captions.
- Error messages.
- Large-text mode.

## 10. Fallback policy

If a translation is unavailable:

- Show the fallback language explicitly.
- Do not silently mix languages in a critical instruction.
- Preserve the selected locale in navigation.
- Mark the missing translation internally.
- Do not advertise an incomplete locale as complete.

## 11. Localization quality gates

A locale is launch-ready only when:

- All P0 lessons are translated.
- Clinical terms are approved.
- Safety and referral text is reviewed.
- Visual labels fit.
- Narration is recorded and reviewed.
- Transcript matches audio.
- Timing matches visual targets.
- Native-language reviewer signs off.

## 12. Cultural review

Review for:

- Tone.
- Stigma.
- Gender assumptions.
- Family and relationship assumptions.
- Local health-service language.
- Potentially offensive metaphors.
- Literacy and familiarity.
- Appropriate examples.

## 13. Automation

Automate:

- Missing translation keys.
- Placeholder mismatch.
- Missing visual labels.
- Missing accessibility descriptions.
- Text overflow reports.
- Audio file mismatch.
- Missing timing data.
- Unsupported locale codes.

## 14. Localization acceptance criteria

- New locale can be added without duplicating components.
- Critical content never silently falls back.
- Audio and text are independently reviewable.
- Visuals remain understandable after translation.
- Native-language reviewers can approve status.
- Locale-specific release versions are recorded.