北京大學
PEKING UNIVERSITY
COLLEGE OF ENGINEERING

FRIEDRICH-ALEXANDER
UNIVERSITÄT
ERLANGEN-NÜRNBERG
FACULTY OF ENGINEERING

Synthetic Fundus Fluorescein Angiography using Deep Neural Networks

Florian Schiffers[1,2], Zekuan Yu[1], Steve Arguin[1], Andreas Maier[2], Qiushi Ren[1]

[1] *Department of Biomedical Engineering, College of Engineering, Peking University, Beijing, China*

[2] *Pattern Recognition Lab, Department of Computer Science, Friedrich-Alexander University Erlangen-Nuremberg, Erlangen, Germany*

Angiographic Fundus Imaging



Figure 1: An intravenous, fluorescent dye bounds to leukocytes, which excites the molecules when exposed to blue light. This, in turn, produces a narrow yellow-green light. The enhanced image highlights different features of the fundus.

Introduction

- **Physicians** are increasingly **reluctant** to use angiographic imaging [1]
- Angiographic imaging may **pose risks** of harm to the patient
  - E.g. allergic reactions, nausea, thrombophlebitis, seizures
- Image **synthetization** to possibly
  - **Reduce** the **need** for angiographic imaging
  - Create **large**, synthetic **databases** for machine learning applications

Materials and Methods

- **Generative** adversarial networks (GAN) use an additional **discriminator** which discerns real and synthesized images
- **CycleGAN** (Fig. 2) translates between two image domains A and B, **without** the need for **tightly-coupled** pairs [2]
- Dataset provided by [3] and People's Hospital of Jiangmen City, China
  - Training data: 365 color and 265 angiographic images
  - Test data: 14 color and 14 angiographic images
- All images downsampled to resolution of 256 x 256
- Data **augmentation**:
  - Additionally rotated by 90, 180, and 270 degrees
  - Resized to 286 x 286 and cropped randomly

Results and Discussion

- Structures such as vessels are **enhanced** compared to the color image
- **Fine vessel** structures are **unclear** or **not present** within the synthesized angiography, but visible in the angiographic ground truth
- Some **local** structures are located at **different** positions or even **made up** by the generating network
- **Contrast differences** between ground truth and synthesized images

Synthetic images appear realistic, but clinical utility has to be determined together with medical experts

Conclusions and Outlook

- **Image translation** between color fundus and angiographic images
- Cycle consistency GAN allows training with **unpaired** image data
- Planned: **Clinical study** to investigate medical use case
- Technical outlook: **quantitative** analysis and increasing image resolution

Contact
florian.schiffers@fau.de http://en.coe.pku.edu.cn/Departments-Biomedical-Engineering/index.htm



Figure 2: The two figures visualize the composition of the loss term used for the training process of the cycleGAN architecture.

I_C and I_F are the input images for the color fundus image generator G_C and the angiographic image generator as G_F, respectively.

Cycle consistency is enforced so that the backwards translation resembles the input image for both ways, see $L_{Cycle_{Angio}}$ and $L_{Cycle_{Color}}$.

The adversarial loss, i.e. the capacity of the network to distinguish between real and fake images, is modeled by L_{D_C} and L_{D_F} with D_C and D_F denoting the respective discriminator networks.



Figure 3: Each row shows from left to right the real and generated angiographic image, the authentic color image and the reconstructed color image to show cycle consistency.

References

[1] Musa, F., et al. "Adverse effects of fluorescein angiography in hypertensive and elderly patients." *Acta Ophthalmologica 84.6 (2006): 740-742.*

[2] Zhu, J. Y., et al. 'Unpaired image-to-image translation using cycle-consistent adversarial networks" (2017) *arXiv preprint arXiv:1703.10593.*

[3] Hajeb Mohammad Alipour, S et al. "Diabetic retinopathy grading by digital curvelet transform." Computational and mathematical methods in medicine 2012 (2012).