



Bridging Study (Phase I) – PPMI CSF Samples

Dean Nguyen, Wen-Chieh Liao, Jessie Ni
BioLegend, Inc.

PPMI Project ID: 200

Summary

We have analyzed α -Synuclein and total protein levels in previously tested CSF samples (Request No. 31680 and 31719)

Method

α -Synuclein concentration in CSF was measured by using BioLegend's LEGEND MAX™ Human α -Synuclein ELISA Kit (cat. # 844101) according to manufacturer's instructions. Total protein concentration was determined by Bradford method for protein quantitation according to BioLegend's SOP # MF-00070.

References

1. Mollenhauer B, et al. (2019) Antibody-based methods for the measurement of α -synuclein concentration in human cerebrospinal fluid - method comparison and round robin study. J Neurochem., 149: 126-138
2. Bradford, M.M. (1976), Rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal. Biochem., 72 : 248–254

About the Authors

This document was prepared by **Dean Nguyen, Wen-Chieh Liao, Jessie Ni, BioLegend, Inc., Immunoassay Department**. For more information please contact **Wen-Chieh Liao** at (651) 367-9829 or by email at wcliao@biolegend.com

Notice: This document is presented by the author(s) as a service to PPMI data users. However, users should be aware that no formal review process has vetted this document and that PPMI cannot guarantee the accuracy or utility of this document.

