

Designed for the meeting. Not the swipe.

A group-first social discovery engine that turns ranked mutual intent into comfortable, contextual real-world meetings.

IDEA ORIGIN: 2016



2016 • IDEA

The product thesis

The ranked-priority, reciprocal and group-first concept predates the later build phase.

AI BUILD PHASE

Breadth became possible

Artificial intelligence (AI)-assisted delivery compressed implementation time across the full workflow.

2026

Engineering the proof

Senior-led refactoring, performance, safety, pilots and measurable meeting outcomes.

THE PRODUCT

Not another matching screen: an end-to-end system from nuanced intent to a shared experience.

≈350,000 physical source lines in the current scoped product • AI-assisted build • no commercial traction claimed

Swipe products stop at a match. MyScoutee starts there.

Binary input, pair pressure and attention-led economics leave the hardest part—meeting well—unsolved.

01

Binary input

A yes/no swipe discards strength, nuance and who someone wants to meet first.

02

Pair pressure

An immediate one-to-one match can create a fragile, high-pressure interaction.

03

Match ≠ outcome

A notification or message says nothing about whether people actually meet.

04

Wrong success metric

Time in feed can be rewarded even when the user never progresses offline.

A DIFFERENT DEFINITION OF SUCCESS

SUCCESS ≠ MATCH

**SUCCESS = COMPLETED,
MUTUALLY WELCOMED MEETING**

FIRST WEDGE

- Singles tired of binary swiping
- People who prefer social context before one-to-one interaction
- Activity-led communities, campuses, clubs and festivals


BUILD PRINCIPLE

AI accelerated construction. It did not invent the product thesis—or replace the engineering needed for architecture, performance and quality.

One richer input becomes a weighted mutual graph.

The engine uses graded intent, reciprocity and context to propose balanced groups—not only isolated pairs.

FROM RANKED SIGNAL TO SOCIAL STRUCTURE




1-10 PRIORITY

directed preference: $p[A \text{ to } B] \text{ in } [1,10]$
 reciprocal + context evidence > weighted relationship
 weighted relationships > balanced group candidates

CORE UNIT OF VALUE

A viable social group with a path to meeting—not a match notification.






WEIGHTED MUTUAL GRAPH

WHAT THE ENGINE DOES

- 01 Capture graded intent**
People can prioritize individuals or pairs from 1–10.
- 02 Resolve reciprocity**
Mutual ratings and profile/context evidence create weighted edges.
- 03 Plan balanced groups**
Graph components, size/type constraints and swap refinement optimize group affinity.
- 04 Keep the graph editable**
Priorities can change; meetings add structured reputation evidence.

One workflow turns mutual intent into a shared experience.

Discovery, group formation, communication, event operations and post-meeting evidence live in one workflow.

**NORTH STAR**

Completed, mutually welcomed real-world meetings—not swipe volume, feed time or raw message count.

The graph is only one part of the product.

Current code spans discovery, group planning, chat, events, operations, commerce scaffolding and governance.

BUILT

MATCH INTELLIGENCE

- 1–10 single/pair signals
- Reciprocal affinity edges
- Network-aware discovery

BUILT

GROUP + CHAT

- Affinity-led group planner
- Replies, reactions, media
- Push and support trails

BUILT

EVENT ENGINE

- Create, explore, invite, join
- Waitlists, stages and slots
- Tournament + leaderboard

BUILT

REAL-WORLD OPERATIONS

- Transport and accommodation
- Supplies and contributions
- Capacity and request approval

BUILT

COMMERCE WORKFLOW

- Basket, pricing, promo codes
- Tickets, QR and audit
- Payment adapters; live pay off

BUILT

TRUST + CONTROL

- Structured event feedback
- Report, warn, block and review
- Admin stats and graph tools

DELIVERY FOUNDATION

FRONTEND

Angular web app

BACKEND

Java / Spring services

DATA + REALTIME

MongoDB • Redis • WebSocket

DEPLOYMENT

Debian-packaged Docker stack

CHAT LOAD EVIDENCE

500 concurrent clients validated

BOUNDARY TO VALIDATE

10,000 connections / deployment stated ceiling

Repository truth: checkout and payment adapters exist, but production payment integration is disabled. Built capability ≠ live revenue.

MyScoutee changes the full discovery system.

The comparison is with a typical swipe flow—not a performance claim against any named competitor.

TYPICAL SWIPE FLOW

Binary like / dislike

Pair is the matching unit

Match ends discovery

Immediate one-to-one chat

Repeated feed decisions

Optimize matches and messages

Monetize access or attention

MYSCOUTEE

> 1–10 ranked priority

> Compatible group is the matching unit

> Match starts a meeting workflow

> Contextual group interaction

> Continuously editable social graph

> Optimize accepted groups and meetings

> Let local operators earn from real-world action

WHAT CAN BECOME DEFENSIBLE

01

Behavioral model

A pre-AI product thesis around ranked, reciprocal and group-centric discovery.

02

Integrated workflow

Graph > group > chat > event > feedback in one operating layer.

03

Outcome loop

Future meeting evidence can connect graph quality to real-world results.

04

Delivery rail

A packaged product can serve direct, community and branded deployments.

MOAT TRUTH

Raw AI-generated code is not the moat. The model, integrated workflow, engineered quality and validated outcome loop can be.

Local operators earn when groups create real-world action.

A virtual private server (VPS) is an operator-hosted deployment; its partner commission belongs to that operator.

PRIMARY HYPOTHESIS

Operator partner commission

An operator signs venues, festivals, activities, travel or experience partners for its own private deployment; attributable bookings pay that operator.

EXPANSION

Operator event commerce

The operator may earn ticketing, checkout or organizer service fees from transactions handled by its local deployment.

LOCAL CONTROL

Independent commercial model

The operator chooses partners, pricing, payout account, tax and refunds. The software executes the configured payment flow.

LOCAL OPERATOR REVENUE LOOP

BETTER GROUP

LOCAL PARTNER

REAL MEETING

BOOKING

OPERATOR EARNS

LOCAL OPERATOR REVENUE MODEL

operator revenue
 = local partner bookings × agreed commission
 + local transaction value × operator-set fee

WHAT EXISTS TODAY

- Event creation, resources, pricing, basket, promo and ticket surfaces
- Stripe and Barion adapter code plus payment audit workflow
- Operator-owned payout flow is planned; production charging remains disabled


SEPARATE NETWORK FALLBACK

Only at 10 million verified monthly active users (MAU) with no exit: the founder seeks 5% of the contract-defined combined member-contribution base. It is not the operator's local partner commission.

Prove the meeting loop—then scale distribution.

The next milestone is evidence that mutual-priority groups create repeatable real-world outcomes, not a larger codebase.

GATED PRODUCT PLAN



Gate: accepted groups + completed meetings + healthy repeat behavior + partner value

THE ASK

PILOT **test community**
dense enough to test group formation

PARTNERS **venues + experiences**
inventory and attributable booking tests

EXPERTISE **safety + graph advisors**
privacy, trust and behavioral validation

CAPITAL **strategic build funding**
hardening, product validation and distribution

THE PRODUCT PROMISE

We win when people progress beyond the screen and actually meet.