
CS 2450-A			
CS 2450-B			
CS 2450-C			
		<u>_</u>	



The data populating this screen would probably live in a database called COURSES where each element contains the following schema:

{id: <courseld>, name: String, description: OPTIONAL String, credits: Int16, degreeld: String}

- Course Selected -

CS 2450 - (Letter you Chose)

Name: CS2450 - Introduction to UI/UX

Description: This course introduces students to the concepts of UI/UX design


# Credits: 3

Degree: Computer Science

Registration Successful!

Menu

4/8



The list of professors gets populated by a list of professors from the DB from some table called Professors.

For this table each record probably looks something like this:

```
{
broncold: String
name: String
address: String
phone: OPTIONAL String
dob: String
}
```

Each element in the list gets populated from the "name" value

Course Selected -Register Professor X for CS 2450 - (Letter you Chose)? Name: Professor X Address: 123 Fun Street Phone: 123-456-7899 Date of Birth: 4/16/1978 Trigger Error State Yes No

Course Selected —

Register Professor X for CS 2450 - (Letter you Chose)?

Name: Professor X

Address: 123 Fun Street Phone: 123-456-7899

Date of Birth: 4/16/1978

Professor Registration Success!

Go Back

## Course Selected —

Register Professor X for CS 2450 - (Letter you Chose)?

Name: Professor X

Address: 123 Fun Street Phone: 123-456-7899

Date of Birth: 4/16/1978

Error: This course already has a professor assigned

Go Back

Error: You've been idle for too long! Press "Login" to Re-Authenticate

Login