Courier Delivery Route and Tracking

Java Program

```
import java.util.Scanner;

class CourierDelivery {
    private String trackingId;
    private String senderName;
    private String receiverName;
    private String source;
    private String destination;
    private double distance;
    private String deliveryStatus;

    public CourierDelivery(String trackingId, String senderName,
            String receiverName, String source, String destination,
            double distance) {
        this.trackingId = trackingId;
        this.senderName = senderName;
        this.receiverName = receiverName;
        this.source = source;
        this.destination = destination;
        this.distance = distance;
        this.deliveryStatus = "In Transit";
    }

    public double calculateDeliveryCharge() {
        return distance * 10.0;
    }

    public void updateStatus(String status) {
        deliveryStatus = status;
    }

    public void displayTrackingDetails() {
        System.out.println("\n----- Courier Tracking Details -----");
        System.out.println("Tracking ID: " + trackingId);
        System.out.println("Sender Name: " + senderName);
        System.out.println("Receiver Name: " + receiverName);
        System.out.println("Source: " + source);
        System.out.println("Destination: " + destination);
        System.out.println("Distance: " + distance + " km");
        System.out.println("Delivery Status: " + deliveryStatus);
        System.out.printf("Delivery Charge: Rs. %.2f%n",
                calculateDeliveryCharge());
        System.out.println("-----------------------------------");
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter Tracking ID: ");
        String trackingId = scanner.nextLine();

        System.out.print("Enter Sender Name: ");
        String senderName = scanner.nextLine();

        System.out.print("Enter Receiver Name: ");
        String receiverName = scanner.nextLine();

        System.out.print("Enter Source Location: ");
        String source = scanner.nextLine();

        System.out.print("Enter Destination: ");
        String destination = scanner.nextLine();

        System.out.print("Enter Distance in km: ");
        double distance = scanner.nextDouble();
        scanner.nextLine();

        CourierDelivery courier = new CourierDelivery(
                trackingId, senderName, receiverName,
                source, destination, distance);

        System.out.print("Enter Delivery Status: ");
        String status = scanner.nextLine();
```

```
        courier.updateStatus(status);
        courier.displayTrackingDetails();
        scanner.close();
    }
}
```