SOFTWARE ENGINEERING CSEN1131



MODULE-I SYLLABUS

UNIT 1 Introduction to Software Engineering

The story of Software development and issues faced, Need for Systematic process for addressing issues,

Products, custom solutions, services, domains, Technologies, Software life cycle, software development

lifecycle, software release process, source control, versioning, maintenance of software. DevOps.

Software Development Processes: Waterfall, Iterative, Spiral.



WHAT IS SOFTWARE ENGINEERING?



SOFTWARE DEFINITION

Software can defined as:

- Collection of programs & related documents that provide desire features, function & performance.
- Software products developed for a particular customer can be either Generic/customised
- ❖Generic developed to be sold to a range of different customers/group
 - e.g. PC software such as Excel or Word.
- ♦ (custom) developed for a single customer according to their specification.



SOFTWARE ENGINEERING DEFINITION

- It is Defined as a Discipline in which theories, method & tools are applied to develop quality software Based on problem constraint tools & technologies are applied to develop quality software
- Software engineering is the most important technology with rapid development
- National economy is dependent
- More systems are controlled by software



LEGACY SOFTWARE

- *They are old and larger computer based systems which may use "obsolete technology"
- These systems may include older hardware, older software old process, old procedures
- *Legacy systems are used for long period because it is too risky to replace them
- Air traffic control system
- ***Legacy software has important characteristics**
- Poor quality
- Poor documentation
- × Poor managed history
- ×Poor code



EXAMPLES OF SOFTWARE DEVELOPMENT

- Web Development
- Mobile Development
- Software Tool Development
- Application Development
- Data Management Software Development
- Security Software Development
- Embedded Systems Development
- Cloud Computing Software Development



WORK PRODUCT OF SDLC


Requirement gathering	SRS
Design	ER,DFD,Design document
Coding	Source code
Testing	Test plan
Maintanence	User manual




SOFTWARE CHARACTERISTICS

Hardware curve	Software curve
In early stages of hardware development	It doesn't effected with environment.
process failure rate is high because of	Hence it is a idealized curve.
manufacturing defects.	Due to undiscovered error rate is high.
After correcting failure rate decreases	During life of software as defects get
Failure rate remains constant for period of	introduced failure rate is high
<mark>time</mark>	Curve looks like spike
Again increases because of environment.	Frequent changes in software causes
Hardware components wears out can be	software to detoriate.
<mark>replaced</mark>	

FAILURE CURVE FOR HARDWARE



FAILURE CURVE FOR SOFTWARE



When a hardware component wears out, it is replaced by a spare part



THE STORY OF SOFTWARE DEVELOPMENT: EVOLUTION OF SOFTWARE DEVELOPMENT

"In today's digital age, software development is at the

heart of technological advancements, influencing how we

live, work, and communicate."



Evolution of Software Development

- ❖ 1950s Assembly Language
- ❖ 1970s High-level Programming languages like C and Pascal
- 1990s Object-oriented Programming (OOP) brought modularity and code reusability.
- 2000s Agile and Iterative Development emphasizing collaboration, flexibility, and iterative development.



CHANGES IN SOFTWARE OVER A SPAN OF 50 YEARS

Era of computing	Software
Early years	Batch processing, customized software
Second era	Multi users, real time systems
Third era	Distributed systems
Fourth era	Object oriented systems, expert
	systems,parallel computing
Fifth era	Mobile computing

The Story Of Software Development: Software Lifecycle

- It is a broader concept
- It include its development, usage and retirement.

Phases:

- Conception: Identifying the need for software and defining its initial purpose.
- Development: The phase covered by SDLC, including design, coding, testing, and deployment.



The Story Of Software Development: Software Lifecycle

Utilization: The period during which the software is actively used by endusers.

Maintenance: Ongoing support, updates, and modifications during the software's active use.

Retirement/Disposal: The phase when the software is phased out, replaced, or discontinued.



The Story Of Software Development: Software Development Lifecycle


 SDLC is a systematic process used by software developers to design, develop, test, and deploy high-quality software.\

Key Stages:

- 1.Requirements: Gathering and defining what the software is expected to do.
- 2. Planning how the software will meet the requirements.
- 3.Design: Structuring the system architecture.
- 4.Implementation: Writing code that fulfills the design.
- 5.**Testing:** Verifying that the software works as intended. Ensuring the software meets quality standards
- **6.Deployment:** Releasing the software for use.
- 7. Maintenance: Ongoing support, bug fixes, and updates. Updating and refining software post-deployment.



The Story Of Software Development: Software Development Lifecycle






The Story Of Software Development: Approaches to Development

- Waterfall Model: Sequential development with well-defined stages.
- Agile Methods: Iterative and incremental development with a focus on adaptability.
- DevOps: Integration of development and operations for continuous delivery



WATERFALL MODEL



Agile Model Test Develop **Deploy Agile** Review Design Requirements





DevOps MONITOR 2,000 × 612 BUILD TEST RELEASE DEPLOY CODE **OPERATE**

DEVOPS FLOWCHART



- Collaborating with other team members, such as project managers, designers, and other developers
- "Complexity of Projects Managing intricate software projects with numerous components and dependencies."
- *"Changing Requirements Adapting to evolving client needs throughout the development process."
- *Meeting Deadlines to ensure the quality of the final product.
- ❖Debugging software can be time-consuming and complex, particularly for large and complex systems.

(e(e)(viv(e))((e); intriba)(e) and an (e) and in (s(e) an (viv(e) and in (viv(e) and in (e)) and an (e) and in

- Security concerns
- Quality assurance
- *Keeping up with new technologies
- Managing changing requirements
- Collaboration issues
- Time Delays
- *Dealing with legacy code: Developers often have to work with legacy code.
- *Balancing short-term and long-term goals: we need to ensure that the software is maintainable and scalable in the long-term.

Common issues in software development

- "Budget Overruns Overspending due to unforeseen challenges or scope changes."
- "Code Complexity Difficulty in managing codebases, leading to potential errors."



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: MANAGING COMPLEXITY

Problem: Software systems are inherently complex due to their size, functionality, and integration with other systems.

Systematic Process:

- Divide the system into smaller, manageable components (modular design).
- Use structured methodologies like the Waterfall or Spiral model to approach development in stages.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: HANDLING CHANGING REQUIREMENTS

Problem: Requirements often evolve, leading to scope and impacting timelines and budgets.

Systematic Process:

- Implement Requirements Engineering to gather, analyze, and document needs systematically.
- Use iterative models (e.g., Agile) that accommodate changes through incremental updates.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: **ENSURING QUALITY ASSURANCE**

Problem: Without a structured testing process, defects can go unnoticed until deployment.

Systematic Process:

- Incorporate Verification and Validation (V&V) techniques to catch defects early.
- Use systematic testing strategies, including:

unit testing

integration testing

user acceptance testing.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: RISK MANAGEMENT

Problem: Unanticipated risks like technology failures or resource

unavailability can derail projects.

Systematic Process:

- Identify and assess risks during project planning.
- Use risk mitigation frameworks to develop contingency plans.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: BETTER RESOURCE MANAGEMENT

Problem: Projects often face resource constraints, including time, budget, and

skilled personnel.

Systematic Process:

- Use tools like Gantt charts and resource allocation matrices for effective planning.
- Employ methodologies like Critical Path Analysis (CPA) to identify and focus on key activities.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: COLLABORATION AND COMMUNICATION

Problem: Miscommunication between stakeholders and developers leads to mismatched expectations.

Systematic Process:

Use clear documentation standards for requirement specifications, design models, and test cases.

Conduct regular stakeholder meetings and progress reviews.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: LONG-TERM MAINTENANCE AND SUSTAINABILITY

Problem: Software often needs updates, bug fixes, and integration with newer systems post-deployment.

Systematic Process:

Follow coding and design standards that prioritize maintainability.

Use Configuration Management tools to track changes and version history



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: SECURITY AND RELIABILITY

Problem: Increasing cybersecurity threats demand robust and secure software systems.

Systematic Process:

- Embed security requirements during the design phase.
- Conduct systematic penetration testing and threat modeling to identify vulnerabilities.



NEED FOR SYSTEMATIC PROCESS FOR ADDRESSING ISSUES: MEETING DEADLINES AND BUDGETS

Problem: Without structured planning, projects often exceed time and cost estimates.

Systematic Process:

- Use project management tools and frameworks (e.g., SCRUM in Agile).
- Set realistic milestones and monitor progress regularly.




DEVOPS ("DEVELOPMENT" AND "OPERATIONS")

- It is a software development approach
- DevOps Engineer combines software development and IT operations to improve how software is built and deployed
- It is designed to increase an organization's ability to deliver applications and services faster than traditional software development processes.
- It aims to shorten the software development lifecycle (SDLC)
- It emphasizes collaboration and communication between development (Dev) and operations (Ops) teams.





DevOps Model



DEVOPS: DELIVERY PIPELINE

• The pipeline represents the different stages that software goes through before it is released to production.

These stages might typically include:

- Build: software code is compiled and packaged into a deployable unit.
- Test: software is rigorously tested to ensure it functions as expected and identifies any bugs.
- Release: software is deployed to production for end users.





C'S OF DEVOPS

- 1. Continuous Development
- 2. Continuous Integration
- 3. Continuous Testing
- 4. Continuous Deployment/Continuous Delivery
- 5. Continuous Monitoring
- 6. Continuous Feedback
- 7. Continuous Operations



BENEFITS OF DEVOPS

- 1.Faster Delivery: DevOps enables organizations to release new products and updates faster and more frequently, which can lead to a competitive advantage.
- 2.Improved Collaboration: DevOps promotes collaboration between development and operations teams, resulting in better communication, increased efficiency, and reduced friction.
- 3.Improved Quality: DevOps emphasizes automated testing and continuous integration, which helps to catch bugs early in the development process and improve the overall quality of software.
- **4.Increased Automation:** DevOps enables organizations to automate many manual processes, freeing up time for more strategic work and reducing the risk of human error.



BENEFITS OF DEVOPS

6. Increased Customer Satisfaction: DevOps helps organizations to deliver new features and updates more quickly, which can result in increased customer satisfaction and loyalty.

7. Improved Security: DevOps promotes security best practices, such as continuous testing and monitoring, which can help to reduce the risk of security breaches and improve the overall security of an organization's systems.

8. Better Resource Utilization: DevOps enables organizations to optimize their use of resources, including hardware, software, and personnel, which can result in cost savings and improved efficiency.



SOURCE CONTROL (OR VERSION CONTROL)

- The practice of tracking and managing changes to code.
- Source control management (SCM) systems provide a running history of code development
- It help to resolve conflicts when merging contributions from multiple sources.



VERSION GONIUROL

- They are category of software tools that helps in recording changes made to files by keeping a track of modifications done in the code.
- *They keeps track on changes made on a particular software and take a snapshot of every modification.
- *Helps in recovery in case of any disaster or contingent situation,
- ❖Informs us about Who, What, When, Why changes have been made.
- Reduce possibilities of errors and conflicts



- Local Version Control Systems
- Centralized Version Control Systems
- ❖Distributed Version Control Systems


Two things are required to make your changes visible to others

- ❖You commit
- They update



LOCAL VERSION CONTROL SYSTEMS

- It is one of the simplest forms
- It has a database
- It keeps all the changes to files under revision control




Local Version Control Systems (LVCS)



Centralized Version Control Systems

Contain Just One Repository Globally

Every User Need To Commit For Reflecting One's Changes In The Repository






DISTRIBUTED VERSION CONTROLSYSTEMS

- It contain multiple repositories.
- Each user has their own repository and working copy.
- Just committing your changes will not give others access to your changes.
- This is because commit will reflect those changes in your local repository
- you need to push them in order to make them visible on the central repository





WHAT IS THE SOFTWARE RELEASE PROCESS?

It is also known as Release Management Cycle

It performs a cycle for

Developing

<u>testing</u>

deploying

supporting new versions of software.



PHASES OF A SOFTWARE RELEASE PROCESS

- 1. Define specific requirements for the release
- 2. Specify your acceptance criteria
- 2.Test your software in production
- 4. Iterate and refine your product
- 5. Release your product to end-users



HOW DOES THE SOFTWARE RELEASE PROCESS TYPICALLY WORK?

The software release process is a series of steps that teams follow to get new software ready.


1.Planning: First, developers figure out what changes or new features need to be added to the software.

2.Building: Next, they write the code to create those features. This is where the actual work of making the software happens.



HOW DOES THE SOFTWARE RELEASE PROCESS TYPICALLY WORK?

- 3.Testing: Before the software is released, it goes through testing to catch any problems.
- **4.Launching:** Once everything is tested and working well, the software is made available to users.
- 5. Updating: After the launch, the team keeps an eye on the software, fixing any issues that come up an making improvements based on user feedback.



There are three types of service in the system:

- 1. Utility services
- 2. Application services
- 3. Configuration services

UTILITY SERVICES

- It provide basic application-independent functionality
- It may be used by other services in the system.
- Utility services are usually developed or adapted specifically for this system.



WHAT IS UTILITY SOFTWARE?

- Utility Software is a type of software which is used to analyse and maintain a computer.
- This software is focused on how OS works on that basis it performs tasks to enable the smooth functioning of the computer.

Types of Utility Software

- Antivirus software
- Disk cleaners
- Backup and recovery software
- System optimizers
- Disk defragmenter
- File compression software
- Disk encryption software



<u>Examples of Utility Software</u>

- Antivirus
- File Management
- Disk Management
- Compression Tools



Application services

provide specific applications such as email, conferencing, photo sharing

Access to specific educational content such as scientific

films or historical resources.

They are external services that are either specifically purchased for the system

or are available freely over the Internet.





Application Service Provider



Application Users



pplication





wallarm

What Are Application Services?














CONTRATION SERVICES

- used to manage and customize technical systems and products to meet customer preferences:
- It define how services are shared between students, teachers, and their parents.





Browser-based user interface

iLearn app

Configuration services

Group management

Application management

Identity management

Application services

Email Messaging Video conferencing Newspaper archive
Word processing Simulation Video storage Resource finder
Spreadsheet Virtual learning environment History archive

Utility services

Authentication Logging and monitoring Interfacing
User storage Application storage Search

Figure 1.8 The architecture of a digital learning environment (iLearn)

INTEGRATED SERVICES

- They are services that offer an API (application programming interface)
- They can be accessed by other services through that API.
- An authentication service is an example of an integrated service.
- Rather than use their own authentication mechanisms
- Authentication service may be called on by other services to authenticate users.
- If users are already authenticated, then the authentication service may pass authentication information directly to another service.



Integration with Other Google Apps

Google Calendar Integration





ioogle Docs Integration

of Paster Chap

Google Drive Integration

Google Sheets Integration



Google Keep Integration

INDEPENDENT SERVICES

- They are services that are simply accessed through a browser
- interface and that operate independently of other services.
- reauthentication may be required for each independent service.



INTRODUCTION TO PROCESS MODEL

- *Process model provides Systematic approach to software development
- *Model defines set of { activities, work tasks, work products} to develop quality software
- *Process model is an abstract representation of process
- *Based on nature of software project process model s chosen




INTRODUCTION TO PROCESS MODEL

Stages in software development process:

- Problem specification
- Requirement gathering
- × Analysis
- × Design
- Coding
- testing
- × maintenance

Process Framework


Software Process




Process Framework

Umbrella Activities Framework activities work tasks work products milestones & deliverables QA checkpoints

BUILD AND FIX MODEL






- It is linear sequential model
- It follows systematic sequential approach
- It is oldest model
- Requirements has to be well defined

Drawbacks:

- Customer should be patient
- Difficult to follow sequential approach
- Customer not satisfied will be a problem
- Results in blocking states where one has to wait for other.
- Real projects are rarely follow the sequential model.





• Requirement Analysis: The systems services, constraints and goals are defined by customers with system users.

Scheduling tracking -


- Assessing progress against the project plan.
- Require action to maintain schedule.
- System and Software Design: How It establishes and overall system architecture. Software design involves fundamental system abstractions and their relationships.



- Integration and system testing: The individual program unit or programs are integrated and tested as a complete system to ensure that the software requirements have been met. After testing, the software system is delivered to the customer.
- Operation and Maintenance: Normally this is the longest phase of the software life cycle. The system is installed and put into practical use. Maintenance involves correcting errors which were not discovered in earlier stages of the life-cycle.



INCREMENTAL PROCESS MODEL



- **C** Communication
- P Planning
- M Modeling
- C Construction
- **D** Deployment



THE INCREMENTAL MODEL

- Linear model in staggered fashion
- It follows iterative approach
- Same phases as in waterfall model
- Increment: Series of releases delivered to customer
- More functionality is added to each release
- First release is basic core product
- New requirements are added to each release
- We choose this model when overall scope is limited & provides limited functionality




THE INCREMENTAL MODEL

Merits:

- Less people are involved
- Risks are managed
- Small span project can be developed
- **Eg:** Word processing package:
- lst increment: Document processing facilities
- 2nd increment: file processing capabilities are available
- 3rd increment: Spelling facilities are available



EVOLUTIONARY MODEL: SPIRAL MODEL



☐This has prototype & waterfall model

- Using spiral, software developed in as series of evolutionary release.
 - Early iteration, release might be prototype.
 - Later iteration, more complete version of software.
- Divided into framework activities (C,P,M,C,D). Each activity represent one segment.
- Evolutionary process begins in a clockwise direction, beginning at the center risk.



- Early stage is a prototype
- Last stage is a complete software
- Moves in clockwise direction
- 1ST Pass: Product Specification
- 2nd pass: prototype
- 3rd pass: more sophisticated software



Customer communication: it is established

Planning: planning is done, resource time, schedule

Risk analysis: technical & management risks are calculated

Engineering: tasks required to build one /more applications are carried out

Construction & release: tasks required to construct, test & install the application

Customer evaluation: customer feedback is obtained based on customer evaluation



Advantages of spiral model:

➤ Requirements can be identified at every stage

★Risks can be identified & rectified

Drawbacks: If Communication Is Not Proper Then It Fails

