

Container Stats and Dlopen DISym Analysis

Fatih Durmaz

software

Table of Contents

<u>Container Images that build from source</u>	t. 3
<u>Example Build Script inside Memcached</u>	t. 8
<u>Dlopen - Dlsym analysis</u>	t. 10

Container Images that build from source

Implementation of Control Flow Graph class.




Figure: Builds from Source vs No Builds

Container Images that Build from Source (1)

Images Built from Source:

- library/memcached:1.6.32-bookworm
- library/nginx:1.27.2-bookworm
- library/redis:7.4.1-bookworm
- library/postgres:17.1-bookworm
- library/python:3.13.0-bookworm
- library/node:23.2.0-bookworm
- library/httpd:2.4.62-bookworm
- library/golang:1.23.3-bookworm
- library/ruby:3.3.6-bookworm

Container Images that Build from Source (2)

- library/php:8.3.13-fpm-bookworm
- nginxinc/nginx-unprivileged:1.27.2-bookworm
- library/haproxy:3.0.6-bookworm
- fluent/fluentd-kubernetes-daemonset:v1.17.1-debian-elasticsearch8-1.2
- nodered/node-red:4.0.5-debian
- library/perl:5.41.5-bookworm
- library/buildpack-deps:bookworm
- library/drupal:11.0.7-php8.3-fpm-bookworm
- fluent/fluentd:v1.17.1-debian-1.1

Container Images Not Built from Source (1)

Images Not Built from Source:

- bitnami/kubectl:1.31.2-debian-12-r6
- library/mysql:8.0.40-bookworm
- timberio/vector:0.42.0-debian
- bitnami/postgresql:17.1.0-debian-12-r0
- bitnami/redis:7.4.1-debian-12-r2
- bitnami/sealed-secrets-controller:0.27.2-debian-12-r1
- library/openjdk:24-jdk-bookworm
- bitnami/mongodb:8.0.3-debian-12-r1

Container Images Not Built from Source (2)

- library/debian:bookworm-20241111
- bitnami/external-dns:0.15.0-debian-12-r5
- kong/kong-gateway:3.8.1.0-20241114-debian
- bitnami/mariadb:11.5.2-debian-12-r6
- library/tomcat:11.0.0-jdk21-openjdk-bookworm
- library/maven:3.9.9-amazoncorretto-23-debian
- bitnami/rabbitmq:4.0.3-debian-12-r1
- bitnami/nginx:1.27.2-debian-12-r3
- itzg/minecraft-server:debian

Building Image: library/memcached:1.6.32-bookworm

(1)

```
RUN /bin/sh -c set -eux;  
    apt-get update && apt-get install -y \  
        ca-certificates gcc make wget perl;  
    rm -rf /var/lib/apt/lists/*;  
  
    wget -O memcached.tar.gz "$MEMCACHED_URL";  
    echo "$MEMCACHED_SHA1 memcached.tar.gz" | shasum -c -;  
    mkdir -p /usr/src/memcached;  
    tar -xzf memcached.tar.gz -C /usr/src/memcached --strip-components=1  
    cd /usr/src/memcached;
```


Building Image: library/memcached:1.6.32-bookworm

(2)



```
gnuArch="$(dpkg-architecture --query DEB_BUILD_GNU_TYPE)";  
./configure --build="$gnuArch" \  
    --enable-extstore \  
    --enable-sasl \  
    --enable-sasl-pwdb \  
    --enable-tls;  
  
nproc="$(nproc)";  
make -j "$nproc";  
make test PARALLEL="$nproc";  
make install;
```

Reminder:

```
pkg_analyze.py:785 output_stats()
```

In total, Packages of this container had 942 CVEs

↳ pkg_analyze.py:785

In that, Packages, that have libraries, that have symbols

↳ have 840 CVEs

In that, Packages, that have functions related to cves, have

↳ 177 related CVEs

In that, Packages, that have their vuln functions called,

↳ have 85 related CVEs.

