

RAJARATA UNIVERSITY OF SRI LANKA FACULTY OF APPLIED SCIENCES

Bachelor of Science in Health Promotion Third Year – Semester I Examination – July/August 2023

HPT 3306 - REPORT WRITING & ASSESSING

	Answer ALL questions. Time: Three (03) hours				
Ar					
1.	a) l	Describe how an abstract contributes to the quality of a report.	(30 marks)		
	•	Explain the purpose of the introduction section of a report.	(30 marks)		
	,	Discuss giving examples the advantages of including qualitative data in	field reports.		
	•, .		(40 marks)		
2.	Wr	ite short notes on the followings.			
	a)	Using peer assessment to improve the quality of a report.	(25 marks)		
	b)	Writing 'SMART' objectives.	(25 marks)		
	c)	The purpose of the appendix section of a report.	(25 marks)		
	d)	The role of literature review of a report.	(25 marks)		
3.	a)	List <u>five (05)</u> advantages of using a reference managing software.	(15 marks)		
	b)	Explain what is bibliography of a report.	(25 marks)		
	c)	Discuss the importance of citing and referencing in scientific writing.	(60 marks)		
4.	a)	Describe four (04) key components of a quantitative data analysis plan.	(30 marks)		
	b)	Explain the steps of qualitative data analysis in a health promotion interven	ention.		
			(30 marks)		
	c)	Discuss how to integrate data collected by community members to the fin	al report of a		
		health promotion project.	(40 marks)		

5. a) Describe the changes in life expectancy of world regions based the following graph.

(50 marks)



b) Discuss how the causes of death among Sri Lankan population changed over 10 years according to the following table. (50 marks)

Table:10 causes of deaths per 100k in 2019 and rate change 2009-2019, all ages

Cause	2009 rank	2019 rank	Change in deaths per 100k, 2009–2019
Ischemic heart disease	annerski pjesermen i i ji i i in kraje je teme i bekon i iz motoriji behovi i i i i i i i i i i i i i i i i i i	Sey Jampson Magnetic Anna and Tenna	† +7.8
Stroke	0	0	¥ -41
Diabetes		0	1 +10.2
Asthma	6	0	\$ -3.0
Chronic kidney disease	6	6	↑ +2.8
COPD	0	0	1 +16
Lower respiratory infect	The state of the section of the sect	0	↑ +1A
Self-harm	0 .	8	¥ -13
Cirrhosis liver	C September 1980 Sept		♣ -0.7
Alzheimer's disease	69	0	↑ +5,3 1

6. a) Discuss the change in different stages of diabetes among world population from 2021 to 2045 based on the following table. (50 marks)

Table: Estimated total number of adults (20-79 years) with diabetes in 2021, 2030 and 2045

At a glance	2021	2030 1	2045
Total world population	7.9 billion	8.6 billion	9.5 billion
Adult population (20-79 years)	5.1 billion	5.7 billion	6.4 billion
Olabetes (20-79 years)			
Prevalence'	10.5%	11.3%	12.2%
Number of people with diabetes	536.6 million	642.7 million	783.2 million
Number of deaths due to diabetes	6.7 million	***	
Total health expenditure due to diabetes ⁶ (2021 USD)	USD 966 billion	USD 1,028 billion	USD 1,054 billion
Hyperglycaemia in prognancy (20–49 years)			
Proportion of live births affected*	16.7%		
Number of live births affected	21.1 million		
impaired glucose tolerance (20-79 years)		第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
Prevalence ⁴	10.6%	11.0%	11.4%
Number of people with impaired glucose tolerance	541.0 million	622.7 million	730.3 million
Impaired fasting glucose (20-79 years)			
Prevalence [®]	6.2%	6.5%	6.9%
Number of people with Impaired glucose tolerance	319.0 million	369.7 million	440.8 million
Type s diabetes (o-s9 years)			
Number of children and adolescents with type 1 diabetes	1.2 million		
Number of newly diagnosed cases each year	184,100	Mak	***

b) Describe the global trends in the prevalence of tobacco use in the following table.

(50 marks)

Table: Global trends in the prevalence of tobacco use by WHO regions, estimated and

projected

who Region	Estimated Prevalence (%)				Projected Prevalence		30% Reduction Target
	2000	2005	2010	2015	2020	2025	2010 - 2025
	J.	L.,	Both S	exes			
Global	33.3	30.1	27.3	24.9	22.8	20.9	19.1
African	18.5	16.5	14.9	13.5	12.3	11.2	10.4
Americas	30.8	26.6	23.1	20.1	17.5	15.4	16.2
Eastern Mediterranean	29.5	25.8	22.9	20.5	18.6	17.0	16.0
European	34.2	31.8	29.4	27.4	25.6	24.1	20.6
South-East Asian	46.6	40.4	35.2	31.2	27.9	25.1	24.6
Western Pacific	30.9	29.4	28.1	26.9	25.7	24.8	19.7
	1	L	Male	es	L		
Global	50.0	46.4	43.2	40.3	37.5	35.1	30.2
African	27.8	25.7	23.9	22.2	20.7	19.4	16.7
Americas	39.0	34.1	29.9	26.2	23.1	20.4	20.9
Eastern Mediterranean	47.5	43.0	39.2	36.0	33.3	31.0	27.4
European	45.7	41.8	38.4	35.3	32.5	30.0	26.9
South-East Asian	62.5	57.6	53.2	49.4	46.0	42.9	37.2
Western Pacific	55.6	53.5	51.6	49.8	47.9	46.4	36.1
	1	<u> </u>	Fema	les			
Global	16.7	13.7	11.4	9.5	8.0	6.7	8.0
African	9.3	7.4	5.9	4.7	3.8	3.0	4.1
Americas	22.7	19.2	16.3	14.0	12.0	10.4	11.4
Eastern Mediterranean	11.6	8.6	6.5	5.0	3.9	3.0	4.6
European	22.8	21.7	20.4	19.5	18.7	18.1	14.3
South-East Asian	30.7	23.1	17.3	12.9	9.7	7.3	12.7
Western Pacific	6.2	5.3	4.6	4.0	3.6	3.1	3.2

