



RAJARATA UNIVERSITY OF SRI LANKA
FACULTY OF APPLIED SCIENCES

Bachelor of Science in Applied Sciences
 First Year - Semester I Examination - July/August 2023

MAP 1302 - DIFFERENTIAL EQUATIONS I

Time allowed: **Three (3) hours**

Answer any five (5) questions only.

1. a) Solve the following differential equation:

$$y(x^2 + 1) \frac{dy}{dx} = x(y^2 + 1).$$

(30 marks)

- b) Using the substitution $v = \frac{y}{x}$, solve the differential equation given below:

$$y + (x - 2y) \frac{dy}{dx} = 0.$$

(35 marks)

- c) Using suitable substitutions for x and y , reduce the following differential equation to a homogeneous form:

$$\frac{dy}{dx} = -\frac{3y - 7x + 7}{7y - 3x + 3}.$$

Hence, obtain the solution for the given differential equation.

(35 marks)

2. a) A moving object is opposed by a force per unit mass of value cx and resistance per unit mass of value bv^2 , where x and v are the displacement and velocity of the object at that instant and where $b(\neq 0)$ and c are constants. Find the velocity of the object in terms of x , if it starts at rest.

(30 marks)

- b) The rate at which a body cools is proportional to the difference between the temperature of the body and that of the surrounding air. If a body in air at 25°C will cool from 100°C to 75°C in one minute, find its temperature at the end of three minutes.

(30 marks)

- c) For steady heat flow through the wall of a hollow sphere of inner and outer radii r_1 and r_2 , respectively, the temperature u at a distance r ($r_1 < r < r_2$) from the center of the sphere is given by

$$r \frac{d^2 u}{dr^2} + 2 \frac{du}{dr} = 0.$$

If u_1 and u_2 are the temperatures at inner and outer surfaces of the sphere, find u in terms of r .

(40 marks)

3. a) Show that the following differential equation is exact, and hence solve it:

$$(3x^2 + 4xy) dx + (2x^2 + 2y) dy = 0.$$

(30 marks)

- b) Solve the following linear differential equation using an integrating factor:

$$\frac{dy}{dx} + 2xy = 2e^{-x^2}.$$

(35 marks)

Continued.

- c) Using a suitable substitution, convert the following Bernoulli equation to a linear differential equation:

$$(1 - x^2) \frac{dy}{dx} + xy = xy^2.$$

Solving the obtained linear differential equation, find the solution of the given Bernoulli equation.

(35 marks)

4. a) Solve the following homogeneous differential equations with constant coefficients:

i. $\frac{d^2y}{dx^2} - 5\frac{dy}{dx} + 6y = 0$

ii. $\frac{d^3y}{dx^3} - 4\frac{d^2y}{dx^2} - 3\frac{dy}{dx} + 18y = 0$

iii. $\left(\frac{dy}{dx} - y\right)^2 \left(\frac{d^2y}{dx^2} + y\right)^2 = 0$

(60 marks)

- b) Solve the following differential equations:

i. $\frac{d^2y}{dx^2} + 6\frac{dy}{dx} + 9y = 2e^{-3x}$

ii. $\frac{d^3y}{dx^3} + \frac{d^2y}{dx^2} - \frac{dy}{dx} - y = 2e^x \cos 2x$

(40 marks)

5. a) Solve the homogeneous linear differential equation given below:

$$x^2 \frac{d^3y}{dx^3} + 3x \frac{d^2y}{dx^2} + \frac{dy}{dx} = x^2 \ln x.$$

(30 marks)

- b) Solve the following Riccati equations:

i. $\frac{dy}{dx} = -2 - 5y - 2y^2$, and

ii. $\frac{dy}{dx} + y^2 = 1 + x^2$.

(50 marks)

Continued

c) Solve: $p = \log(px - y)$, where $p = \frac{dy}{dx}$.

(20 marks)

6. Solve the following simultaneous linear differential equations:

a)

$$\begin{cases} \frac{dx}{dt} = 3x + 8y \\ \frac{dy}{dt} = -x - 3y, \end{cases}$$

with $x(0) = 6$ and $y(0) = -2$.

(50 marks)

b)

$$\begin{cases} \frac{d^2x}{dt^2} + y = \sin t \\ \frac{d^2y}{dt^2} + x = \cos t \end{cases}$$

(50 marks)

..... END