




kali-linux-2026.2-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

1 2 3 4

kali@kali:~\$ cat /usr/share/metasploit-framework/payloads

Session Actions Edit View Help

The number of times to encode the payload
Specify an additional win32 shellcode file to include
Specify a custom executable file to use as a template
Preserve the --template behaviour and inject the payload as a new thread
Specify a custom variable name to use for certain output formats
The number of seconds to wait when reading the payload from STDIN (default 30, 0 to disable)
Rebuild the module metadata cache from disk before listing
Show this message

[-] --iterations <count>
[-] --add-code <path>
[-] --template <path>
[-] --keep
[-] --var-name <value>
[-] --timeout <seconds>
[-] --refresh-cache
[-h, --help

Framework Payloads (2141 total) [--payload <value>]

Name	Description
alx/ppc/shell_bind_tcp	Listen for a connection and spawn a command shell
alx/ppc/shell_find_port	Spawn a shell on an established connection
alx/ppc/shell_interact	Simply execve /bin/sh (for inetd programs)
alx/ppc/shell_reverse_tcp	Connect back to attacker and spawn a command shell
android/meterpreter/reverse_http	Run a meterpreter server in Android. Tunnel communication over HTTP
android/meterpreter/reverse_https	Run a meterpreter server in Android. Tunnel communication over HTTPS
android/meterpreter/reverse_tcp	Run a meterpreter server in Android. Connect back stager
android/meterpreter/reverse_https	Connect back to attacker and spawn a Meterpreter shell
android/meterpreter/reverse_tcp	Connect back to attacker and spawn a Meterpreter shell
android/shell/reverse_http	Spawn a piped command shell (sh). Tunnel communication over HTTP
android/shell/reverse_https	Spawn a piped command shell (sh). Tunnel communication over HTTPS
apple_ios/aarch64/meterpreter_reverse_http	Run the Meterpreter / Mettle server payload (stageless)
apple_ios/aarch64/meterpreter_reverse_https	Run the Meterpreter / Mettle server payload (stageless)
apple_ios/aarch64/meterpreter_reverse_tcp	Run the Meterpreter / Mettle server payload (stageless)
apple_ios/armle/meterpreter_reverse_http	Run the Meterpreter / Mettle server payload (stageless)
apple_ios/armle/meterpreter_reverse_https	Run the Meterpreter / Mettle server payload (stageless)
apple_ios/armle/meterpreter_reverse_tcp	Run the Meterpreter / Mettle server payload (stageless)
bsd/sparc/shell_bind_tcp	Listen for a connection and spawn a command shell
bsd/sparc/shell_reverse_tcp	Connect back to attacker and spawn a command shell
bsd/x86/shell_reverse_tcp	Connect back to attacker and spawn a command shell
bsd/x86/exec	Execute an arbitrary command
bsd/x86/shell_bind_ipv6_tcp	Listen for a connection and spawn a command shell over IPv6
bsd/x86/shell_bind_tcp	Bind an arbitrary command to an arbitrary port
bsd/x86/shell_bind_tcp_small	Listen for a connection and spawn a command shell
bsd/x86/shell_reverse_ipv6_tcp	Connect back to attacker and spawn a command shell over IPv6
bsd/x86/shell_reverse_tcp	Connect back to attacker and spawn a command shell
bsd/x86/shell_reverse_tcp_small	Connect back to attacker and spawn a command shell
bsd/x86/exec	Execute an arbitrary command
bsd/x86/metsvc_bind_tcp	Stub payload for interacting with a Meterpreter Service

33°C Mostly cloudy

ENG IN 92% 11:52:39 17-08-2026

