

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	000000EN172198	Swire	OITF		11/11/17	/ /	1255	
	000000EN172529	Swire	OITF		12/08/17	/ /	73183	
							1	
	000000EN180564	Chun Wo Construction and Engineering Co. Ltd.	SSC504	ULSD	04/01/18	/ /	73168	
							6	
	000000EN190444	Fugro Geotechnical Services Limited	IAQ Measurement for Fo Tan Office		31/03/19	/ /	750	
	113483EN182753	FEDERATION OF HONG KONG INDUSTRIES	-	Spring Unit - Sample code : AISZ10	12/11/18	/ /	889	
	121383EN180617	LEADER CIVIL ENGINEERING CORP LTD	DC/2009/24	ulsd	04/08/18	/ /	73147	
							4	
	121383EN191301	LEADER CIVIL ENGINEERING CORP LTD	DC/2009/24	ulsd	08/08/19	/ /	73110	
							5	
	121383EN192242	LEADER CIVIL ENGINEERING CORP LTD	DC/2009/24	ulsd	12/07/19	/ /	73113	
							2	
	130349EN172714	CLP POWER HONG KONG LTD	IAQ Certificate Measurement		30/11/17	/ /	1236	
	130349EN172739	CLP Power Hong Kong Limited	IAQ Certificate Measurement		30/11/17	/ /	1236	
	130349EN172740	CLP Power Hong Kong Limited	IEQ Measurement		30/11/17	/ /	1236	
	130349EN172960	CLP Power Hong Kong Limited	IEQ Measurement - Shatin Warehouse		31/12/17	/ /	1205	
	130349EN172961	CLP Power Hong Kong Limited	IEQ Measurement - Tsing Yi Centre		31/12/17	/ /	1205	
	130349EN172963	CLP Power Hong Kong Limited	IAQ Certificate Measurement		31/12/17	/ /	1205	
	130757EN172885	SINOPEC (HONG KONG) PETROLEUM HOLDING CO. LTD.	Material Testing	Dye Marker - DM-1321B-171206	11/12/17	/ /	1225	
				.				
				.				
	140007EN172055	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.157	08/09/17	/ /	1319	
	140007EN172063	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.140	12/09/17	/ /	1315	
	140007EN172064	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.201 Potable Water	12/09/17	/ /	1315	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- W.O.201				
	140007EN172143	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.183	20/09/17	/ /	1307	
	140007EN172178	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.70	25/09/17	/ /	1302	
	140007EN172629	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.174 Potable Water - W.O.174	17/11/17	/ /	1249	
	140007EN172630	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.174 Potable Water - W.O.174	17/11/17	/ /	1249	
	140007EN172687	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.227	24/11/17	/ /	1242	
	140007EN172746	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.262	30/11/17	/ /	1236	
	140007EN172953	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.156	19/12/17	/ /	1217	
	140007EN182392	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - W.O.98 & 358 Potable Water - W.O.98 & 358 Potable Water - W.O.98 & 358	24/09/18	/ /	938	
	140007EN190921	MING HING WATERWORKS ENGINEERING CO., LTD.	14/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in East Kowloon	Potable Water - Refer to JRF	15/05/19	/ /	705	
	140017EN172115	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4	Potable Water - W.O.372	19/09/17	/ /	1308	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Phase 2 - Mains in East Kowloon	Potable Water - W.O.372				
	140017EN172166	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.372	22/09/17	/ /	1305	
	140017EN172234	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.372	06/10/17	/ /	1291	
	140017EN172310	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.372	13/10/17	/ /	1284	
	140017EN172952	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.55	19/12/17	/ /	1217	
	140017EN182399	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - Refer to JRF	26/09/18	/ /	936	
	140017EN182494	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - Refer to JRF	08/10/18	/ /	924	
	140017EN182522	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - Refert ot JRF	09/10/18	/ /	923	
	140017EN182523	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.388	09/10/18	/ /	923	
	140017EN182622	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 2 - Mains in East Kowloon	Potable Water - W.O.131	22/10/18	/ /	910	
	140017EN182623	MING HING WATERWORKS ENGINEERING CO., LTD.	13/WSD/11, Replacement and Rehabilitation of Water Mains, Stage 4	Poatbel Water - W.O.183	22/10/18	/ /	910	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Phase 2 - Mains in East Kowloon					
	140020EN172140	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.95	02/10/17	/ /	1295	
	140020EN172185	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.37	10/10/17	/ /	1287	
	140020EN172233	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.95	19/10/17	/ /	1278	
	140020EN172389	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.404	01/11/17	/ /	1265	
	140020EN172572	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.151	22/11/17	/ /	1244	
	140020EN172745	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.285	12/12/17	/ /	1224	
	140020EN172845	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.106 & 129	18/12/17	/ /	1218	
	140020EN172862	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	- * JRF No. Cancel	18/12/17	/ /	1218	
	140020EN172863	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4	Potable Water - W.O.37	18/12/17	/ /	1218	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan					
	140020EN191889	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - Refer to JRF	03/10/19	/ /	564	
	140020EN191891	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.83(In)	03/10/19	/ /	564	
	140020EN192289	EXCEL ENGINEERING COMPANY LIMITED	13/WSD/10, Replacement and Rehabilitation of Water Mains, Stage 4 Phase 1 - Mains in West Kowloon, Kwai Tsing and Tsuen Wan	Potable Water - W.O.47	26/11/19	/ /	510	
	140090EN172141	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	03/10/17	/ /	1294	
	140090EN172278	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	23/10/17	/ /	1274	
	140090EN172735	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinling Fountain Water - Refer to JRF	05/12/17	/ /	1231	
	140090EN180009	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	15/01/18	/ /	1190	
	140090EN180248	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	06/02/18	/ /	1168	
	140090EN180838	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	19/04/18	/ /	1096	
	140090EN181659	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	18/07/18	/ /	1006	
	140090EN182228	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	14/09/18	/ /	948	
	140090EN182792	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	16/11/18	/ /	885	
	140090EN190098	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	28/01/19	/ /	812	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	141508EN172067	MENCO (HONG KONG) LTD.	Material Testing	Dye Marker - RW-5.0 201713A	19/09/17	/ /	1308	
	152635EN191999	SAVILLS PROPERTY MANAGEMENT LTD.	IAQ Certification for the Westminster Terrace 3/F Clubhouse (For Years 2015-2019)		31/10/19	/ /	536	
	153994EN172281	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.273	11/10/17	/ /	1286	
	153994EN172355	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.136	18/10/17	/ /	1279	
	153994EN172356	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.88	18/10/17	/ /	1279	
	153994EN172363	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.60	19/10/17	/ /	1278	
	153994EN172390	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	W.O.168 Potable Water	20/10/17	/ /	1277	
	153994EN172421	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.129	24/10/17	/ /	1273	
	153994EN172676	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.84	23/11/17	/ /	1243	
	153994EN172721	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase	Potable Water - W.O.45	28/11/17	/ /	1238	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			1 - Mains in Central & Western and Wan Chai Districts					
	153994EN172722	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.65	28/11/17	/ /	1238	
	153994EN172932	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.66	15/12/17	/ /	1221	
	153994EN172959	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.65	20/12/17	/ /	1216	
	153994EN172970	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.68	21/12/17	/ /	1215	
	153994EN180028	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.219	04/01/18	/ /	1201	
	153994EN180052	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Patoble Water - W.O.219	08/01/18	/ /	1197	
	153994EN180123	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.299	10/01/18	/ /	1195	
	153994EN180302	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.273	30/01/18	/ /	1175	
	153994EN180317	MING HING WATERWORKS ENGINEERING	11/WSD/10 - Replacement and	Potable Water	31/01/18	/ /	1174	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		CO., LTD.	rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	- W.O.273				
	153994EN180358	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.168	05/02/18	/ /	1169	
	153994EN180589	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.60	07/03/18	/ /	1139	
	153994EN180627	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.65	13/03/18	/ /	1133	
	153994EN180652	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.65	15/03/18	/ /	1131	
	153994EN180692	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.66	20/03/18	/ /	1126	
	153994EN180693	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.60	20/03/18	/ /	1126	
	153994EN181050	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.225	03/05/18	/ /	1082	
	153994EN182143	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.136	24/08/18	/ /	969	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	153994EN182187	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.296 "	29/08/18	/ /	964	
	153994EN182231	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Refer to JRF - W.O.280	04/09/18	/ /	958	
	153994EN182320	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.65	13/09/18	/ /	949	
	153994EN182363	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.107	19/09/18	/ /	943	
	153994EN182364	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.187	18/09/18	/ /	944	
	153994EN182378	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.244	21/09/18	/ /	941	
	153994EN182439	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - Refer to JRF	10/03/18	/ /	73162 1	
	153994EN182477	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.280 Out	05/10/18	/ /	927	
	153994EN182596	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.136	16/10/18	/ /	916	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Chai Districts					
	153994EN182636	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.135 & 272	23/10/18	/ /	909	
	153994EN182637	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.410 & 423	23/10/18	/ /	909	
	153994EN183077	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Ptable Water	04/12/18	/ /	867	
	153994EN183091	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.277	06/12/18	/ /	865	
	153994EN183245	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	- W.O.65	19/12/18	/ /	852	
	153994EN183276	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O65 Out	27/12/18	/ /	844	
	153994EN190739	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.206	16/04/19	/ /	734	
	153994EN191236	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.215	03/07/19	/ /	656	
	153994EN191247	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase	Potable Water - W.O.129	04/07/19	/ /	655	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			1 - Mains in Central & Western and Wan Chai Districts					
	153994EN191732	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.71	09/09/19	/ /	588	
	153994EN191739	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.303	10/09/19	/ /	587	
	153994EN191778	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.303	18/09/19	/ /	579	
	153994EN191974	MING HING WATERWORKS ENGINEERING CO., LTD.	11/WSD/10 - Replacement and rehabilitation of water mains, stage 4, phase 1 - Mains in Central & Western and Wan Chai Districts	Potable Water - W.O.68	15/10/19	/ /	552	
	154499EN191095	SINOPEC (HONG KONG) PETROLEUM HOLDING CO. LTD.	Air Sampling	Air - Point 1 - Point 2	03/07/19	/ /	656	
	154780EN180087	YICK HING CONSTRUCTION CO. LTD.	Material Testing	ULSD - Sample Date:21 Nov 2017 - 9WSD11-S5501	02/04/18	/ /	73159 8	
	154780EN180565	YICK HING CONSTRUCTION CO. LTD.	Material Testing	ULSD	04/04/18	/ /	73159 6	
	154780EN181380	YICK HING CONSTRUCTION CO. LTD.	Material Testing	ulsd	07/01/18	/ /	73168 3	
	154780EN182296	YICK HING CONSTRUCTION CO. LTD.	Material Testing	ulsd	10/05/18	/ /	73156 0	
	154827EN172076	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B93-T32 - 286-060917-T32-14 Batch 93	20/09/17	/ /	1307	
	154827EN172077	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West	B94-T16	20/09/17	/ /	1307	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Kowloon Cultural District	- 286-070917-T16-15 & 16 Batch 94				
	154827EN172560	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B108-T16 - 286-031117-T16-18 B108-T16 - 286-031117-T16-19 Batch 108	15/11/17	/ /	1251	
	154827EN172561	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B107-T16 - 286-021117-T16-15 B107-T16 - 286-021117-T16-16 Batch 107	15/11/17	/ /	1251	
	154827EN172925	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B113-T10 - 286-091217-T10-15 B113-T10 - 286-091217-T10-16 B113-T40 - 286-091217-T40-11 Batch 113	20/12/17	/ /	1216	
	154827EN172926	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B114-T32 - 286-111217-T32-14 B114-T40 - 286-111217-T40-11 Batch 114	20/12/17	/ /	1216	
	154827EN180100	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B119-T32 - 286-040118-T32-08 Batch 119	15/01/18	/ /	1190	
	154827EN180101	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B120-T10 - 286-050118-T10-18 B120-T10 - 286-050118-T10-19 B120-T12 - 286-050118-T12-18 B120-T12 - 286-050118-T12-19	15/01/18	/ /	1190	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				B120-T25 - 286-050118-T25-14 B120-T40 - 286-050118-T40-21 B120-T40 - 286-050118-T40-22 Batch 120				
	154827EN180158	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B121-T16 - 286-090118-T16-15 B121-T16 - 286-090118-T16-16 B121-T25 - 286-090118-T25-11 B121-T32 - 286-090118-T32-11 Batch 121	18/01/18	/ /	1187	
	154827EN180162	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B122-T32 - 286-100118-T32-14 Batch 122	20/01/18	/ /	1185	
	154827EN180210	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B124-T40 - 286-170118-T40-18 B124-T40 - 286-170118-T40-19 Batch 124	25/01/18	/ /	1180	
	154827EN180229	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B123-T50 - 286-160118-T50-05 Batch 125	28/01/18	/ /	1177	
	154827EN180426	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B128-T20 - 286-070218-T20-11 B128-T25 - 286-070218-T25-11 B128-T32 - 286-070218-T32-11 B128-T40 - 286-070218-T40-11 Batch 128	15/02/18	/ /	1159	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	154827EN180621	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B130-T16 - 286-260318-T16- 15 B130-T16 - 286-260318-T16- 16 B130-T40 - 286-260318-T40- 11 Batch 130	15/03/18	/ /	1131	
	154827EN181121	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B139-T25 - 286-040518-T25- 11 B139-T40 - 286-040518-T40- 11 Batch 139	15/05/18	/ /	1070	
	154827EN181247	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B140-T12 - 286-150518-T12- 15 B140-T12 - 286-150518-T12- 16 B140-T20 - 286-150518-T20A- 05 B140-T20 - 286-150518-T20B- 11 B140-T32 - 286-150518-T32- 11 Batch 140	25/05/18	/ /	1060	
	154827EN181452	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B143-T20 - 286-050618-T20- 11 B143-T40 - 286-070618-T40- 11 Batch 143	21/06/18	/ /	1033	
	154827EN181654	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B149-T12 - 286-280618-T12- 08 B149-T16 - 286-280618-T16- 08 Batch 149	12/07/18	/ /	1012	
	154827EN181665	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B150-T20 - 286-040718-T20- 11 B150-T40	06/07/18	/ /	1018	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 286-040718-T40- 11 Batch 150				
	154827EN181698	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B151-T10 - 286-070718-T10- 08 B151-T40 - 286-070718-T40- 11 Batch 151	17/07/18	/ /	1007	
	154827EN182041	HSIN CHONG CONSTRUCTION CO. LTD.	#286 - M+ Museum Project at West Kowloon Cultural District	B157-T20 - 286-080818-T20-11 B157-T40 - 286-080818-T20-21 B157-T40 - 286-080818-T20-22 Batch 157	14/08/18	/ /	979	
	154827EN182834	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T12 - J3761-061118-T12-12 Batch 4	16/11/18	/ /	885	
	154827EN182952	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T16 - J3761-161118-T16-12 T25 - J3761-161118-T25-09 T40 - J3761-161118-T40-12 Batch 5	27/11/18	/ /	874	
	154827EN182953	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T12 - J3761-161118-T12-09 Batch 6	27/11/18	/ /	874	
	154827EN183148	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T16 - J3761-051218-T16-12 T32 - J3761-051218-T32-09 Batch 9	16/12/18	/ /	855	
	154827EN190432	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T16 - J3761-020319-T16-09 Batch 16	18/03/19	/ /	763	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	154827EN190710	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T16 - J3761-030419-T16-09 Batch 18	15/04/19	/ /	735	
	154827EN190725	THE BULE POLES LIMITED	M+ Museum Project at West Kowloon Cultural District	T25 - J3761-030419-T25-09 T40 - J3761-030419-T25-12 Batch 18	20/04/19	/ /	730	
	154827EN190914	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T12 - J3761-040519-T12-09 T20 - J3761-040519-T20-09 batch 20	18/05/19	/ /	702	
	154827EN191351	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T12 - J3761-100719-T12-12 Batch22	23/07/19	/ /	636	
	154827EN191583	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T16 - J3761-140819-T16-09 T40 - J3761-140819-T40-06 Batch23	24/08/19	/ /	604	
	154827EN191727	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T10 - J3761-020919-T10-06 T12 - J3761-020919-T12-06 Batch24	13/09/19	/ /	584	
	154827EN200141	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T10 - J3761-100120-T10-06 batch 26	20/01/20	/ /	455	
	154827EN200152	THE BULE POLES LIMITED	J3761 - M+ Museum Project at West Kowloon Cultural District	T10 - J3761-110120-T10-06 batch 27	20/01/20	/ /	455	
	154845EN192585	FEDERATION OF HONG KONG INDUSTRIES	Testing of Tin-Copper Solder Wire	Tin Copper Solder Wire	10/01/20	/ /	465	
	154863EN180794	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Single Lever Mixer	Single Lever Mixer	10/04/18	/ /	1105	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST160750/1 Single Lever Mixer - ST160750/1				
	154863EN180794(1)	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Single Lever Mixer		10/04/18	/ /	1105	
	155877EN172591	PAUL Y. BUILDERS LIMITED	Lot No. 1950 in DD221, Wai Man Road, Sai Kung.	Y12 Y16 Y32 Batch 116	20/11/17	/ /	1246	
	160130EN172844	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - L026 . .	12/12/17	/ /	1224	
	160130EN172936	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - L027 . .	21/12/17	/ /	1215	
	160130EN172989	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - L028 . .	23/12/17	/ /	1213	
	160130EN172996	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - L029 . .	01/01/18	/ /	73168 9	
	160130EN172997	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - L030 . .	01/01/18	/ /	73168 9	
	160130EN180001	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M001 . .	03/01/18	/ /	1202	
	160130EN180002	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M002 .	03/01/18	/ /	1202	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	160130EN180003	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M003	03/01/18	/ /	1202	
	160130EN180040	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M004	08/01/18	/ /	1197	
	160130EN180102	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M005	13/01/18	/ /	1192	
	160130EN180103	ASIAFIELD CHEMICAL LIMITED	-	Dye Marker - M006	13/01/18	/ /	1192	
	160373EN172914(1)	WELLMATE LIMITED	TESTING OF BRONZE GATE VALVE AND GLOBLE VALVE		12/12/17	/ /	1224	
	162210EN172404	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF TAPWARE	Body of Tapware	27/10/17	/ /	1270	
	162274EN180442	MATERIALAB CONSULTANTS LTD.	Tests on Water	Potable Water - Refer to JRF	15/02/18	/ /	1159	
	162274EN180458	MATERIALAB CONSULTANTS LTD.	Tests on Water	Potable Water - Refer to JRF	20/02/18	/ /	1154	
	162274EN180549	MATERIALAB CONSULTANTS LTD.	Tests on Water	Tap Water - Refer to JRF	13/03/18	/ /	1133	
	163898EN182445	FJT-CHEC-ZHEC JV	P568 - Midfield Apron Development Works	- Refer to JRF	10/11/18	/ /	73137 6	
	163898EN191345	FJT-CHEC-ZHEC JV	P568 - Midfield Apron Development Works	Soil - 20190712-P568A5-01 to 20	25/07/19	/ /	634	
	163898EN200280	FJT-CHEC-ZHEC JV	P568 - Midfield Apron Development Works	Soil	19/02/20	/ /	425	
	164098EN172690	WING HING CONSTRUCTION CO. LTD.	M242-05/SA04 (B.D. Ref.3/9051/15) Street Light Works at Access Road of Landside North Petrol Filling Station	Y16 Y25	30/11/17	/ /	1236	
	164098EN180208	WING HING CONSTRUCTION CO. LTD.	No. 10 South Perimeter Road, Chak Lap Kok	T10 T16 T20	25/01/18	/ /	1180	
	164098EN180209	WING HING CONSTRUCTION CO. LTD.	No. 10 South Perimeter Road, Chak Lap	T12	25/01/18	/ /	1180	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Kok					
	164355EN181785	SOUTH CHINA PLASTIC BUILDING MATERIAL MFG LTD	TESTING OF UPVC PIPE, FITTING AND UPVC ADHESIVE (PRODUCT CERTIFICATION - SUREILLANE - 1st YEAR)	"Extra" PVC solvent cement for PVC pipes & fittings adhesive	25/07/18	/ /	999	
	164367EN181382	YUE HING MACHINE FACTORY LTD.	TESTING OF 8100 BRONZE REDUCING VALVE	8100 bronze reducing valve	14/06/18	/ /	1040	
	164602EN172239	WING HING CONSTRUCTION CO. LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	-	11/10/17	/ /	1286	
	164602EN190850	WING HING CONSTRUCTION CO. LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	Potable Water - Refer to JRF	09/05/19	/ /	711	
	164602EN190889		*****Cancel		09/05/19	/ /	711	
	164853EN190369	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON EQUILIBRIUM VALVE (PETER SMITH / UK ; FIG 501)	seat spindle cylinder lever DN40,50,150	04/03/19	/ /	777	
	165003EN172052	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y10 - B03/10/21 Y12 - B03/12/21 (Batch No. 03)	15/09/17	/ /	1312	
	165003EN172053	Gammon Engineering & Construction Company Limited	J3593-lobal Switch Hong Kong Phase 1 (Building 1 & 2)	Y12 - J3593/B59/12/S8 Y16 - J3593/B59/16/S8 Y32 - J3593/B59/32/S8 (Batch 59)	15/09/17	/ /	1312	
	165003EN172098	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y16 Y20 Y32 Y40 Batch 4	20/09/17	/ /	1307	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	165003EN172125	Gammon Constnution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y32 Y40 Batch 5	24/09/17	/ /	1303	
	165003EN172269	Gammon Enginering and Constnution Co. Ltd.	Demoltion and Associated A&A Works for Taikoo for Place Phase 2B Development	Y16 - J3639-Y16-B1-1 Y40 - J3639-Y40-B1-1 Batch 1	14/10/17	/ /	1283	
	165003EN172330	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y16 bar - B04/16/061 Y16 bar - B04/16/062 Y16 bar - B04/16/063 Y25 bar - B04/25/053 Y25 bar - B04/25/054 Y40 bar - B04/40/035 Y40 bar - B04/40/036 Batch 4	20/10/17	/ /	1277	
	165003EN172403	Gammon Constnution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y20 Y25 Y32 Y40 Batch 11	27/10/17	/ /	1270	
	165003EN172584	Gammon Constnution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y40 Batch 14	16/11/17	/ /	1250	
	165003EN172585	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y10 bar - B05/10/012 Y32 bar - B05/32/018	16/11/17	/ /	1250	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 5				
	165003EN172660	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 Batch 15	25/11/17	/ /	1241	
	165003EN172897	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y32 Y40 Batch 20	17/12/17	/ /	1219	
	165003EN172946	Gammon Construction Limited	J3665-Foundation, Socketed H-Piling Works and Sheet Piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L. No. 510	Y40 - B03-Y40-20 Batch 3	27/12/17	/ /	1209	
	165003EN172947	Gammon Construction Limited	J3665-Foundation, Socketed H-Piling Works and Sheet Piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L. No. 510	Y16 - B04-Y16-8 Y40 - B04-Y40-20 Batch 4	27/12/17	/ /	1209	
	165003EN172955	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 Batch 21	22/12/17	/ /	1214	
	165003EN180150	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T50 - TWS-50-078	18/01/18	/ /	1187	
	165003EN180151	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y12 Y16 Y40 Batch 28	16/01/18	/ /	1189	
	165003EN180155	Gammon Construction Limited	J3665-Foundation, Socketed H-Piling Works and Sheet Piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L. No. 510	Y40 - B05-Y40-20 Batch 5	18/01/18	/ /	1187	
	165003EN180156	Gammon Construction Limited	J3665-Foundation, Socketed H-Piling Works and Sheet Piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L. No. 510	Y12 - B06-Y12-08 Y40 - B06-Y40-20 Batch 6	18/01/18	/ /	1187	
	165003EN180167	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po -	Y12 bar (Pattern CHA128)	26/01/18	/ /	1179	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	- B08/12/021 Y12 bar (Pattern INA1) - B08/12/022 Y40 bar - B08/32/033 Y40 bar - B08/32/034				
	165003EN180168	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y12 bar - B09/20/027 Y25 bar (Pattern CHA86) - B09/25/038 Y25 bar (Pattern INA1) - B09/25/039 Y25 bar (Pattern INA1) - B09/25/040 Y25 bar (Pattern CHA112) - B09/25/041 Batch 9	26/01/18	/ /	1179	
	165003EN180169	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y16 bar - B10/16/031 Y16 bar - B10/16/032 Y16 bar - B10/16/033 Y40 bar - B10/40/034 Y40 bar - B10/16/035 Y40 bar - B10/16/036 Batch 10	26/01/18	/ /	1179	
	165003EN180171	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T16 Lot 7 - TWS-16-021 T50 Lot 8 - TWS-50-089	29/01/18	/ /	1176	
	165003EN180227	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) -	Y32	30/01/18	/ /	1175	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Building 3, 4 & 5	Y40 Batch 29				
	165003EN180228	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y12 Y16 Y32 Y40 Batch 30	30/01/18	/ /	1175	
	165003EN180425	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y32 Y40 Batch 38	15/02/18	/ /	1159	
	165003EN180427	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T50 - TWS-50-114 Lot 11	15/02/18	/ /	1159	
	165003EN180460	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y10 bar - B11/10/011 Y10 bar - B11/10/022 Y32 bar - B11/32/017 Y32 bar - B11/32/034 Y40 bar - B11/40/014 Y40 bar - B11/40/028 Y40 bar - B11/40/036 Batch 11	23/02/18	/ /	1151	
	165003EN180620	Gammon Engineering & Construction Company Limited	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T16 - J3692-Batch 5-T16-15 Batch 5	13/03/18	/ /	1133	
	165003EN180622	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y12	15/03/18	/ /	1131	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 Y40 Batch 44				
	165003EN180629	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y40 bar - B13/40/027 Y40 bar - B13/40/028 Batch 13	23/03/18	/ /	1123	
	165003EN180630	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y10 bar - B14/10/011 Y12 bar - B14/12/021 Y12 bar - B14/12/022 Batch 14	23/03/18	/ /	1123	
	165003EN180643	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y16 bar - B12/16/021 Y16 bar - B12/16/022 Y20 bar - B12/20/011 Y25 bar - B12/25/027 Y25 bar - B12/25/028 Y40 bar - B12/40/008 Batch 12	23/03/18	/ /	1123	
	165003EN180671	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T16 - TWS-50-129 T50 - TWS-50-172 Lot 16	22/03/18	/ /	1124	
	165003EN180672	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y32 Y40 Batch 42	22/03/18	/ /	1124	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	165003EN180675	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y16 Y32 Y40 Batch 45	21/03/18	/ /	1125	
	165003EN180868	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T50 - TWS-50-180 Lot 18	13/04/18	/ /	1102	
	165003EN180890	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y16 Y20 Y25 Y32 Y40 Batch 54	17/04/18	/ /	1098	
	165003EN180899	Gammon Engineering & Construction Company Limited	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T16 - J3692-Batch 10-T16-11 Batch 10	19/04/18	/ /	1096	
	165003EN180946	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 Y40 Batch 54	20/04/18	/ /	1095	
	165003EN180947	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y12 Y16 Y32 Y40 Batch 55	20/04/18	/ /	1095	
	165003EN181200	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y32 Y40 Batch 57	20/05/18	/ /	1065	
	165003EN181201	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y40 Batch 61	20/05/18	/ /	1065	
	165003EN181225	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop	T50	26/05/18	/ /	1059	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Property Development at TSWTL No.23, Tin Shui Wai, New Territories	- TWS-50-208 Lot 20				
	165003EN181395	Gammon Construction Ltd	HY/2017/10 - Tuen Mun - Chek Lap Lok Link Northern Connection Tunnel Buildings Electrical and Mechanical Works	Y12 Y16 Y20 Y25 Y32 Y40 Batch 1A Y10	10/06/18	/ /	1044	
	165003EN181415	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T50 - J3722-BP-B3-T50-01 Batch 3	15/06/18	/ /	1039	
	165003EN181416	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T50 - J3722-BP-B4-T50a-01 T50 - J3722-BP-B4-T50a-01 Batch 4	15/06/18	/ /	1039	
	165003EN181442	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y16 Y40 Batch 66	20/06/18	/ /	1034	
	165003EN181443	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y12 - B21/12/021 Y12 - B21/12/022 Y20 - B21/20/017 Y32 - B21/32/011 Y40 - B21/40/014 Batch 21	20/06/18	/ /	1034	
	165003EN181450	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y10 Y12	21/06/18	/ /	1033	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 Batch 67				
	165003EN181451	Gammon Construction Limited	J3660 Foundation Works for Tin Wing Stop Property Development at TSWTL No.23, Tin Shui Wai, New Territories	T16 - TWS-16-034 T50 - TWS-50-236 Lot 23	21/06/18	/ /	1033	
	165003EN181486	Gammon Engineering & Construction Company Limited	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T16 - J3692-Batch 13-T16-05 T50 - J3692-Batch 13-T50-05 Batch 13	22/06/18	/ /	1032	
	165003EN181514	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y40 - B17/40/034 Y40 - B17/40/035 Y40 - B17/40/036 Batch 17	26/06/18	/ /	1028	
	165003EN181515	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y25 - B22/25/027 Y25 - B22/25/028 Batch 22	26/08/18	/ /	967	
	165003EN181516	Gammon Construction Ltd	HY/2017/10 - Tuen Mun - Chek Lap Lok Link Northern Connection Tunnel Buildings Electrical and Mechanical Works	Y20 Batch 2	26/06/18	/ /	1028	
	165003EN181677	Gammon Construction Limited	J3718 - Central Kowloon Route Kai Tak West	Y20	17/07/18	/ /	1007	
	165003EN181679	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y16 Y40 Batch 71	17/07/18	/ /	1007	
	165003EN181697	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B22-Y40-008	17/07/18	/ /	1007	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 22				
	165003EN181699	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y10 Y16 Y25	17/07/18	/ /	1007	
				Batch 24				
	165003EN181733	Gammon Construction Limited	J3718 - Central Kowloon Route Kai Tak West	T40	20/07/18	/ /	1004	
	165003EN181734	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B26-Y40-005	19/07/18	/ /	1005	
				Batch 26				
	165003EN181763	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 Batch 72	21/07/18	/ /	1003	
	165003EN182011	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y20 - PC-B33-Y20-005	12/08/18	/ /	981	
				Y25 - PC-B33-Y25-005				
				Y32 - PC-B33-Y32-005				
				Batch 33				
	165003EN182012	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B34-Y40-005	12/08/18	/ /	981	
				Batch 34				
	165003EN182016	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y32 Y40	13/08/18	/ /	980	
				Batch 80				
	165003EN182042	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y12 Y25 Y32 Y40	14/08/18	/ /	979	
				Batch 81				
	165003EN182043	Gammon Construction Limited	J3722-Hong Kong Science Park Development of IE2.0 (Project C)	T16 - J3722-BP-B10-T16a-0101	15/08/18	/ /	978	
				Batch 10				
	165003EN182056	Gammon Construction Limited	J3669-Proposed Development at KIL 11257,	Y40	17/08/18	/ /	976	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Sheung Shing Street, Ho Man Tin, Kowloon	- PC-B35-Y40-005 Batch 35				
	165003EN182057	Gammon Constrution Limited	J3669-Prposed Develpment at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B36-Y40-005 Batch 36	17/08/18	/ /	976	
	165003EN182058	Gammon Constrution Limited	J3669-Prposed Develpment at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B37-Y40-014 Batch 37	17/08/18	/ /	976	
	165003EN182059	Gammon Constrution Limited	J3669-Prposed Develpment at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B38-Y40-014 Batch 38	17/08/18	/ /	976	
	165003EN182060	Gammon Constrution Limited	J3669-Prposed Develpment at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B38A-Y40-005 Batch 38A	17/08/18	/ /	976	
	165003EN182061	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y25 Y32 Batch 79	17/08/18	/ /	976	
	165003EN182070	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 Batch 82	19/08/18	/ /	974	
	165003EN182073	Gammon Constrution Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y25 Y32 Y40 Batch 78	20/08/18	/ /	973	
	165003EN182078	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y16 Y16 Y20 Y25 Batch 27	22/08/18	/ /	971	
	165003EN182105	Gammon Constrution Limited	J3669-Prposed Develpment at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y12 - PC-B39-Y12-005 Y20 - PC-B39-Y20-005 Y40 - PC-B39-Y40-014 Batch 39	25/08/18	/ /	968	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	165003EN182106	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B39A-Y40-005 Batch 39A	25/08/18	/ /	968	
	165003EN182107	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B40-Y40-014 Batch 40	25/08/18	/ /	968	
	165003EN182108	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B43-Y40-014 Batch 43	25/08/18	/ /	968	
	165003EN182109	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B43A-Y40-014 Batch 43A	25/08/18	/ /	968	
	165003EN182110	Gammon Construction Limited	J3669-Proposed Development at KIL 11257, Sheung Shing Street, Ho Man Tin, Kowloon	Y40 - PC-B43B-Y40-008 Batch 43B	25/08/18	/ /	968	
	165003EN182149	Gammon Construction Limited	J3722-Hong Kong Science Park Development of IE2.0 (Project C)	T50 - J3722-BP-B12-T50-01 Batch 12	29/08/18	/ /	964	
	165003EN182306	Gammon Construction Limited	J3722-Hong Kong Science Park Development of IE2.0 (Project C)	T50 - J3722-BP-B15-T50-01 Batch 15	16/09/18	/ /	946	
	165003EN182318	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y16 x 2 Y25 Batch 29	15/09/18	/ /	947	
	165003EN182570	Gammon Engineering & Construction Company Limited	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T12 - J3692-Batch 15-T12-05 T16 - J3692-Batch 15-T16-05 T20 - J3692-Batch 15 -T20-05 T32 - J3692-Batch 15-T32-05 Batch 15	17/10/18	/ /	915	
	165003EN182582	Gammon Construction Limited	Global Switch Hong Kong 1 (GSHK1) - Building 3, 4 & 5	Y40 batch 91	16/10/18	/ /	916	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	165003EN182587	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T40 - J3722-BP-B22-T40-01 Batch 22	11/10/18	/ /	921	
	165003EN182840	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T40 - J3722-BP-B25-T40-01 Batch 25	16/11/18	/ /	885	
	165003EN182841	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T50 - J3722-BP-B26a-T50-01 T50 - J3722-BP-B26b-T50-01 Batch 26	16/11/18	/ /	885	
	165003EN182880	Gammon Engineering & Construction Co. Ltd.	Fo Yin Road, Pak Shek Kok, Tai Po - T.P.T.L 214 (BD Ref. No.:BD3/9152/14)	Y32 Y32 Y40 Y40 Y40 Batch 41	20/11/18	/ /	881	
	165003EN182987	Gammon Construction Limited	J3722-Hong Kong Science Park Developoment of IE2.0 (Project C)	T50 - J3722-BP-B27a-T50-01 T50 - J3722-BP-B27b-T50-01 Batch 27	30/11/18	/ /	871	
	165003EN190290	Gammon Engineering and Constrution Co. Ltd.	Demolition and Associated A&A Works for Taikoo for Place Phase 2B Development	T12 - J3639-B2-T12-06 Batch 2	18/02/19	/ /	791	
	165003EN190431	Gammon Construction Limited	J3710 Palace Museum	Y16 - B4-Y16-006 Y20 - B4-Y20-006 Y25 - B4-Y25-006 Y32 - B4-Y32-009 Y40 - B4-Y40-015	18/03/19	/ /	763	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 4				
	165311EN180016	WELLMATE LIMITED	TESTING OF NK-6300 STAINLESS STEEL FLEXIBLE JOINT WITH FLANGE END	Flexible Joint - NK-6300 Flexible Joint - NK-6300	12/01/18	/ /	1193	
	165311EN180016(1)	WELLMATE LIMITED	TESTING OF NK-6300 STAINLESS STEEL FLEXIBLE JOINT WITH FLANGE END		12/01/18	/ /	1193	
	165339EN180400	WELLMATE LIMITED	TESTING OF STAINLESS STEEL EXPENSION JOINT WITH FLANGE END (NK-7900EX PN16)	S.S. Expension Joint - ST180083/1A & 1B	21/02/18	/ /	1153	
	165393EN172684	WELSON METAL & SANITARY WARE MFY	TESTING OF GUNMETAL EQUILIBRIUM BALL FLOAT VALVE	GUNMETAL EQUILIBRIUM BALL FLOAT VALVE RETEST	30/11/17	/ /	1236	
	165709EN172929	FT LABORATORIES LTD.	Test on Grease - Ground Anchor Monitoring Work (January 2017 to December 2017)	Grease	14/01/18	/ /	1191	
	165728EN172275	Swire Properties Management Ltd.-Taikoo Place	T2632-Taikoo Place	Potable Water - Refer to JRF	10/10/17	/ /	1287	
	165728EN172391	Swire Properties Management Ltd. - Taikoo Place	PCCW Tower	Potable Water - Refer to JRF	02/11/17	/ /	1264	
	165728EN173014	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	T2632 - Taikoo Place	Potable Water - Refer to JRF	11/01/18	/ /	1194	
	165728EN173015	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	T2632 - Taikoo Place	Potable Water - Refer to JRF	11/01/18	/ /	1194	
	166049EN172051	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	C16W003-Building and E&M Works for Automation of Arrival Bags Celivery	Y12 - ABD/Y12/06	14/09/17	/ /	1313	
	166049EN172137	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL-2/Y10/12	27/09/17	/ /	1300	
	166049EN172138	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	CLP Tranch Cover for HI213 M+	Y12 - CLPTC/Y12/6	27/09/17	/ /	1300	
	166049EN172139	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Tseung Kwan O Area 86, Site N, Tseung	Y16 - TKOTL6-6/Y16/12	27/09/17	/ /	1300	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Kwan O, New Territories - TKOTL 70 R.O.					
	166049EN172209	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	French International School of Hong KONG Tsueng Kwan O Campus	Y10 - FIS-2/Y10/06 Y12 - FIS-2/Y12/06	10/10/17	/ /	1287	
	166049EN172411	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Development at Tung Chung Town Lot No.2 and Lot No.11, New Territories, Hong Kong	Y12 - TCTL-3/Y12/06 Y16 - TCTL-3/Y16/06 Y20 - TCTL-3/Y20/06 Y25 - TCTL-3/Y25/06 Y40 - TCTL-3/Y40/06	26/10/17	/ /	1271	
	166049EN172544	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL-3/Y10/12	14/07/17	/ /	1375	
	166049EN172545	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL-4/Y10/12	14/11/17	/ /	1252	
	166049EN172546	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL6-7/Y10/12 Y12 - TKOTL6-7/Y12/12	14/11/17	/ /	1252	
	166049EN172547	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL6-8/Y10/12	14/11/17	/ /	1252	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	166049EN172548	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL6-9/Y10/12	14/11/17	/ /	1252	
	166049EN172549	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Site G of The Remaining Portion of TKOTL 70, Area 86, Tseung Kwan O, N.T.	Y10 - TKOTL6-10/Y10/12	14/11/17	/ /	1252	
	166049EN172956	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential Development at Tai Wai Station STTL 520 Station	Y10 - TAW-2/Y10/12	28/12/17	/ /	1208	
	166049EN172957	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential Development at Tai Wai Station STTL 520 Station	Y10 - TAW/Y10/12 Y12 - TAW/Y12/12 Y16 - TAW/Y16/09	28/12/17	/ /	1208	
	166049EN180361	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-2/Y10/12 Y12 - PSK-2/Y12/12	11/02/18	/ /	1163	
	166049EN180362	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-3/Y10/12 Y12 - PSK-3/Y12/12 Y16 - PSK-3/Y16/12	11/01/18	/ /	1194	
	166049EN180363	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-4/Y10/12	11/02/18	/ /	1163	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	166049EN180364	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-5/Y10/12	11/02/18	/ /	1163	
	166049EN180365	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-6/Y10/12	11/02/18	/ /	1163	
	166049EN180366	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-7/Y10/12	11/02/18	/ /	1163	
	166049EN180367	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-8/Y10/12	11/02/18	/ /	1163	
	166049EN180368	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK-9/Y10/12	11/02/18	/ /	1163	
	166049EN180377	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y10 - PSK/Y10/12 Y12 - PSK/Y12/12 Y16 - PSK/Y16/12	11/02/18	/ /	1163	
	166049EN180682	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Tseung Kwan O Area 86, Site N, Tseung Kwan O, New Territories-TKOTL 70R.P	Y10 - TKOTL6-11/Y10/12	25/03/18	/ /	1121	
	166049EN180950	SHUNDE LUNJIAO QUON HING CONST.	Residential Development at Tai Wai Station	Y12	23/04/18	/ /	1092	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		MATERIAL CO., LTD.	STTL 520 Station	- TAW-3/Y12/06				
	166049EN181122	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Tseung Kwan O Area 86, Site N, Tseung Kwan O, New Territories-TKOTL 70R.P	Y12 - TKOTL6-12/Y12/06	15/05/18	/ /	1070	
	166074EN172456	SOUTH CHINA PLASTIC BUILDING MATERIAL MFG LTD	TESTING OF UPVC PIPE, FITTING AND UPVC ADHESIVE (PRODUCT CERTIFICATION - INITIAL TYPE TEST)	UPVC Adhesive	10/11/17	/ /	1256	
	170032EN180422	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand Fill Material - Construction Site at TSW " - Construction Site at CSW	14/02/18	/ /	73164 5	
	170032EN180439	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project		15/02/18	/ /	1159	
	170032EN181323	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project		06/06/18	/ /	1048	
	170032EN181411	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - Refer to JRF	20/06/18	/ /	1034	
	170032EN182095	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - TM-CLKL	30/08/18	/ /	963	
	170032EN182297	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - NE/2015/01/TKO-LT Tunnel	21/09/18	/ /	941	
	170032EN182542	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - NKIL 6557	19/10/18	/ /	913	
	170032EN182714	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand	08/11/18	/ /	893	
	170032EN182828	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - Site 6549 & 6550	16/11/18	/ /	885	
	170032EN183128	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand Fill Material - WKCD	08/12/18	/ /	863	
	170032EN190278	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - TK01E(C164)	06/03/19	/ /	775	
	170032EN190449	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - WKCD	22/03/19	/ /	759	
	170032EN190450	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand	26/03/19	/ /	755	
	170032EN191250	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - CLK-29056	18/07/19	/ /	641	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170032EN191252	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - LKT-SF-001	18/07/19	/ /	641	
	170032EN191262	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - Tung Chung 54	19/07/19	/ /	640	
	170032EN191975	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	General Fill Material	25/10/19	/ /	542	
	170032EN192124	CAROL ENGINEERING LTD.	Contract 3206 - 3 rd Runway Project	Sand - CSW6550	11/11/19	/ /	65796 2	
	170061EN172394	TAIHEI DENGYO KAISHA, LTD.	Lamma Power Station Potable Water Replumbing Work	Potable Water - Refer to JRF	02/11/17	/ /	1264	
	170061EN181246	TAIHEI DENGYO KAISHA, LTD.	Lamma Power Station Potable Water Replumbing Work	Potable Water - Refer to JRF	18/05/18	/ /	1067	
	170077EN172153	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SINGLE LEVER MIXER	Valve Cartridge - ST170374(V2)/1 Valve Cartridge - ST170374(V2)/2	29/09/17	/ /	1298	
	170077EN172683	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SINGLE LEVER MIXER	Shower Mixer MP CP Chrome	30/11/17	/ /	1236	
	170126EN190660	FORTRESS PRECAST UNITS LTD.	Material Testing 2017	T12 T16 T20 T25 T32 T40	14/04/19	/ /	736	
	170126EN190695	FORTRESS PRECAST UNITS LTD.	Black Point Power Station Unit D1, Civil Works Contract	T25 T32 T40	15/04/19	/ /	735	
	170155EN172102	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - 10/F Office	28/09/17	/ /	1299	
	170155EN172103	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	28/09/17	/ /	1299	
	170155EN172104	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - ROOM 612	28/09/17	/ /	1299	
	170155EN172939	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	02/01/18	/ /	1203	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170155EN172940	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	02/01/18	/ /	1203	
	170155EN172941	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	02/01/18	/ /	1203	
	170155EN180650	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	27/03/18	/ /	1119	
	170155EN182325	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Refer to JRF	26/09/18	/ /	936	
	170155EN182822	THE UNIVERSITY OF HONG KONG	BW217002 - Potable Water Survey to Premises of The University of Hong Kong	Potable Water - Rm 1412	20/11/18	/ /	881	
	170202EN172131	UNICON CONCRETE PRODUCTS (H.K.) LIMITED	Castle Peak Road, Kwu Tung, N.T. (Precast Product)	Y10 - TOF: 3693	28/09/17	/ /	1299	
	170202EN172415	UNICON CONCRETE PRODUCTS (H.K.) LITD - HK CONCRETE PRECAST	12-18 Tin Wan Street, Aberdeen	Y10 - TOF:3718 GZ171891	30/10/17	/ /	1267	
	170202EN172416	UNICON CONCRETE PRODUCTS (H.K.) LITD - HK CONCRETE PRECAST	12-18 Tin Wan Street, Aberdeen	Y12 - TOF:3719 GZ171892	30/10/17	/ /	1267	
	170202EN172417	UNICON CONCRETE PRODUCTS (H.K.) LITD - HK CONCRETE PRECAST	12-18 Tin Wan Street, Aberdeen	Y16 - TOF:3720 GZ171893	30/10/17	/ /	1267	
	170202EN172615	Paul Y. General Contractors Limited	Material Testing	R10 - TOF:3734 GZ171985	19/11/17	/ /	1247	
	170202EN172616	Paul Y. General Contractors Limited	Material Testing	R8 - TOF:3733 GZ171986	19/11/17	/ /	1247	
	170202EN172666	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	T10 - TOF:3739 GZ172036	30/11/17	/ /	1236	
	170202EN172667	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	T12 - TOF:3740 GZ172037	30/11/17	/ /	1236	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170202EN172668	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	T16 - TOF:3741 GZ172038	30/11/17	/ /	1236	
	170202EN172669	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	T20 - TOF:3742 GZ172039	30/11/17	/ /	1236	
	170202EN172670	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	T25 - TOF:3743 GZ172040	30/11/17	/ /	1236	
	170202EN172671	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	R8 - TOF:3744 GZ172046	30/11/17	/ /	1236	
	170202EN172672	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	R10 - TOF:3745 GZ172047	30/11/17	/ /	1236	
	170202EN172673	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	R8 - TOF:3749 GZ172048	30/11/17	/ /	1236	
	170202EN172674	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	Tseung Kwan O, Area 64C2 Phase 1 & 2	R10 - TOF:3750 GZ172049	30/11/17	/ /	1236	
	170202EN172895	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	TMTL542, Tuen Mun, Castle Bay, TMTL542	Y12 - TOF:3760 GZ172127	20/12/17	/ /	1216	
	170202EN172896	UNICON CONCRETE PRODUCTS (H.K.) LITD - PAUL Y GENERAL CONT	TMTL542, Tuen Mun, Castle Bay, TMTL542	Y10 - TOF:3759 GZ172129	20/12/17	/ /	1216	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170202EN180511	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y10 - TOF:3804A	28/02/18	/ /	1146	
	170202EN180512	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y10 - TOF:3804B	28/02/18	/ /	1146	
	170202EN180513	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y12 - TOF:3805	28/02/18	/ /	1146	
	170202EN180514	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y16 - TOF:3806	28/02/18	/ /	1146	
	170202EN180515	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y20 - TOF:3807	28/02/18	/ /	1146	
	170202EN180516	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y25 - TOF:3808	28/02/18	/ /	1146	
	170202EN180517	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y10 - TOF:3809A	28/02/18	/ /	1146	
	170202EN180518	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y10 - TOF:3809B	28/02/18	/ /	1146	
	170202EN180519	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y12 - TOF:3810	28/02/18	/ /	1146	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Projects)					
	170202EN180520	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y16 - TOF:3811	28/02/18	/ /	1146	
	170202EN180521	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y20 - TOF:3812	28/02/18	/ /	1146	
	170202EN180522	Dongguan Hengli Hamker Precast Concrete Products Factory	Dongguan Hengli Hamker Precast Concrete Products Factory Yuetong Industrial Region, Hengli Dongguan, PRC (HKHA Projects)	Y25 - TOF:3813	28/02/18	/ /	1146	
	170219EN180478	RAMBOLL ENVIRON HONG KONG LTD.	TKO 85 Site B - Landfill Gas Monitoring Services	- Refer to JRF	28/02/18	/ /	1146	
	170219EN190397	RAMBOLL ENVIRON HONG KONG LTD.	TKO 85 Site B - Landfill Gas Monitoring Services		15/03/19	/ /	766	
	170221EN181103	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museu, Plus(M+) of the West Kowloon Cultural District	T10 Work Order : DG/RT-03	14/05/18	/ /	1071	
	170221EN181104	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museu, Plus(M+) of the West Kowloon Cultural District	T12 Work Order : DG/RT-02	14/05/18	/ /	1071	
	170221EN181280	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museu, Plus(M+) of the West Kowloon Cultural District	T16 Work Order : DG/RT-04	02/06/18	/ /	1052	
	170221EN181384	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Redevelopment (Aera 2&3) at NJIL6514, Kowloon	T10 T16 Work no.DG/RT-05	14/06/18	/ /	1040	
	170221EN181385	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Redevelopment (Aera 2&3) at NJIL6514, Kowloon	T10 Work no.DG/RT-07	14/06/18	/ /	1040	
	170221EN181386	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Redevelopment (Aera 2&3) at NJIL6514, Kowloon	T12 Work no.DG/RT-06	14/06/18	/ /	1040	
	170221EN181560	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museu, Plus(M+) of the West Kowloon Cultural District	T10 T16	30/06/18	/ /	1024	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Work order: DG/RT-08				
	170221EN181761	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Shatian Racecourse, Cycle Track and Footpath Widening	T112	23/07/18	/ /	1001	
				Work order: DG/RT-09				
	170221EN182048	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museu, Plus(M+) of the West Kowloon Cultural District	T10	20/08/18	/ /	973	
				- J1601/T10-5				
				Work order DG/RT-10				
	170221EN182103	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Development (Area 2&3) at NKIL 6514	T10	27/08/18	/ /	966	
				- T1802/T10-11				
				T12				
				- T1802/T12-8				
				Work order DG/RT-12				
	170221EN182104	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Development (Area 2&3) at NKIL 6514	T16	27/08/18	/ /	966	
				- T1802/T16-5				
				Work order DG/RT-11				
	170221EN182634	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Shatin Racesource,Cycle Track and Footpath Widening	T16	26/10/18	/ /	906	
				- J1805/T16-6				
				T20				
				- J1805/T20-15				
				T25				
				- J1805/T25-12				
				DG/RT-15				
	170221EN182883	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kuwn Tong Town Centre Development (Area2&3) at NKIL 6514 Kowloon	T10	21/11/18	/ /	880	
				- J1802/T10-18				
				T10				
				- J1802/T10-19				
				T12				
				- J1802/T12-5				
				DG/RT-16				
	170221EN182996	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Shatin Racesource,Cycle Track and Footpath Widening	T12	03/12/18	/ /	868	
				- J1805/T12-11				
				T16				
				- J1805/T16-5				
				T20				
				- J1805/T20-17				
				T25				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- J1805/T25-17 DG/RT-17				
	170221EN183319	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kuwn Tong Town Centre Development (Area2&3) at NKIL 6514 Kowloon	T10 - J1802/T10-12 T12 - J1802/T12-6 DG/RT-18	04/01/19	/ /	836	
	170221EN190057	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Material Testing 2017 01/03/2017 to 31/12/2017	T16 - J1802/T16-6	16/01/19	/ /	824	
	170221EN190348	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Material Testing 2017 01/03/2017 to 31/12/2017	T10 - J1802/T10-12 DG/RT-22	01/03/19	/ /	780	
	170221EN190430	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Material Testing 2017 01/03/2017 to 31/12/2017	T10 - J1802/T10-18 DG/RT-22 rev A	16/03/19	/ /	765	
	170221EN190575	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Development (Area 2 & 3) at NKIL 6514,Kowloon	T10 - J1802/T10-9 T12 - J1802/T12-6 T16 - J1802/T16-6	01/04/19	/ /	749	
	170221EN190780	REDLAND PRECAST CONCRETE PRODUCTS LTD.	URA Kwun Tong Town Centre Development (Area 2 & 3) at NKIL 6514,Kowloon	T10 - J1802/T10-12 T12 - J1802/T12-6	30/04/19	/ /	720	
	170221EN191691	REDLAND PRECAST CONCRETE PRODUCTS LTD.	M+ Museum for the West Kowloon Cultural District Authority	T12 - J1601/T12-5	09/09/19	/ /	588	
	170221EN191737	REDLAND PRECAST CONCRETE PRODUCTS LTD.	Museum Plus (M+) of the Kowloon Cultural District	T10 GZ190622	16/09/19	/ /	581	
	170318EN190034	KAM HOP CONSTRUCTION LIMITED	3rd Runway Project - Contract No. 3206		09/01/19	/ /	831	
	170361EN172723	B.S.C. SANITARYWARES SUPPLY LTD	TESSTING OF MIXER OR TAP	Mixer - F10 2 (ST170639/1) Mixer - F38 2 (ST170639/2)	08/12/17	/ /	1228	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170361EN172723(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESSTING OF MIXER OR TAP		08/12/17	/ /	1228	
	170414EN172108	WING HONG SHUN ENTERPRISES LTD	WING HONG SHUN ENTERPRISES LTD	Y10 - 0907-2-C	20/09/17	/ /	1307	
	170414EN172164	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 x 12 - 0913-0702-C to 0913-1202-C Y16 - 0913-113-C Y16 - 0913-213-C	30/09/17	/ /	1297	
	170414EN180801	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 - 180323-2-C Y32 - 180323-7-C GZ180163	08/04/18	/ /	1107	
	170414EN181271	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 - 180509-902-C Y10 - 180509-1002-C Y10 - 180509-1102-C GZ180407	30/05/18	/ /	1055	
	170414EN181272	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 - 180509-302-C Y10 - 180509-402-C Y10 - 180509-502-C Y10 - 180509-602-C Y10 - 180509-702-C Y10 - 180509-802-C GZ180408	30/05/18	/ /	1055	
	170414EN181273	HUIZHOU CITY WING HONG SHUN	HUIZHOU CITY WING HONG SHUN	Y10	30/05/18	/ /	1055	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		CONSTRUCTION MATERIALS CO LTD	CONSTRUCTION MATERIALS CO LTD	- 180509-102-C Y10 - 180509-202-C GZ180409				
	170414EN181561	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y12 - 180614-102-C Y12 - 180614-202-C Y12 - 180614-302-C Y12 - 180614-402-C Y12 - 180614-502-C Y12 - 180614-602-C Y12 - 180614-702-C Y12 - 180614-802-C Y12 - 180614-902-C Y16 - 180614-1002-C GZ180530	30/06/18	/ /	1024	
	170414EN181924	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 Y12 Y16 GZ180601 Y10 Y10 Y10 Y16 GZ180633	05/08/18	/ /	988	
	170414EN181924(1)	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD		13/08/18	/ /	980	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170414EN182793	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 Y20 GZ180861	12/11/18	/ /	889	
	170414EN182879	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	R8 - 18106-2-C R10 - 181106-7-C GZ180890	21/11/18	/ /	880	
	170414EN182974	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y20 - 181117-2-C Y25 - 181117-7-C GZ180897	28/11/18	/ /	873	
	170414EN190002	Huizhou City Hong Shun Construction Materials Co., Ltd	Huizhou City Hong Shun Construction Materials Co., Ltd	Y10 - 181222-102-C Y12 - 181222-202-C Y16 - 181222-302-C GZ180958	09/01/19	/ /	831	
	170414EN190003	Huizhou City Hong Shun Construction Materials Co., Ltd	Huizhou City Hong Shun Construction Materials Co., Ltd	Y16 - 181225-702-C GZ180959	09/01/19	/ /	831	
	170414EN190004	Huizhou City Hong Shun Construction Materials Co., Ltd	Huizhou City Hong Shun Construction Materials Co., Ltd	Y10 - 181225-102-C Y10 - 181225-202-C Y10 - 181225-302-C Y12 - 181225-402-C Y12 - 181225-505-C Y12 - 181225-602-C GZ180960	09/01/19	/ /	831	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170414EN190504	Huizhou City Hong Shun Construction Materials Co., Ltd	Huizhou City Hong Shun Construction Materials Co., Ltd	Y10 - 190308-102-C Y10 - 190308-202-C GZ190124	25/03/19	/ /	756	
	170414EN190505	Huizhou City Hong Shun Construction Materials Co., Ltd	Huizhou City Hong Shun Construction Materials Co., Ltd	Y10 - 190308-302-C Y10 - 190308-402-C Y10 - 190308-502-C Y12 - 190308-602-C Y12 - 190308-702-C Y16 - 190308-802-C GZ190125	25/03/19	/ /	756	
	170415EN172160	ORIENTFUNDS PRECAST LTD	-	Y10 Y12 Y16 GZ171759	30/09/17	/ /	1297	
	170415EN172161	ORIENTFUNDS PRECAST LTD	-	Y10 GZ171760	30/09/17	/ /	1297	
	170415EN172162	ORIENTFUNDS PRECAST LTD	-	Y10 Y10 Y12 Y116 GZ171762	30/09/17	/ /	1297	
	170415EN172644	ORIENTFUNDS PRECAST LTD	-	Y10 Y12 Y16 GZ171998 Batch S1701540-1	29/11/17	/ /	1237	
	170415EN172645	ORIENTFUNDS PRECAST LTD	-	Y10	29/11/17	/ /	1237	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y12				
				Y16				
				GZ171999				
				Batch S1701539-1				
	170415EN172646	ORIENTFUNDS PRECAST LTD	-	Y10	29/11/17	/ /	1237	
				Y10				
				Y12				
				Y16				
				GZ172000				
				Batch S1701538-1				
	170415EN172647	ORIENTFUNDS PRECAST LTD	-	Y10	29/11/17	/ /	1237	
				Y10				
				Y12				
				GZ172001				
				Batch S1701537-1				
	170415EN172828	ORIENTFUNDS PRECAST LTD	-	Y16	10/12/17	/ /	1226	
				GZ172089				
				Ref. VL-1705008				
	170415EN180056	ORIENTFUNDS PRECAST LTD	-	Y10	15/01/18	/ /	1190	
				Y12				
				Y16				
				GZ172259				
				Ref. AH17-0068				
	170415EN180057	ORIENTFUNDS PRECAST LTD	-	Y10	15/01/18	/ /	1190	
				Y10				
				Y12				
				Y16				
				GZ172259				
				Ref. AH17-0068				
	170415EN180303	ORIENTFUNDS PRECAST LTD	-	Y10	05/02/18	/ /	1169	
				Y12				
				Y16				
				GZ180022				
				Ref. S180070-1				
	170415EN180304	ORIENTFUNDS PRECAST LTD	-	Y10	05/02/17	/ /	1534	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y10				
				Y12				
				Y16				
				GZ180023				
				Ref. S1800711				
	170415EN180305	ORIENTFUNDS PRECAST LTD	-	Y10	02/05/18	/ /	73156	
				Y12			8	
				Y16				
				GZ180024				
				Ref. S180072-1				
	170415EN180306	ORIENTFUNDS PRECAST LTD	-	Y10	05/02/18	/ /	1169	
				Y10				
				Y12				
				Y16				
				GZ180025				
				Ref. S1800731				
	170415EN180307	ORIENTFUNDS PRECAST LTD	-	Y10	05/02/18	/ /	1169	
				Y12				
				Y16				
				GZ180026				
				Ref. S180074-1				
	170468EN180586	Nishimatsu Construction Co. Ltd.	HY/2014/09	ULSD	04/05/18	/ /	73156	
				- modern			6	
				- gammon				
				- sambo				
	170468EN181379	NISHIMATSU CONST. CO LTD	Contract HY/2014/09 - Testing of Ultra Low Sulphur Diesel (ULSD)	ulsd	07/01/18	/ /	73168	
							3	
	170468EN182000	NISHIMATSU CONST. CO LTD	Contract HY/2014/09 - Testing of Ultra Low Sulphur Diesel (ULSD)	ulsd	09/07/18	/ /	73150	
							0	
	170468EN182001	NISHIMATSU CONST. CO LTD	Contract HY/2014/09 - Testing of Ultra Low Sulphur Diesel (ULSD)	ulsd	09/07/18	/ /	73150	
							0	
	170468EN182002	NISHIMATSU CONST. CO LTD	Contract HY/2014/09 - Testing of Ultra Low Sulphur Diesel (ULSD)	ulsd	09/07/18	/ /	73150	
							0	
	170468EN182805	NISHIMATSU CONST. CO LTD	Contract HY/2014/09 - Testing of Ultra Low Sulphur Diesel (ULSD)	ULSD	12/01/18	/ /	73167	
							8	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	170474EN191209	SUN EAST METAL & SANITARY WARE LTD.	TESTING OF SINGLE LEVER MIXER	spout nut 801.17-XX PC190240	02/07/19	/ /	657	
	170474EN191668	SUN EAST METAL & SANITARY WARE LTD.	TESTING OF SINGLE LEVER MIXER	nut x2 s-union x2	30/08/19	/ /	598	
	170583EN172657	EXCEL ENGINEERING COMPANY LIMITED	Calibration Services (2017)	Sibata LaserDust LD-3B - S/N: 597328	30/11/17	/ /	1236	
	170602EN180745	MAXFUL ENGINEERING LTD.	Tests on Fresh Water	Fresh Water - Refer to JRF	29/03/18	/ /	1117	
	170602EN180817	MAXFUL ENGINEERING LTD.	Tests on Fresh Water	Fresh Water - Refer to JRF	10/04/18	/ /	1105	
	170738EN172833	EXCEL ASPHALT LIMITED	Stack Emission Sampling 2017	Stacjk emission	01/04/18	/ /	73159 9	
	170738EN180030	EXCEL ASPHALT LIMITED	Stack Emission Sampling 2017	Emission	01/12/18	/ /	73135 5	
	170739EN182847	YIN ON TRADING LTD.	INSPECTION OF GATE VALVE	Project No.: KL/2014/03- site test on DI gate valve stem nut., stem, seat ring PC180174	11/10/18	/ /	73140 6	
	170850EN172048	NIPPON PAINT (HK) CO LTD	Test on Proprietary Acrylic Coating System	Nippon Paint Ultra Sealer III	10/06/17	/ /	73189 4	
	170943EN172530	EEI TRADING LTD.	Hong Kong Green Label Scheme	Ales Eco Clean Sealer Ales Eco Clean Matt	12/03/17	/ /	73198 4	
	171036EN172656	CR CONSTRUCTION CO. LTD.	Calibration Services (2017)	Sibata LaserDust LD-3B - S/N: 456676 Sibata LaserDust LD-3B - S/N: 3Y6531	30/11/17	/ /	1236	
	171036EN172658	CR CONSTRUCTION CO. LTD.	Calibration Services (2017)	Sibata LaserDust LD-3B - S/N: 476792	30/11/17	/ /	1236	
	171147EN172487	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE	Refer to JRF (Valve Cartridge A) -- Refer to JRF (Valve Cartridge B) --	07/11/17	/ /	1259	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID Refer to JRF	Target Date	Test Comp	OD (days)	Amount
				--				
	171147EN172487(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE		07/11/17	/ /	1259	
	171147EN172487(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE		07/11/17	/ /	1259	
	171147EN172488	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE	Refer to JRF (Valve Cartridge A)	07/11/17	/ /	1259	
				--				
				Refer to JRF (Valve Cartridge B)				
				--				
				Refer to JRF				
				--				
	171147EN172488(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE		07/11/17	/ /	1259	
	171147EN172488(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE		07/11/17	/ /	1259	
	171147EN172569	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE	Vale Cartridge - USPVIW0 VIVIA Shower Pamel Color :White	16/11/17	/ /	1250	
	171147EN180747	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXING VALVE	Valve Cartridge - ST170978/1	06/04/18	/ /	1109	
	171230EN180653(1)	HANG FUNG PIPES CO., LTD.	TESTING OF S.S BALL VALVE		27/03/18	/ /	1119	
	171230EN180653(2)	HANG FUNG PIPES CO., LTD.	TESTING OF S.S BALL VALVE		27/03/18	/ /	1119	
	171230EN180653(3)	HANG FUNG PIPES CO., LTD.	TESTING OF S.S BALL VALVE		27/03/18	/ /	1119	
	171230EN180653(4)	HANG FUNG PIPES CO., LTD.	TESTING OF S.S BALL VALVE		27/03/18	/ /	1119	
	171231EN172158	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE)	Stop Valve - 1.DN 32mm - 2.DN 40mm	27/09/17	/ /	1300	
	171232EN182533	HONWIN ENGINEERING LTD.	3rd Runway Project - Contract No. 3206	Sand Blanket Type A	16/10/18	/ /	916	
	171311EN172038	WO HING CONSTRUCTION CO. LTD.	1-14K/WSD	Potable Water	08/09/17	/ /	1319	
				--				
				Potable Water				
				--				
	171311EN172105	WO HING CONSTRUCTION CO. LTD.	1-14K/WSD	Potable Water	20/09/17	/ /	1307	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Refer to JRF				
	171335EN172919(1)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		27/12/17	/ /	1209	
	171335EN180041(1)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180042(1)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180043	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/3 Mixer - ST171202/3 Mixer - ST171202/3	17/01/18	/ /	1188	
	171335EN180043(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180044	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/4 Mixer - ST171202/4 Mixer - ST171202/4	17/01/18	/ /	1188	
	171335EN180044(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180045(1)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180046	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/6 Mixer - ST171202/6 Mixer - ST171202/6 Mixer - ST171202/6	17/01/18	/ /	1188	
	171335EN180046(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180046(3)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180047	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/7 Mixer - ST171202/7 Mixer	17/01/18	/ /	1188	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST171202/7 Mixer - ST171202/7				
	171335EN180047(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180047(3)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180048	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/8 Mixer - ST171202/8 Mixer - ST171202/8	17/01/18	/ /	1188	
	171335EN180048(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180049	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171202/9 Mixer - ST171202/9 Mixer - ST171202/9	17/01/18	/ /	1188	
	171335EN180049(2)	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER		17/01/18	/ /	1188	
	171335EN180336	TOP GOAL ENGINEERING CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171119/1	14/02/18	/ /	1160	
	171453EN172496	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - KOHLER P24736-LV	05/11/17	/ /	1261	
	171453EN172497	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - KOHLER P24700-LV	05/11/17	/ /	1261	
	171453EN172541	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Single Level Mixer (Cartridge Only) - Hohler K-11643T-4-CP - (ST170311(v10))/1 - *retest	15/11/17	/ /	1251	
	171453EN172851	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Presto Neo Duo Simple 64711 - ST170311(V3)/3 Mixer - Presto Neo Duo Simple 64711	01/01/18	/ /	1204	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST170311(V3)/3 Mixer				
				- Presto Neo Duo Simple 64711				
				- ST170311(V3)/3 Mixer	01/01/18	/ /	1204	
				- Presto Neo Duo Simple Pillar				
				- ST170311(V3)/2 Mixer				
				- Presto Neo Duo Simple Pillar				
				- ST170311(V3)/2 Mixer				
				- Presto Neo Duo Simple Pillar				
				- ST170311(V3)/2 Presto Pillar Tap 65005	01/01/18	/ /	1204	
				- Presto Pillar Tap 65005				
				- ST170311(V3)/1 Presto Pillar Tap 65005				
				- Presto Pillar Tap 65005				
				- ST170311(V3)/1 Presto Pillar Tap 65005				
				- Presto Pillar Tap 65005				
				- ST170311(V3)/1 Mixer	01/01/18	/ /	1204	
				- Presto Bib Tap 66005				
				- ST170311(V3)/4 Mixer				
				- Presto Bib Tap 66005				
				- ST170311(V3)/4 Mixer				
				- Presto Bib Tap 66005				
				- ST170311(V3)/4 Mixer	01/01/18	/ /	1204	
				- Presto ALPA 35906				
				- ST170311(V3)/5 Mixer				
				- Presto ALPA 35906				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST170311(V3)/5 Mixer				
				- Presto ALPA 35906				
				- ST170311(V3)/5				
	171453EN172855(2)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		01/01/18	/ /	1204	
	171453EN172856	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer	01/01/18	/ /	1204	
				- Presto P50 38023				
				- ST170311(V3)/6				
				Mixer				
				- Presto P50 38023				
				- ST170311(V3)/6				
				Mixer				
				- Presto P50 38023				
				- ST170311(V3)/6				
	171453EN172856(2)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		01/01/18	/ /	1204	
	171453EN172857	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer	01/01/18	/ /	1204	
				- Stern Neptune Neptune Medical 1000T/LE				
				- ST170311(V3)/7				
				Mixer				
				- Stern Neptune Neptune Medical 1000T/LE				
				- ST170311(V3)/7				
				Mixer				
				- Stern Neptune Neptune Medical 1000T/LE				
				- ST170311(V3)/7				
				Mixer				
				- Stern Neptune Neptune Medical 1000T/LE				
				- ST170311(V3)/7				
	171453EN172857(2)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		01/01/18	/ /	1204	
	171453EN172857(3)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		01/01/18	/ /	1204	
	171453EN180138	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer	23/01/18	/ /	1182	
				- ST171057/3				
				Mixer				
				- ST171057/3				
	171453EN180138(1)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	73166	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	171453EN180399	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer - ST170311(v13)/1 - retest	21/02/18	/ /	1153	
	171453EN180809	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - ST170311(V14)/1 & 1D - Presto Alpa 35906 Single Lever Mixer - ST170311(V14)/1 retest	17/04/18	/ /	1098	
	171453EN180864	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Spout of single lever mixer	13/04/18	/ /	1102	
	171453EN181204	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	- Cancel Sensor - ST170311(v6)/1 Sensor - ST170311(v6)/1	29/05/18	/ /	1056	
	171453EN181204(1)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		29/05/18	/ /	1056	
	171453EN181204(2)	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER		29/05/18	/ /	1056	
	171453EN181456	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	PRESTO ALPA 35906 - PC180014	23/06/18	/ /	1031	
	171453EN181999	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Presto Alpa 35906 - PC180109/1 & 1d	21/08/18	/ /	972	
	171453EN182171	JAMES WONG & CO LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 2xrada 425F - PC180110/1&1d	15/09/18	/ /	947	
	171478EN200428	K. WAH ASPHALT LTD.	RSP Measurement - Sheung Shui Plant	RSP	31/03/20	/ /	384	
	171541EN180531	VSC BLDG PRODUCTS CO LTD	TESTING OF ELECTRONIC SENSOR TAP	Flow Limited - ST170788/1	12/03/18	/ /	1134	
	171547EN172503	MESAN FIBERGLASS ENGINEERING (INTERNATIONAL) LTD.	TESTING OF COPPER SOCKET FITTING	Copper socket fitting	10/11/17	/ /	1256	
	171771EN172290	WORLD GENIUS CORPORATION LTD.	07/HY/2011 - Highways Department Term Contract, Management and Maintenance of Roads in Sha Tin, Sai Kung and Island	Soil - Ref to JRF	11/11/17	/ /	73174 0	
	171880EN180479	RAMBOLL ENVIRON HONG KONG LTD.	Ngau Tam Mei - Landfill Gas Monitoring Services	- Refer to JRF	28/02/18	/ /	1146	
	171880EN181205	RAMBOLL ENVIRON HONG KONG LTD.	Ngau Tam Mei - Landfill Gas Monitoring	Landfill Gas	27/05/18	/ /	1058	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Services	- Refer to JRF				
	171880EN190409	RAMBOLL ENVIRON HONG KONG LTD.	Ngau Tam Mei - Landfill Gas Monitoring Services		15/03/19	/ /	766	
	171892EN180792	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP	Electronic Basin Mixer with - ST170926/1 Temperature Control Electronic Basin Mixer with - ST170926/1 Temperature Control Electronic Basin Mixer with - ST170926/1 Temperature Control	10/04/18	/ /	1105	
	171892EN180792(1)	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP		10/04/18	/ /	1105	
	171892EN180792(2)	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP		10/04/18	/ /	1105	
	171892EN180793	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP	Sensor Faucet of Mixer Tap - ST180051/1 - 45110000 Sensor Faucet of Mixer Tap - ST180051/1 - 45110000 Sensor Faucet of Mixer Tap - ST180051/1 - 45110000	04/10/18	/ /	73141 3	
	171892EN180793(1)	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP		10/04/18	/ /	1105	
	171892EN180793(2)	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP		10/04/18	/ /	1105	
	171892EN180793(3)	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP		10/04/18	/ /	1105	
	171892EN180796	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF MIXER TAP	Sensor Faucet of Mixer Tap - ST180051/1 - 45110000	10/04/18	/ /	1105	
	171892EN181777	HANS GROHE PTE. LTD.	TESTING OF SENSOR FAUCET OF	Dener Faucet	30/07/18	/ /	994	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			MIXER TAP	- PC180080/1 & 1d - 45110000				
	171893EN172912	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE	Mixing valve - 27364000 - ST171078/1 Mixing valve - 27364000 - ST171078/1 Mixing valve - 27364000 - ST171078/1	22/12/17	/ /	1214	
	171893EN172912(1)	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE		22/12/17	/ /	1214	
	171893EN172912(2)	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE		22/12/17	/ /	1214	
	171893EN172913	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE	Mixing valve - 27362000 - ST171078/2 Mixing valve - 27362000 - ST171078/2 Mixing valve - 27362000 - ST171078/2	22/12/17	/ /	1214	
	171893EN172913(1)	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE		22/12/17	/ /	1214	
	171893EN172913(2)	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE		22/12/17	/ /	1214	
	171893EN180050	HANS GROHE PTE. LTD.	TESTING OF THERMOSTATIC MIXING VALVE	Thermostatic Mixing Valve - ST171078/2	17/01/18	/ /	1188	
	171961EN172084	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Basin Mixer - 38023-1 Single Lever Basin Mixer - 38023-1 Single Lever Basin Mixer	20/09/17	/ /	1307	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 38023-1				
	171961EN172084(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172084(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172085	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Basin Mixer - 38023-1 3 Hole Basin Mixer - 38054-1 Single Lever Basin Mixer - 38023-1 Single Lever Basin Mixer - 38023-1	20/09/17	/ /	1307	
	171961EN172085(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172085(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172085(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172086	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	3 Hole Basin Mixer - 38053-1 3 Hole Basin Mixer - 38053-1 3 Hole Basin Mixer - 38053-1 3 Hole Basin Mixer - 38053-1	20/09/17	/ /	1307	
	171961EN172086(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172086(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172086(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172087	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Shower Mixer - 38621 Single Lever Shower Mixer - 38621 Single Lever Shower Mixer - 38621	20/09/17	/ /	1307	
	171961EN172087(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172087(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172088	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Bath Mixer	20/09/17	/ /	1307	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 38426 Single Lever Bath Mixer - 38426				
	171961EN172088(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172089	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Shower Mixer - 72600 Single Lever Shower Mixer - 72600 Single Lever Shower Mixer - 72600	20/09/17	/ /	1307	
	171961EN172089(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172089(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/09/17	/ /	1307	
	171961EN172090	Hansgrohe PTE. Ltd.	Testing of Single Lever Mixer	Mixer (Valve) - 01800180	20/09/17	/ /	1307	
	171961EN172342	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45016000 Basin Mixer - 45016000 Basin Mixer - 45016000 Basin Mixer - 45016000	31/10/17	/ /	1266	
	171961EN172342(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		31/10/17	/ /	1266	
	171961EN172342(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		31/10/17	/ /	1266	
	171961EN172342(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		31/10/17	/ /	1266	
	171961EN172601(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172602(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172603(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172604(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172605(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172606(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172607(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172608(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	171961EN172609(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172610(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172611(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		08/12/17	/ /	1228	
	171961EN172612(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/11/17	/ /	1246	
	171961EN172617(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172618(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172618(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172619(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172619(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172620(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172620(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172621(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172621(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172622(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172622(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172623(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172624(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172625(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		10/12/17	/ /	1226	
	171961EN172694	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31300090 (ST170928/22) Basin Mixer - 31300090 (ST170928/22) Basin Mixer - 31300090 (ST170928/22)	14/12/17	/ /	1222	
	171961EN172694(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172694(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172695	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31302090 (ST170928/23) Basin Mixer - 31302090 (ST170928/23) Basin Mixer - 31302090 (ST170928/23)	14/12/17	/ /	1222	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	171961EN172695(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172695(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172696	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31303000 (ST170928/24)	14/12/17	/ /	1222	
				Basin Mixer - 31303000 (ST170928/24)				
				Basin Mixer - 31303000 (ST170928/24)				
	171961EN172696(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172696(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172697	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31304000 (ST170928/25)	14/12/17	/ /	1222	
				Basin Mixer - 31304000 (ST170928/25)				
				Basin Mixer - 31304000 (ST170928/25)				
				Basin Mixer - 31304000 (ST170928/25)				
	171961EN172697(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172697(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172697(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172698	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31330090 (ST170928/26)	14/12/17	/ /	1222	
				Basin Mixer - 31330090 (ST170928/26)				
				Basin Mixer - 31330090 (ST170928/26)				
				Basin Mixer - 31330090 (ST170928/26)				
	171961EN172698(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172698(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172698(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172699	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31306090 (ST170928/27)	14/12/17	/ /	1222	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Basin Mixer - 31306090 (ST170928/27)				
				Basin Mixer - 31306090 (ST170928/27)				
				Basin Mixer - 31306090 (ST170928/27)				
	171961EN172699(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172699(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172700	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31305000 (ST170928/28)	14/12/17	/ /	1222	
				Basin Mixer - 31305000 (ST170928/28)				
				Basin Mixer - 31305000 (ST170928/28)				
				Basin Mixer - 31305000 (ST170928/28)				
	171961EN172700(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172700(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172700(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172701	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31331000 (ST170928/29)	14/12/17	/ /	1222	
				Basin Mixer - 31331000 (ST170928/29)				
				Basin Mixer - 31331000 (ST170928/29)				
				Basin Mixer - 31331000 (ST170928/29)				
	171961EN172701(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172701(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172701(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172702	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 31307000 (ST170928/30)	14/12/17	/ /	1222	
				Basin Mixer - 31307000 (ST170928/30)				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Basin Mixer - 31307000 (ST170928/30)				
				Basin Mixer - 31307000 (ST170928/30)				
	171961EN172702(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172702(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172702(3)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172703	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 38021000 (ST170928/31)	14/12/17	/ /	1222	
				Basin Mixer - 38021000 (ST170928/31)				
				Basin Mixer - 38021000 (ST170928/31)				
	171961EN172703(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172703(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172704	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45005000 (ST170928/32)	14/12/17	/ /	1222	
				Basin Mixer - 45005000 (ST170928/32)				
				Basin Mixer - 45005000 (ST170928/32)				
	171961EN172704(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172704(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172705	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45015000 (ST170928/33)	14/12/17	/ /	1222	
				Basin Mixer - 45015000 (ST170928/33)				
				Basin Mixer - 45015000 (ST170928/33)				
	171961EN172705(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172705(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172706	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin mixer - 45001000 (ST170928/34)	14/12/17	/ /	1222	
				Basin mixer				



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 45001000 (ST170928/34) Basin mixer - 45001000 (ST170928/34)				
	171961EN172706(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172706(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172707	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45010000 (ST170928/35) Basin Mixer - 45010000 (ST170928/35) Basin Mixer - 45010000 (ST170928/35)	14/12/17	/ /	1222	
	171961EN172707(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172707(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172708	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 38032000 (ST170928/36) Basin Mixer - 38032000 (ST170928/36) Basin Mixer - 38032000 (ST170928/36)	14/12/17	/ /	1222	
	171961EN172708(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172708(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172709	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45003000 (ST170928/37) Basin Mixer - 45003000 (ST170928/37) Basin Mixer - 45003000 (ST170928/37)	14/12/17	/ /	1222	
	171961EN172709(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172709(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172710	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45013000 (ST170928/38) Basin Mixer - 45013000 (ST170928/38) Basin Mixer	14/12/17	/ /	1222	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 45013000 (ST170928/38)				
	171961EN172710(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172710(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172711	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 38034000 (ST170928/39) Basin Mixer - 38034000 (ST170928/39) Basin Mixer - 38034000 (ST170928/39)	14/12/17	/ /	1222	
	171961EN172711(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172711(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172712	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45004000 (ST170928/40) Basin Mixer - 45004000 (ST170928/40) Basin Mixer - 45004000 (ST170928/40)	14/12/17	/ /	1222	
	171961EN172712(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172712(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		14/12/17	/ /	1222	
	171961EN172789	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45014000 (ST170928/41) Basin Mixer - 45014000 (ST170928/41) Basin Mixer - 45014000 (ST170928/41)	20/12/17	/ /	1216	
	171961EN172789(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172789(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172790	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 38036000 (ST170928/42) Basin Mixer - 38036000 (ST170928/42) Basin Mixer - 38036000 (ST170928/42) Basin Mixer	20/12/17	/ /	1216	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 38036000 (ST170928/42)				
	171961EN172790(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172790(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172790(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172791	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45133000 (ST170928/43) Basin Mixer - 45133000 (ST170928/43) Basin Mixer - 45133000 (ST170928/43) Basin Mixer - 45133000 (ST170928/43)	20/12/17	/ /	1216	
	171961EN172791(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172791(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172791(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172792	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 38121000 (ST170928/44) Basin Mixer - 38121000 (ST170928/44) Basin Mixer - 38121000 (ST170928/44)	20/12/17	/ /	1216	
	171961EN172792(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172792(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172793	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 3812000 (ST170928/45) Basin Mixer - 3812000 (ST170928/45) Basin Mixer - 3812000 (ST170928/45)	20/12/17	/ /	1216	
	171961EN172793(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172793(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172794	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45112000 (ST170928/46) Basin Mixer	20/12/17	/ /	1216	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 45112000 (ST170928/46) Basin Mixer - 45112000 (ST170928/46)				
	171961EN172794(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172794(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172795	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - 45113000 (ST170928/47) Basin Mixer - 45113000 (ST170928/47) Basin Mixer - 45113000 (ST170928/47) Basin Mixer - 45113000 (ST170928/47)	20/12/17	/ /	1216	
	171961EN172795(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172795(2)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172795(3)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172796	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - ST170928/20 Basin Mixer - ST170928/20 Basin Mixer - ST170928/20 Basin Mixer - ST170928/20	20/12/17	/ /	1216	
	171961EN172796(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172797	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - ST170928/21 Basin Mixer - ST170928/21 Basin Mixer - ST170928/21	20/12/17	/ /	1216	
	171961EN172797(1)	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172798	HANSGROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer - ST172798/48	20/12/17	/ /	1216	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Basin Mixer - ST172798/48				
				Basin Mixer - ST172798/48				
	171961EN172798(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN172799	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	- ST170928/49 - ST170928/49 - ST170928/49	20/12/17	/ /	1216	
	171961EN172799(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		20/12/17	/ /	1216	
	171961EN181532	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Mixer - PC180011/1c Model:31300090 " - PC180011/2c Model:31302090 " - PC180011/3c Model:31303000 " - PC180011/4c Model:72600000 " - PC180011/5c Model:45005000 Valve Cartridge - PC180011/6b (Valve Cartridge) Single Lever Mixer - PC180011/1a Model:31300090 " - PC180011/2a Model:31302090 " - PC180011/3a Model:31303000 " - PC180011/4a Model:72600000 " - PC180011/5a Model:45005000 Valve Cartridge - PC180011/6a (Valve Cartridge) Single Lever Mixer - PC180011/1&1d Model:31300090 "	05/07/18	/ /	1019	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- PC180011/2&2d Model:31302090				
				"				
				- PC180011/3&3d Model:31303000				
				"				
				- PC180011/4&4d Model:72600000				
				"				
				- PC180011/5&5d Model:45005000				
	171961EN181532(1)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		04/07/18	/ /	1020	
	171961EN181532(2)	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER		04/07/18	/ /	1020	
	171961EN181776	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Single Lever Mixer (32514000)	30/07/18	/ /	994	
				- PC180080/1 & 1d				
				Single Lever Mixer (3253000)				
				- PC180080/2 & 2d				
	171961EN181975	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Basin Mixer	16/08/18	/ /	977	
				- 45016000				
	171961EN182400	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	Mixer	08/10/18	/ /	924	
				- 45016000				
				- (retest)				
	171961EN191061	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	cartridge	10/06/19	/ /	679	
				Model no. : 74515				
	171961EN191349	HANS GROHE PTE. LTD.	TESTING OF SINGLE LEVEL MIXER	model: 32514	19/07/19	/ /	640	
				cartridge				
	172055EN181065	BUILD KING CONSTRUCTION LIMITED	PACIFIC PLACE CONTEMPORIZATION ENHANCEMENT WORKS (PPCEW)	Aluminium Extrude	05/05/18	/ /	73156	
							5	
	172326EN180098	CONTROL AUTOMATION LTD.	Calibration Services of H2O Sampler	Gas meter	14/01/18	/ /	1191	
	172331EN180572	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor air monitoring	20/03/18	/ /	1126	
				- OD1/OD2				
				24 hr TSP				
	172331EN180573	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring	20/03/18	/ /	1126	
				- OD1/OD2				
	172331EN180574	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring	20/03/18	/ /	1126	
				- N1				
	172331EN180575	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling	20/03/18	/ /	1126	
				- LFG1- 7				

**JRF BACKLOG (Test overdue)**

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172331EN180576	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a & b 8-hr RSP	20/03/18	/ /	1126	
	172331EN180726	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor air monitoring - OD2 24 hr TSP	10/04/18	/ /	1105	
	172331EN180727	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Roof OD7	10/04/18	/ /	1105	
	172331EN180728	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID5 8-hr RSP	10/04/18	/ /	1105	
	172331EN180729	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Roof OD8	10/04/18	/ /	1105	
	172331EN181010	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor air monitoring - OD1/OD2 24 hr TSP	30/04/18	/ /	1085	
	172331EN181011	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/04/18	/ /	1085	
	172331EN181012	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a & b 8-hr RSP 1D1a sampling: 18/04/2018 1D1b sampling:	30/04/18	/ /	1085	
	172331EN181013	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG6- 7	30/04/18	/ /	1085	
	172331EN181014	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1	30/04/18	/ /	1085	
	172331EN181032	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Roof TSP - Roof OD1 1-hr TSP	10/05/18	/ /	1075	
	172331EN181429	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/06/18	/ /	1024	
	172331EN181430	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/06/18	/ /	1024	

**JRF BACKLOG (Test overdue)**

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172331EN181431	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a, ID1b, ID5 8-hr RSP	30/06/18	/ /	1024	
	172331EN181432	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG6- 7	30/06/18	/ /	1024	
	172331EN181433	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1	30/06/18	/ /	1024	
	172331EN181434	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Roof TSP, RSP - Roof OD7, OD8a, OD8b	30/06/18	/ /	1024	
	172331EN181793	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/07/18	/ /	994	
	172331EN181794	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/07/18	/ /	994	
	172331EN181795	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a, ID1b 8-hr RSP	30/07/18	/ /	994	
	172331EN181796	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1	30/07/18	/ /	994	
	172331EN181797	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG6- 7	30/07/18	/ /	994	
	172331EN182563	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	19/10/18	/ /	913	
	172331EN182564	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	19/10/18	/ /	913	
	172331EN182565	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a (sampling: 19/09/2018) 8-hr RSP - ID1b (sampling: 20/09/2018)	19/10/18	/ /	913	
	172331EN182566	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1	19/10/18	/ /	913	
	172331EN182567	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG6- 7	19/10/18	/ /	913	
	172331EN182568	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Roof TSP - RoofOD81	19/10/18	/ /	913	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172331EN182679	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	10/11/18	/ /	891	
	172331EN182680	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	10/11/18	/ /	891	
	172331EN182681	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a (sampling: 23/10/2018) 8-hr RSP - ID1b (sampling: 26/10/2018)	10/11/18	/ /	891	
	172331EN182683	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG6- 7	10/11/18	/ /	891	
	172331EN190112	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/01/19	/ /	810	
	172331EN190113	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Outdoor Air Monitoring - OD1/OD2	30/01/19	/ /	810	
	172331EN190114	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Indoor Air Monitoring - ID1a (sampling: 14/12/2018) 8-hr RSP - ID1b (sampling: 20/12/2018)	30/01/19	/ /	810	
	172331EN190115	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1 Day time	30/01/19	/ /	810	
	172331EN190116	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Noise Monitoring - N1 Light time	30/01/19	/ /	810	
	172331EN190117	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Landfill Gas Monitoring at EcoPark, Tuen Mun, N.T.	Landfill gas sampling - LFG 6-7	30/01/19	/ /	810	
	172350EN172240	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 97345K-4-CP Mixer - 97345K-4-CP Mixer - 97345K-4-CP	16/10/17	/ /	1281	
	172350EN172240(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172240(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172350EN172241	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 97347K-4-CP Mixer - 97347K-4-CP Mixer - 97347K-4-CP	16/10/17	/ /	1281	
	172350EN172241(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172241(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172242	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 97368K-4-CP Mixer - 97368K-4-CP Mixer - 97368K-4-CP	16/10/17	/ /	1281	
	172350EN172242(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172242(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172243	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 97369K-4-CP Mixer - 97369K-4-CP Mixer - 97369K-4-CP	16/10/17	/ /	1281	
	172350EN172243(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172244	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 5241K-4-CP Mixer - 5241K-4-CP Mixer - 5241K-4-CP	16/10/17	/ /	1281	
	172350EN172244(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172244(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172245	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 37327K-4-CP Mixer	16/10/17	/ /	1281	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 37327K-4-CP Mixer - 37327K-4-CP				
	172350EN172245(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172245(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172246	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 37329K-4-CP Mixer - 37329K-4-CP Mixer - 37329K-4-CP	16/10/17	/ /	1281	
	172350EN172246(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172246(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172247	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 37301K-4-CP Mixer - 37301K-4-CP Mixer - 37301K-4-CP	16/10/17	/ /	1281	
	172350EN172247(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172247(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172248	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 45370K-4-CP Mixer - 45370K-4-CP Mixer - 45370K-4-CP Mixer - 45370K-4-CP	16/10/17	/ /	1281	
	172350EN172248(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172248(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172248(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172249	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 99437K-C-CP	16/10/17	/ /	1281	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - 99437K-C-CP				
				Mixer - 99437K-C-CP				
	172350EN172249(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172249(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172250	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 45372K-C4-CP	16/10/17	/ /	1281	
				Mixer - 45372K-C4-CP				
				Mixer - 45372K-C4-CP				
				Mixer - 45372K-C4-CP				
				Mixer - 45372K-C4-CP				
	172350EN172250(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172250(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172250(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172251	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 74053K-4-CP	16/10/17	/ /	1281	
				Mixer - 74053K-4-CP				
				Mixer - 74053K-4-CP				
				Mixer - 74053K-4-CP				
				Mixer - 74053K-4-CP				
	172350EN172251(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172251(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172251(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172252	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - 37303K-4-CP	16/10/17	/ /	1281	
				Mixer - 37303K-4-CP				
				Mixer - 37303K-4-CP				
				Mixer - 37303K-4-CP				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172350EN172252(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172252(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		16/10/17	/ /	1281	
	172350EN172555	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	ALEO PULL OUT KITCHEN FAUCET - 99175K-4-CP (RETETS)	14/11/17	/ /	1252	
	172350EN172999	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171178/1	03/01/18	/ /	1202	
	172350EN173000	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/2	20/12/17	/ /	1216	
	172350EN173001	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/4	03/01/18	/ /	1202	
	172350EN173002	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixet - ST171057/5 Mixer - ST171057/5 Mixer - ST171057/5	20/12/17	/ /	1216	
	172350EN173002(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/17	/ /	1567	
	172350EN173002(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173003	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/6 Mixer - ST171057/6 Mixer - ST171057/6	03/01/18	/ /	1202	
	172350EN173003(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173003(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173004	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/7 Mixer - ST171057/7 Mixer - ST171057/7	03/01/17	/ /	1567	
	172350EN173004(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/12/17	/ /	1233	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172350EN173004(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173005	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/8 Mixer - ST171057/8 Mixer - ST171057/8	03/01/18	/ /	1202	
	172350EN173005(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173005(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173006	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/10 Mixer - ST171057/10 Mixer - ST171057/10	03/01/18	/ /	1202	
	172350EN173006(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN173006(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		03/01/18	/ /	1202	
	172350EN180018	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/11 Mixer - ST171057/11 Mixer - ST171057/11	12/01/18	/ /	1193	
	172350EN180018(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180018(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180019	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/12 Mixer - ST171057/12 Mixer - ST171057/12	12/01/18	/ /	1193	
	172350EN180019(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180019(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180020	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	12/01/18	/ /	1193	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST171057/13 Mixer				
				- ST171057/13 Mixer				
				- ST171057/13				
	172350EN180020(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180020(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		02/01/18	/ /	1203	
	172350EN180021	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	12/01/18	/ /	1193	
				- ST171057/14 Mixer				
				- ST171057/14 Mixer				
				- ST171057/14 Mixer				
				- ST171057/14 Mixer				
	172350EN180021(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180021(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180021(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180022	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	12/01/18	/ /	1193	
				- ST171057/15 Mixer				
				- ST171057/15 Mixer				
				- ST171057/15				
	172350EN180022(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180022(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180023	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	12/01/18	/ /	1193	
				- ST171057/16 Mixer				
				- ST171057/16 Mixer				
				- ST171057/16				
	172350EN180023(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180023(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172350EN180024	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/17 Mixer - ST171057/17 Mixer - ST171057/17	12/01/18	/ /	1193	
	172350EN180024(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180024(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180025	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/18 Mixer - ST171057/18 Mixer - ST171057/18	12/01/18	/ /	1193	
	172350EN180025(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180025(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180026	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/19 Mixer - ST171057/19 Mixer - ST171057/19	12/01/18	/ /	1193	
	172350EN180026(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180026(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180027	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/20 Mixer - ST171057/20 Mixer - ST171057/20	12/01/18	/ /	1193	
	172350EN180027(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180027(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		12/01/18	/ /	1193	
	172350EN180128	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/21	23/01/18	/ /	1182	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - ST171057/21				
				Mixer - ST171057/21				
	172350EN180128(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180128(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180129	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/23	23/01/18	/ /	1182	
				Mixer - ST171057/23				
				Mixer - ST171057/23				
				Mixer - ST171057/23				
	172350EN180129(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180129(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180129(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		22/01/18	/ /	1183	
	172350EN180130	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/24	23/01/18	/ /	1182	
				Mixer - ST171057/24				
				Mixer - ST171057/24				
	172350EN180130(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180130(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180131	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/27	23/01/18	/ /	1182	
				Mixer - ST171057/27				
				Mixer - ST171057/27				
	172350EN180131(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180131(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180132	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	23/01/18	/ /	1182	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST171057/28 Mixer				
				- ST171057/28 Mixer				
				- ST171057/28				
	172350EN180132(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180132(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180133	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/29 Mixer - ST171057/29 Mixer - ST171057/29	23/01/18	/ /	1182	
	172350EN180133(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180133(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180134	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/30 Mixer - ST171057/30 Mixer - ST171057/30	23/01/18	/ /	1182	
	172350EN180134(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180134(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180135	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/31 Mixer - ST171057/31 Mixer - ST171057/31	23/01/18	/ /	1182	
	172350EN180135(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180135(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180136	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST17057/32 Mixer	23/01/18	/ /	1182	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST17057/32 Mixer - ST17057/32				
	172350EN180136(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180136(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180137	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/34 Mixer - ST171057/34 Mixer - ST171057/34	23/01/18	/ /	1182	
	172350EN180137(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180137(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180139	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/22 Mixer - ST171057/22 Mixer - ST171057/22 Mixer - ST171057/22	23/01/18	/ /	1182	
	172350EN180139(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180139(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180139(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180140	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/25 Mixer - ST171057/25 Mixer - ST171057/25	23/01/18	/ /	1182	
	172350EN180140(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180140(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180141	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/26	23/01/18	/ /	1182	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - ST171057/26				
				Mixer - ST171057/26				
	172350EN180141(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180141(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180142	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/33	23/01/18	/ /	1182	
				Mixer - ST171057/33				
				Mixer - ST171057/33				
	172350EN180142(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180142(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180147(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180148	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171207/2	23/01/18	/ /	1182	
				Mixer - ST171207/2				
				Mixer - ST171207/2				
				Mixer - ST171207/2				
	172350EN180148(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN180148(3)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	172350EN190852	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171057/1	20/05/19	/ /	700	
	172350EN191548	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	nut x2 s-union x2	20/08/19	/ /	608	
	172350EN191818	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	s-union nut PC190303	30/09/19	/ /	567	
	172350EN192514	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	s-union PC190278	27/12/19	/ /	479	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172365EN172354	WANG KEE CONSTRUCTION CO LTD	KL/2016/01 - Footbridge at Junction of Sham Mong Road and Tokin Street West in Sham Shui Po	Potable Water - 300mm main Potable Water - 80mm B.S.	18/10/17	/ /	1279	
	172365EN172431	WANG KEE CONSTRUCTION CO LTD	KL/2016/01 - Footbridge at Junction of Sham Mong Road and Tokin Street West in Sham Shui Po	Potable Water - Refer to JRF	25/10/17	/ /	1272	
	172463EN180659(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180659(2)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180659(3)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180659(4)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180660	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS	SS316-GATE VALVE DN20(SV20GVC-6)-2PCS - ST180144/2 (Body) SS316-GATE VALVE DN20(SV20GVC-6)-2PCS - ST180144/2 (Stem) SS316-GATE VALVE DN20(SV20GVC-6)-2PCS - ST180144/2 (Bonnet) SS316-GATE VALVE DN20(SV20GVC-6)-2PCS - ST180144/2 (Disc)	27/03/18	/ /	1119	
	172463EN180660(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180660(2)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172463EN180660(3)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180661	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS	SS3160GATE VALVE DN32(SV32GVC-6)-2PCS - ST180144/3 (Stem) SS3160GATE VALVE DN32(SV32GVC-6)-2PCS - ST180144/3 (Bonnet) SS3160GATE VALVE DN32(SV32GVC-6)-2PCS - ST180144/3 (Dics) SS3160GATE VALVE DN32(SV32GVC-6)-2PCS - ST180144/3 (Body)	27/03/18	/ /	1119	
	172463EN180661(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180661(2)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180661(3)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180662	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS	SS316-GATE VALVE DN40(SV40GVC-6)-2PCS - ST180144/4 (Body) SS316-GATE VALVE DN40(SV40GVC-6)-2PCS - ST180144/4 (Stem) SS316-GATE VALVE DN40(SV40GVC-6)-2PCS - ST180144/4 (Bonnet)	27/03/18	/ /	1119	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				SS316-GATE VALVE DN40(SV40GVC-6)-2PCS - ST180144/4 (Disc)				
	172463EN180662(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180662(2)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180662(3)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180663	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS	SS316-GATE VALVE DN50(SV50GVC-6)-2PCS - ST180144/5 (Body) SS316-GATE VALVE DN50(SV50GVC-6)-2PCS - ST180144/5 (Stem) SS316-GATE VALVE DN50(SV50GVC-6)-2PCS - ST180144/5 (Bonnet) SS316-GATE VALVE DN50(SV50GVC-6)-2PCS - ST180144/5 (Disc)	27/03/18	/ /	1119	
	172463EN180663(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180663(2)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172463EN180663(3)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS		27/03/18	/ /	1119	
	172482EN180795	TOTO (HK) LTD.	TESTING OF SENSOR FAUCET OR MIXER TAP	Sensor Mixer Tap - ST170735/1 Sensor Mixer Tap	10/04/18	/ /	1105	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST170735/1 Sensor Mixer Tap - ST170735/1				
	172482EN180795(1)	TOTO (HK) LTD.	TESTING OF SENSOR FAUCET OR MIXER TAP		10/04/18	/ /	1105	
	172482EN180795(2)	TOTO (HK) LTD.	TESTING OF SENSOR FAUCET OR MIXER TAP		10/04/18	/ /	1105	
	172484EN172168	TOTO (HK) LTD.	TESTING OF MIXER TAP	Mixer - TLG02201B	29/09/17	/ /	1298	
	172484EN172170	TOTO (HK) LTD.	TESTING OF MIXER TAP	Mixer - TBG01202B	29/09/17	/ /	1298	
	172484EN172171	TOTO (HK) LTD.	TESTING OF MIXER TAP	Mixer - TBG02202B	29/09/17	/ /	1298	
	172485EN172877(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172877(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172877(3)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172878(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172878(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172879(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172879(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172880(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172880(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172881(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172881(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172882(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172882(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172485EN172883	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER	Mixer - TLG02307B (ST171012/7) Mixer - TLG02307B (ST171012/7) Mixer - TLG02307B (ST171012/7)	19/12/17	/ /	1217	
	172485EN172883(1)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172485EN172883(2)	TOTO (HK) LTD.	TESTING OF SINGLE LEVEL MIXER		19/12/17	/ /	1217	
	172489EN172208	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF TAP	Tap --	14/10/17	/ /	1283	
	172498EN172046	NIPPON PAINT (HK) CO LTD	VOC and Metal Testing	Nippon paint Aquatec Fine Urethane	10/06/17	/ /	73189 4	
	172555EN172432	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	06/11/17	/ /	1260	
	172555EN172433	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	06/11/17	/ /	1260	
	172555EN172434	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	06/11/17	/ /	1260	
	172621EN172265	YUE HING MACHINE FACTORY LTD.	TESTING OF DUCTILE IRON PRESSURE VALVE (450)	DUCTILE IRON PRESSURE VALVE (450)	19/10/17	/ /	1278	
	172702EN172489	GREAT TREASURE INTERNATIONAL LTD.	TESTING OF SINGLE LEVER SINK MIXER (MODEL : BLANCO MIDA)	Single Lever Sink Mixer - B519843 Single Lever Sink Mixer - B519843	07/11/17	/ /	1259	
	172702EN172489(1)	GREAT TREASURE INTERNATIONAL LTD.	TESTING OF SINGLE LEVER SINK MIXER (MODEL : BLANCO MIDA)		07/11/17	/ /	1259	
	172702EN172800	GREAT TREASURE INTERNATIONAL LTD.	TESTING OF SINGLE LEVER SINK MIXER (MODEL : BLANCO MIDA)	Mixer - B514246 (ST171056/1) Mixer - B514246 (ST171056/1) Mixer - B514246 (ST171056/1) Mixer - B514246 (ST171056/1)	22/12/17	/ /	1214	
	172702EN172800(1)	GREAT TREASURE INTERNATIONAL LTD.	TESTING OF SINGLE LEVER SINK MIXER (MODEL : BLANCO MIDA)		22/12/17	/ /	1214	
	172702EN180017	GREAT TREASURE INTERNATIONAL LTD.	TESTING OF SINGLE LEVER SINK MIXER (MODEL : BLANCO MIDA)	Mixer - B514246	12/01/18	/ /	1193	
	172708EN180105	GOVERNMENT PROPERTY AGENCY	Provision for Indoor Air Quality Certification/ Re-Certification for Government Property Agency's Premises	- Ta Kwu Ling RCGB	16/01/18	/ /	1189	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	172708EN181897	GOVERNMENT PROPERTY AGENCY	Provision for Indoor Air Quality Certification/ Re-Certification for Government Property Agency's Premises	- Cheung Sha Wan Government Offices	08/10/18	/ /	73140 9	
	172750EN172235	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - Y10 - 5 Y10 - Y10 - 17 Y16 - Y16 - 29 Y20 - Y20 - 38 Y25 - Y25 - 47	10/10/17	/ /	1287	
	172750EN172236	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y12 - Y12 - 11	10/10/17	/ /	1287	
	172750EN172237	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y25 - Y25 Y25 - Y25 - 74	10/10/17	/ /	1287	
	172750EN172583	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - Y10 - 21 Y10 - Y10 - 22	16/11/17	/ /	1250	
	172750EN172750	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y12 - Y12 - 11	06/12/17	/ /	1230	
	172750EN172948	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - 14 Y12 - 14 Y20 - 8 Y25 - 8	27/12/17	/ /	1209	
	172750EN180239	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - 11	29/01/18	/ /	1176	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y12 - 11				
	172750EN180679	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - 8 Y12 - 8 Y16 - 5 GZ180118	25/03/18	/ /	1121	
	172750EN181653	MDM GROUP INC. LTD	Subsidized Sale Project at Shatin Area 36C	Y10 - 14 Y12 - 8 Y16 - 8 GZ180560	12/07/18	/ /	1012	
	172750EN191829	MDM GROUP INC. LTD	CIC Zero Carbon Building ( ZCB)	Y10 - 6 Y12 - 6 Y16 - 6 GZ190629	27/09/19	/ /	570	
	172751EN180175	MATERIALAB CONSULTANTS LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	Potable Water - Refer to JRF	29/01/18	/ /	1176	
	172751EN180193	MATERIALAB CONSULTANTS LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	Potable Water - Refer to JRF	30/01/18	/ /	1175	
	172751EN180337	MATERIALAB CONSULTANTS LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	Tap Water - Refer to JRF	13/02/18	/ /	1161	
	172792EN172558	Build King Civil Eng. Ltd.	Choi Hung Road near Shatin Pass Road	Potable Water - 1 Potable Water - 2	09/11/17	/ /	1257	
	172803EN191302	WO HING CONSTRUCTION CO. LTD.	Contract No. DC/2016/01 - Construction of an Additional Sewage Rising Main between	ulsd	08/09/19	/ /	73107	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Tung Chung and Siu Ho Wan and Associated Works					
	173027EN172435	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 4400 0000 Single Lever Mixer - 4400 0000 (ST170929/1)	13/11/17	/ /	1253	
	173027EN172436	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Singel Lever Mixer - 4486 0020 (ST170929/2) Singel Lever Mixer - 4486 0020 (ST170929/2)	13/11/17	/ /	1253	
	173027EN172437	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Singel Lever Mixer - 5709 2201 (ST170929/3) Singel Lever Mixer - 5709 2201 (ST170929/3) Singel Lever Mixer - 5709 2201 (ST170929/3)	13/11/17	/ /	1253	
	173027EN172437(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172437(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172438	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Singel Lever Mixer - 5715 2201 (ST170929/4) Singel Lever Mixer - 5715 2201 (ST170929/4) Singel Lever Mixer - 5715 2201 (ST170929/4) Singel Lever Mixer - 5715 2201 (ST170929/4)	13/11/17	/ /	1253	
	173027EN172438(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172439	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 5710 2201 (ST170929/5) Single Lever Mixer - 5710 2201 (ST170929/5)	13/11/17	/ /	1253	
	173027EN172440	SHUN LEE BUILDING MATERIALS &	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer	13/11/17	/ /	1253	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		SANITARY WARES LTD.		- 5774 2101 (ST170929/6) Single Lever Mixer - 5774 2101 (ST170929/6) Single Lever Mixer - 5774 2101 (ST170929/6)				
	173027EN172440(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172441	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 5720 2203 (ST170929/7) Single Lever Mixer - 5720 2203 (ST170929/7) Single Lever Mixer - 5720 2203 (ST170929/7)	13/11/17	/ /	1253	
	173027EN172441(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172442	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 0909 2285 (ST170929/8) Single Lever Mixer - 0909 2285 (ST170929/8) Single Lever Mixer - 0909 2285 (ST170929/8)	13/11/17	/ /	1253	
	173027EN172442(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172443	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Singel Lever Mixer - 0974 2185 (ST170929/9) Single Lever Mixer - 0974 2185 (ST170929/9) Single Lever Mixer - 0974 2185 (ST170929/9)	13/11/17	/ /	1253	
	173027EN172443(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172444	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 4940 2203 (ST170929/10) Single Lever Mixer - 4940 2203 (ST170929/10)	13/11/17	/ /	1253	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	173027EN172445	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 4944 2103 (ST170929/11) Single Lever Mixer - 4944 2103 (ST170929/11) Single Lever Mixer - 4944 2103 (ST170929/11)	13/11/17	/ /	1253	
	173027EN172445(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172446	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 0314 2273 (ST170929/12) Single Lever Mixer - 0314 2273 (ST170929/12)	13/11/17	/ /	1253	
	173027EN172447	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - 5101 2273 (ST170929/13) Single Lever Mixer - 5101 2273 (ST170929/13) Single Lever Mixer - 5101 2273 (ST170929/13)	13/11/17	/ /	1253	
	173027EN172448	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - EXQNE181 (ST170929/14) Single Lever Mixer - EXQNE181 (ST170929/14) Single Lever Mixer - EXQNE181 (ST170929/14)	13/11/17	/ /	1253	
	173027EN172449	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - PAFSK185CR (ST170929/15) Single Lever Mixer - PAFSK185CR (ST170929/15) Single Lever Mixer - PAFSK185CR (ST170929/15)	13/11/17	/ /	1253	
	173027EN172449(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172450	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - PAFGR071CR (ST170929/16) Single Lever Mixer	13/11/17	/ /	1253	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- PAFGR071CR (ST170929/16) Single Lever Mixer - PAFGR071CR (ST170929/16)				
	173027EN172450(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172451	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Sngle Lever Mixer - PAFGR081CR (ST170929/17) Sngle Lever Mixer - PAFGR081CR (ST170929/17) Sngle Lever Mixer - PAFGR081CR (ST170929/17)	13/11/17	/ /	1253	
	173027EN172451(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173027EN172452	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - PAFGR022CR (ST170929/18) Single Lever Mixer - PAFGR022CR (ST170929/18)	13/11/17	/ /	1253	
	173027EN180328	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST180018/1 Mixer - ST180018/1	12/02/18	/ /	1162	
	173027EN180328(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180329	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST180018/2 Mixer - ST180018/2 Mixer - ST180018/2	12/02/18	/ /	1162	
	173027EN180329(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180329(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180330	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST180018/3	12/02/18	/ /	1162	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - ST180018/3 Mixer - ST180018/3				
	173027EN180330(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180330(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180331	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST180018/4 Mixer - ST180018/4 Mixer - ST180018/4 Mixer - ST180018/4	12/02/18	/ /	1162	
	173027EN180331(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180331(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN180331(3)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		12/02/18	/ /	1162	
	173027EN181706	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Mixer	28/07/18	/ /	996	
	173134EN172429	WELLMATE LIMITED	TESTING OF C.I GATE VALVE	"SHOWA" Fig 104W, C.I Gate Valve Bronze, Non-rising stem	31/10/17	/ /	1266	
	173134EN172595	WELLMATE LIMITED	TESTING OF C.I GATE VALVE	"SHOWA" Fig 104W, C.I Gate Valve Bronze, Non-rising stem	15/11/17	/ /	1251	
	173135EN172430	WELLMATE LIMITED	TESTING OF C.I GLOBE VALVE	"SHOWA" Fig 34RB, C.I Globe Valve Bronze Trim, Rising stem	31/10/17	/ /	1266	
	173135EN172596	WELLMATE LIMITED	TESTING OF C.I GLOBE VALVE	"SHOWA" Fig 34RB, C.I Globe Valve Bronze Trim, Rising stem	15/11/17	/ /	1251	
	173275EN172266	AQUAPOWER LTD.	TESTING OF VERTICAL TYPE EQUILIBRIUM FLOAT VALVE	VERTICAL TYPE EQUILIBRIUM FLOAT VALVE	16/10/17	/ /	1281	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	173275EN172864	AQUAPOWER LTD.	TESTING OF VERTICAL TYPE EQUILIBRIUM FLOAT VALVE	VERTICAL TYPE EQUILIBRIUM FLOAT VALVE	10/12/17	/ /	1226	
	173280EN172539	ASPHALT SURFACES (INT'L) LTD	Tests on Exhaust Emission - Tsing Yi Batching Plant	Chimney exhaust	12/06/17	/ /	73189 2	
	173280EN180316	ASPHALT SURFACES (INT'L) LTD	Tests on Exhaust Emission - Tsing Yi Batching Plant		14/02/18	/ /	1160	
	173360EN172512	FULLINK TECHNOLOGIES LTD.	Stonecutters Island Sewage Treatment Works	Outlet gas	15/11/17	/ /	1251	
	173423EN200429	HONG KONG ASPHALT (GREEN) LTD.	Dust Monitoring	RSP	31/03/20	/ /	384	
	173430EN172405	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GATE VALVE (ACE-PN25)	Cast iron gate valve (ACE-PN25) Stem nut (DN80, DN100 & DN150mm) Stem (DN80, DN100 & DN150mm)	27/10/17	/ /	1270	
	173447EN180603	AMCO ENGINEERING (HK) CO. LTD.	TESTING OF STAINLESS STEEL MECHANICAL JOINTINGPUSH-ON AND PRESS-FIT END CONNECTORS	1/2" SS316 bend 1" SS316 bend 2" SS316 bend 3" SS316 bend 4" SS316 bend	21/03/18	/ /	1125	
	173493EN181682	YUE HING MACHINE FACTORY LTD.	TESTING OF PRESSURE REDUCING VALVE (ARI W-30R)	Spring Pilot Fitting Tubing Y-strainer Ball valve	15/07/18	/ /	1009	
	173566EN172253	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/09/17	/ /	73180 1	
	173566EN172254	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/09/17	/ /	73180 1	
	173566EN172255	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/09/17	/ /	73180 1	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	173566EN172256	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	saline water	11/09/17	/ /	73180 1	
	173566EN172257	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/09/17	/ /	73180 1	
	173566EN172258	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	saline water	11/09/17	/ /	73180 1	
	173566EN172294	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/10/17	/ /	73177 1	
	173566EN172304	ATKINS CHINA LTD.	CEDD Agreement No. CE36/2016(HY) Cycle Track between Tsuen Wan and Tuen Mun (So Kwun Wat Section) - Quotation for Water Quality Sampling	Saline water	11/12/17	/ /	73171 0	
	173632EN180232	CHUN WO CONSTRUCTION & ENGINEERING CO., LTD.	IAQ Certification Service for Breast Cancer Foundation at Ngau Chi Wan		28/02/18	/ /	1146	
	173632EN180233	CHUN WO CONSTRUCTION & ENGINEERING CO., LTD.	IAQ Certification Service for Breast Cancer Foundation at Ngau Chi Wan		28/02/18	/ /	1146	
	173692EN172058	PROMAT INTERNATIONAL (ASIA PACIFIC) LTD	IR Scanning on FR Paint, Primer and Top Coat in Cold State	- Peacopoxy-Multi-Purpose Primer - Peacopour RC Finish - Cafo Spratyfilm WB3	21/09/17	/ /	1306	
	173707EN172039	ASTAR NDT CONSULTANTS LTD.	Material Testing & Independent Inspection of Brass Idols	Coated idol	14/09/17	/ /	1313	
	173707EN172499	ASTAR NDT CONSULTANTS LTD.	Material Testing & Independent Inspection of Brass Idols	Coated idol	04/11/17	/ /	1262	
	173719EN180190	TOP HILL CIVIL ENGINEERING CO. LTD.	Test on Ultra Low Sulphur Diesel	ULSD	02/12/18	/ /	73135 4	
	173737EN180326	VSC BLDG PRODUCTS CO LTD	TESTING OF SELF CLOSING PILLAR TAP	Tap	12/02/18	/ /	1162	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- ST170791/1 Tap - ST170791/1 Tap - ST170791/1				
	173737EN180326(2)	VSC BLDG PRODUCTS CO LTD	TESTING OF SELF CLOSING PILLAR TAP		12/02/18	/ /	1162	
	173737EN180685	VSC BLDG PRODUCTS CO LTD	TESTING OF SELF CLOSING PILLAR TAP	Closing Pillar Tap - ST180190/1 & 1D	30/03/18	/ /	1116	
	173743EN183223	B.S.C. COLOURLIVING LIMITED	TESTING OF ELECTRONIC SINK MIXER	Mixer --	01/01/19	/ /	839	
	173743EN190893	B.S.C. COLOURLIVING LIMITED	TESTING OF ELECTRONIC SINK MIXER	Electronic Sink Mixer - 04110618810-00 Electronic Sink Mixer - 04110618810-00	20/05/19	/ /	700	
	173743EN190893(1)	B.S.C. COLOURLIVING LIMITED	TESTING OF ELECTRONIC SINK MIXER		20/05/19	/ /	700	
	173743EN191227	B.S.C. COLOURLIVING LIMITED	TESTING OF ELECTRONIC SINK MIXER	Mixer - ST170847 Mixer - ST170847	15/07/19	/ /	644	
	173743EN191227(1)	B.S.C. COLOURLIVING LIMITED	TESTING OF ELECTRONIC SINK MIXER		15/07/19	/ /	644	
	173744EN172453	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	High Lever Basin Mixer - WR-518003 (ST170944/1) High Lever Basin Mixer - WR-518003 (ST170944/1) High Lever Basin Mixer - WR-518003 (ST170944/1)	13/11/17	/ /	1253	
	173744EN172453(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173744EN172454	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	Wall Mounted Bath Mixer - WR-518007 (ST170944/2) Wall Mounted Bath Mixer - WR-518007 (ST170944/2) Wall Mounted Bath Mixer - WR-518007 (ST170944/2)	13/11/17	/ /	1253	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	173744EN172454(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173744EN172455	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	Wall Mounted Shower Mixer - WR-518008 (ST170944/3) Wall Mounted Shower Mixer - WR-518008 (ST170944/3) Wall Mounted Shower Mixer - WR-518008 (ST170944/3)	13/11/17	/ /	1253	
	173744EN172455(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		13/11/17	/ /	1253	
	173744EN172801	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - WR-518001-CP (ST171051/1) Mixer - WR-518001-CP (ST171051/1) Mixer - WR-518001-CP (ST171051/1)	22/12/17	/ /	1214	
	173744EN172801(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		22/12/17	/ /	1214	
	173744EN172801(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		22/12/17	/ /	1214	
	173744EN172802	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - WR-518006-CP (ST171051/2) Mixer - WR-518006-CP (ST171051/2) Mixer - WR-518006-CP (ST171051/2) Mixer - WR-518006-CP (ST171051/2)	22/12/17	/ /	1214	
	173744EN172802(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		22/12/17	/ /	1214	
	173744EN172802(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		22/12/17	/ /	1214	
	173744EN172802(3)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		22/12/17	/ /	1214	
	173787EN180212	TOP BUILD ASIA LTD.	Tin Yiu Estate Carpark Signboard	Y12	28/01/18	/ /	1177	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	173805EN172716	CO2NNSULTING LTD.	BEAM Plus Consultancy Services for Commercial Development at No. 14 - 30 King Wah Road		30/11/17	/ /	1236	
	173805EN172873	CO2NNSULTING LTD.	BEAM Plus Consultancy Services for Commercial Development at No. 14 - 30 King Wah Road	Formaldehyde	10/12/17	/ /	1226	
	173844EN172054	SANKO SETSUBI CO LTD.	Oil Analysis for Nam Fung Road Shunt Reactor No. 1	Oil - Main - L1 - L2 - L3	09/08/17	/ /	73183 4	
	173847EN172498	E. TECH MANAGEMENT (HK) LTD.	Air Quality Test for Shredding Machine at Site in Ecopark	Air survey	10/11/17	/ /	1256	
	173917EN172348	EEI TRADING LTD.	Kansai "Cera M Fusso" Accelerated Weathering Test	Coated aluminium panel	12/03/17	/ /	73198 4	
	174006EN172238	CHOI SUM WATER PIPE SERVICE CO LTD	Shau Kei Wan Project	Fresh Water - Refer to JRF	11/10/17	/ /	1286	
	174006EN172276	CHOI SUM WATER PIPE SERVICE CO LTD	Shau Kei Wan Project	Potable Water - Refer to JRF	10/10/17	/ /	73177 2	
	174006EN172292	CHOI SUM WATER PIPE SERVICE CO LTD	Shau Kei Wan Project	Fresh Water - Refer to JRF	12/10/17	/ /	1285	
	174006EN172332	CHOI SUM WATER PIPE SERVICE CO LTD	Shau Kei Wan Project	Potable Water - 3/F Planter Cleansing Point	16/10/17	/ /	1281	
	174008EN172151	LEISURE AND CULTURAL SERVICES DEPT	ED0-16929 (SSWSG) - Provision of Water Test Services	Drinking Funtain Water - No.38 -1 Drinking Funtain Water - No.38 -2 Drinking Funtain Water - No.38 -3 Drinking Funtain Water - No.8 -4 Drinking Funtain Water - No.8 -5 Drinking Funtain Water - No.8 -6	04/10/17	/ /	1293	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	174110EN172072	Agressive Construction Company Ltd.	West Rail Tsuen Wan West Station TW5 Bayside Property Development Tsuen Wan Town Lot No. 401	S.S. Screw	18/09/17	/ /	1309	
	174127EN172050	JOHNSON CONTROLS HONG KONG LTD.	Sau Mau Ping Shopping Centre	Y10 - SMP-Y10-5	14/09/17	/ /	1313	
	174142EN172520	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP	July 3 Way Shower Column - 99742K-C9-CP (ST170875/1) July 3 Way Shower Column - 99742K-C9-CP (ST170875/1) July 3 Way Shower Column - 99742K-C9-CP (ST170875/1)	15/11/17	/ /	1251	
	174142EN172520(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP		15/11/17	/ /	1251	
	174142EN172520(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP		15/11/17	/ /	1251	
	174142EN181536	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP	Mixer - PC180017/1 - 72844K-9-CP Mixer - PC180017/1b - 72844K-9-CP	03/07/18	/ /	1021	
	174142EN181536(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP		03/07/18	/ /	1021	
	174142EN181660	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP	Valve Cartridge - 99437K-C-CP Valve Cartridge - 99437K-C-CP	19/07/18	/ /	1005	
	174142EN181660(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP		19/07/18	/ /	1005	
	174142EN181705	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP	Mixer	22/07/18	/ /	1002	
	174142EN192495(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER TAP		30/12/19	/ /	476	
	174143EN172396	KOHLER ASIA PACIFIC LTD.	TESTING OF THERMOSTATIC MIXING VALVE	Thermostatic Chowe Column - 99741K-C9-CP Thermostatic Chowe Column - 99741K-C9-CP Thermostatic Chowe Column - 99741K-C9-CP	05/11/17	/ /	1261	
	174143EN172396(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF THERMOSTATIC MIXING		05/11/17	/ /	1261	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			VALVE					
	174143EN172396(2)	KOHLER ASIA PACIFIC LTD.	TESTING OF THERMOSTATIC MIXING VALVE		05/11/17	/ /	1261	
	174143EN191919	KOHLER ASIA PACIFIC LTD.	TESTING OF THERMOSTATIC MIXING VALVE	S.S. mesh	10/10/19	/ /	557	
	174177EN172043	ARCHITECTURAL SERVICES DEPARTMENT	Water Testing of Drinking Fountain at Castle Peak Beach (Quotation Contract No.: 25/17/TME)	Drinking Fountain Water - High Drinking Fountain Water - Low Drinking Fountain Water - In-Let	19/09/17	/ /	1308	
	174235EN180154	柏誠裝飾工程公司	Proposed Remedial Works for House No. 3 & 5 of Ginkgo Drive at Residential Development at DD100, 338 Fan Kam Road, Kwun Tung South, N.T.	Y10 Y12 Y16	18/01/18	/ /	1187	
	174236EN172720	HOPEWELL CENTRE MANAGEMENT CO. LTD.	HC-QT-02160 - 8th Time Renewal of IAQ Certificate at Hopewell Centre		30/11/17	/ /	1236	
	174240EN172357	FUGRO (HONG KONG) LTD.	Asiaworld Expo	Aluminium Alloy Sample	21/10/17	/ /	1276	
	174303EN172186	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SELF CLOSING TAP	Self Closing Tap -- Self Closing Tap -- Self Closing Tap --	04/10/17	/ /	1293	
	174303EN172186(1)	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SELF CLOSING TAP		04/10/17	/ /	1293	
	174303EN172186(2)	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SELF CLOSING TAP		04/10/17	/ /	1293	
	174343EN180344	R-PAC PACKAGING COMPANY LTD	IAQ Test of Unit D, 2/F., Excelsior Industrial Building, 68-72 Sha Tsui Road, Tsuen Wan, N.T., H.K.		28/02/18	/ /	1146	
	174343EN180345	R-PAC PACKAGING COMPANY LTD	IAQ Test of Unit D, 2/F., Excelsior Industrial Building, 68-72 Sha Tsui Road, Tsuen Wan, N.T., H.K.		28/02/18	/ /	1146	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	174359EN172075	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Ref. to JRF	14/09/17	/ /	1313	
	174359EN172082	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Pipe 2 West Pamp ARW Underpass Potable Water - Pipe 1 West Pamp ARW Underpass	15/09/17	/ /	1312	
	174359EN172083	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Pipe 2 West Ramp ARW Underpass Potable Water - Pipe 1 West Ramp ARW Underpass	15/09/17	/ /	1312	
	174359EN172106	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Pipe 2 West Ramp ARW Underpass Potable Water - Pipe 1 West Ramp ARW Underpass	18/09/17	/ /	1309	
	174359EN172107	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Refer to JRF	18/09/17	/ /	1309	
	174359EN172117	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Pipe 2 West Ramp ARW Underpass Potable Water - Pipe 1 West Ramp ARW Underpass	19/09/17	/ /	1308	
	174359EN172118	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - Pipe 2 West Ramp ARW Underpass	19/09/17	/ /	1308	
	174359EN180772	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - 810A	28/03/18	/ /	1118	
	174359EN180845	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - -	10/04/18	/ /	1105	
	174359EN180944	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water	19/04/18	/ /	1096	
	174359EN181033	WINDMILL ENGINEERING CO. LTD.	Quality Water Recognition Scheme for Buildings	Potable Water - 810A LR01	27/04/18	/ /	1088	
	174360EN172074	CHEUNG HING CONSTRUCTION CO., LTD.	Test on Fresh Water of "Quality Water Recognition Scheme" for Building	Fresh Water - Ref. to JRF	14/09/17	/ /	1313	
	174360EN172116	CHEUNG HING CONSTRUCTION CO., LTD.	Test on Fresh Water of "Quality Water Recognition Scheme" for Building	Fresh Water - 201B-Toilet (For Cafe)	19/09/17	/ /	1308	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	174372EN172073	SUM SHUN (ASIA) LTD.	Tests on Fresh Water	- Ref. to JRF	13/09/17	/ /	1314	
	174372EN172142	SUM SHUN (ASIA) LTD.	Tests on Fresh Water	Fresh Water - Refer to JRF	22/09/17	/ /	1305	
	174372EN172195	SUM SHUN (ASIA) LTD.	Tests on Fresh Water	Fresh Water - Refer to JRF	27/09/17	/ /	1300	
	174372EN172277	SUM SHUN (ASIA) LTD.	Tests on Fresh Water	Potable Water - Refer to JRF	10/10/17	/ /	1287	
	174441EN180396	THE HONGKONG ELECTRIC CO LTD	IAQ Re-certification Services of 9/F., Electric Centre & Whole Building of Hongkong Electric Centre		15/02/18	/ /	1159	
	174554EN180494	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B	Refer to JRF - Potable Water	26/02/18	/ /	1148	
	174554EN180694	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B	Potable Water - Refer to JRF	20/03/18	/ /	1126	
	174570EN172279	ENGLISH SCHOOLS FOUNDATION	Tests on fresh water for two main inlet points at Campuses A & B	Fresh Water	13/10/17	/ /	1284	
	174643EN172291			- 1/F Cafe Tap - 1/F Kitchen Tap	24/10/17	/ /	1273	
	174643EN172743	廣州市恒大裝修設計院有限公司	Chlorination of Water Tank and Water Samples from Water Tap for Testing	Fresh Water - 24/F Chairman Office Toilet Tap Fresh Water - 24/F Chairman Office Toilet Tap	12/12/17	/ /	1224	
	174700EN172900	VW-VES (HK) LTD.	Conducting H2S Removal Efficiency of Deodorizing Units	Air inlet and air outlet	20/12/17	/ /	1216	
	174716EN172296	NIPPON PAINT (HK) CO LTD	Test on HKHA External Emulsion and Internal Emulsion Paint	Nippon Paint Weatherbond	11/11/17	/ /	73174 0	
	174716EN181096	NIPPON PAINT (HK) CO LTD	Test on HKHA External Emulsion and Internal Emulsion Paint	weatherbond	06/04/18	/ /	73159 4	
	174761EN172267	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER ALLOY GATE VALVE WITH FEMALE THREAD (MODEL : CNB-CN62)	COPPER ALLOY GATE VALVE WITH FEMALE THREAD (MODEL : CNB-CN62)	16/10/17	/ /	1281	
	174761EN172502	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER ALLOY GATE VALVE WITH FEMALE THREAD (MODEL : CNB-CN62)	Stem of copper alloy gate valve with female thread (Model: CNB-CN62)	10/11/17	/ /	1256	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	174761EN172816	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER ALLOY GATE VALVE WITH FEMALE THREAD (MODEL : CNB-CN62)	Stem copper alloy gate valve	10/12/17	/ /	1226	
	174762EN172268	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GLOBE TYPE SILENT CHECK VALVE	CAST IRON GLOBE TYPE SILENT CHECK VALVE	16/10/17	/ /	1281	
	174768EN180430	KAI SHING MGT SERVICES LTD-THE WINGS IIIA	RFQ-TW3A-15-17 IAQ Certification of The Wings IIIA		28/02/18	/ /	1146	
	174798EN172293	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Potable Water - Refer to JRF	10/12/17	/ /	73171	1
	174798EN172311	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Ptable Water - Refer to JRF	17/10/17	/ /	1280	
	174798EN172333	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Potable Water - Refer to JRF	18/10/17	/ /	1279	
	174798EN172343	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Potable Water - Refer to JRF	17/10/17	/ /	1280	
	174798EN172344	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Potable Water - Refer to JRF	17/10/17	/ /	1280	
	174798EN172395	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Potable Water - R/F Cleansing Water Tank T3	25/10/17	/ /	1272	
	174798EN180127	CHUN LEE ENGINEERING CO LTD	Property Development at West Rail Nam Cheong Station, Phase 1B (Beam - Plus)	Fresh Water - Refer to JRF	16/01/18	/ /	1189	
	174823EN182728	YUE HING MACHINE FACTORY LTD.	TESTING OF GUNMETAL RATIO TYPE PRESSURE REDUCING VALVE	Gunmetal ratio type pressure reducing valve	16/11/18	/ /	885	
	174823EN190053	YUE HING MACHINE FACTORY LTD.	TESTING OF GUNMETAL RATIO TYPE PRESSURE REDUCING VALVE	Gunmetal ratio type pressure reducing vavle	16/01/19	/ /	824	
	174824EN172681	YUE HING MACHINE FACTORY LTD.	TESTING OF GROOVED - END SWING CHECK VALVE	Grooved-End swing check valve	30/11/17	/ /	1236	
	174843EN182345	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GATE VALVE (MODEL : HAWLE-A VALVE)	Cast Iron Gate Valve DN80, DN100, DN 200mm	30/09/18	/ /	932	
	174843EN190018	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GATE VALVE (MODEL : HAWLE-A VALVE)	Cast Iron Gate Valve DN80, DN100, DN 200mm	19/01/18	/ /	1186	
	174844EN182330	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GATE VALVE (MODEL : HAWLE-E1)	Cast iron gate valve	15/09/18	/ /	947	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	174844EN190017	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON GATE VALVE (MODEL : HAWLE-E1)	Cast iron gate valve	19/01/19	/ /	821	
	174850EN180432	KAI SHING MGT SERVICES LTD-THE WINGS IIIB	RFQ-TW3B -12-17 IAQ Certificate of The Wing IIIB		28/02/18	/ /	1146	
	174906EN182754	FREYSSINET HONG KONG LTD.	FHKG0077 52-62 Tsing Yi Road, Ground Anchor Monitoring of Feature No. 10NE-B/CR324	Grease - FT-1742	13/11/18	/ /	888	
	174906EN182755	FREYSSINET HONG KONG LTD.	FHKG0077 52-62 Tsing Yi Road, Ground Anchor Monitoring of Feature No. 10NE-B/CR324	Grease - FT-1742 & 2009P-4	13/11/18	/ /	888	
	174906EN182756	FREYSSINET HONG KONG LTD.	FHKG0077 52-62 Tsing Yi Road, Ground Anchor Monitoring of Feature No. 10NE-B/CR324	Grease - Anchor 10/6.32	11/12/18	/ /	73134 5	
	174933EN172464	SENTECH DESIGN & CONTRACTING CO. LTD.	Drinking Water Testing	Drinking Water --	30/10/17	/ /	1267	
	175023EN180090	HONG YIP SERVICE CO LTD	IAQ Measurement at Ginza Plaza		20/01/18	/ /	1185	
	175035EN181441	CHINA STATE CONST ENG (HK) LTD	Contract 3801 - IAPM and GHS Tunnels on Existing Airport Island	T12 - 3801-S-B1-T12-05 T16 - 3801-S-B1-T16-05 Batch 1	20/06/18	/ /	1034	
	175035EN190711	CHINA STATE CONST ENG (HK) LTD	Contract 3801 - IAPM and GHS Tunnels on Existing Airport Island	Y20 - AR1000414 Y25 - AR1000420 Y32 - AR1000408	20/04/19	/ /	730	
	175035EN191962	CHINA STATE CONST ENG (HK) LTD	Contract 3801 - APM and BHS Tunnels on Existing Airport Island	Y10 - 3801-BC7--Phase 1-B1-Y10-6 Y12 - 3801-BC7--Phase 1-B1-Y12-6 Y16 - 3801-BC7--Phase 1-B1-Y16-6 Y20 - 3801-BC7--Phase 1-B1-Y20-6	15/10/19	/ /	552	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175035EN192180	CHINA STATE CONST ENG (HK) LTD	Contract 3801 - APM and BHS Tunnels on Existing Airport Island	Y10 - AR1000493 Y16 - AR1000499 Y20 - AR1000505 Y25 - AR1000511 Y21 - AR1000517 Y40 - AR1000526	15/11/19	/ /	521	
	175035EN192463	CHINA STATE CONST ENG (HK) LTD	Contract 3801 - APM and BHS Tunnels on Existing Airport Island	Y16 - AR1000604 Y25 - AR1000598 Y40 - AR1000592 Y40 - AR1000610	17/12/19	/ /	489	
	175041EN172542	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF COPPER ANGLE VALVE	Copper Angle Valve -- Copper Angle Valve -- Copper Angle Valve --	24/11/17	/ /	1242	
	175041EN172542(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF COPPER ANGLE VALVE		24/11/17	/ /	1242	
	175041EN172542(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF COPPER ANGLE VALVE		24/11/17	/ /	1242	
	175104EN172573	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	Potable Water - Refer to JRF	14/11/17	/ /	1252	
	175104EN172574	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong	Potable Water	14/11/17	/ /	1252	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	- Refer to JRF				
	175104EN172575	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong	Potable Water	15/11/17	/ /	1251	
			Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	- Refer to JRF				
	175104EN172576	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong	Potable Water	15/11/17	/ /	1251	
			Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	- Refer to JRF				
	175104EN172577	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong	Potable Water	15/11/17	/ /	1251	
			Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	- Refer to JRF				
	175104EN172579	RIDGID PLUMBING LTD	MTR Nam Cheong Station J/O Sham Mong	Potable Water	15/11/17	/ /	1251	
			Road & Yen Chow Street West NKIL 6333, West Rail Property Development, Sham Shui Po, Kowloon (Phase 2A & 2B Area)	- Refer to JRF				
	175198EN172665	STARRY ARCH LTD.	Material Testing	Plywood	20/11/17	/ /	1246	
	175198EN172830	STARRY ARCH LTD.	Material Testing	- Wooden Floor	01/05/18	/ /	73156	9
	175239EN172847	JAMES WONG & CO LTD	TESTING OF MIXER	Mixer - RADA 215-T3-DK (ST171052/1)	21/12/17	/ /	1215	
				Mixer - RADA 215-T3-DK (ST171052/1)				
	175239EN172847(1)	JAMES WONG & CO LTD	TESTING OF MIXER		21/12/17	/ /	1215	
	175239EN172848	JAMES WONG & CO LTD	TESTING OF MIXER	Mixer - RADA 222-T3-DK (ST171052/2)	21/12/17	/ /	1215	
				Mixer - RADA 222-T3-DK (ST171052/2)				
	175239EN172848(1)	JAMES WONG & CO LTD	TESTING OF MIXER		21/12/17	/ /	1215	
	175239EN172849	JAMES WONG & CO LTD	TESTING OF MIXER	Mixer - RADA 320CX (ST171052/3)	21/12/17	/ /	1215	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - RADA 320CX (ST171052/3)				
	175239EN172849(1)	JAMES WONG & CO LTD	TESTING OF MIXER		21/12/17	/ /	1215	
	175239EN172850	JAMES WONG & CO LTD	TESTING OF MIXER	Mixer - RADA 425CX (ST171052/4)	21/12/17	/ /	1215	
				Mixer - RADA 425CX (ST171052/4)				
	175239EN172850(1)	JAMES WONG & CO LTD	TESTING OF MIXER		21/12/17	/ /	1215	
	175239EN181316	JAMES WONG & CO LTD	TESTING OF MIXER	Mira Element Biv - ref. EN181161/1 Stern Tubular E - ref. EN181161/2 Mira Element Biv - Body - ref. EN181161/1 Stern Tubular E - Body - ref. EN181161/2	08/06/18	/ /	1046	
	175239EN181316(1)	JAMES WONG & CO LTD	TESTING OF MIXER		08/06/18	/ /	1046	
	175239EN183221	JAMES WONG & CO LTD	TESTING OF MIXER	Mixer - Tublar LE	01/01/18	/ /	1204	
	175239EN191459	JAMES WONG & CO LTD	TESTING OF MIXER	copper tube PC180136	31/07/19	/ /	628	
	175261EN173007	RIGEL TECHNOLOGY (S) PTE LTD	TESTING OF SENOR TAP	Sensor Tap - ST171178/1	03/01/18	/ /	1202	
	175292EN180411	NIPPON PAINT (HK) CO LTD	Test Multi-Layer Acrylic HA	Ultra sealer III Tilelac Texture Weatherbond	03/07/18	/ /	73150 6	
	175292EN180412	NIPPON PAINT (HK) CO LTD	Test Multi-Layer Acrylic HA	Ultra sealer III Tilelac Texture Weatherbond	03/07/18	/ /	73150 6	
	175292EN180413	NIPPON PAINT (HK) CO LTD	Test Multi-Layer Acrylic HA	Ultra sealer III Tilelac Texture Weatherbond	03/07/18	/ /	73150 6	
	175302EN180342	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and Analysis Report for Hong Kong Baptist Hospital - Hospital		28/02/18	/ /	1146	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Blocks A, B, C					
	175302EN180343	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and Analysis Report for Hong Kong Baptist Hospital - Hospital Blocks A, B, C		28/02/18	/ /	1146	
	175303EN180462	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and Analysis Report for Hong Kong Baptist Hospital - Hospital Blocks D, E		28/02/18	/ /	1146	
	175313EN172751	KUM SHING (K.F.) CONSTRUCTION CO. LTD.	Drinking Water Testing	Potable Water - G/F Potable Water - 1/F	13/12/17	/ /	1223	
	175340EN172626	CYPRESS ENGINEERING CO. LTD.	Quality Water Supply Scheme for Buildings - Fresh Water (Plus)	Potable Water - Refer to JRF	28/11/17	/ /	1238	
	175403EN172713	CHOI SUM WATER PIPE SERVICE CO LTD	Bridges Street Project	Fresh Water - G/F Disable Toilet Fresh Water - 1/F Male Toilet Fresh Water - 2/F Pantry	29/11/17	/ /	1237	
	175403EN172753	CHOI SUM WATER PIPE SERVICE CO LTD	Bridges Street Project	Fresh Water - WSD Water Main Meter	05/12/17	/ /	1231	
	175403EN173039	CHOI SUM WATER PIPE SERVICE CO LTD	Bridges Street Project		02/01/17	/ /	1568	
	175423EN181069	K. WAH ASPHALT LTD.	Stack and Bitumen Tank Test in Airport Plant	Stack	30/05/18	/ /	1055	
	175424EN181070	K. WAH ASPHALT LTD.	Stack Emission Test at Sheung Shui Plant	Stack Emission	30/05/18	/ /	1055	
	175424EN182595	K. WAH ASPHALT LTD.	Stack Emission Test at Sheung Shui Plant		11/04/18	/ /	73158 9	
	175424EN182833	K. WAH ASPHALT LTD.	Stack Emission Test at Sheung Shui Plant	fsp rsp	12/07/18	/ /	73149 7	
	175435EN180273(1)	XIAMEN AXENT CO., LTD	TESTING OF MIXER TAP		02/02/18	/ /	1172	
	175435EN180273(2)	XIAMEN AXENT CO., LTD	TESTING OF MIXER TAP		02/02/18	/ /	1172	
	175435EN180274(1)	XIAMEN AXENT CO., LTD	TESTING OF MIXER TAP		02/02/18	/ /	1172	
	175435EN180274(2)	XIAMEN AXENT CO., LTD	TESTING OF MIXER TAP		02/02/18	/ /	1172	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175436EN180271(1)	XIAMEN AXENT CO., LTD	TESTING OF SINGLE LEVER MIXER		02/02/18	/ /	1172	
	175436EN180272(1)	XIAMEN AXENT CO., LTD	TESTING OF SINGLE LEVER MIXER		02/02/18	/ /	1172	
	175458EN181483	Grandic Construction Company Limited	3 Marble Road	Y10 - Mr-Y10-001-06 Y12 - Mr-Y12-001-06 Y16 - Mr-Y16-001-06 Y25 - Mr-Y25-001-06 Y32 - Mr-Y32-001-06 Y40 - Mr-Y40-001-06 Batch 1	22/06/18	/ /	1032	
	175458EN181676	Grandic Construction Company Limited	3 Marble Road	Y10 - Mr-Y10-003-09 Y12 - Mr-Y12-003-09 Y16 - Mr-Y16-003-06 Y20 - Mr-Y20-003-06 Y25 - Mr-Y25-003-06 Y32 - Mr-Y32-003-06 Y40 - Mr-Y40-003-06 Batch 3	17/07/18	/ /	1007	
	175458EN182079	Grandic Construction Company Limited	13-23 Jupiter Street	Y10 - JS-Y10-005-06 Y16 - JS-Y16-005-06 Batch 5	22/08/18	/ /	971	
	175458EN182303	Grandic Construction Company Limited	13-23 Jupiter Street	Y40	18/09/18	/ /	944	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- JS-Y40-006-12 Batch 6				
	175458EN182549	Heng Lai Construction Limited	Proposed Residential Development at YLTL524	Y10 Y12 Y16 Y20 Y25 Y0029	17/10/18	/ /	915	
	175458EN182795	Grandic Construction Company Limited	3 Marble Road	Y40 - Mr-Y40-008-15 Batch 8	12/11/18	/ /	889	
	175458EN182824	Heng Lai Construction Limited	Proposed Residential Development at YLTL524	Y10 Y32	13/11/18	/ /	888	
	175458EN182842	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y10 Y12 Y16 Y20	16/11/18	/ /	885	
	175458EN182881	Grandic Construction Company Limited	13-23 Jupiter Street	Y12 - JS-Y12-011-05 Y16 - JS-Y16-011-05 Y20 - JS-Y20-011-05 Y25 - JS-Y25-011-08 Y32 - JS-Y32-011-05 Batch 11	22/11/18	/ /	879	
	175458EN182882	Heng Lai Construction Limited	Proposed Residential Development at YLTL524	Y10 Y16 Y20 Y25 Y0035	22/11/18	/ /	879	
	175458EN190108	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10 Y20	23/01/19	/ /	817	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y00				
	175458EN190109	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10	23/01/19	/ /	817	
				Y12				
				Y16				
				Y20				
				Y40				
	175458EN190262	E Man Construction Co. Ltd	Shatin Centre A & A Works	Y10	15/02/19	/ /	794	
				Y16				
	175458EN190458	E Man Construction Co. Ltd	342 Un Chau Street Precast Facade	Y10	22/03/19	/ /	759	
				Y12				
	175458EN190686	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10	15/04/19	/ /	735	
				Y12				
				Y0053				
	175458EN191060	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y12	15/06/19	/ /	674	
				- B04-Y12-6				
				Y40				
				- B04-Y40-6				
				Batch 4				
	175458EN191086	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y12	18/06/19	/ /	671	
				Y25				
				Y32				
				Batch 2				
	175458EN191096	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y25	18/06/19	/ /	671	
				- B15-Y25-6				
				Y40				
				- B15-Y40-6				
				Batch 15				
	175458EN191097	E Man Construction Co. Ltd	M/F Metro City Plaza, Phase II, Tsung Kwan O - TKOTL27	Y10	18/06/19	/ /	671	
	175458EN191103	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y12	20/06/19	/ /	669	
				- B05-Y12-6				
				Batch 5				
	175458EN191308	E Man Construction Co. Ltd	342 Un Chau Street - Semi Precast Slab/ Sunken Slab	Y10	17/07/19	/ /	642	
				Y12				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175458EN191330	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y12 - B07-Y12-6 Batch 7	17/07/19	/ /	642	
	175458EN191333	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10 Y12 Y16 Y25 Y0057	19/07/19	/ /	640	
	175458EN191369	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y12 - B14-Y12-6 Y25 - B14-Y25-6 Y32 - B14-Y32-6 Y40 - B14-Y40-6 Batch 14	23/07/19	/ /	636	
	175458EN191526	Heng Tat Construction Co., Ltd	L1-L3, Trend Plaza, South Wing, 2 Tuen Hop Street, Tuen Mun, NTM T.M.T.L.282	Y10 Y12	16/08/19	/ /	612	
	175458EN191531	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y10 - B12-Y10-6 Y12 - B12-Y12-6 Y16 - B12-Y16-6 Y20 - B12-Y20-6 Y25 - B12-Y25-6 Y32 - B12-Y32-6 Y40 - B12-Y40-6 Batch 11	19/08/19	/ /	609	
	175458EN191538	E Man Construction Co. Ltd	1-19 Chung Ching Street - Semi Precast Slab/ Sunken Slab	Y10 Y12	17/08/19	/ /	611	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175458EN191724	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y10 - B13-Y10-9 Y12 - B13-Y12-9 Y16 - B13-Y16-9 Y20 - B13-Y20-9 Y25 - B13-Y25-9 Y32 - B13-Y32-9 Y40 - B13-Y40-15 Batch 13	13/09/19	/ /	584	
	175458EN191726	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y16 - B6-Y16-09 Y32 - B6-Y32-06 Y40 - B6-Y40-15 Batch 6	13/09/19	/ /	584	
	175458EN191786	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10 Y12 Y16 Y0060	24/07/19	/ /	635	
	175458EN191788	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y12 - B20-Y12-6 Y25 - B20-Y25-6 Batch 20	24/07/19	/ /	635	
	175458EN191794	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y25 - B23-Y25-6 Batch 23	25/09/19	/ /	572	
	175458EN191959	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y12 - B25-Y12-9	15/10/19	/ /	552	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 - B25-Y16-6 Batch 25				
	175458EN191960	E Man Construction Co. Ltd	1-19 Chung Ching Street - Semi Precast Slab/ Sunken Slab	Y10 Y12	15/10/19	/ /	552	
	175458EN191993	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10 Y12 Y16 Y0061	22/10/19	/ /	545	
	175458EN192210	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y12 - B9-Y12-08 Y32 - B9-Y32-05 BAtch 8	19/11/19	/ /	517	
	175458EN192229	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y20 - B10-Y20-05 Y25 - B10-Y25-05 BAtch 10	23/11/19	/ /	513	
	175458EN192459	Heng Tat Construction Co., Ltd.	No.38 Fuk Chak Street, Tak Kok Tsui, Kowloon	Y40 - B19-Y40-20 Y40 - B19-Y40-21 Batch 19	17/12/19	/ /	489	
	175458EN200103	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y10 - B14-Y10-06 Y12 - B14-Y12-06 Y25 - B14-Y25-06 Batch 14	17/01/20	/ /	458	
	175458EN200129	E Man Construction Co. Ltd	2-16 Kok Cheung Street - Semi Precast Slab	Y12 Y16	20/01/20	/ /	455	
	175458EN200173	Heng Lai Construction Ltd	Proposed Residential Development at YLTL524	Y10 Y12	27/01/20	/ /	448	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 Y20 Y25 Y0063				
	175458EN200196	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y20 - B30-Y20-6 Y25 - B30-Y25-6 batch 30	29/01/20	/ /	446	
	175458EN200212	Heng Tat Construction Co., Ltd.	Un Chau Street 342-356	Y10 - B33-Y10-6 Y12 - B33-Y12-6 Y16 - B33-Y16-6 Y20 - B33-Y20-6 Y25 - B33-Y25-6 batch 33	30/01/20	/ /	445	
	175458EN200239	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y10 - B15-Y10-06 Y12 - B15-Y12-06 Y16 - B15-Y16-06 Y20 - B15-Y20-06 Y25 - B15-Y25-06 batch 15	08/02/20	/ /	436	
	175458EN200496	Heng Lai Construction Ltd	Proposed Residential & Commercial Development at No. 1-19 Chung Ching Street, Sai Ying Pun, Hong Kong	Y12 - B18-Y12-06 Y16 - B18-Y16-06 batch 18	14/03/20	/ /	401	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175491EN172903	UNION DAY LIMITED.	TESTING OF "TIPO" BRASS COMPRESSION FITTING	"TIPO" BRASS COMPRESSION FITTING	20/12/17	/ /	1216	
	175491EN172905	UNION DAY LIMITED.	TESTING OF "TIPO" BRASS COMPRESSION FITTING	"TIPO" BRASS COMPRESSION FITTING	20/12/17	/ /	1216	
	175491EN180481	UNION DAY LIMITED.	TESTING OF "TIPO" BRASS COMPRESSION FITTING	Female coupler 1/2" (RETEST)	28/02/18	/ /	1146	
	175491EN180689	UNION DAY LIMITED.	TESTING OF "TIPO" BRASS COMPRESSION FITTING	Coupler RETEST	30/03/18	/ /	1116	
	175492EN172822	JUMBO RICH TRADING LIMITED	TESTING OF DUCTILE IRON GROOVE END BUTTERFLY VALVE	DUCTILE IRON GROOVE END BUTTERFLY VALVE B0-G310 (W/ P: 21 bar) DUCTILE IRON GROOVE END BUTTERFLY VALVE BV-G (W/ P: 12 bar)	10/12/17	/ /	1226	
	175495EN172682	YUE HING MACHINE FACTORY LTD.	TESTING OF BRASS REDUCING VALVE	Brass Reducing Valve	30/11/17	/ /	1236	
	175495EN181707	YUE HING MACHINE FACTORY LTD.	TESTING OF BRASS REDUCING VALVE	Reducing valve	11/07/18	/ /	1013	
	175501EN190166	K. WAH QUARRY CO LTD - QC DEPT	Aggregate Testing - November 2017 (No. of Job 003)	Soil	01/02/19	/ /	808	
	175501EN191137	K. WAH QUARRY CO LTD - QC DEPT	Aggregate Testing - November 2017 (No. of Job 003)	Soil	27/06/19	/ /	65809 9	
	175518EN182971	AXENT (HONG KONG) STORE	TESTING OF SINGLE LEVER MIXER	Cartridge	14/10/18	/ /	918	
	175518EN183224	AXENT (HONG KONG) STORE	TESTING OF SINGLE LEVER MIXER	Mixer - F333 & 334	01/01/19	/ /	839	
	175527EN180173	KAI SHING MGT SERVICES LTD-CELESTE COURT	RFQ-CC-64-17 - Drinking water analysis for applying "Quality Water Supply Scheme for Buildings - Fresh Water" at Celeste Court. (For Year 2018)	Fresh Water - Refer to JRF	26/01/18	/ /	1179	
	175544EN180029	KAI SHING MGT SERVICES LTD-HILLSBOROUGH COURT	RFQ-HC-88-17 (Drinking water analysis for Fresh Water Plumbing Quality Maintenance Recognition Scheme at Hillsborough Court)	Fresh Water - Refer to JRF	16/01/18	/ /	1189	
	175562EN172680	HONG KONG AIR PURIFIER CENTER LTD.	Air Quality Survey	- OT1 - OT2 - Outside Operating Theatre - Reception	30/11/17	/ /	1236	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175575EN180143	HARBOUR BUILDING PROJECT SUPPLIES CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171201/1 Mixer - ST171201/1 Mixer - ST171201/1	23/01/18	/ /	1182	
	175575EN180143(2)	HARBOUR BUILDING PROJECT SUPPLIES CO. LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	175575EN180144	HARBOUR BUILDING PROJECT SUPPLIES CO. LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - ST171201/2 Mixer - ST171201/2 Mixer - ST171201/2	23/01/18	/ /	1182	
	175575EN180144(2)	HARBOUR BUILDING PROJECT SUPPLIES CO. LTD.	TESTING OF SINGLE LEVER MIXER		23/01/18	/ /	1182	
	175603EN172915(1)	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER VALVE AND STAINER		26/12/17	/ /	1210	
	175603EN172916(1)	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER VALVE AND STAINER		26/12/17	/ /	1210	
	175603EN172917(1)	YUE HING MACHINE FACTORY LTD.	TESTING OF COPPER VALVE AND STAINER		26/12/17	/ /	1210	
	175612EN172818	PEMATE INTERNATIONAL LIMITED	TESTING OF BRONZE GLOBE VALVE PN16 (MODEL 1220)	TESTING OF BRONZE GLOBE VALVE PN16 (MOD)	10/12/17	/ /	1226	
	175646EN172803	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 00006816 (ST171126/1) Mixer - 00006816 (ST171126/1) Mixer - 00006816 (ST171126/1) Mixer - 00006816 (ST171126/1)	30/12/17	/ /	1206	
	175646EN172803(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		30/12/17	/ /	1206	
	175646EN172803(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		30/12/17	/ /	1206	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175646EN172803(3)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		30/12/17	/ /	1206	
	175699EN180416	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ANGLE VALVE	Angle Valve - ST180067/1A & 1B Angle Valve - ST180067/1A Angle Valve - ST180067/1A	21/02/18	/ /	1153	
	175699EN180416(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ANGLE VALVE		21/02/18	/ /	1153	
	175699EN180416(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ANGLE VALVE		21/02/18	/ /	1153	
	175753EN172876	HARRIMAN PROPERTY MFGT LTD-BELLAGIO	SQ17/83 - 碧堤半島二期食水水質化驗	Fresh Water - Refer to JRF	21/12/17	/ /	1215	
	175753EN172908	HARRIMAN PROPERTY MFGT LTD-BELLAGIO	SQ17/83 - 碧堤半島二期食水水質化驗	Fresh Water - Refer to JRF	27/12/17	/ /	1209	
	175753EN172933	HARRIMAN PROPERTY MFGT LTD-BELLAGIO	SQ17/83 - 碧堤半島二期食水水質化驗	Fresh Water - Refer to JRF	29/12/17	/ /	1207	
	175753EN180054	HARRIMAN PROPERTY MFGT LTD-BELLAGIO	SQ17/83 - 碧堤半島二期食水水質化驗	Fresh Water - Refer to JRF	18/01/18	/ /	1187	
	175753EN180197	HARRIMAN PROPERTY MFGT LTD-BELLAGIO	SQ17/83 - 碧堤半島二期食水水質化驗	Fresh Water - Refer to JRF	01/02/18	/ /	1173	
	175779EN180164	GAMMON CONSTRUCTION LTD	Contract No. HY/2012/07 - Waterproofing Test	In-situ measurement	02/12/18	/ /	73135	4
	175779EN180451	GAMMON CONSTRUCTION LTD	Contract No. HY/2012/07 - Waterproofing Test	Dry film thickness	03/08/18	/ /	73147	5
	175779EN180452	GAMMON CONSTRUCTION LTD	Contract No. HY/2012/07 - Waterproofing Test	Dry film thickness	03/12/18	/ /	73135	3
	175779EN180587	GAMMON CONSTRUCTION LTD	Contract No. HY/2012/07 - Waterproofing Test	dry film thickness	04/05/18	/ /	73156	6
	175828EN181824	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.139	24/07/18	/ /	1000	
	175828EN181827	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.139	24/07/18	/ /	1000	
	175828EN181974	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - Refer to JRF	07/08/18	/ /	986	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175828EN182077	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.167	16/08/18	/ /	977	
	175828EN182169	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.139 " - "	28/08/18	/ /	965	
	175828EN182229	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	04/09/18	/ /	958	
	175828EN182299	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.168 " - "	11/09/18	/ /	951	
	175828EN182328	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.237 Fresh Water - T.O.237	14/09/18	/ /	948	
	175828EN182358	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.168	18/09/18	/ /	944	
	175828EN182406	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - TO 168	27/09/18	/ /	935	
	175828EN182495	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	08/10/18	/ /	924	
	175828EN182585	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.151	16/10/18	/ /	916	
	175828EN182621	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.220	22/10/18	/ /	910	
	175828EN182641	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - TO168	23/10/18	/ /	909	
	175828EN182661	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.168	24/10/18	/ /	908	
	175828EN182684	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	25/10/18	/ /	907	
	175828EN182711	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.151	30/10/18	/ /	902	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				"				
				- "				
	175828EN182884	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water	16/11/18	/ /	885	
				- "				
	175828EN183032	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.237	03/12/18	/ /	868	
				"				
				- "				
	175828EN190028	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.150	07/01/19	/ /	833	
	175828EN190247	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.283	04/02/19	/ /	805	
	175828EN190344	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.57	22/02/19	/ /	787	
	175828EN190406	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.40	06/03/19	/ /	775	
	175828EN190520	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.165	21/03/19	/ /	760	
	175828EN191237	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.230	03/07/19	/ /	656	
	175828EN191238	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water	03/07/19	/ /	656	
	175828EN191278	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.245	09/07/19	/ /	650	
	175828EN191290	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.192	10/07/19	/ /	649	
				"				
				- "				
	175828EN191291	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - W.O.282	10/07/19	/ /	649	
				"				
				- "				
	175828EN191304	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.224	11/07/19	/ /	648	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				"				
				- "				
	175828EN191360	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.245	16/07/19	/ /	643	
				- "				
	175828EN191363	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.287	16/07/19	/ /	643	
				"				
				- "				
	175828EN191466	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.229	31/07/19	/ /	628	
	175828EN191491	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.314/322	05/08/19	/ /	73110	8
	175828EN191496	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.245	06/08/19	/ /	622	
				"				
				- "				
	175828EN191497	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.149	06/08/19	/ /	622	
				"				
				- "				
	175828EN191518	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.245	09/08/19	/ /	619	
				"				
				- "				
	175828EN191519	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.323	09/08/19	/ /	619	
				- "				
	175828EN191520	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.303	09/08/19	/ /	619	
				- "				
	175828EN191562	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.158	16/08/19	/ /	612	
	175828EN191578	MING HING WATERWORKS ENGINEERING	Contract No. 3/WSD/17 - Test on Fresh	Fresh Water	19/08/19	/ /	609	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		CO., LTD.	Water	- T.O.153				
	175828EN191615	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.314	23/08/19	/ /	605	
	175828EN191663	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - W.O.218	27/08/19	/ /	601	
	175828EN191670	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.285 " - "	29/08/19	/ /	599	
	175828EN191684	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.232	02/09/19	/ /	595	
	175828EN191685	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.232	02/09/19	/ /	595	
	175828EN191721	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water	06/09/19	/ /	591	
	175828EN191810	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	23/09/19	/ /	574	
	175828EN191823	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.218	24/09/19	/ /	573	
	175828EN191840	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	25/09/19	/ /	572	
	175828EN191886	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - W.O.303	02/10/19	/ /	565	
	175828EN191948	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.360+274	10/10/19	/ /	557	
	175828EN191949	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water	12/10/19	/ /	555	
	175828EN191953	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.295 " - T.O.295 " - T.O.295 "	14/10/19	/ /	553	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- T.O.295				
	175828EN191954	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water	14/10/19	/ /	553	
	175828EN191980	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.354	16/10/19	/ /	551	
	175828EN192048	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.268	24/10/19	/ /	543	
	175828EN192236	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.165 In - T.O.165 Out	17/11/19	/ /	519	
	175828EN192238	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.287 " - "	17/11/19	/ /	519	
	175828EN192256	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	21/11/19	/ /	515	
	175828EN192265	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - Refer to JRF	22/11/19	/ /	514	
	175828EN192280	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.301 " - "	26/11/19	/ /	510	
	175828EN192288	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.165	27/11/19	/ /	509	
	175828EN192331	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.323	29/11/19	/ /	507	
	175828EN192352	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.301	02/12/19	/ /	504	
	175828EN192353	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.306	02/12/19	/ /	504	
	175828EN192437	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.153	09/12/19	/ /	497	
	175828EN192458	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.292	11/12/19	/ /	495	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	175828EN192472	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water	13/12/19	/ /	493	
	175828EN192578	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	- T.O.292	27/12/19	/ /	479	
	175828EN200092	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	PotableWater - T.O.40	13/01/20	/ /	462	
	175828EN200094	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.301	13/01/20	/ /	462	
	175828EN200124	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.371	14/01/20	/ /	461	
	175828EN200125	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.	14/01/20	/ /	461	
	175828EN200147	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.255	16/01/20	/ /	459	
	175828EN200232	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.161	30/01/20	/ /	445	
	175828EN200233	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.o.161	30/01/20	/ /	445	
	175828EN200254	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water	04/02/20	/ /	440	
	175828EN200279	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.232	10/02/20	/ /	434	
	175828EN200292	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.161	11/02/20	/ /	433	
	175828EN200344	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.222	17/02/20	/ /	427	
	175828EN200374	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.218	21/02/20	/ /	423	
	175828EN200394	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.o.303	25/02/20	/ /	419	
	175828EN200409	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.160	27/02/20	/ /	417	
	175828EN200423	MING HING WATERWORKS ENGINEERING	Contract No. 3/WSD/17 - Test on Fresh	Potable Water	28/02/20	/ /	416	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		CO., LTD.	Water	- T.O.232				
	175828EN200450	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - Refer to JRF	04/03/20	/ /	411	
	175828EN200559	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.371	16/03/20	/ /	399	
	175828EN200613	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.370	23/03/20	/ /	392	
	175828EN200622	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.323	24/03/20	/ /	391	
	175828EN200669	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.318	27/03/20	/ /	388	
	175828EN200670	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Potable Water - T.O.160	27/03/20	/ /	388	
	175828EN200721	MING HING WATERWORKS ENGINEERING CO., LTD.	Contract No. 3/WSD/17 - Test on Fresh Water	Fresh Water - T.O.270	31/03/20	/ /	384	
	175829EN181778	HANG FUNG PIPES CO., LTD.	LEACHING TEST	SS316-Ball Valve (Screw End) DN15	30/07/18	/ /	994	
	175834EN180222	KAI SHING MFGT SERVICES LTD-PACIFIC VIEW	RFQ-PV-130-17 - Fresh Water Analysis for Quality Water Supply Scheme for Buildings 2017	Fresh Water - Refer to JRF	02/02/18	/ /	1172	
	175852EN180124	ESTATE DRAGON GOUP LTD. C/O. SAVILLS PROPERTY MANAGEMENT LTD	Tests on Potable Water	Potable Water - Refer to JRF	24/01/18	/ /	1181	
	175947EN172965	CHOI SUM WATER PIPE SERVICE CO LTD	Plumbing & Drainage Installation for Redevelopment of St. Francis Canossian College - Phase II	Fresh Water - Refer to JRF	21/12/17	/ /	1215	
	175947EN172966	CHOI SUM WATER PIPE SERVICE CO LTD	Plumbing & Drainage Installation for Redevelopment of St. Francis Canossian College - Phase II	Fresh Water - Refer to JRF	21/12/17	/ /	1215	
	176012EN180174	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	17/01/18	/ /	1188	
	176012EN180194	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Bldg 052	19/01/18	/ /	1186	
	176012EN180226	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	23/01/18	/ /	1182	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	176012EN180236	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	24/01/18	/ /	1181	
	176012EN180249	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Potable Water - Refer to JRF	25/01/18	/ /	1180	
	176012EN180338	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	01/02/18	/ /	1173	
	176012EN180357	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	05/02/18	/ /	1169	
	176012EN180441	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	13/02/18	/ /	1161	
	176012EN180716	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water at Tung Chung, 人工島.	Fresh Water - Refer to JRF	22/03/18	/ /	1124	
	176018EN180324	SUM KEE-CEC JOINT VENTURE	Contract No. : DC2012/02 Upgrading of Mui Wo Sewage Treatment Works and Village Sewerage at Wang Tong and Yue Kwong Chuen	Stainless steel articles	05/03/18	/ /	1141	
	176023EN180619	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF "GESSI" BASIN MIXER (MODEL #35801)	"GESSI" Basin Mixer (Model #35801) - ST180016/1A "GESSI" Basin Mixer (Model #35801) - ST180016/1A	22/03/18	/ /	1124	
	176023EN180619(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF "GESSI" BASIN MIXER (MODEL #35801)		22/03/18	/ /	1124	
	176036EN173040	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y10 Y12 Y25 Y32 Y40 Y40 Y40 Y20 Batch1	05/01/18	/ /	1200	
	176036EN180039	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y16 Batch 2	08/01/18	/ /	1197	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	176036EN180211	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y25 Y32 Batch 3	28/01/18	/ /	1177	
	176036EN180243	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y40 Batch 4	30/01/18	/ /	1175	
	176036EN180312	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y16 Y40 Y40 Batch 5	09/02/18	/ /	73165 0	
	176036EN180354	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y32 Y40 Batch 6	06/02/18	/ /	1168	
	176036EN180355	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y40 Batch 7	06/02/18	/ /	1168	
	176036EN180644	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun – TMTL 539 (TM Misc 27A)	Y25 Y32 Y40 Batch 13 Delivery date: 06/03/2018	16/03/18	/ /	1130	
	176064EN180126	HIP HING CONSTRUCTION CO. LTD.	Test on portable water for K22	Potable Water - Refer to JRF	16/01/18	/ /	1189	
	176064EN180289	HIP HING CONSTRUCTION CO. LTD.	Test on portable water for K22	Potable Water - Refer to JRF	08/02/18	/ /	1166	
	176101EN180445	Guangzhou Evergreen Design	Project 008 - IAQ Test after Installation of Equipment		28/02/18	/ /	1146	
	176101EN180446	Guangzhou Evergreen Design	Project 008 - IAQ Test after Installation of Equipment		28/02/18	/ /	1146	
	176101EN182607	Guangzhou Evergrande	IAQ Measurement for China Evergrande Tower Floor 13A		31/10/18	/ /	901	
	176101EN182725	Guangzhou Evergrande	IAQ Measurement for China Evergrande Tower Floor 13A		30/11/18	/ /	871	
	176117EN180230	CHUN WO FOUNDATIONS LTD.	Provision of Environmental Monitoring -		31/01/18	/ /	1174	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Foundation for Public Rental Housing Development at Tsing Hung Road, Tsing Yi					
	176117EN181458	CHUN WO FOUNDATIONS LTD.	Provision of Environmental Monitoring -	ULSD	07/12/18	/ /	73134	
			Foundation for Public Rental Housing Development at Tsing Hung Road, Tsing Yi				9	
	176117EN182322	CHUN WO FOUNDATIONS LTD.	Provision of Environmental Monitoring -	ulsd	10/11/18	/ /	73137	
			Foundation for Public Rental Housing Development at Tsing Hung Road, Tsing Yi				6	
	176141EN180937	SITA WASTE SERVICES LTD.	Contract No. EP/SP/45/06 - Pillar Point Valley Landfill Restoration		05/01/18	/ /	73168	
							5	
	180035EN180612	THE HONGKONG ELECTRIC CO LTD	Full IAQ Re-certification for Electric Centre (Whole Building)		04/07/18	/ /	73150	
							5	
	180058EN180865	YUE HING MACHINE FACTORY LTD.	TESTING OF BRONZE (GUNMETAL)GATE VALVE (MODEL : 'SNOW' RHB-2H PN25	Bronze (Gunmetal) Gate Valve	13/04/18	/ /	1102	
	180058EN181295	YUE HING MACHINE FACTORY LTD.	TESTING OF BRONZE (GUNMETAL)GATE VALVE (MODEL : 'SNOW' RHB-2H PN25	Bronze (Gunmetal) Gate Valve RETEST	30/05/18	/ /	1055	
	180142EN181987	CHIHO ECO PROTECTION LTD.	Routine Air Quality Monitoring	Air survey	31/08/18	/ /	962	
	180149EN180476	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M008	26/02/18	/ /	1148	
				.				
				.				
	180149EN180584	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - M009	12/03/18	/ /	1134	
				.				
				.				
	180149EN180709	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M010	26/03/18	/ /	1120	
				.				
				.				
	180149EN180781	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M011	04/04/18	/ /	1111	
				.				
				.				
	180149EN180889	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker	17/04/18	/ /	1098	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- M012				
				.				
				.				
	180149EN180987	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M013	28/04/18	/ /	1087	
				.				
				.				
	180149EN181071	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M014	03/05/18	/ /	1082	
	180149EN181202	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M015	20/05/18	/ /	1065	
	180149EN181203	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M016	20/05/18	/ /	1065	
	180149EN181322	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M017	01/06/18	/ /	1053	
				.				
				.				
	180149EN181368	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M018	08/06/18	/ /	1046	
				.				
				.				
	180149EN181571	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M020	28/06/18	/ /	1026	
	180149EN181572	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M021	28/06/18	/ /	1026	
	180149EN181662	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M022	07/07/18	/ /	1017	
	180149EN181754	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - M024	23/07/18	/ /	1001	
	180149EN181755	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - M023	23/07/18	/ /	1001	
	180149EN181960	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker - M025	09/08/18	/ /	984	
	180149EN181961	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker	09/08/18	/ /	984	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- M026				
	180149EN182128	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker	27/08/18	/ /	966	
				- M027				
	180149EN182163	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker	01/09/18	/ /	961	
				- M028				
	180149EN182164	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye Marker	01/09/18	/ /	961	
				- M029				
	180149EN190387	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	06/03/19	/ /	775	
				- N008				
				.				
				.				
	180149EN190426	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	15/03/19	/ /	766	
				- N009				
	180149EN190486	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	18/03/19	/ /	763	
				- N010				
	180149EN190576	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	26/03/19	/ /	755	
				- N011				
	180149EN190694	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	15/04/19	/ /	735	
				- N012				
	180149EN190756	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	20/04/19	/ /	730	
				- N013				
	180149EN190770	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	22/04/19	/ /	728	
				- N014				
	180149EN190910	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	10/05/19	/ /	710	
				- N015				
	180149EN190974	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	25/05/19	/ /	695	
				- N016				
	180149EN191027	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	03/06/19	/ /	686	
				- N017				
	180149EN191202	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	29/06/19	/ /	660	
				- N018				
	180149EN191296	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker	12/05/19	/ /	708	
				- N019				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	180149EN191498	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - N020 . .	08/08/19	/ /	620	
	180149EN191740	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - N021 . .	12/09/19	/ /	585	
	180149EN191859	ASIAFIELD CHEMICAL LIMITED	Material Testing	dye marker - N022	27/09/19	/ /	570	
	180149EN192039	ASIAFIELD CHEMICAL LIMITED	Material Testing	dye marker - N023 . .	25/10/19	/ /	542	
	180149EN192174	ASIAFIELD CHEMICAL LIMITED	Material Testing	Dye marker - N024	09/11/19	/ /	527	
	180149EN192374	ASIAFIELD CHEMICAL LIMITED	Material Testing	dye marker - N025	05/12/19	/ /	501	
	180149EN200056	ASIAFIELD CHEMICAL LIMITED	Material Testing	dye marker - M001 . .	10/01/20	/ /	465	
	180149EN200175	ASIAFIELD CHEMICAL LIMITED	Material Testing	dye marker - P002 . .	23/01/20	/ /	452	
	180164EN180252	STARRY ARCH LTD.	Testing Wood Veneer Adhesive	Wood Veneer Adhesive	04/02/18	/ /	1170	
	180184EN180483	WELLMATE LIMITED	TESTING OF CAST IRON SILENT CHECK VALVE	"SHOWA' FIG. 40RB Cast Iron Silent Check Valve (With Coating)	25/02/18	/ /	1149	
	180198EN180253	MASTER KING LTD.	Test on Stainless Steel Panel	Stainless steel panel	04/02/18	/ /	1170	
	180210EN180332	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER	Mixer - ST18024/1 Mixer - ST18024/1	12/02/18	/ /	1162	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	180210EN180334	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER	Mixer - ST180024/3	12/02/18	/ /	1162	
				Mixer - ST180024/3				
	180210EN181779	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER	Mixer - PC180058/1&1d	30/07/18	/ /	994	
				" - PC180058/2&2d				
				" - PC180058/3&3d				
				" - PC180058/4&4d				
				" - PC180058/5&5d				
				" - PC180058/6&6d				
				" - PC180058/7&7d				
	180210EN183218	KOHLER ASIA PACIFIC LTD.	TESTING OF MIXER	- Job cancel	01/01/19	/ /	839	
	180260EN180231	IN CONSTRUCTION LTD.	6 Seymour Terrace and 62C Robinson Road - Outdoor Air Quality Measurement (BEAM Plus IEQ P1)		31/01/18	/ /	1174	
	180274EN181528	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Material Testing 2018	Y12 Y16	26/06/18	/ /	1028	
	180274EN181807	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y12 - PSK-10/Y12/08 Y16 - PSK-10/Y16/11	25/07/18	/ /	999	
	180274EN182063	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at Tai Po Town Lot No.226 Pak Shek Kok, Tai Po, N.T.	Y12 - PSK-11/Y12/11	20/08/18	/ /	973	
	180274EN182365	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Housing Development No14, Planation Road, HK	Y10 - PR/Y10/09 Y12 - PR/Y12/06	25/09/18	/ /	937	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 - PR/Y16/06 GZ180759				
	180274EN182583	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential and Commercial Development at J/O Sheung Heung Road and Kowloon City Road, Kowloon, K.I.L. No.11246	Y10 - SHR/Y10/09 Y12 - SHR/Y12/06 Y16 - SHR/Y16/06 GZ180835	19/10/18	/ /	913	
	180314EN180235	SAN HOI MING CONSTRUCTION ENGINEERING CO. LTD.	Water Testing at Wing On Towers, No. 7-9 Boyce Road, Jardine's Lookout, North Point, Hong Kong	Fresh Water - Refer to JRF	26/01/18	/ /	1179	
	180314EN180318	SAN HOI MING CONSTRUCTION ENGINEERING CO. LTD.	Water Testing at Wing On Towers, No. 7-9 Boyce Road, Jardine's Lookout, North Point, Hong Kong	Fresh Water - Blk 7 - 16A	02/02/18	/ /	1172	
	180315EN180687	SLK MANUFACTURING LTD	TESTING OF BRONZE GATE VALVE	Bronze gate valve (DN25)	27/03/18	/ /	1119	
	180330EN180433	DIGAO BUILDING MATERIALS CO. LTD.	Test on Lime Putty	skim coat	03/09/18	/ /	73144	4
	180338EN190661	FAITH ORIENTAL INVESTMENT LTD.	Stack Emission - Lam Tei Quarry		05/08/19	/ /	73110	8
	180343EN180440	SINO EST. MFGT. LTD. - EMPIRE CENTRE	TST2-18-Q0007 - Water Laboratory Test for 13 parameters of Empire Centre	Fresh Water - Refer to JRF	06/03/18	/ /	1140	
	180343EN180736	SINO EST. MFGT. LTD. - EMPIRE CENTRE	TST2-18-Q0007 - Water Laboratory Test for 13 parameters of Empire Centre	Fresh Water - Refer to JRF	09/04/18	/ /	1106	
	180351EN180335(1)	BRIGHTEN BUILDING MATERIALS LTD.	TESTING OF COPPER ANGLE VALVE		12/02/18	/ /	1162	
	180382EN180608	WELLMATE LIMITED	TESTING OF CAST IRON BUTTERFLY VALVE	"SHOWA" Butterfly valve	14/03/18	/ /	1132	
	180382EN180730	WELLMATE LIMITED	TESTING OF CAST IRON BUTTERFLY VALVE	"SHOWA" Butterfly valve	30/03/18	/ /	1116	
	180395EN181562	FT LABORATORIES LTD.	Test on Grease - Ground Anchor Monitoring Work 2018	Grease - AN-20	04/07/18	/ /	1020	
	180402EN180940	HANG FUNG PIPES CO., LTD.	LEACHING TESTING	SS316L Pipe in 1 Meter Long (DN15) - ST180143/1 & 1d	01/06/18	/ /	1053	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				SS304 Pipe in 1 Meter Long (DN15) - ST180143/2 & 2d				
	180477EN180423	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	MATERIAL TESTING	Copper nut	13/02/18	/ /	1161	
	180511EN180496	CHEUNG KEE FUNG CHEUNG CONST CO. LTD.	Comparsion Testing for Epoxy Coating	Peel of material from epoxy coating cast iron pipe Cut and taken epoxy coating from existing epoxy cating cast iron pipe	28/02/18	/ /	1146	
	180532EN200174	FUGRO GEOTECHNICAL SERVICES LTD.	Contract No. NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advanced Works	Contaminent test (ETWB/TC342002) - DCM1A-VB3 0.00-0.90m (GC,RW) Contaminent test (ETWB/TC342002) - DCM1A-VB3 0.90-1.90m (GC, RW) Organic matter - DCM1A-VB3 1.90-2.90m (CH) Sulphate Water soluble chloride pH value	02/07/20	/ /	73077 6	
	180532EN200548	FUGRO GEOTECHNICAL SERVICES LTD.	Contract No. NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advanced Works	Sediment - Phase1-VB1 12.40-13.30m (RW, GC) - Phase1-VB1 13.30-14.30m (RW, GC) - Phase1-VB1 14.30-15.30m (CH)	04/03/20	/ /	73089 6	
	180532EN200549	FUGRO GEOTECHNICAL SERVICES LTD.	Contract No. NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advanced Works	Sediment - Phase1-VB4 11.60-12.50m (RW, GC) - Phase1-VB4 12.50-13.50m (RW, GC) - Phase1-VB4 13.50-14.50m (CH)	04/02/20	/ /	73092 5	
	180532EN200570	FUGRO GEOTECHNICAL SERVICES LTD.	Contract No. NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advanced Works	Sediment - DCM4-VB2 0.90-1.80m (RW, GC) - DCM4-VB2 1.90-2.80m (RW, GC, CH)	04/02/20	/ /	73092 5	
	180574EN180464	HARRIMAN PROPERTY MFGT LTD-METRO LOFT	Maint/047/2018 - IAQ Certification Services at Metro Loft, No. 38 Kwia Hei Street, Kwai Chung, N.T.		15/03/18	/ /	1131	
	180604EN180600	SIKA HONG KONG LTD.	VOC Test of Architectural Sealants	Sealant - SikaHyflex 250 Facade - Sikaflex PRO3 - Sikaflex PRO2 HP	04/07/18	/ /	73150 5	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Sikaflex 11FC Portable sealant - Sikasil Pool - Sikaseal Kitchen and Bathroom				
	180620EN180406	ORIENTFUNDS PRECAST LTD	Material Testing (2018)	Y10 Y12 Y16 Cert no.: S1800070-1	20/02/18	/ /	1154	
	180620EN180407	ORIENTFUNDS PRECAST LTD	Material Testing (2018)	Y10 Y10 Y12 Y16 Cert no.: S1800070-1	20/02/18	/ /	1154	
	180620EN180408	ORIENTFUNDS PRECAST LTD	Material Testing (2018)	Y10 Y12 Y16 Cert no.: S1800070-1	20/02/18	/ /	1154	
	180620EN180409	ORIENTFUNDS PRECAST LTD	Material Testing (2018)	Y10 Y10 Y12 Y16 Cert no.: S1800073-1	20/02/18	/ /	1154	
	180620EN180410	ORIENTFUNDS PRECAST LTD	Material Testing (2018)	Y10 Y12 Y16 Cert no.: S1800074-1	20/02/18	/ /	1154	
	180620EN180710	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. AH18-0007	28/03/18	/ /	1118	
	180620EN180981	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. AH18-0011	30/04/18	/ /	1085	
	180620EN180982	ORIENTFUNDS PRECAST LTD		Y10	30/04/18	/ /	1085	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y12				
				Y16				
				Ref. AH18-0012				
	180620EN181255	ORIENTFUNDS PRECAST LTD		Y10	27/05/18	/ /	1058	
				Y12				
				Ref. AH18-0018				
	180620EN181256	ORIENTFUNDS PRECAST LTD		Y10	27/05/18	/ /	1058	
				Y12				
				Ref. AH18-0019				
	180620EN181524	ORIENTFUNDS PRECAST LTD		Y10	26/06/18	/ /	1028	
				Y10				
				Y12				
				Ref. S1801371-1				
	180620EN181525	ORIENTFUNDS PRECAST LTD		Y10	26/06/18	/ /	1028	
				Y12				
				Ref. S1801372-1				
	180620EN181526	ORIENTFUNDS PRECAST LTD		Y10	26/06/18	/ /	1028	
				Y12				
				Ref. S1801373-1				
	180620EN181527	ORIENTFUNDS PRECAST LTD		Y10	26/06/18	/ /	1028	
				Y12				
				Ref. S1801374-1				
	180620EN181756	ORIENTFUNDS PRECAST LTD		Y10	23/07/18	/ /	1001	
				Y12				
				Ref. S1801560-1				
	180620EN181757	ORIENTFUNDS PRECAST LTD		Y10	23/07/18	/ /	1001	
				Y12				
				Ref. S1801561-1				
	180620EN181758	ORIENTFUNDS PRECAST LTD		Y10	23/07/18	/ /	1001	
				Y12				
				Ref. S1801562-1				
	180620EN181759	ORIENTFUNDS PRECAST LTD		Y10	23/07/18	/ /	1001	
				Y12				
				Ref. S1801563-1				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	180620EN182324	ORIENTFUNDS PRECAST LTD		Y16 Ref. GZ180751	20/09/18	/ /	942	
	180620EN182427	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. S1802146-1	05/10/18	/ /	927	
	180620EN182428	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. S1802145-1	05/10/18	/ /	927	
	180620EN182857	ORIENTFUNDS PRECAST LTD		Y10 Y12 Ref. S1802302-1	20/11/18	/ /	881	
	180620EN182858	ORIENTFUNDS PRECAST LTD		Y10 Y12 Ref. S1802303-1	20/11/18	/ /	881	
	180620EN182859	ORIENTFUNDS PRECAST LTD		Y10 Y12 Ref. S1802304-1	20/11/18	/ /	881	
	180620EN182993	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. S1802390-1	03/12/18	/ /	868	
	180620EN182994	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. S1802391-1	03/12/18	/ /	868	
	180620EN182995	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 Ref. S1802392-1	03/12/18	/ /	868	
	180620EN183320	ORIENTFUNDS PRECAST LTD		Y10 Y10 Y12	04/01/19	/ /	836	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 S1802516-1				
	180620EN183321	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 S1802517-1	04/01/19	/ /	836	
	180620EN183322	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 S1802518-1	04/01/19	/ /	836	
	180620EN183323	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 S1802519-1	04/01/19	/ /	836	
	180620EN183324	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 S1802520-1	04/01/19	/ /	836	
	180620EN190573	ORIENTFUNDS PRECAST LTD		Y10 Y12 Y16 AH19-0015	01/04/19	/ /	749	
	180629EN180420	CHOI SUM WATER PIPE SERVICE CO LTD	Test on Fresh Water at Pak Tin	Potable Water - Refer to JRF	12/02/18	/ /	1162	
	180643EN180812	E-NAT MARBLE LIMITED	Test on Stainelss Steel Article	S.S. Angle #304 100mm x 100mm x 9mm thk x 1000mm L	11/04/18	/ /	1104	
	180688EN181661	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	08/03/18	/ /	73162 3	
	180688EN181956	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	09/01/18	/ /	73168 1	
	180688EN182295	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	10/04/18	/ /	73159 0	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	180688EN191298	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	08/02/19	/ /	73128 6	
	180688EN200120	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	02/10/20	/ /	73068 4	
	180688EN200492	BUILD KING-SAMSUNG C&T J.V.	NL/2017/03 - Tung Chung New Town Extension - Reclamation and Advance Works	ulsd	04/03/20	/ /	411	
	180691EN180763	VANNEX INTERNATIONAL LTD.	Test on Air Concentration Test in HK Workshop	Air	15/04/18	/ /	1100	
	180755EN180558	ARCHITECTURAL SERVICES DEPARTMENT	02/18/TME - Water Testing to Drinking Fountain at Cafeteria Old Beach, Tuen Mun	Drinking Fountain Water - Refer to JRF	06/03/18	/ /	1140	
	180759EN180557	ARCHITECTURAL SERVICES DEPARTMENT	1/18/TME - Water Testing to Drinking Fountain at Kadoorie Beach, Tuen Mun	Drinking Fountain Water - Refer to JRF	06/03/18	/ /	1140	
	180760EN180560	ARCHITECTURAL SERVICES DEPARTMENT	04/18/TME - Water Testing to Drinking Fountain at Golden Beach, Tuen Mun	Drinking Fountain Water - Refer to JRF	06/03/18	/ /	1140	
	180761EN180559	ARCHITECTURAL SERVICES DEPARTMENT	03/18/TME - Water Testing to Drinking Fountain at Cafeteria New Beach, Tuen Mun	Drinking Fountain Water - Refer to JRF	06/03/18	/ /	1140	
	180772EN180961	VSC BLDG PRODUCTS CO LTD	TESTING OF MIXER OR TAP	Flow Controller - ST180197/1	02/05/18	/ /	1083	
	180786EN180891	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y32 Batch 17	17/04/18	/ /	1098	
	180786EN180953	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Y16 Batch 18	27/04/18	/ /	1088	
	180786EN181320	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 - Y10 Y12 - Y12 Y20	02/06/18	/ /	1052	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Y20 Batch 21				
	180786EN181444	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y32 Batch 23	20/06/18	/ /	1034	
	180786EN181678	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y25 Y25 Y32 Batch 27-A	17/07/18	/ /	1007	
	180786EN182040	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y40 Batch 33	14/08/18	/ /	979	
	180786EN182069	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y40 Batch 34	19/08/18	/ /	974	
	180786EN182304	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y20 Batch 37	16/09/18	/ /	946	
	180786EN182305	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Batch 36	16/09/18	/ /	946	
	180786EN182906	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y16 Y20 Y25 Batch 41	21/11/18	/ /	880	
	180786EN190299	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Y16 Batch 51	22/02/19	/ /	787	
	180786EN190301	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y16 Batch 52	23/02/19	/ /	786	
	180786EN190457	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM	Y10 Y16	22/03/19	/ /	759	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Misc 27A)	batch 54				
	180786EN190687	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Y16 Batch 56	15/04/19	/ /	735	
	180786EN190913	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Y16 Batch 58	18/05/19	/ /	702	
	180786EN191089	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y20 Y25 Y32 Batch 59	17/06/19	/ /	672	
	180786EN191329	CHUN FAI CONSTRUCTION CO. LTD.	Junction of Hoi Wing Road and Hang Fu Street, Area 16, Tuen Mun - TMTL 539 (TM Misc 27A)	Y10 Y12 Y16 Y20 Batch 60	17/07/19	/ /	642	
	180893EN181493	CLP POWER HONG KONG LTD	IAQ Measurement and Certification at CLP Hong Kong LTD		17/06/18	/ /	1037	
	180893EN181768	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - Strafford House		31/08/18	/ /	962	
	180893EN181769	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"		31/08/18	/ /	962	
	180893EN182342	CLP POWER HONG KONG LTD	IEQ Measurement - Tai Yuen Depot		30/09/18	/ /	932	
	180893EN183079	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"		31/12/18	/ /	840	
	180893EN183080	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"		31/12/18	/ /	840	
	180893EN183081	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"		31/12/18	/ /	840	
	180893EN190266	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - Centenary Building	Centenary Building	28/02/19	/ /	781	
	180893EN190424	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory	CO2 and RSP	15/03/19	/ /	766	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Services on Indoor Environmental Quality"	- CLP Centenary Building				
	180893EN190579	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - CLP Power Kwun Tong Depot		30/04/19	/ /	720	
	180893EN190637	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - CLP Shatin Depot		30/04/19	/ /	720	
	180893EN190638	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - CLP Shatin Depot		30/04/19	/ /	720	
	180893EN190639	CLP POWER HONG KONG LTD	IEQ Measurement - CLP Shatin Depot		30/04/19	/ /	720	
	180893EN190657	CLP POWER HONG KONG LTD	IAQ Measurement and Certification at CLP Power Hong Kong LTD	- BPPS Admin Block	31/05/19	/ /	689	
	180893EN190755(1)	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - CLP Tsz Wan Shan Depot		31/10/19	/ /	536	
	180893EN190759	CLP POWER HONG KONG LTD	IAQ Certificate Measurement	- CPA Admin Block	30/04/19	/ /	720	
	180893EN190760	CLP POWER HONG KONG LTD	IAQ Certificate Measurement	- CPB Admin Block	30/04/19	/ /	720	
	180893EN190798	CLP POWER HONG KONG Limited	IAQ Cert. Measurement - CLP Yau Ma Tei Depot		31/05/19	/ /	689	
	180893EN191025	CLP POWER HONG KONG LTD	IAQ Certificate Measurement	- CLP Black Point Projects Building	30/06/19	/ /	659	
	180893EN191056	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - CLP Power Hong Kong Limited Headquarters	- CLP HQ	28/06/19	/ /	661	
	180893EN191425	CLP POWER HONG KONG LTD	IEQ Measurement - Contractors Partnet Building		31/07/19	/ /	628	
	180893EN191453	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - Laguna Mall		31/07/19	/ /	628	
	180893EN191616	CLP POWER HONG KONG LTD	IAQ Survey	- Tai Yuen Depot	31/08/19	/ /	597	
	180893EN192020	CLP POWER HONG KONG LTD	IAQ Certificate Measurement	- CLP Tsuen Wan Depot	31/10/19	/ /	536	
	180893EN192083	CLP Power Hong Kong Limited	IAQ and IEQ Measurement - Tuen Mun Depot	- CLP Tuen Mun Depot	30/11/19	/ /	506	
	180893EN192400	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - SSPO 1-6/F	- SSPO 1-6/F	30/11/19	/ /	506	
	180893EN192401	CLP POWER HONG KONG LTD	IAQ Certificate Measurement - SSPO 7/F	- SSPO 7/F	30/11/19	/ /	506	
	180893EN192411	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"	PO : 4501249923 OA : 4600007194 Pre sampling visit (half day)	12/06/19	/ /	73116 2	
	180893EN192493	CLP POWER HONG KONG LTD	Bid#8000017888 - "Provision of Laboratory Services on Indoor Environmental Quality"	IEQ assessment for Shatin centre	01/03/20	/ /	73089 9	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	180893EN192497	CLP POWER HONG KONG LTD	Provision of Laboratory Services on Indoor Environmental Quality	IEQ assessment for Tsing Yi	01/04/20	/ /	73086 8	
	180893EN192499	CLP POWER HONG KONG LTD	Provision of Laboratory Services on Indoor Environmental Quality	IEQ Assessment for SSPO	01/06/20	/ /	73080 7	
	180893EN200610	CLP POWER HONG KONG LTD	Provision of Laboratory Services on Indoor Environmental Quality	IEQ Assessment for Contractor Partners' Building	03/04/20	/ /	381	
				.				
	181015EN180625	TOP PRO CONSULTING LTD.	Heavy Metal Air Control	Filter Cartridge Filter	04/09/18	/ /	73144 3	
	181035EN182311	ZHEN HUA ENGINEERING CO LTD	EP/SP/66/12 - Integrated Waste Management Facilities Phase 1	Sand - 180827SF01	20/09/18	/ /	942	
	181035EN182446	ZHEN HUA ENGINEERING CO LTD	EP/SP/66/12 - Integrated Waste Management Facilities Phase 1	- Refer to JRF	10/09/18	/ /	73143 7	
	181035EN182534	ZHEN HUA ENGINEERING CO LTD	EP/SP/66/12 - Integrated Waste Management Facilities Phase 1	- 181018SF01	19/10/18	/ /	913	
	181035EN182767	ZHEN HUA ENGINEERING CO LTD	EP/SP/66/12 - Integrated Waste Management Facilities Phase 1	Sand - 181029SF01	13/11/18	/ /	888	
	181038EN180725	WELLMATE LIMITED	TESTING OF CAST IRON STRAINER	"SHOWA" Fig.191Ca C.I. Basket Strainer 304SS Cover & Screen, SS Bolts & Nuts, W/Power Epoxy Coating Flanged PN16 DN80, 100 & 15mm	30/03/18	/ /	1116	
	181058EN181253	VICTAULIC HONG KONG LIMITED	Victaulic StrengThin 100 System for Stainless Steel Pipe	E490 ELBOW 90 (mm) - EN180927/2 E491 ELBOW 45 (mm) - EN180927/3 E492 TEE (mm) - EN180927/4 E493 RED-TEE (mm) - EN180927/5 E495 ELBOW 90 (mm) - EN180927/6 E490 ELBOW 90 (mm) - EN180927/2 E491 ELBOW 45 (mm)	31/05/18	/ /	1054	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- EN180927/3 E492 TEE (mm) - EN180927/4 E493 RED-TEE (mm) - EN180927/5 E495 ELBOW 90 (mm) - EN180927/6				
	181058EN181253(1)	VICTAULIC HONG KONG LIMITED	Victaulic StrengThin 100 System for Stainless Steel Pipe		31/05/18	/ /	1054	
	181090EN180746	GREAT TREASURE INTERNATIONAL LTD.	Testing of flow controller for Mixer or Tap	Flow Controller - ST180220/1	06/04/18	/ /	1109	
	181093EN181688	VSC BLDG PRODUCTS CO LTD	Testing of flow controller for Mixer or Tap	Flow Controller (Model : T17513) - PC180078/1 Flow Controller (Model : T58.8131.10000) - PC180078/2	20/07/18	/ /	1004	
	181111EN181125	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - EN180828/1 Single Lever Mixer - EN180828/1 Single Lever Mixer - EN180828/1 Single Lever Mixer - EN180828/1	24/05/18	/ /	1061	
	181111EN181125(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181125(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181125(3)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		04/07/18	/ /	1020	
	181111EN181126	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - EN180828/2 Single Lever Mixer - EN180828/2 Single Lever Mixer - EN180828/2	24/05/18	/ /	1061	
	181111EN181126(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181126(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181111EN181127	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - EN180828/3 Single Lever Mixer - EN180828/3 Single Lever Mixer - EN180828/3 Single Lever Mixer - EN180828/3	24/05/18	/ /	1061	
	181111EN181127(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181127(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181128	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer - EN180828/4 Single Lever Mixer - EN180828/4 Single Lever Mixer - EN180828/4	24/05/18	/ /	1061	
	181111EN181128(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181111EN181128(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SINGLE LEVER MIXER		24/05/18	/ /	1061	
	181113EN182532	SIMON & SONS ENGINEERING LTD.	29A LR Proposed Air Quality Monitoring Checkpoint for the Testing		19/10/18	/ /	913	
	181114EN181337	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF ELECTRONIC SENSOR TAP	Sensor - ST180171/1&1d Sensor - ST180171/1 Sensor - ST180171/1	13/06/18	/ /	1041	
	181114EN181337(1)	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF ELECTRONIC SENSOR TAP		18/06/18	/ /	1036	
	181114EN181337(2)	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF ELECTRONIC SENSOR TAP		18/06/18	/ /	1036	
	181114EN182119	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF ELECTRONIC SENSOR TAP	Body of sensor	29/08/18	/ /	964	
	181132EN190251	NICE MATERIAL TRADING CO LTD	Testing of Rail Products	Rail Products	25/02/19	/ /	784	
	181172EN180773	MCL	Proposed Industrial Redevelopment at	Potable Water	10/04/18	/ /	1105	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Nos.51-55 Lei Muk Rd, D.D.450 Lot No.983 Kwai Chung, N.T., Hong Kong	- Refer to JRF				
	181172EN180901	Fugro Technical Services Limited	IAQ Certificate Measurement for 43/F One Island East		30/04/18	/ /	1085	
	181172EN180966	MCL		Potable Water - Refer to JRF	04/05/18	/ /	1081	
	181172EN181095	Swire	OTIF		06/08/18	/ /	73147 2	
	181172EN181153	Fugro Technical Services Limited	IEQ Measurement for Poly U Extension		13/05/18	/ /	1072	
	181172EN181283	MCL	Ocean Terminal Extension	Potable Water - Refer to JRF	04/06/18	/ /	1050	
	181172EN181284	Materialab Consultants Limited	Sediment Sampling & Testing Plan for Proposed Commercial Development at No. 75-85 Lockhart Road, Wan Chai, Hong Kong	Sediment 12/05/2018 sampling - MSL-1A -12.6M - 13.6M Sediment 12/05/2018 sampling - MSL-1A -13.6M - 14.6M Sediment 29/5/2018 sampling - MSL-2A 11.4 mbgl - 12.3 mbgl Sediment 29/5/2018 sampling - MSL-2A 12.3 mbgl - 13.2 mbgl Sediment 29/5/2018 sampling - MSL-2A 13.2 mbgl - 14.1 mbgl Sediment 25/5/2018 sampling - MSL-3A 12.6M - 13.5M Sediment 25/5/2018 sampling - MSL-3A 13.5M - 14.4M Water 12/05/2018 sampling - Method Blank	06/12/18	/ /	73135 0	
	181172EN181292	MCL		Potable Water - Refer to JRF	06/06/18	/ /	1048	
	181172EN181306	MCL	Beam Plus WU P1 - Water Quality Survey at the Passenger Clearance Building	Potable Water - Refer to JRF	07/06/18	/ /	1047	
	181172EN181328	MCL		Potable Water - Refer to JRF	08/06/18	/ /	1046	
	181172EN181391	Fugro Technical Services Limited	Lei Muk Road IEQP1		06/10/18	/ /	73141 1	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181172EN181392	Fugro Technical Services Limited	Yik Yam Street IEQP1		06/10/18	/ /	73141 1	
	181172EN181640	Fugro Technical Services Limited	BEAM Plus IEQP1 Measurement at Fuk Lo Tsun Road, Kowloon City		31/07/18	/ /	993	
	181172EN181784	MCL	Composite Building Development at 17-19 Yik Yan St., Happy Valley	Potable Water - Refer to JRF	19/07/18	/ /	1005	
	181172EN182026	MCL	The Redevelopment of Block X, The Hong Kong Polytechnic University	Potable Water - Refer to JRF	21/08/18	/ /	972	
	181172EN182099	FTS	Proposed Residential Development at Lot No 1190, No.8-12, Deep Water Bay Drive, Hong Kong	Potable Water - Refer to JRF	30/08/18	/ /	963	
	181172EN182101	Fugro Technical Services Limited	BEAM Plus IEQP1 Measurement at Tuen Mun Area 54		31/08/18	/ /	962	
	181172EN182124	Fugro Technical Services Limited	C17W03 Sky Bridge		29/08/18	/ /	964	
	181172EN182182	FTS	Proposed Residential Development at Lot No 1190, No.8-12 Deep Water Bay Drive, Hong Kong	Potable Water - Refer to JRF	09/10/18	/ /	73140 8	
	181172EN182215	Fugro Technical Services Limited	Airport Sky Bridge		12/10/18	/ /	920	
	181172EN182321	FTS	Proposed Residential Development at Lot. No.1190, No.8-12, Deep Water Bay Drive, HK	Potable Water - T2, 6/F, Unit C Balcony	25/09/18	/ /	937	
	181172EN182343	Fugro Technical Services Limited - Green Building	Testing of Formaldehyde		30/09/18	/ /	932	
	181172EN182359	Fugro Technical Services Limited - Green Building	Laboratory Test		24/09/18	/ /	938	
	181172EN182444	Swire	OTIF		11/09/18	/ /	73143 6	
	181172EN182476	FTS	Beam Plus WU P1-Water Quality Survey at Proposed Residential Building, Hing Fong Road	Potable Water - Refer to JRF	16/10/18	/ /	916	
	181172EN182554	Fugro Technical Services Limited - Green Building	Laboratory Test		10/10/18	/ /	922	
	181172EN182555	Fugro Technical Services Limited - Green Building	Laboratory Test		15/10/18	/ /	917	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181172EN182556	Fugro Technical Services Limited - Green Building	Laboratory Test		16/10/18	/ /	916	
	181172EN182557	Fugro Technical Services Limited - Green Building	Laboratory Test		16/10/18	/ /	916	
	181172EN182558	Fugro Technical Services Limited - Green Building	Laboratory Test		18/10/18	/ /	914	
	181172EN182726	MCL	The Redevelopment of Block X, The Hong Kong Polytechnic University		12/11/18	/ /	889	
	181172EN182901	Fugro Technical Services Limited - Green Building	Laboratory Test		15/11/18	/ /	886	
	181172EN182902	Fugro Technical Services Limited - Green Building	Laboratory Test		20/11/18	/ /	881	
	181172EN183001	Fugro Technical Services Limited - Green Building	Laboratory Test		22/11/18	/ /	879	
	181172EN183002	Fugro Technical Services Limited - Green Building	Laboratory Test		30/11/18	/ /	871	
	181172EN183171	Fugro Technical Services Limited - Green Building	Laboratory Test		14/12/18	/ /	857	
	181172EN183250	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 13-14/12/2018 - HCHO and NO2 samples	27/12/18	/ /	844	
	181172EN183251	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 17/12/2018 - HCHO and NO2 samples	28/12/18	/ /	843	
	181172EN183252	Fugro Technical Services Limited - Green Building	IEQ7 & IEQ7 Measurement	- IEQ6 and IEQ7 measurement	28/12/18	/ /	843	
	181172EN190046	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 18/12/2018 - HCHO and NO2 samples	02/01/19	/ /	838	
	181172EN190047	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 19/12/2018 - HCHO and NO2 samples	02/01/19	/ /	838	
	181172EN190048	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 21/12/2018 - HCHO and NO2 samples	04/01/19	/ /	836	
	181172EN190049	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 27-28/12/2018 - HCHO and NO2 samples	09/01/19	/ /	831	
	181172EN190050	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 03-04/01/2019	15/01/19	/ /	825	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		Building		- HCHO and NO2 samples				
	181172EN190118	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 02/01/2019 - HCHO and NO2 samples	11/01/19	/ /	829	
	181172EN190119	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 07-08/01/2019 - HCHO and NO2 samples	18/01/19	/ /	822	
	181172EN190172	FTS	Proposed Composite Development at J/O Argyle Street and 486 Reclamation St. Kln	Potable Water - Refer to JRF	08/02/19	/ /	801	
	181172EN190228	Beexergy Consulting Limited	Proposed Redevelopment at No.45-47 Pottinger Street, No.1-5 Tun Wo Lane & No. 4-7 Erza's Lane Hk	Potable Water - Refer to JRF	14/02/19	/ /	795	
	181172EN190292	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 17-18/01/2019 - HCHO and NO2 samples	29/01/19	/ /	811	
	181172EN190293	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: - HCHO samples Date sampled: 12/02/2019 - NO2 samples	22/02/19	/ /	787	
	181172EN190353	Fugro Teshnical Services Ltd.	Proposed Composite Development at J/O Argyle Streetand 486 Reclamation Street, Kowloon	Potable Water - 5/F Unit B Kitchen	08/03/19	/ /	773	
	181172EN190429	Swire	OTIF	TSP x96, RSP x96 - Swire OTIF (0015/17) RSP x15 - China Const. Eng. (Macau) (0121/18) TSP x15 - CEDD Tai Po Road (0064/18) TSP x30 - China Cost. Eng. (Macau) (0122/18)	12/04/19	/ /	738	
	181172EN190521	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: - HCHO samples Date sampled: 17/02/2019 - NO2 samples	27/02/19	/ /	782	
	181172EN190569	Fugro Technical Services Limited - Green Building	Laboratory Test	Date sampled: 05/03/2019 - HCHO samples Date sampled: 05/03/2019 - NO2 samples	04/05/19	/ /	73120 1	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181172EN190597	FTS	Proposed Composite Development at J/O Argyle Street and 486 Reclamation Street, Kowloon	Potable Water - 5/F Sunit B Kitchen	11/04/19	/ /	739	
	181172EN190981	FTS	Proposed Composite Development On Lots. K.I.L.9692 at Nos. 80 Maidstone Road Kowloon	Potable Water - Refer to JRF	06/06/19	/ /	683	
	181172EN190982	FTS	Proposed Composite Development at J/O Argle Street and 486 Reclamation Street, Kowloon	Potable Water - Refer to JRF	06/06/19	/ /	683	
	181172EN191035	MCL	2x338 Place Student Hostels in Area 39 at Camous Circuit North for The Chinese University of Hong Kong	Potable Water - Refer to JRF	07/06/19	/ /	682	
	181172EN191093	Fugro Technical Services Ltd.	Hong Kong Boundary Crossing Facilities - Passenger Clearance Building	Potable Water - Refer to JRF	24/06/19	/ /	665	
	181172EN191218	Fugro Technical Services Limited - Green Building	Laboratory Test	NO2 passive sampler - Location 4, 5 HCHO passive sampler Location: Deep water bay drive	14/05/19	/ /	706	
	181172EN191219	Fugro Technical Services Limited - Green Building	Laboratory Test	NO2 passive sampler - 1/F living/dining rm HCHO passive sampler - 2/F bedroom - 2/F bedroom Location: Deep water bay drive - 3/F living/dining rm	04/06/19	/ /	685	
	181172EN191222	Fugro Technical Services Limited - Green Building	Laboratory Test	- 16 HCHO passive sampler - 15 Location: Yin Sha Road, Ma On Shan - 14 - 13	12/06/19	/ /	677	
	181172EN191223	Fugro Technical Services Limited - Green Building	Laboratory Test	- 34 HCHO passive sampler - 35 Location: Yin Sha Road, Ma On Shan	13/07/19	/ /	646	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 36 - 37 - 46 HCHO passive sampler - 43 Location: Yin Sha Road, Ma On Shan - 42	17/06/19	/ /	672	
	181172EN191224	Fugro Technical Services Limited - Green Building	Laboratory Test					
	181172EN191276	FTS	Proposed Composite Development On Lots. K.I.L. 9692 at Nos.80 Maidstone Roadm Kowloon	Potable Water - Refer to JRF	19/07/19	/ /	640	
	181172EN191428	Fugro Technical Services Limited - Green Building	8-12 Deep Water Bay Drive	Passive sampler - Field Blank 1 - Field Blank 2 - Field Blank 3	06/08/19	/ /	622	
	181172EN191483	FTS	Industrial Redevelopment on N.K.I.L 2835 R.P. at nos.55-57 Wing Hong St., Sheung Sha Wan, Kln	Potable Water	07/08/19	/ /	621	
	181172EN191550	FTS	Proposed Industrial Redevelopment at Nos.51-55 Lei Muk Road, D.D>450 Lot No.983 Kwai Chung, N.T., HK	Potable Water - Location 2 - Location 3	27/08/16	/ /	1696	
	181172EN191561	FTS	Beam Plus WU P1 - Water Quality Survey at Hong Kong - Zhuhai - Macao Bridge - Hong Kong Boundary Crossing Facilities - Passenger Clearance Building	Potable Water - Refer to JRF	28/08/19	/ /	600	
	181172EN191686	FTS	Proposed Cposite Development atJ/O Argyle Street and 486 Reclamation St, Kowloon	Potable Water - Refer to JRF	09/12/19	/ /	73098 2	
	181172EN191708	Drainage Services Department	Contract No.PM 02/2016 Water Quality Baseline Survey for Drainage Improvement Works in Yuen Long, Stage 1 - Additional Water Quality Baseline Survey	River Water - Refer to JRF	09/04/19	/ /	73122 6	
	181172EN191733	FTS	Proposed Industrial Redevelopment at Nos.51-55 Lei Muk Road, D.D.450 Lot Mo.983 Kwai Chung, N.T., Hong Kong	Potable Water - Location 2a	09/09/19	/ /	588	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181172EN191759	FTS	Industrial Redevelopment on N.K.I.L. 2835 R.P. at Nos. 55-57 Wing Hong Street, Cheung Sha Wan, Kln	Potable Water - Refer to JRF	02/10/19	/ /	565	
	181172EN191797	FTS	Industrial Redevelopment on N.K.I.L. 2835 R.P. at nos 55-57 Wing Hong Street, Cheung Sha Wan, Kowloon	Potable Water - Refer to JRF	03/10/19	/ /	564	
	181172EN191981	FTS	Proposed Industrial Redevelopment at Nos.51-55 Lei Muk Rd., D.D.450 Lot No.983 Kwai Chun, N.T., Hong Kong	Potable Water - Refer to JRF	01/11/19	/ /	535	
	181172EN192017	SUEZ NWS R&R (HK) Ltd.	NWLF	Effluent Sample - NWLF (20191017)	28/10/19	/ /	539	
	181172EN192018	SUEZ NWS R&R (HK) Ltd.,	NWLF	Effluent Sample - NLTS-SBR2(20191017)	28/10/19	/ /	539	
	181172EN192019	SUEZ NWS R&R (HK) Ltd.	NLTS	Effluent Sample - NLTS-SBR1(20191017)	28/10/19	/ /	539	
	181172EN192186	Fugro Technical Services Limited	TSP and RSP Filter (October 2019)	- Swire OTIF (0015/17) - China Const. Eng. (Macau) (0121/18) - China Cost. Eng. (Macau) (0122/18) - Suez NWS R&R - IETS (0374/14) - Suez NWS R&R - IWTS (0384/14) - Suez NWS R&R - WKTS (0004/14) - Suez NWS R&R - NLTS and NWL (0014/13) - CL	12/01/19	/ /	73131 3	
	181172EN200104	Fugro Technical Services Limited	TSP and RSP Filter (January 2020)	RSPx15 - China Const. Eng. (Macau) (0121/18)	10/02/20	/ /	434	
	181172EN200288	Fugro Technical Services Limited	TSP and RSP Filter (February 2020)	TSPx6 - Central Tunnel (0097/19)	07/03/20	/ /	408	
	181172EN200289	Fugro Technical Services Limited	TSP and RSP Filter (February 2020)	TSPx18 - HKZMB	07/03/20	/ /	408	
	181309EN181133	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SELF CLOSING TAP	Self Closing Tap - Ref. to EN180829 Self Closing Tap - Ref. to EN180829 Self Closing Tap	24/05/18	/ /	1061	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID - Ref. to EN180829	Target Date	Test Comp	OD (days)	Amount
	181309EN181133(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SELF CLOSING TAP		24/05/18	/ /	1061	
	181309EN181133(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF SELF CLOSING TAP		24/05/18	/ /	1061	
	181326EN180894	WAH FUNG (UNIVERSAL) BUILDING MATERIALS CO. LTD.	VOC Content for Dow Corning 796 Silicone Sealant	Dowsil796	05/12/18	/ /	73135	1
	181360EN180704	BUNNERY CO.	Test on Stainless Steel 4 Ball Bearing Butt Hinge	S.S. 4 ball bearing hinge Size : 102x102x30mm Brand: KW838.404030 Lokador4BB404030	30/03/18	/ /	1116	
	181367EN200064	Agressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y40 batch 2	15/01/20	/ /	460	
	181388EN180835	BEAM DESIGN LTD.	Short Term Air Measurement at IFC Central 25/F LC and 29F RS		14/04/18	/ /	1101	
	181388EN180903	BEAM DESIGN LTD.	Short Term Air Measurement at IFC Central 25/F LC and 29F RS		20/04/18	/ /	1095	
	181438EN190248	TOTO (HK) LTD.	TESTING OF SENSOR FLUSH VALVE FOR URINALS	DUE129UKV1 Sensor for toilet flush	22/03/19	/ /	759	
	181438EN190476	TOTO (HK) LTD.	TESTING OF SENSOR FLUSH VALVE FOR URINALS	Body PC190008	18/03/19	/ /	763	
	181438EN191543	TOTO (HK) LTD.	TESTING OF SENSOR FLUSH VALVE FOR URINALS	copper tube	20/08/19	/ /	608	
	181438EN192042	TOTO (HK) LTD.	TESTING OF SENSOR FLUSH VALVE FOR URINALS	copper tube fitting PC190334	06/11/19	/ /	530	
	181462EN181218	YUE HING MACHINE FACTORY LTD.	Testing of Stainless Steel Ball Valve (Model No 1600)	Stainless steel ball valve	20/05/18	/ /	1065	
	181464EN180782(1)	CONCORD HOLDINGS (HK) LTD.	TESTING OF COPPER ALLOY BALL VALVE		02/05/18	/ /	1083	
	181464EN180782(2)	CONCORD HOLDINGS (HK) LTD.	TESTING OF COPPER ALLOY BALL VALVE		02/05/18	/ /	1083	
	181464EN180782(3)	CONCORD HOLDINGS (HK) LTD.	TESTING OF COPPER ALLOY BALL VALVE		02/05/18	/ /	1083	
	181464EN180782(4)	CONCORD HOLDINGS (HK) LTD.	TESTING OF COPPER ALLOY BALL		02/05/18	/ /	1083	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			VALVE					
	181464EN200040	CONCORD HOLDINGS (HK) LTD.	TESTING OF COPPER ALLOY BALL VALVE	mesh PC190377	10/01/20	/ /	465	
	181516EN181268	HARRIMAN PROPERTY MGT LTD	Potable Water Sampling and Testing Services - One Homantin, 1 Sheung Foo Street, Ho Man Tin, Kowloon	Potable Water - Refer to JRF	04/06/18	/ /	1050	
	181516EN181605	HARRIMAN PROPERTY MGT LTD	Potable Water Sampling and Testing Services - One Homantin, 1 Sheung Foo Street, Ho Man Tin, Kowloon	Potable Water - Refer to JRF	12/07/18	/ /	1012	
	181516EN181847	HARRIMAN PROPERTY MGT LTD	Potable Water Sampling and Testing Services - One Homantin, 1 Sheung Foo Street, Ho Man Tin, Kowloon	Potable Water - Refer to JEF	06/08/18	/ /	987	
	181525EN180766	THE KOWLOON MOTOR BUS CO. (1933) LTD.	IAQ for KMB Premises		30/04/18	/ /	1085	
	181525EN180767	THE KOWLOON MOTOR BUS CO. (1933) LTD.	IAQ for KMB Premises		30/04/18	/ /	1085	
	181525EN181405	THE KOWLOON MOTOR BUS CO. (1933) LTD.	IAQ for KMB Premises		06/08/18	/ /	73147	2
	181525EN181406	THE KOWLOON MOTOR BUS CO. (1933) LTD.	IAQ for KMB Premises		06/08/18	/ /	73147	2
	181525EN181407	THE KOWLOON MOTOR BUS CO. (1933) LTD.	IAQ for KMB Premises		06/08/18	/ /	73147	2
	181553EN180770	TACTFUL CONSTRUCTION & ENGINEERING (HK) LTD.	Tests on drinking water at oil street	Fresh Water - Refer to JRF	28/03/18	/ /	1118	
	181589EN181088	AKA COATING CO. LTD.	Hong Kong Green Label Scheme	aka 308	06/03/18	/ /	73162	5
	181589EN181089	AKA COATING CO. LTD.	Hong Kong Green Label Scheme	aka 605	06/03/18	/ /	73162	5
	181591EN181690	NIPPON PAINT (HK) CO LTD	VOC and Metal Testing	epoxy	08/09/18	/ /	73143	9
	181591EN182818	NIPPON PAINT (HK) CO LTD	VOC and Metal Testing	Nippon paint pu zf-f908 floor finish	12/07/18	/ /	73149	7
	181599EN180815	PROMAT INTERNATIONAL (ASIA PACIFIC) LTD	SCCP Test	- PROMATECT - H - PROMINA 60	05/01/18	/ /	73168	5

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181644EN181237	HARRIMAN PROPERTY MGT LTD-CRAWFORD HOUSE	IAQ Certification Services for 4/F to 23/F, Crawford House		30/06/18	/ /	1024	
	181678EN181179	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	DPA E182/2017 IAQ Assessment, Certification and Renewal Certification for Eastern District Env. Hygiene Office at 6/F and 7/F of Chai Wan MSB		31/05/18	/ /	1054	
	181721EN181129	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP	Testing of Mixer or Tap - Ref. to EN180830/1 Testing of Mixer or Tap - Ref. to EN180830/1 Testing of Mixer or Tap - Ref. to EN180830/1 Testing of Mixer or Tap - Ref. to EN180830/1 Testing of Mixer or Tap - Ref. to EN180830/1	24/05/18	/ /	1061	
	181721EN181129(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		24/05/18	/ /	1061	
	181721EN181129(3)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		24/05/18	/ /	1061	
	181721EN181129(4)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		04/07/18	/ /	1020	
	181721EN181130	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP	Testing of Mixer or Tap - Ref. to EN180830/2 Testing of Mixer or Tap - Ref. to EN180830/2 Testing of Mixer or Tap - Ref. to EN180830/2 Testing of Mixer or Tap - Ref. to EN180830/2	24/05/18	/ /	1061	
	181721EN181130(1)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		24/05/18	/ /	1061	
	181721EN181130(2)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		24/05/18	/ /	1061	
	181721EN181130(3)	HANG TAT HARDWARE (HK) CO. LTD.	TESTING OF MIXER OR TAP		24/05/18	/ /	1061	
	181741EN181742	YUE HING MACHINE FACTORY LTD.	TESTING OF D.I GATE VALVE	Stem x 2 Nut x 1	19/07/18	/ /	1005	
	181742EN180844	YUE HING MACHINE FACTORY LTD.	TESTING OF BRONZE PUDDLE FLANGE		25/05/18	/ /	1060	
	181742EN182346	YUE HING MACHINE FACTORY LTD.	TESTING OF BRONZE PUDDLE FLANGE	Bronze Puddle Flange	30/09/18	/ /	932	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181743EN181958	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON U-TYPE STRAINER	Screen 304 Screen 316	06/08/18	/ /	987	
	181743EN182349	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON U-TYPE STRAINER	Cast Iron U-type Strainer	30/09/18	/ /	932	
	181743EN190052	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON U-TYPE STRAINER	304 316	16/01/19	/ /	824	
	181764EN180929	KWAN TAI ENGINEERING CO LTD	Testing on wood panel with coating		06/01/18	/ /	73168 4	
	181766EN181383	SLK MANUFACTURING LTD	TESTING OF CAST IRON GATE VALVE	Cast iron gate valve	14/06/18	/ /	1040	
	181766EN181741	SLK MANUFACTURING LTD	TESTING OF CAST IRON GATE VALVE	Nut	20/07/18	/ /	1004	
	181766EN182278	SLK MANUFACTURING LTD	TESTING OF CAST IRON GATE VALVE	Copper alloy	10/09/18	/ /	952	
	181766EN182279	SLK MANUFACTURING LTD	TESTING OF CAST IRON GATE VALVE	Nut	10/09/18	/ /	952	
	181769EN181066	TAK LEE (ASIA) ENGINEERING LTD	Material Testing	Sheet Lock	09/05/18	/ /	1076	
	181777EN180994	WELCOME CONSTRUCTION CO. LTD.	Fresh water quality testing for water supply pipeline for DSD Contract No. DC/2012/06	Fresh Water - W.O.80 out	27/04/18	/ /	1088	
	181777EN181041	WELCOME CONSTRUCTION CO. LTD.	Fresh water quality testing for water supply pipeline for DSD Contract No. DC/2012/06	Fresh Water - Refer to JRF	03/05/18	/ /	1082	
	181777EN182356	WELCOME CONSTRUCTION CO. LTD.	Fresh water quality testing for water supply pipeline for DSD Contract No. DC/2012/06	Fresh Water - Refer to JRF	18/09/18	/ /	944	
	181777EN182357	WELCOME CONSTRUCTION CO. LTD.	Fresh water quality testing for water supply pipeline for DSD Contract No. DC/2012/06	Fresh Water - Refer to JRF	18/09/18	/ /	944	
	181777EN182438	WELCOME CONSTRUCTION CO. LTD.	Fresh water quality testing for water supply pipeline for DSD Contract No. DC/2012/06	Potable Water - Refer to JRF	10/05/18	/ /	73156 0	
	181825EN181131	YUE HING MACHINE FACTORY LTD.	Leaching Test (Show Gate Valve DN25)	Show Gate Valve DN25 - Ref. to EN180938	24/05/18	/ /	1061	
	181828EN180939(1)	YUE HING MACHINE FACTORY LTD.	LEACHING TEST (BALL VALVE 1600)		21/08/18	/ /	972	
	181828EN181132	YUE HING MACHINE FACTORY LTD.	LEACHING TEST (BALL VALVE 1600)	Ball Valve 1600 DN10 - Ref. to EN180939	24/05/18	/ /	1061	
	181834EN180932	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Refer to JRF - -	30/04/18	/ /	1085	
	181834EN180933	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	30/04/18	/ /	1085	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181834EN180934	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	30/04/18	/ /	1085	
	181834EN182184	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	10/09/18	/ /	952	
	181834EN182185	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	10/09/18	/ /	952	
	181834EN182186	HARVEY NICHOLS (HONG KONG) LTD.	Test on Fresh Water of "Quality Water Recognition Scheme for Building"	Fresh Water - Refer to JRF	10/09/18	/ /	952	
	181881EN180956(1)	UNION DAY LIMITED.	TESTING OF COPPER ALLOY ANGLE VALVE		07/04/18	/ /	1108	
	181881EN181009	UNION DAY LIMITED.	TESTING OF COPPER ALLOY ANGLE VALVE	Copper Alloy Ball Valve - 3/4" x 1/2" " - 1/2" x 1/2" " - 3/4" x 1/2" - Ref. EN180956 Copper Alloy Ball Valve - 3/4" x 1/2" " - 1/2" x 1/2" " - 3/4" x 1/2" - Ref. EN180956 Copper Alloy Ball Valve - 3/4" x 1/2" " - 1/2" x 1/2" " - 3/4" x 1/2" - Ref. EN180956	07/05/18	/ /	1078	
	181881EN181009(1)	UNION DAY LIMITED.	TESTING OF COPPER ALLOY ANGLE VALVE		05/07/18	/ /	73150 4	
	181881EN181009(2)	UNION DAY LIMITED.	TESTING OF COPPER ALLOY ANGLE VALVE		05/07/18	/ /	73150 4	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	181889EN181740	WELLMATE LIMITED	TESTING OF "SHOWA" FIG 35R C.I GATE VALVE, 316SS TRIM, FLANGE PN16 WITH POWDER EPOXY COATING	Stem Nut	20/07/18	/ /	1004	
	181890EN181315	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF ELECTRONIC SENSOR TAP	Electronic Sensor Tap - Ref. EN180897/3 Electronic Sensor Tap (Cart.) - Ref. EN180897/1-3 Electronic Sensor Tap(Body) - Ref. EN180897/1-3	08/06/18	/ /	1046	
	181890EN181315(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF ELECTRONIC SENSOR TAP		08/06/18	/ /	1046	
	181890EN181315(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF ELECTRONIC SENSOR TAP		08/06/18	/ /	1046	
	181935EN181109	HO TAT CONSTRUCTION & ENGINEERING LIMITED	Cheung Fat Plaza, 6 Tam Kon Sham Road, Tsing Yi, NT	Y10 Y16	15/05/18	/ /	1070	
	182017EN180941	CHOI SUM WATER PIPE SERVICE CO LTD	Test on Fresh Water at Ping Shan	Potable Water - Refer to JRF	19/04/18	/ /	1096	
	182030EN181683	CNT RESENE DISTRIBUTION LTD.	VOC Testing for Coating - Sikalastic - 570 Top Coat	Enamacryl	08/06/18	/ /	73153 1	
	182030EN181684	CNT RESENE DISTRIBUTION LTD.	VOC Testing for Coating - Sikalastic - 570 Top Coat	Decorator	08/06/18	/ /	73153 1	
	182030EN181685	CNT RESENE DISTRIBUTION LTD.	VOC Testing for Coating - Sikalastic - 570 Top Coat	Aquashield	08/06/18	/ /	73153 1	
	182030EN181686	CNT RESENE DISTRIBUTION LTD.	VOC Testing for Coating - Sikalastic - 570 Top Coat	Aquapel	08/06/18	/ /	73153 1	
	182030EN181687	CNT RESENE DISTRIBUTION LTD.	VOC Testing for Coating - Sikalastic - 570 Top Coat	Plastercote	08/06/18	/ /	73153 1	
	182033EN181297	SUN FOOK KONG CONSTRUCTION LTD.	Calibration of dust meter		30/05/18	/ /	1055	
	182062EN180976	MAPEI CHINA LTD.	Testing Concrete Admixture	Admixture	05/05/18	/ /	73156 5	
	182062EN180977	MAPEI CHINA LTD.	Testing Concrete Admixture	Admixture	05/05/18	/ /	73156 5	
	182073EN181167	HONG YIP SERVICE CO LTD	Provision of Professional Service for IAQ Testing and Certificate 2017-2018 of		31/05/18	/ /	1054	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Bedford 28					
	182075EN181168	HONG YIP SERVICE CO LTD	IAQ Testing and Re-certificate Application 2017-2018 of Beacon Lodge		31/05/18	/ /	1054	
	182080EN181985	GAMMON CONSTRUCTION LTD	J5205 SRL 811BW. Kln Terminus AT(S)	Tactile and paving block	27/07/18	/ /	997	
	182152EN181073	Choi Sum Water Pipe Service Co. Ltd.	Tests on Water Authority and Beam Plus at Fanling	Potable Water - Refer to JRF	03/05/18	/ /	1082	
	182189EN181182	ATI ENGINEERING (INT'L) LTD.	Test on Stainless Steel Screw M3.8/4.4	Stainless steel screw	18/05/18	/ /	1067	
	182221EN182162	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON Y-STRAINER		30/08/18	/ /	963	
	182223EN181959	16082018	TESTING OF CAST IRON BASKET STRAINER	Screen 304 Screen 316	06/08/18	/ /	987	
	182226EN181738	PEPEMATE INTERNATIONAL LIMITED	TESTING OF CAST IRON BASKET STRAINER	Screen Grade 304 Grade 316	19/07/18	/ /	1005	
	182226EN181957	PEPEMATE INTERNATIONAL LIMITED	TESTING OF CAST IRON BASKET STRAINER	Screen Grade 304 Grade 316	06/08/18	/ /	987	
	182288EN183305	MCM CONSTRUCTION MATERIALS SUPPLY CO. LTD.	VICTAULIC STRENGTHIN 100 SYSTEM FOR STAINLESS STEEL PIPE	S.S. Pipe - Size: S15 / L: 48 S.S. Pipe - Size: T15 / L: 12 S.S. Pipe - Size: DRP 15x1/2" / L: 51 S.S. Pipe - Size: TRP15x1/2" / L:64 S.S. Pipe - Size: W15 / L: 39 S.S. Pipe - Size: WC15 / L:39 S.S. Pipe - Size: SRP 15x1/2" / L:59 S.S. Pipe - Size: SR15x1/2" / L:59 S.S. Pipe - Size: WRP15x1/2" / L:39 S.S. Pipe	28/02/19	/ /	781	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Size: S15 / L: 48,62,71,83,194 S.S. Pipe - Size: T15 / L: 12,19,27,34,80 S.S. Pipe - Size: W15 / L: 39,57,59,87,150 S.S. Pipe - Size: SSE28x15, 35x22,42x35,54x35,54x76				
	182288EN183305(1)	MCM CONSTRUCTION MATERIALS SUPPLY CO. LTD.	VICTAULIC STRENGTHIN 100 SYSTEM FOR STAINLESS STEEL PIPE		28/02/19	/ /	781	
	182290EN182218	WELSON METAL & SANITARY WARE MFY	TESTING OF STAINLESS STEEL EQUILIBRIUM BALL FLOAT VALVE	STAINLESS STEEL EQUILIBRIUM BALL FLOAT VALVE	20/09/18	/ /	942	
	182292EN190035	MCM CONSTRUCTION MATERIALS SUPPLY CO. LTD.	TESTING OF WELDED STAINLESS STEEL TUBE	size: 15,28,54,76,108	12/01/19	/ /	828	
	182296EN190250	WELSON METAL & SANITARY WARE MFY	TESTING OF CAST IRON PRESSURE REDUCING VALVE (MODEL : FLOWMATIC (F.M) C101)	PRV102-40 1-1/2" & 2" body, seat, guide rod	11/02/19	/ /	798	
	182298EN181173	CMD CONSTRUCTION ENGINEERING LIMITED	A & A Works for No.9 Magazine Gap Road, Hong Kong	Y20 CANCELLED DUE TO WRONG BAR PATTERN Y-BAR SUBMITTED	19/05/18	/ /	1066	
	182298EN181224	CMD CONSTRUCTION ENGINEERING LIMITED	A & A Works for No.9 Magazine Gap Road, Hong Kong	Y20	26/05/18	/ /	1059	
	182322EN181134	YUEN CHEONG ENGINEERING CO. LTD.	Tests on Fresh Water for Nina Mall Renovation	Fresh Water - Refer to JRF	15/05/18	/ /	1070	
	182360EN181145	WAH YIP COMPANY	Test on Grade 304 Pipe Clamp	Pipe clamp	16/05/18	/ /	1069	
	182360EN181404	WAH YIP COMPANY	Test on Grade 304 Pipe Clamp	Pipe clamp	13/06/18	/ /	1041	
	182366EN181119	MS. ANNA LOK	Formaldehyde Testing	Air	14/05/18	/ /	1071	
	182384EN181111	CHUN WO BUILDING CONST. LTD.	Provision of Fresh Water Tank Chlorination Services and Test on the Potable Water of Kwai Chung Hospital	- Refer to JRF	09/05/18	/ /	1076	
	182384EN181113	CHUN WO BUILDING CONST. LTD.	Provision of Fresh Water Tank Chlorination Services and Test on the Potable Water of Kwai Chung Hospital	- Refer to JRF	09/05/18	/ /	1076	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	182468EN181251	CHUN WO E&M ENGINEERING LTD.	Provision of First Time Fresh Water Tank Chlorination Services and Test on the Potable Water of Shek O Houses	Potable Water - Refer to JRF	21/05/18	/ /	1064	
	182469EN181823	CHUN WO E&M ENGINEERING LTD.	Provision of Fresh Water Tank Flushing Services and Test on the Potable Water of Shek O Houses	Fresh Water - Refer to JRF	24/07/18	/ /	1000	
	182469EN181826	CHUN WO E&M ENGINEERING LTD.	Provision of Fresh Water Tank Flushing Services and Test on the Potable Water of Shek O Houses	Fresh Water	23/07/18	/ /	1001	
	182520EN182220	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL Y-STRAINER WITH FLANGE END (S.S 316)	SS316 Y-stainer (Flange end) DN65 SS316 Y-stainer (Flange end) DN80	24/09/18	/ /	938	
	182520EN183164	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL Y-STRAINER WITH FLANGE END (S.S 316)	SS316 Y-stainer (Flange end) DN65	11/12/18	/ /	860	
	182522EN182316	HANG FUNG PIPES CO., LTD.	TESTING OF S.S BALL VALVE WITH SCREW END AND FLANGE END (S.S 316)	Ball valve screw end	14/09/18	/ /	948	
	182523EN182219	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL SWING CHECK VALVE WITH SCREW END AND FLANGE END (S.S 316)	Swing check valve (Screw end) DN65 Swing check valve (Screw end) DN80 Swing check valve (Flange end) DN65 Swing check valve (Flange end) DN80	23/09/18	/ /	939	
	182523EN182354	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL SWING CHECK VALVE WITH SCREW END AND FLANGE END (S.S 316)	Swing check (Screw End DN80)	15/09/18	/ /	947	
	182523EN183165	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL SWING CHECK VALVE WITH SCREW END AND FLANGE END (S.S 316)	Swing check valve (Screw end) DN65	11/12/18	/ /	860	
	182524EN182315	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS AND FLANGE END (S.S 316)	Gate valve screw end Gate valve flange end	14/09/18	/ /	948	
	182524EN190051	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS AND FLANGE END (S.S 316)	SS-316-gate valve (flange end) DN80 - FV80GVC-6	16/01/19	/ /	824	
	182537EN181711	HOPE WAY METAL WORKS & WATER	TESTING OF STAINLESS STEEL GLOBE	S.S. Globe Valve(Stop Valve)	25/07/18	/ /	999	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		PIPES COMPANY LIMITED	VALVE (STOP VALVE) WITH SCREW END AND FLANGE END (S.S 316)	- PC180059/1&1d				
	182537EN182323	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE) WITH SCREW END AND FLANGE END (S.S 316)	S.S. Globe Valve (stop Valve) Screw End Flange End	16/09/18	/ /	946	
	182538EN181712	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF STAINLESS STEEL SWING CHECK VALVE WITH SCREW END AND FLANGE END (S.S 316)	S.S. Swing Check Valve - PC180060/1 & 1d	25/07/18	/ /	999	
	182539EN181713	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS AND FLANGE END (S.S 316)	S.S. Gate Valve - PC180061/1 & 1d	25/07/18	/ /	999	
	182539EN182686	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF STAINLESS STEEL GATE VALVE WITH SCREW ENDS AND FLANGE END (S.S 316)	S.S. gate valve	30/10/18	/ /	902	
	182540EN181714	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF STAINLESS STEEL Y-STRAINER WITH SCREW END AND FLANGE END (S.S 316)	S.S. Y-Strainer - PC180062/1 & 1d	25/07/18	/ /	999	
	182541EN181715	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF S.S BALL VALVE WITH SCREW END AND FLANGE END (S.S 316)	S.S. Ball Valve - PC180063/1 & 1d	25/07/18	/ /	999	
	182541EN181853	HOPE WAY METAL WORKS & WATER PIPES COMPANY LIMITED	TESTING OF S.S BALL VALVE WITH SCREW END AND FLANGE END (S.S 316)	S.S. Ball Valve	17/08/18	/ /	976	
	182542EN200430	ROAD ASPHALT LIMITED	17601076-0301 - Asphalt Plant in Lung Kwu Sheung Tan	RSP	31/03/20	/ /	384	
	182593EN182967	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE	Recessed Thermostatic Trim and Valve - Kohler 97366T-ZZ-BV - Kohler 98699T-NA Recessed Thermostatic Trim and Valve - Kohler 97366T-ZZ-BV - Kohler 98699T-NA	10/12/18	/ /	861	
	182593EN182967(1)	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE		12/10/18	/ /	73140 5	
	182593EN191437	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE	body nut recessed thermostatic trim and vavle	06/08/19	/ /	622	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	182624EN182216	SUNEVISION SUPER E-TECHNOLOGY SERVICES LTD.	Test on Stainless Steel Anchor	Screw	17/09/18	/ /	945	
	182626EN181241(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		08/04/18	/ /	73159 2	
	182626EN181780	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Single Lever Mixer --	30/07/18	/ /	994	
	182626EN182481	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer	05/10/18	/ /	927	
	182688EN182811	SLK MANUFACTURING LTD	TESTING OF DUCTILE IRON EQUILIBRIUM BALL FLOAT VALVE	DUCTILE IRON EQUILIBRIUM BALL FLOAT VALE	10/11/18	/ /	891	
	182726EN181856	MR. KEVIN HO	Testing of Epoxy Cast Iron	Epoxy cast iron pipe	21/08/18	/ /	972	
	182736EN181851	WELSON METAL & SANITARY WARE MFY	TESTING OF CASTING STAINLESS STEEL DOULBE FLANGED PIPE	S.S. Pipe	13/08/18	/ /	980	
	182736EN190562	WELSON METAL & SANITARY WARE MFY	TESTING OF CASTING STAINLESS STEEL DOULBE FLANGED PIPE	CSSTBF-25-24A CSSTBF32-24A CSSTBF40-24A CSSTBF450-24A	28/03/19	/ /	753	
	182736EN191688	WELSON METAL & SANITARY WARE MFY	TESTING OF CASTING STAINLESS STEEL DOULBE FLANGED PIPE	body DN40 CSSTBF40-24A	05/09/19	/ /	592	
	182738EN181401	EXTENSIVE TRADING CO LTD	Test on Soil Pipes	Pipe	07/06/18	/ /	73153 2	
	182742EN182147	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE) WITH FLANGE END AND SCREW END (S.S 316)	SV15GLC-6 SS316-Gibe-valve DN15 - PC180099/1&1d SV15GLC-6 SS316-Gibe-valve DN15 - PC180099/2 SV32GLC-6 SS316-Gibe-valve DN32 - PC180099/3 SV50GLC-6 SS316-Gibe-valve DN50 - PC180099/4	05/09/18	/ /	957	
	182742EN182147(1)	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE) WITH FLANGE END AND SCREW END (S.S 316)		05/09/18	/ /	957	
	182742EN182813	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE) WITH FLANGE END AND SCREW END (S.S 316)	SV80GLC-6 SS316-Gibe-valve DN80 - PC180099/5 SV100GLC-6 SS316-Gibe-valve DN100	10/11/18	/ /	891	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- PC180099/6				
	182784EN181909	ATAL ENGINEERING LTD.	Analysis of Oil-mist after passing an Oil Filter		08/10/18	/ /	73140	9
	182793EN182030	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	Sensor Faucet - EN181290(CHRIS) Speakman S-9500 Sensor Faucet - EN181290(CHRIS) Speakman S-9500	25/08/18	/ /	968	
	182793EN182030(1)	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP		25/08/18	/ /	968	
	182793EN182831	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	Mixer - Stem Medical 100T/LE Mixer - Stem Medical 100T/LE Mixer - Stem Medical 100T/LE	22/11/18	/ /	879	
	182793EN182831(1)	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP		22/11/18	/ /	879	
	182793EN182831(2)	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP		22/11/18	/ /	879	
	182793EN190335	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	Sensor - Stern Extreme CSB " - Stem Easy B Sensor - Stern Extreme CSB " - Stem Easy B Sensor - Stern Extreme CSB " - Stem Easy B	01/03/19	/ /	780	
	182793EN190335(1)	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP		01/03/19	/ /	780	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	182793EN191703	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	stem stem	17/09/19	/ /	580	
	182793EN191819	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	s-union nut PC180112	30/09/19	/ /	567	
	182793EN192516	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP	s-union PC180112	28/12/19	/ /	478	
	182798EN182347	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF DUCTILE IRON GATE VALVE	DI Gate Valve DN65, DN100, DN 250mm	27/08/18	/ /	966	
	182798EN190024	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF DUCTILE IRON GATE VALVE	DI gate valve BS5163 stem nut	11/01/19	/ /	829	
	182798EN190358	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF DUCTILE IRON GATE VALVE	stem nut and stem DN65,150,250	07/03/19	/ /	774	
	182798EN190949	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF DUCTILE IRON GATE VALVE	Body	17/05/19	/ /	703	
	182817EN181703	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE (TOP UP TEST)	3x RADA MEYNELL 15/3	18/07/18	/ /	1006	
	182824EN182675	WO LEE STEEL CO. LTD.	Tests on Zn-Al Coated Wire Rope	1m Zn-Al Coated Wire Rope	30/10/18	/ /	902	
	182874EN182865	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER	Mixer - Model 13963-C4-CP Mixer - Model 13963-C4-CP	01/12/18	/ /	870	
	182874EN182865(1)	KOHLER ASIA PACIFIC LTD.	TESTING OF SINGLE LEVER MIXER		01/12/18	/ /	870	
	182900EN182053	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	Basin Faucet - K-14415T-3-CP - PC180012/1 Basin Faucet - K-14415T-3-CP - PC180012/1	24/08/18	/ /	969	
	182900EN182053(1)	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP		24/08/18	/ /	969	
	182900EN182054	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	Shower Mixer - K-11647-4-CP - PC180013/1 Shower Mixer	24/08/18	/ /	969	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- K-11647-4-CP - PC180013/1				
	182900EN182054(1)	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP		24/08/18	/ /	969	
	182900EN182577	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	Mixer - K-11647T-X-YY Mixer - K-11647T-X-YY	25/10/18	/ /	907	
	182900EN182606	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	Basin Faucet - K-14415T - PC180012/1 - Retest	01/11/18	/ /	900	
	182900EN183222	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	Shower Mixer - K-11647T Shower Mixer - K-11647T	01/01/19	/ /	839	
	182900EN183222(1)	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP		01/01/19	/ /	839	
	182900EN190111	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP	shower mixer cartridge (stem)	13/01/19	/ /	827	
	182906EN181788	YAT FUNG CONSTRUCTION & ENGINEERING LIMITED	Wire Mesh Installation on Exposed Rock Slope Areas at Slope 11NW-A/C139(2), 11NWA/C140(1) & 11NW-A/C496 at Cho Yiu Chuen.	Y16 Y25	25/07/18	/ /	999	
	182909EN181457	YUE HING MACHINE FACTORY LTD.	TESTING OF BRASS ALLOY GATE VALVE	Gate Valve (DN15) - PC180028/1	23/06/18	/ /	1031	
	182911EN181850	WELSON METAL & SANITARY WARE MFY	TESTING OF STAINLESS STEEL FLANGE	S.S. Flange	09/08/18	/ /	984	
	182918EN181603	GREAT TREASURE INTERNATIONAL LTD.	Testing of Mixer or Tap ["Blanco" - Model : CULINA-S(517597)]	"Blanco" Culina-S Mixer Chrome HD - PC180025/1 "Blanco" Culina-S Mixer Chrome HD - PC180025/1	12/07/18	/ /	1012	
	182918EN181603(1)	GREAT TREASURE INTERNATIONAL LTD.	Testing of Mixer or Tap ["Blanco" - Model : CULINA-S(517597)]		12/07/18	/ /	1012	
	182944EN182047	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - W.O.61 " - "	14/08/18	/ /	979	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	182944EN182123	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - W.O.103	23/08/18	/ /	970	
	182944EN182239	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.61 "- "-	05/09/18	/ /	957	
	182944EN182391	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.38	24/09/18	/ /	938	
	182944EN182398	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.38	26/09/18	/ /	936	
	182944EN182407	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.36	27/09/18	/ /	935	
	182944EN182932	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - TO77	21/11/18	/ /	880	
	182944EN190054	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.103	09/01/19	/ /	831	
	182944EN190091	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.57	15/01/19	/ /	825	
	182944EN190092	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.58	15/01/19	/ /	825	
	182944EN190093	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.58	15/01/19	/ /	825	
	182944EN190396	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water	03/05/19	/ /	73120 2	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	182944EN190420	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East		08/03/19	/ /	773	
	182944EN190526	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East		22/03/19	/ /	759	
	182944EN190688	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East		10/04/19	/ /	740	
	182944EN190832	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.072	03/05/19	/ /	717	
	182944EN190935	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.110	16/05/19	/ /	704	
	182944EN191059	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.134	10/06/19	/ /	679	
	182944EN191077	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.134	11/06/19	/ /	678	
	182944EN191182	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.134	24/06/19	/ /	665	
	182944EN191405	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.186	22/07/19	/ /	637	
	182944EN191528	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East		13/08/19	/ /	615	
	182944EN191662	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.103	27/08/19	/ /	601	
	182944EN191671	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water		29/08/19	/ /	599	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Risk-Based Improvement of Water Mains - Kowloon and New Territories East	- T.O.103				
	182944EN191885	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.200	02/10/19	/ /	565	
	182944EN191887	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.200	02/10/19	/ /	565	
	182944EN192157	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.126	06/11/19	/ /	530	
	182944EN192281	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.124	26/11/19	/ /	510	
	182944EN192290	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.124	27/11/19	/ /	509	
	182944EN192333	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.123	29/11/19	/ /	507	
	182944EN192351	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.123	30/11/19	/ /	506	
	182944EN192390	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.159	06/12/19	/ /	500	
	182944EN192427	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.123	06/12/19	/ /	500	
	182944EN192436	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains - Kowloon and New Territories East	Potable Water - T.O.123	09/12/19	/ /	497	
	182944EN192439	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains -	Fresh Water - T.O.123	12/10/19	/ /	73104 0	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Kowloon and New Territories East					
	182944EN192456	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.194	11/12/19	/ /	495	
			Kowloon and New Territories East					
	182944EN192469	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains -	12/12/19	/ /	494	
			Kowloon and New Territories East					
	182944EN192470	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.o.185	12/12/19	/ /	494	
			Kowloon and New Territories East					
	182944EN192473	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.185	13/12/19	/ /	493	
			Kowloon and New Territories East					
	182944EN200179	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.194	22/01/20	/ /	453	
			Kowloon and New Territories East					
	182944EN200380	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.163&241	24/02/20	/ /	420	
			Kowloon and New Territories East					
	182944EN200475	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.122	06/03/20	/ /	409	
			Kowloon and New Territories East	"				
				- T.O.124				
	182944EN200477	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.163&241	06/03/20	/ /	409	
			Kowloon and New Territories East					
	182944EN200510	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.163&241	09/03/20	/ /	406	
			Kowloon and New Territories East					
	182944EN200513	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.122	10/03/20	/ /	405	
			Kowloon and New Territories East	- T.O.124				
	182944EN200621	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Potable Water	Risk-Based Improvement of Water Mains - - T.O.122	24/03/20	/ /	391	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Kowloon and New Territories East					
	182944EN200625	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains -	Potable Water - T.O.122	24/03/20	/ /	391	
			Kowloon and New Territories East					
	182944EN200722	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains -	Potable Water - T.O.115	31/03/20	/ /	384	
			Kowloon and New Territories East					
	182944EN200723	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains -	Potable Water - T.O.115	31/03/20	/ /	384	
			Kowloon and New Territories East					
	182944EN210892	WO HING-HING CHEONG JOINT VENTURE	Contract No.: 2/WSD/17 - Term Contract for Risk-Based Improvement of Water Mains -	Potable Water	19/04/21	/ /	0	
			Kowloon and New Territories East					
	183044EN182146	WAH YIP COMPANY	Testing of Single Lever Mixer	Bath Shower (YK36) - PC180021(v1)/1 Single Lver Sink Mixer (YK15) - PC180021(v1)/2 Single Lever Basin Mixer (YK25) - PC180021(v1)/3 Single Lever Shower Mixer (YK35) - PC180021(v1)/4 Bath Shower (YK36) - PC180021(v1)/1 Single Lver Sink Mixer (YK15) - PC180021(v1)/2 Single Lever Basin Mixer (YK25) - PC180021(v1)/3 Single Lever Shower Mixer (YK35) - PC180021(v1)/4 Bath Shower (YK36) - PC180021(v1)/1 Single Lver Sink Mixer (YK15) - PC180021(v1)/2 Single Lever Basin Mixer (YK25) - PC180021(v1)/3 Single Lever Shower Mixer (YK35)	05/09/18	/ /	957	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- PC180021(v1)/4				
	183044EN182146(1)	WAH YIP COMPANY	Testing of Single Lever Mixer		05/09/18	/ /	957	
	183044EN182146(2)	WAH YIP COMPANY	Testing of Single Lever Mixer		05/09/18	/ /	957	
	183044EN182970	WAH YIP COMPANY	Testing of Single Lever Mixer	Single lever sink mixer	24/11/18	/ /	877	
	183211EN181976	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer	EXQN0076/R #N0076 "EXQ" Novita - PC180036/1 & 1d EXQN0076/R #N0076 "EXQ" Novita - PC180036/1 EXQN0076/R #N0076 "EXQ" Novita - PC180036/1	16/08/18	/ /	977	
	183211EN181976(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer		16/08/18	/ /	977	
	183211EN181976(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer		16/08/18	/ /	977	
	183211EN182145	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer	Mixer - PC180093/1 & 1d LU182 Mixer - PC180093/2 & 2d HA165 Mixer - PC180093/1 LU182 Mixer - PC180093/2 HA165 Mixer - PC180093/1 LU182 Mixer - PC180093/2 HA165	05/09/18	/ /	957	
	183211EN182145(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer		05/09/18	/ /	957	
	183211EN182145(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	Testing of Single Lever Mixer		05/09/18	/ /	957	
	183250EN191111	LONG RIVER COMPUTER LABEL DEVELOPMENT CO. LTD.	Test on Drinking Water Samples	Fresh Water - Refer to JRF	25/06/19	/ /	664	
	183295EN181614	KAI SHING MANAGEMENT SERVICES LTD-ROYAL PALMS	RFQ-RP-21-18 - Water Sampling and Testing at Club House (Royal Palms)	Fresh Water - Refer to JRF	13/07/18	/ /	1011	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	183325EN182663	WELLMATE LIMITED	Testing of "SHOWA" Fig. 108, Bronze Gate Valve , Non-rising Stem, Screwed End PN 25	"SHOWA" Fif.108, Bronze Gate Valve - PC180176/1&1d (DN15) "SHOWA" Fif.108, Bronze Gate Valve - PC180176/1 (DN15) - PC180176/2 (DN25) - PC180176/3 (DN50)	01/11/18	/ /	900	
	183325EN182663(1)	WELLMATE LIMITED	Testing of "SHOWA" Fig. 108, Bronze Gate Valve , Non-rising Stem, Screwed End PN 25		11/01/18	/ /	73167 9	
	183325EN182849	WELLMATE LIMITED	Testing of "SHOWA" Fig. 108, Bronze Gate Valve , Non-rising Stem, Screwed End PN 25	"SHOWA" Fig.108, Bronze Gate Valve Size: 1/2", 1", 2" PC180176	11/10/18	/ /	73140 6	
	183325EN190094	WELLMATE LIMITED	Testing of "SHOWA" Fig. 108, Bronze Gate Valve , Non-rising Stem, Screwed End PN 25	DN25 bonnet 2" stem	17/01/19	/ /	823	
	183325EN190280	WELLMATE LIMITED	Testing of "SHOWA" Fig. 108, Bronze Gate Valve , Non-rising Stem, Screwed End PN 25	DN50 stem retest	23/01/19	/ /	817	
	183339EN183258	THORN SECURITY (HK) LTD.	Tests on Water	Fresh Water - -	24/12/18	/ /	847	
	183368EN181813	HONG YIP SERVICE CO LTD	Tests on Water at Kui Fat Building	Fresh Water - Refer to JRF	02/08/18	/ /	991	
	183368EN182326	HONG YIP SERVICE CO LTD	Tests on Water at Kui Fat Building	Fresh Water - Refer to JRF	18/09/18	/ /	944	
	183431EN181855	UNION DAY LIMITED.	Testing of Copper Fitting	Coupler Elbow Tee	20/08/18	/ /	973	
	183442EN182827	YUE HING MACHINE FACTORY LTD.	Testing of Copper Ball Valve with Screw Ends	Copper ball valve srew end	11/11/18	/ /	890	
	183457EN191232	SOUTH CHINA PLASTIC BUILDING MATERIAL MFG LTD	Testing of uPVC Pipe, Fitting and uPVC Adhesive (Product Certification - Surveillance Test)	Adhesive	10/07/19	/ /	649	
	183569EN181673	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	10/07/18	/ /	1014	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	183569EN181775	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	19/07/18	/ /	1005	
	183569EN181814	BUILD KING-SAMSUNG C&T J.V.	Tests on Water		20/07/18	/ /	1004	
	183569EN182276	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	07/09/18	/ /	955	
	183569EN182280	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - G/F Pantry Fresh Water - 1/F Pantry	10/09/18	/ /	952	
	183569EN182298	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	11/09/18	/ /	951	
	183569EN182300	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	11/09/18	/ /	951	
	183569EN182319	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Potable Water - Refer to JRF	13/09/18	/ /	949	
	183569EN182327	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	14/09/18	/ /	948	
	183569EN182351	BUILD KING-SAMSUNG C&T J.V.	Tests on Water	Fresh Water - Refer to JRF	18/09/18	/ /	944	
	183577EN182126	MTR CORPORATION LTD.	Air Quality Measurement at Maintenance Office F6.52 of MTR Kowloon Station.		31/08/18	/ /	962	
	183608EN181946	SHINING LABELS MANUFACTURING LTD.	Noise Level Measurement - Tsing Yi		08/07/18	/ /	73150 1	
	183667EN182676	THE HONG KONG & CHINA GAS CO LTD	Tai Po Town Gas - Stack Measurement Services	Stack	30/10/18	/ /	902	
	183723EN181753	GM ENGINEERING LTD.	IAQ Test for One Kowloon, Kowloon Bay		20/07/18	/ /	1004	
	183792EN182541	SIEMENS LTD.	DLN in Macau-CEM	Fuel oil	10/10/18	/ /	922	
	183796EN181923	OT-SYSTEMS LTD.	Steel Material Testing	Camera Ceiling Mounting	14/08/18	/ /	979	
	183805EN182027	WELL BORN REAL ESTATE MANAGEMENT LTD.	Ref. No. WB-2018-039420044 - 比華利山別墅抽取水質樣本及提供水質化驗服務	Fresh Water - Refer to JRF	22/08/18	/ /	971	
	183841EN181904	PRISCILLA, LIN YONGQIN	Air Quality Test at Yoho Midtown		31/07/18	/ /	993	
	183856EN182846	WELSON METAL & SANITARY WARE MFY	Testing of Copper Fitting	WMC-40 1-1/2" WMC-80 3"	28/10/18	/ /	904	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				WMC-150 6" BSFW-40-20 1-1/2" BSFW65-20 2-1/2"x3/4" BSFW65-32 2-1/2"x1/4" PC180098				
	183869EN182230	CHINA STATE CONST ENG (HK) LTD	Extension of Tai Po Water Treatment Works - Sampling and Testing of Water Sample after Sterilization of Water Storage Facilities	Potable Water - Refer to JRF	04/09/18	/ /	958	
	183869EN182277	CHINA STATE CONST ENG (HK) LTD	Extension of Tai Po Water Treatment Works - Sampling and Testing of Water Sample after Sterilization of Water Storage Facilities	Potable Water - Refer to JRF	07/09/18	/ /	955	
	183869EN182281	CHINA STATE CONST ENG (HK) LTD	Extension of Tai Po Water Treatment Works - Sampling and Testing of Water Sample after Sterilization of Water Storage Facilities	Potable Water - Suction Culvert Tank (North)	10/09/18	/ /	952	
	183869EN182355	CHINA STATE CONST ENG (HK) LTD	Extension of Tai Po Water Treatment Works - Sampling and Testing of Water Sample after Sterilization of Water Storage Facilities	Potable Water - Refer to JRF	18/09/18	/ /	944	
	183869EN182393	CHINA STATE CONST ENG (HK) LTD	Extension of Tai Po Water Treatment Works - Sampling and Testing of Water Sample after Sterilization of Water Storage Facilities	Potable Water - Refer to JRF	24/09/18	/ /	938	
	183933EN182348	YUE HING MACHINE FACTORY LTD.	Testing of Ductile Gate Valve	Ductile Iron Resilient Seated Gate Valve	30/09/18	/ /	932	
	183940EN183296	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	on hold - BVC100(E) Surface - BVC100(E) 0.0-0.9M - BVC100(E) 0.9-1.9M - BVC100(E) 1.9-2.9M - BVC100(E) 2.9-3.9M on hold - BVC101(E) Surface - BVC101(E) 0.0-0.9M - BVC101(E) 0.9-1.9M - BVC101(E) 1.9-2.9M - BVC101(E) 2.9-3.9M on hold - BVC102(E) Surface	15/01/19	/ /	825	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- BVC102(E) 0.0-0.9M - BVC102(E) 0.9-1.9M - BVC102(E) 1.9-2.9M - BVC102(E) 2.9-3.9M				
	183940EN183297	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC98(E) 0.0-0.9M - BVC98(E) 0.9-1.9M - BVC98(E) 1.9-2.9M - BVC98(E) 2.9-3.9M - BVC99(E) 0.0-0.9M - BVC99(E) 0.9-1.9M - BVC99(E) 1.9-2.9M - BVC99(E) 2.9-3.9M - BVC106(E) 0.0-0.9M - BVC106(E) 0.9-1.9M - BVC106(E) 1.9-2.9M - BVC106(E) 2.9-3.9M	16/01/19	/ /	824	
	183940EN183298	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC 94(E) 0-0.9m BVC 94(E) 0.9-1.9M - BVC 94(E) 1.9-2.9MBVC 94(E) 2.9-3.9M - BVC 95(E) 0-0.9MBVC 95(E) 0.9-1.9M - BVC 95(E) 1.9-2.9MBVC 95(E) 2.9-3.9M - BVC 96(E) 0-0.9mBVC 96(E) 0.9-1.9M - BVC 96(E) 1.9-2.9MBVC 96(E) 2.9-3.9M - BVC97(E) 0-0.9MBVC97(E) 0.9-1.9M - BVC97(E) 1.9-2.9MBVC97(E) 2.9-3.9M - BVC109(E) 0-0.9MBVC109(E) 0.9-1.9M - BVC109(E) 1.9-2.9MBVC109(E) 2.9M-3.9M - BVC110(E) 0-0.9MBVC110(E) 0.9-1.9M - BVC110(E) 1.9-2.9MBVC110(E)2.9-3.9M - BVC111(E)0-0.9MBVC111(E)0.9-1.9M - BVC111(E)1.9-2.9MBVC111(E)2.9-3.9M - BVC112(E) 0-0.9MBVC112(E)0.9-1.9M - BVC112(E)1.9-2.9MBVC112(E)2.9-3.9M	17/01/19	/ /	823	
	183940EN183299	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC90(E)0-0.9MBVC90(E)0.9-1.9M - BVC90(E)1.9-2.9MBVC90(E)2.9-3.9M - BVC91(E)0-0.9MBVC91(E)0.9-1.9M	18/01/19	/ /	822	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- BVC92(E)0-0.9MBVC92(E)0.-1.9M - BVC92(E)1.9-2.9MBVC92(E)2.9-3.9M - BVC93(E)0-0.9MBVC93(E)0.9-1.9M - BVC93(E)1.9-2.9MBVC93(E)2.9-3.9M - BVC108(E)0-0.9MBVC108(E)0.9-1.9M - BVC108(E)1.9-2.9MBVC108(E)2.9-3.9M - BVC113(E)0-0.9MBVC113(E)0.9-1.9M - BVC113(E)1.9-2.9MBVC(E)2.9-3.9M				
	183940EN183300	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC 88(E) 0-0.9m - BVC 88(E) 0.9-1.9M - BVC 88(E) 1.9-2.9M - BVC 88(E)2.9-3.9M - BVC89(E)0.0-0.9M - BVC89(E)0.9-1.9M - BVC89(E)1.9-2.9M - BVC89(E)2.9-3.9M	19/01/19	/ /	821	
	183940EN183301	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC 107(E) 0-0.9m - BVC 107(E) 0.9-1.9M - BVC 107(E) 1.9-2.9M - BVC 107(E) 2.9-3.9M - BVC 117(E) 0-0.9m - BVC 117(E) 0.9-1.9M - BVC 117(E) 1.9-2.9M - BVC 117(E) 2.9-3.9M - BVC 118(E) 0-0.9m - BVC 118(E) 0.9-1.9M - BVC 118(E) 1.9-2.9M - BVC 118(E) 2.9-3.9M - BVC 119(E)0-0.9M - BVC 119(E)0.9-1.9M - BVC119(E) 1.9-2.9M - BVC119(E)2.9-3.9M	21/01/19	/ /	819	
	183940EN183302	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Terminal Project for Castle Peak Power Company Limited	- BVC 120(E) 0-0.9m - BVC 120(E) 0.9-1.9M - BVC 120(E) 1.9-2.9M - BVC 120(E) 2.9-3.9M	22/01/19	/ /	818	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- BVC 121(E) 0-0.9m - BVC 121(E) 0.9-1.9M - BVC 121(E) 1.9-2.9M - BVC 121(E) 2.9-3.9M - BVC 122(E) 0-0.9m - BVC 122(E) 0.9-1.9M - BVC 122(E) 1.9-2.9M - BVC 122(E) 2.9-3.9M - BVC 123(E) 0-0.9m - BVC 123(E) 0.9-1.9M - BVC 123(E) 1.9-2.9M - BVC 123(E) 2.9-3.9M				
	183940EN190174	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Termnal Project for Castle Peak Power Company Limited		15/02/19	/ /	794	
	183940EN190240	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Termnal Project for Castle Peak Power Company Limited		25/02/19	/ /	784	
	183940EN190956	GAMMON CONSTRUCTION LTD	Offshore / Onshore Site Investigation for the Hong Kong Offshore LNG Termnal Project for Castle Peak Power Company Limited	- BVC 126(E) 0-0.9M - BVC 126(E) 0.9-1.9M - BVC 126(E) 1.9-2.9M - BVC 126(E) 2.9-3.9M	17/06/19	/ /	672	
	183986EN181963	COMMY HARDWARE CO LTD	Testing of Door Closer	Door closer - Commy 104	10/08/18	/ /	983	
	183990EN182028	PEPMATE INTERNATIONAL LIMITED	Leaching Test	Valve - PC180096/1 Valve - PC180096/2	25/08/18	/ /	968	
	184054EN182848	WELSON METAL & SANITARY WARE MFY	Testing of Bi-metallic Flange	LL32 1-1/4" LL50 2" LL80 3" LL100 4" LL150 Body PC180167	11/10/18	/ /	73140 6	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	184054EN183178	WELSON METAL & SANITARY WARE MFY	Testing of Bi-metallic Flange	LL150 Body PC180167	13/12/18	/ /	858	
	184182EN182194	WORKING FAMILY AND STUDENT FINANCIAL ASSISTANCE AGENCY	Q71/2018 - Provision of Services for IAQ Certification for the Working Family and Student Financial Assistance Agency		30/09/18	/ /	932	
	184195EN190853	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	Block L - Pao Yue Kong Library	15/05/19	/ /	705	
	184195EN190854	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- Block X	15/05/19	/ /	705	
	184195EN192088	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- TPY Bldg., CTH Bldg, LCW Bldg, - CSW Bldg, and CMA Building	30/11/19	/ /	506	
	184195EN192089	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- KWT Bldg, SH Bldg and GH Wing	30/11/19	/ /	506	
	184195EN192090	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- LKS Tower - N Block	30/11/19	/ /	506	
	184195EN192091	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- MNW Bldg, ACLL Building	30/11/19	/ /	506	
	184195EN192093	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- CYC Bldg, NWH Building - Communal Building	30/11/19	/ /	506	
	184195EN192094	THE HONG KONG POLYTECHNIC	Tender #1045417 - Provision of Indoor Air	- YKC Bldg, R Bldg,	30/11/19	/ /	506	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		UNIVERSITY	Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- HIK Building/Industrial Centre				
	184195EN192096	THE HONG KONG POLYTECHNIC UNIVERSITY	Tender #1045417 - Provision of Indoor Air Quality (IAQ) Measurements and Application of IAQ Re-certification (Sept 2018 - Aug 2020)	- Shaw Spoers Complex - Shaw Amenities Building - Fong Shu Chuen Hall	30/11/19	/ /	506	
	184215EN182709	MAJESTIC ENGINEERING CO. LTD.	Hong Kong Airlines Aviation Training Centre at Kwo Lo Wan Road, Chek Lap Kok, Lantau	Potable Water - Refer to JRF	30/10/18	/ /	902	
	184245EN182379	Sanfield Bldg. Contractors Ltd.	Ref No. ST_AEZ05795-00 - Nam Cheong Station Property	Water - Refer to JRF	05/10/18	/ /	927	
	184245EN182394	Sanfield Bldg Contractors Ltd.	Ref. No ST_AEZ05795-00 - Nam Cheong Station Prperty	Water - Refer to JRF	08/10/18	/ /	924	
	184245EN182424	Sanfield Bldg. Contractors Ltd.		Water - Refer to JRF	12/10/18	/ /	920	
	184260EN182956	TOP PRO CONSULTING LTD.	Application for E-Waste Disposal Licence_Tong Shing Technology Company	Air Survey	30/11/18	/ /	871	
	184267EN183155	WELSON METAL & SANITARY WARE MFY	Testing of Gasket	Rubber	18/10/18	/ /	914	
	184295EN182875	SANFIELD (MANAGEMENT) LTD.	ST_AFT00079-00 - BEAM Plus IAQ Measurement for New Building Version 1.1 for AFT - Church Lane (383-399 Shau Kei Wan Road)		31/12/18	/ /	840	
	184299EN182246	HEMPEL	TT-P 1952 F		10/04/18	/ /	73159 0	
	184299EN182763	HIP HING CONSTRUCTION CO. LTD.	LOHAS Park Package Five - IAQ Measurement		09/11/18	/ /	892	
	184316EN190025	PEMATE INTERNATIONAL LIMITED	Testing of Ductile Gate Valve	stem nut	11/01/19	/ /	829	
	184317EN190071	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Thermostatic Mixing Valve	- Cart. - PC180115/1 Three-Way Thermostatic Mixer - PC180115/1	20/01/19	/ /	820	
	184317EN190071(1)	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Thermostatic Mixing Valve		20/01/19	/ /	820	
	184349EN183074	廣州市恒大裝修設計院有限公司	IAQ Test at 23A/F, China Evergrande		31/12/18	/ /	840	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Centre					
	184349EN183152	廣州市恒大裝修設計院有限公司	IAQ Test at 23A/F, China Evergrande Centre	- 23A/F, China Evergrande Centre	31/12/18	/ /	840	
	184349EN183153	廣州市恒大裝修設計院有限公司	IAQ Test at 23A/F, China Evergrande Centre	- Wan Chai Household	31/12/18	/ /	840	
	184349EN183283	廣州市恒大裝修設計院有限公司	IAQ Test at 23A/F, China Evergrande Centre	- 23A-8	31/12/18	/ /	840	
	184349EN183303	廣州市恒大裝修設計院有限公司	IAQ Test at 23A/F, China Evergrande Centre		28/12/18	/ /	843	
	184364EN182543	ROYAL ELITE SERVICE CO. LTD.	Water Testing Contract no. HY/02310-1/18/043930	Potable Water - Refer to JRF	23/10/18	/ /	909	
	184374EN182065	YANGHAI SHIPPING (HONGKONG) CO. LTD.	Material Testing		21/08/18	/ /	972	
	184374EN183005	YANGHAI SHIPPING (HONGKONG) CO. LTD.	Material Testing	Sand - -	12/12/18	/ /	859	
	184374EN183172	YANGHAI SHIPPING (HONGKONG) CO. LTD.	Material Testing	Place of sampling: - Fill Material Laguna City / Tai Wo Hou	20/12/18	/ /	851	
	184386EN182072	TIMAX LIMITED	Chemical Composition of Submitted Metallic Sample	Metal	15/08/18	/ /	978	
	184394EN182100	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Fresh Water - Refer to JRF	22/08/18	/ /	971	
	184394EN182120	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Fresh Water	22/08/18	/ /	971	
	184394EN182144	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Fresh Water	24/08/18	/ /	969	
	184394EN182598	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	- Refert oJRF	18/10/18	/ /	914	
	184394EN191259	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Fresh Water	08/07/19	/ /	651	
	184394EN191763	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Potable Water - Refer to JRF	18/09/19	/ /	579	
	184417EN190765	YUE HING MACHINE FACTORY LTD.	Testing of Ductile Iron Float Control Valve	Disc	18/04/19	/ /	732	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Spring Stem Pilot Float 3", 4", 6" (304/316)				
	184446EN182168	BRITANNIA GARMENT PACKAGING (HK) LTD.	Test on Drinking Water Samples	Drinking Water - 14J Room "	07/09/18	/ /	955	
				- 14K Room				
	184565EN182339	PROMAT INTERNATIONAL (ASIA PACIFIC) LTD	Test on Board Product	Martix Engineering Mineral Board - PROMATECT-H Calcium Silicate Board - PROMINA 60 Fibre Silicate Board - PROMINA-HD	30/09/18	/ /	932	
	184595EN182242	NIPPON PAINT (HK) CO LTD	ASD Proprietary Polyurethane Enamel Textured Coating System	aqueatec fine urethane	10/04/18	/ /	73159	0
	184697EN190902	SANFIELD (MANAGEMENT) LTD.	New Life Farm, 33 San Fuk Road, Tuen Mun, N.T.	Y12 - NLF04/S6	14/05/19	/ /	706	
	184742EN190473	ESSEX ENGINEERING LTD	VOC Test for Solvent-based Coating	Cleanthane 1000 Energy saver urthene R Protech NP200 Protech NH290 Protech 300 SFMU-3200	23/03/19	/ /	758	
	184745EN182241	HONG KONG KANSAI PAINT CO., LTD.	Test on Aqua Cera Fusso Undercoat & Aqua Cera Fusso Topcoat	ales aqua cera fusso	10/04/18	/ /	73159	0
	184773EN191577	MEINHARDT CONSULTING ENGINEERS	Drinking Water Test	Fresh Water - Refer to JRF	29/08/19	/ /	599	
	184806EN182440	LBS GROUP	IAQ Measurement for Tutorial Classrooms		05/10/18	/ /	927	
	184813EN182274	NIPPON PAINT (HK) CO LTD	Paint Testing	Bodelac 9000hp - s1040-y80r	10/06/18	/ /	73152	9
	184848EN182620	ICAC	ICA/S41/2018-Provision of Indoor Air Quality Re-certification Services to the Independent Commision gainst	Fresh Water - Refer to JRF	01/11/18	/ /	900	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	184858EN182282	MGI (FAR EAST) LTD.	Air Sampling at Hong Kong Adventist Hospital Operation Theatre Number 2		17/09/18	/ /	945	
	184878EN182876	HIP SHING HONG (HOLDINGS) CO. LTD.	IAQ Test - Whole Building		15/01/19	/ /	825	
	184919EN182701	THE UNIVERSITY OF HONG KONG	Ref. No. : BW218218 - Collection of Tap Water Samples, Analyzing and Submission of Analytical Report for Laboratory Animal Unit	Fresh Water - Refer to JRF	08/11/18	/ /	893	
	184973EN182802	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	12/05/18	/ /	73155 8	
	184973EN182853	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	12/12/18	/ /	73134 4	
	184973EN191297	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	08/02/19	/ /	73128 6	
	184973EN191300	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	08/08/19	/ /	73110 5	
	184973EN191572	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	09/05/19	/ /	73119 6	
	184973EN191574	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	09/12/19	/ /	73098 2	
	184973EN191801	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	10/02/19	/ /	73128 4	
	184973EN191803	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ulsd	10/09/19	/ /	73107 2	
	184973EN192241	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu	ulsd	12/07/19	/ /	73113 2	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Lam, Tuen Mun (Ex-Siu Lam Hospital)					
	184973EN192589	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ULSD	13/01/20	/ /	462	
	184973EN200047	PENTA-OCEAN CONST CO LTD	Construction of An Integrated Rehabilitation Services Complex at Hong Fai Road, Siu Lam, Tuen Mun (Ex-Siu Lam Hospital)	ULSD	20/01/20	/ /	455	
	184974EN190635	LBS GROUP	IAQ Certification (New Cert., Good Class) for Walgreens Boots Alliance Wanchai Showroom Office		30/04/19	/ /	720	
	185014EN190957	IMI HYDRONIC ENGINEERING PTE. LTD.	Testing of "IMI TA" STAD Balancing Valve (Globe Type Regulating Valve)	Globe Type Regulating Valve (DN20) - PC190218/1 Globe Type Regulating Valve (DN20,25,50) - PC190218/1-3 (body, bonnet and seat)	06/05/19	/ /	73119 9	
	185014EN190957(1)	IMI HYDRONIC ENGINEERING PTE. LTD.	Testing of "IMI TA" STAD Balancing Valve (Globe Type Regulating Valve)		06/05/19	/ /	73119 9	
	185016EN182761	FIBRPRO INTERNATIONAL LTD.	Tests on Steel Channel with FRP Covering	C180 x 90 x 26 kg/m	30/11/18	/ /	871	
	185031EN183033	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Kitchen Mixer - XS-046975 - PC180157/1 Single Lever Kitchen Mixer - XS-046975 - PC180157/1	15/12/18	/ /	856	
	185031EN183033(1)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF SINGLE LEVER MIXER		15/12/18	/ /	856	
	185031EN190056	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF SINGLE LEVER MIXER	Gessi Goccia 33745+33744 Concealed Part - PC180216/1 & 1d for Built-in Mixer Gessi Goccia 33745+33744 Concealed Part - PC180216/1 & 1d for Built-in Mixer Gessi Goccia 33745+33744 Concealed Part - PC180216/1 for Built-in Mixer	20/01/19	/ /	820	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- *body x 2				
	185031EN190056(1)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF SINGLE LEVER MIXER		20/01/19	/ /	820	
	185031EN190056(2)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF SINGLE LEVER MIXER		20/01/19	/ /	820	
	185032EN190334	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP	Mixer - 27.522.809.00 Mixer - 27.522.809.00 Mixer - 27.522.809.00 Mixer - 27.522.809.00	01/03/19	/ /	780	
	185032EN190334(1)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP		01/03/19	/ /	780	
	185032EN190334(2)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP		01/03/19	/ /	780	
	185032EN190334(3)	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP		01/03/19	/ /	780	
	185032EN191324	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP	cartridge vaia 27.522.809.00 dek-mounted five-hole bath mixer in chrome with diverter and shower set 3DB-2752280900-00	17/07/19	/ /	642	
	185112EN182743	WINKLER LTD.	TESTING OF THERMOSTATIC CONTROL MIXING TAP	Mixing Tap - WK-22679 (PC180155/1) " - WK-22679 (PC180155/2) " - WK-22679 (PC180155/3) Mixing Tap - WK-22679 (PC180155/1) " - WK-22679 (PC180155/2) "	25/11/18	/ /	876	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- WK-22679 (PC180155/3) Mixing Tap - WK-22679 (PC180155/1) " - WK-22679 (PC180155/2) " - WK-22679 (PC180155/3)				
	185112EN182743(1)	WINKLER LTD.	TESTING OF THERMOSTATIC CONTROL MIXING TAP		25/11/18	/ /	876	
	185112EN182743(2)	WINKLER LTD.	TESTING OF THERMOSTATIC CONTROL MIXING TAP		25/11/18	/ /	876	
	185112EN182744		Cancel		25/11/18	/ /	876	
	185130EN190758	LEIGHTON CONTRACTORS (ASIA) LTD	Central Wanchai Bypass - Air Quality Measurement		30/04/19	/ /	720	
	185187EN182593	SIKA HONG KONG LTD.	VOC Test of SkiaHyflex - 150 Construction	Sealant	11/12/18	/ /	73134 5	
	185202EN182658	KAI SHING MGT SERVICES LTD-THE WINGS II	RFQ-TW2-76-18 Provision of IAQ Test of The Wings II		31/10/18	/ /	901	
	185216EN182475	OUTWARD BOUND SCHOOL	Tests on Water	Fresh Water - Refer to JRF	08/10/18	/ /	924	
	185225EN182745	GREAT TREASURE INTERNATIONAL LTD.	Testing of Single Lever Mixer [Model : LINUS (514019)]	Mixer - B514019 (PC180173/1) Mixer - B514019 (PC180173/1) Mixer - B514019 (PC180173/1)	25/11/18	/ /	876	
	185225EN182745(1)	GREAT TREASURE INTERNATIONAL LTD.	Testing of Single Lever Mixer [Model : LINUS (514019)]		25/11/18	/ /	876	
	185225EN182745(2)	GREAT TREASURE INTERNATIONAL LTD.	Testing of Single Lever Mixer [Model : LINUS (514019)]		25/11/18	/ /	876	
	185231EN182762	LEIGHTON CONTRACTORS (ASIA) LTD	HY/2011/08	Thermoplastic material (white) Thermoplastic material (yellow)	30/11/18	/ /	871	
	185246EN182498(1)	KOHLER ASIA PACIFIC LTD.	Testing of Bath Faucet (G. A.)		30/10/18	/ /	902	
	185246EN182498(2)	KOHLER ASIA PACIFIC LTD.	Testing of Bath Faucet (G. A.)		30/10/18	/ /	902	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	185247EN182497(1)	KOHLER ASIA PACIFIC LTD.	Testing of Single Lever Mixer (G.A.)		30/10/18	/ /	902	
	185247EN182497(2)	KOHLER ASIA PACIFIC LTD.	Testing of Single Lever Mixer (G.A.)		30/10/18	/ /	902	
	185251EN182830	KOHLER ASIA PACIFIC LTD.	Testing of Mixer or Tap	Mixer - 72842K-4-CP	19/11/18	/ /	882	
	185277EN182576	EXXON LIMITED	Analysis of Red Dye Marker	Dye marker - A - B	13/10/18	/ /	919	
	185277EN182588	EXXON LIMITED	Analysis of Red Dye Marker	Dye marker	18/10/18	/ /	914	
	185281EN183209	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Gate Valve	stem stem nut DN50,DN100,DN150,DN250,DN600	19/12/18	/ /	852	
	185281EN190355	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Gate Valve	stem and stem nut DN400	04/03/19	/ /	777	
	185281EN190950	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Gate Valve	Body	17/05/19	/ /	703	
	185281EN191447	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Gate Valve	nut	01/08/19	/ /	627	
	185281EN192043	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Gate Valve	stem nut PC180175	06/11/19	/ /	530	
	185284EN190153	LEDE MACHINERY (ASIA) LIMITED	Testing of Ductile Iron Swing Check Valve with Flanged Ends	hinge pin disc seat ring seat ring DN50, 80, 150, 200, 300	17/01/19	/ /	823	
	185340EN182742	WELLMATE LIMITED	Testing of "SHOWA" Fig. 191Aa, Cast Iron Basket Strainer, Stainless Steel Screen, Flanged PN16	Fig. 191Aa, Cast Iron Basket Strainer, 6	01/11/18	/ /	900	
	185404EN182823	KAI SHING MGT SERVICES LTD-THE CASTELLO CLUBHOUSE	RFQ-CAS-129-18 - Test on Fresh Water	Fresh Water - Refe to JRF	20/11/18	/ /	881	
	185456EN190592	ISLAND SOUTH PROPERTY MANAGEMENT LTD.	Ref. No. J18-1916 - IAQ Assessment and Re-certification at Club Bel-Air Peak Wing		08/04/19	/ /	742	
	185466EN182597	THORN SECURITY (HK) LTD.	Test on Water	Water - Refer to JRF	18/10/18	/ /	914	
	185601EN190907	WING HING CONSTRUCTION CO. LTD.	Tests on Water in Complying WSD Circular Letter No. 9/2017	Potable Water - -	09/05/19	/ /	711	
	185601EN190938	WING HING CONSTRUCTION CO. LTD.	Tests on Water in Complying WSD Circular	Potable Water	16/05/19	/ /	704	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Letter No. 9/2017					
	185632EN190096	YUE HING MACHINE FACTORY LTD.	Testing of Ductile Iron Butterfly Valve with Grooved Ends (PN20)	420 stem (upper & lower) 316 stem (upper & lower)	17/01/19	/ /	823	
	185634EN190395	YUE HING MACHINE FACTORY LTD.	Testing of SS316 Float Valve "KANE" (KKK) (Model SYS Series)	Bronze valve body disc lever DN15,20,25	16/03/19	/ /	765	
	185635EN190394	YUE HING MACHINE FACTORY LTD.	Testing of SS316 Float Valve "KANE" (KKK) (Model SY Series)	S.S. Float valve body disc lever DN15, 25, 50, 80,100	16/03/19	/ /	765	
	185673EN183083	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	Testing of Flow Controllers	Flow Controller - 00622899	15/12/18	/ /	856	
	185673EN183219	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	Testing of Flow Controllers	Flow Controller - 45.2056.0	01/01/19	/ /	839	
	185701EN190490	FREYSSINET HONG KONG LTD.	Testing of Grease	Grease - Anchor CA3/1	28/03/19	/ /	753	
	185701EN190491	FREYSSINET HONG KONG LTD.	Testing of Grease	Grease - Anchor CT7/3	30/03/19	/ /	751	
	185734EN190561	WO HING MANUFACTURING CO.	Testing of Steel Pipe	G.I. pipe 2",4", 6" brass copper bracket	28/03/19	/ /	753	
	185734EN191208	WO HING MANUFACTURING CO.	Testing of Steel Pipe	Copper bracket PC190235	02/07/19	/ /	657	
	185765EN182727	HIP HING CONSTRUCTION CO LTD	Tests on water in complying WSD Circular Letter No. 9/2017		31/10/18	/ /	901	
	185823EN182845	BEEEXERGY CONSULTING LTD.	BEAM Plus WU P1 Measurement for Proposed Redevelopment at No. 45-47 Pottinger Street, No. 1-5 Tun Wo Lane & No. 4-7 Ezra's Lane, Hong Kong	Potable Water - Refer to JRF	23/11/18	/ /	878	
	185841EN190452	SIKA HONG KONG LTD.	VOC Test of Sikalastic 590, SikaFill-300 Thermic and SikaTop Seal 200	Sikalastic 590	04/12/19	/ /	73098	7
	185856EN182860	WONG PING KEE CONST CO LTD.	Construction of R.C. Footing for Play Sculpture, WKCD	Y12	20/11/18	/ /	881	
	185927EN182829	THE ROYAL PACIFIC HOTEL & TOWERS OF HONG KONG	Lead in Water	Fresh Water - Refer to JRF	13/11/18	/ /	888	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	185948EN182864	ATAL ENGINEERING LTD.	Test on Water - BEAM Plus	Potable Water - Refer to JRF	14/11/18	/ /	887	
	185948EN182921	ATAL ENGINEERING LTD.	Test on Water - BEAM Plus	Potable Water - Refer to JRF	22/11/18	/ /	879	
	185948EN183247	ATAL ENGINEERING LTD.	Test on Water - BEAM Plus	Potable Water - Refer to JRF	04/01/19	/ /	836	
	185982EN182838	ITLS (H.K.) CO. LTD.	BS 6920: 2014	- ITLS CA110 Tile Adhesive	01/08/19	/ /	73111 2	
	186037EN191804	WANSON CONSTRUCTION CO. LTD.	ASD SS F516 - Test on Ultra Low Sulphur Diesel	ulsd	10/11/19	/ /	73101 1	
	186052EN183072	THE LANDMARK MANDARIN ORIENTAL	IAQ Measurement Services		31/12/18	/ /	840	
	186097EN190069	RENO PIPE CONSTRUCTION (H.K.) LTD.	Test on Water	Fresh Water - DN150 FM at F11	10/01/19	/ /	830	
	186106EN190332	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - WR 500902 " - WR 510103 " - WR 518103 Mixer - WR 500902 " - WR 510103 " - WR 518103 Mixer - WR 500902 " - WR 510103 " - WR 518103 Mixer - WR 500902+510103+518103	01/03/19	/ /	780	
	186106EN190332(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		01/03/19	/ /	780	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186106EN190332(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		01/03/19	/ /	780	
	186106EN190332(3)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		03/01/19	/ /	73132	
	186106EN190333	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - WR 560372+560377 Mixer - WR 560373+560378 Mixer - WR 560372+560377 Mixer - WR 560373+560378	01/03/19	/ /	780	
	186106EN190333(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		01/03/19	/ /	780	
	186106EN191023(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		15/06/19	/ /	674	
	186106EN191023(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		15/06/19	/ /	674	
	186106EN191372	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - PC190247/1 - WR-501105-CP Mixer - PC190247/1 - WR-501105-CP Mixer (Body , Spout) - PC190247/1 - WR-501105-CP	30/07/19	/ /	629	
	186106EN191373(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191375	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - PC190250/1 - WR-510101WE-1 Mixer - PC190250/1 - WR-510101WE-1	30/07/19	/ /	629	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer(Body) - PC190250/1 - WR-510101WE-1				
	186106EN191375(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191376(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191376(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191377(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191378	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - PC190253/1 - WR501208-CP	30/07/19	/ /	629	
				Mixer - PC190253/1 - WR501208-CP				
				Mixer - PC190253/1 (Body, Inlet-nut 1&2, S-union 1&2, Outlet) - WR501208-CP				
	186106EN191378(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191379(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191379(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191380	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixe - PC190255/1 - WR-504505-CP	30/07/19	/ /	629	
				Mixer - PC190255/1 - WR-504505-CP				
				Mixer(Body, Copper-tube) - PC190255/1				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- WR-504505-CP				
	186106EN191380(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191381(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191381(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191382(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/07/19	/ /	629	
	186106EN191706	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - PC190247/1 (Model No.WR-501105-CP) (retest)	15/09/19	/ /	582	
	186106EN191752(1)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/09/19	/ /	567	
	186106EN191752(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		30/09/19	/ /	567	
	186106EN191894	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	WR-504605-CP <WALRUS> copper tube PC190252	11/10/19	/ /	556	
	186109EN191445	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	07/08/19	/ /	621	
	186109EN191681	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	13/09/19	/ /	584	
	186109EN191682	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	13/09/19	/ /	584	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			6 months)					
	186109EN191913	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Dirty Water - Dirty Water Tank T313	11/10/19	/ /	556	
	186109EN191914	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Dirty Water - Dirty Water Tank T325	11/10/19	/ /	556	
	186109EN191915	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Dirty Water - Dirty Water Tank T355	11/10/19	/ /	556	
	186109EN192100	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater - Refer to JRF	14/10/19	/ /	553	
	186109EN192327	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	06/12/19	/ /	500	
	186109EN192328	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	06/12/19	/ /	500	
	186109EN192329	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Wastewater	06/12/19	/ /	500	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			6 months)					
	186109EN200021	LEIGHTON CONTRACTORS (ASIA) LTD	Contract No. : HY/2011/08 - Test on Wastewater for Compliance with Water Pollution Control Ordinance (CAP 358)(Monthly basic from Dec.18 / Jan.19 for 6 months)	Dirty Water Tank T324 - Dirty Water Tank T324	09/01/20	/ /	466	
	186195EN183220	RIGEL TECHNOLOGY (S) PTE LTD	Testing of Tap or Mixer (WELS)	Sensor Tap - Flow Controller - W3-R-ST300GN	01/01/19	/ /	839	
	186206EN191228	FT LABORATORIES LTD.	20 Shan Kwong Road, Happy Valley, Hong Kong	Grease - AN-9	15/07/19	/ /	644	
	186206EN191873	FT LABORATORIES LTD.	Test on Grease - Ground Anchor Monitoring Work 2019	Grease - 22A - 23A - 36A - 32G	14/10/19	/ /	553	
	186206EN192586	FT LABORATORIES LTD.	20 Shan Kwong Road, Happy Valley, Hong Kong	Grease - AN-48	13/01/20	/ /	462	
	186210EN190040	MARINE LINK MACHINERY CO. LTD.	Diesel Analysis	DIESEL	08/01/19	/ /	832	
	186447EN190152	LES ROBINETS PRESTO S.A.	Testing of Sensor Faucet or Mixer Tap (Top Up Test)	Sensor Faucet - 57034+57038 Sensor Faucet - 57036+57040 Sensor Faucet - 57034+57038 Sensor Faucet - 57036+57040	01/02/19	/ /	808	
	186447EN190152(1)	LES ROBINETS PRESTO S.A.	Testing of Sensor Faucet or Mixer Tap (Top Up Test)		01/02/19	/ /	808	
	186475EN190316	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	E-TPTS1802266 - Renewal of IAQ Certificate for Public Area 2019 at Taikoo Place	- Public Areas of One Island East	16/03/19	/ /	765	
	186475EN190800	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	IAQ Cert. Measurement - PCCW Tower		31/05/19	/ /	689	
	186522EN190816	KOHLER ASIA PACIFIC LTD.	Testing of Mixer Tap	Mixer Tap	10/05/19	/ /	710	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Model: 99742 (PC190197/1)				
				"				
				- Model: 99437 (PC190197/2)				
	186538EN183210	KAI SHING MGT SERVICES LTD-ALBANY	RFQ-ABY-37-18 Albany - Fresh Water Samples Testing	Fresh Water - Refer to JRF	02/01/19	/ /	838	
	186546EN190438	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST.	Y12 Y16	19/03/19	/ /	762	
	186546EN190439	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST.	Y10 Y12 Y16	19/03/19	/ /	762	
	186546EN190456	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST.	Y10 Y12 Y16 Y20 Y25 Y32 Y40	22/03/19	/ /	759	
	186546EN190731	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Batch 15	20/04/19	/ /	730	
	186546EN190732	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Batch 16	20/04/19	/ /	730	
	186546EN190847	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Batch 20	13/05/19	/ /	707	
	186546EN190873	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y32 Y40 Y40 Batch 19	13/05/19	/ /	707	
	186546EN191048	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16	10/06/19	/ /	679	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y25 Y40 batch 26				
	186546EN191101	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y12 Y20 Y25 Y32 batch 30	18/06/19	/ /	671	
	186546EN191527	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y25 Y32 Batch	16/08/19	/ /	612	
	186546EN191569	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y20 Y25 Batch 38	20/08/19	/ /	608	
	186546EN191700	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y12 Y16 Y25 Y32 Batch 43	09/09/19	/ /	588	
	186546EN191701	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Batch 44	09/09/19	/ /	588	
	186546EN191754	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y25 Y32 Batch 45	16/09/19	/ /	581	
	186546EN191787	Tresure Construction Engineering Ltd.	Proposed Composite Building Development	Y10	24/07/19	/ /	635	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y16 Batch 46				
	186546EN192184	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y16 Batch 51	15/11/09	/ /	29636 7	
	186546EN192230	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y20 Y25 batch 52	23/11/19	/ /	513	
	186546EN192464	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Batch 55	17/12/19	/ /	489	
	186546EN192465	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y20 Y25 Y32 Batch 56	17/12/19	/ /	489	
	186546EN200130	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y20 Y25 Batch 59	20/01/20	/ /	455	
	186546EN200172	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Batch 60	27/01/20	/ /	448	
	186546EN200187	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 Y25 Batch 61	29/01/20	/ /	446	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186546EN200482	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y10 Y12 Y16 batch 65	13/03/20	/ /	402	
	186546EN200543	Tresure Construction Engineering Ltd.	Proposed Composite Building Development at 57-69 Ma Tau Wai Road, 2-20 Baily ST. Kowloon Lot 1151	Y12 Y16 batch 66	19/03/20	/ /	396	
	186547EN190696	GAMMON CONSTRUCTION LTD	J9999 - Concrete & Steel Testing (from 01 Jan 2019 to 31 Dec 2020)	Y25 Y32 Y40	15/04/19	/ /	735	
	186547EN190712	GAMMON ENGINEERING & CONSTRUCTION COMPANY LIMITED	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T40 - J3692-Batch 19-T40-05	20/04/19	/ /	730	
	186547EN190713	GAMMON ENGINEERING & CONSTRUCTION COMPANY LIMITED	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T10 - J3692-Batch 20-T10-06 T12 - J3692-Batch 20-T12-06 T16 - J3692-Batch 20-T16-09 T20 - J3692-Batch 20-T20-06 T25 - J3692-Batch 20-T25-06 T32 - J3692-Batch 20-T32-06 T40 - J3692-Batch 20-T40-15 Batch 20	20/04/19	/ /	730	
	186547EN190714	GAMMON ENGINEERING & CONSTRUCTION COMPANY LIMITED	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T40 - J3692-Batch 21-T40-09	20/04/19	/ /	730	
	186547EN190715	Gammon Engineering & Construction Company Limtied	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office	Y50 - BP-B11-Y50-015	20/04/19	/ /	730	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Development at Murray Road, Central, Hong Kong					
	186547EN190716	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B12-Y50-015	20/04/19	/ /	730	
	186547EN190724	GAMMON ENGINEERING & CONSTRUCTION COMPANY LIMITED	Design and Construction of the Piling Works for the Proposed Residential Development at STTL 609 To Shek Street Shatin New Territories	T20 - J3692-Batch 22-T20-06	20/04/19	/ /	730	
	186547EN190729	GAMMON ENGINEERING & CONSTRUCTION COMPANY LTD	Global Swtich Hong Kong (GSHK1) - Building 3,4&5	Y32 Y40 Batch 97	20/04/19	/ /	730	
	186547EN190730	GAMMON CONSTRUCTION LIMITED	J3665 - Foundation, Pipe Pile And Sheet piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L No. 510	Y25 - B11-Y25-05 Batch 11	20/04/19	/ /	730	
	186547EN190915	GAMMON CONSTRUCTION LIMITED	J3665 - Foundation, Pipe Pile And Sheet piling Works for West Rail Yuen Long Station Property Development at Y.L.T.L No. 510	Y40 - B14-Y40-11 Batch 14	18/05/19	/ /	702	
	186547EN190916	GAMMON ENGINEERING & CONSTRUCTION COMPANY LTD	Global Swtich Hong Kong (GSHK1) - Building 3,4&5	Y32 Y32 Batch 99	18/05/19	/ /	702	
	186547EN190917	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B13-Y50-015	18/05/19	/ /	702	
	186547EN190918	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B14-Y50-009	18/05/19	/ /	702	
	186547EN190919	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central,	Y16 - BP-B15-Y16-006	18/05/19	/ /	702	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Hong Kong					
	186547EN191087	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B16-Y50-015 Batch 16	17/06/19	/ /	672	
	186547EN191309	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B19-Y50-009 Batch 19	17/07/19	/ /	642	
	186547EN191310	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y50 - BP-B20-Y50-015 Batch 20	17/07/19	/ /	642	
	186547EN191327	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y16 - BP-B17-Y16-012 Batch 17	17/07/19	/ /	642	
	186547EN191328	Gammon Engineering & Construction Company Limited	J3732 - Basement Perimeter Wall & Bored Pile Foundation Works for Proposed Office Development at Murray Road, Central, Hong Kong	Y16 - BP-B18-Y16-006 Batch 18	17/07/19	/ /	642	
	186547EN191755	Gammon Engineering & Construction Company Limited	J3822-Proposed Commercial Redevelopment on R.P. of T.W.I.L. No 28 No.1-9 Sha Tsui Road, Tseun Wan, NT	T16 - STR1-2-T16-06 T32 - STR1-2-T32-06 T40 - STR1-2-T40-12 Batch 2	16/09/19	/ /	581	
	186547EN192199	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y40 Y40 Y40	18/11/19	/ /	518	
	186547EN192240	GAMMON CONSTRUCTION LTD	J3638 - 77 Noi Bun Road, Kwun Tong, Kowloon - N.K.I.L. 6512 (Skylight at 1/F & 3/F)	Y10 Y12 Y16	25/11/19	/ /	511	
	186547EN200009	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y10	09/01/20	/ /	466	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y12 Batch 6				
	186547EN200100	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y20	17/01/20	/ /	458	
				Y25 Batch 7				
	186547EN200131	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y12	20/01/20	/ /	455	
				Y32 Y40 Batch 8				
	186547EN200144	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y10	22/01/20	/ /	453	
				Y12 Y12 Y40 Y40 Batch 9				
	186547EN200241	GAMMON CONSTRUCTION LTD	J3863 Kai Tak, Kowloon - N.K.I.L 6564	Y32	08/02/20	/ /	436	
				Batch 10				
	186547EN200494	GAMMON CONSTRUCTION LTD	Demolition and Foundation Works for Redevelopment of Prince of Wales Hospital Phase 2 (Stage 1)	Y12 - J3868-T12-B1-006 Y16 - J3868-T16-B1-006 batch 1	10/03/20	/ /	405	
	186594EN190021	SUNNY CREATION LIMITED	Contract No. NL/2017/03 - Tung Chung New Town Extension – Reclamation and Advance Works		15/01/19	/ /	825	
	186594EN190234	SUNNY CREATION LIMITED	Contract No. NL/2017/03 - Tung Chung New Town Extension – Reclamation and Advance Works	Aggregate Fill Material - Sample1 - Sample2	12/02/19	/ /	797	
	186602EN183214	KAI SHING MGT SERVICES LTD.-THE BRENTWOOD	Test for Lead & Legionella	Fresh Water - Refer to JRF	02/01/19	/ /	838	
	186603EN183211	KAI SHING MGT SERVICES LTD-BELGRAVIA HEIGHTS	Test for Lead & Legionella	Fresh Water - Refer to JRF	02/01/19	/ /	838	
	186604EN183213	KAI SHING MGT SERVICES LTD-CORAL VILLAS	Test for Lead & Legionella	Fresh Water - Refer to JRF	02/01/19	/ /	838	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186605EN183215	KAI SHING MANAGEMENT SERVICES LTD.	Test for Lead & Legionella	Fresh Water - Refer to JRF	02/01/19	/ /	838	
	186646EN191370	Central Plaza Management Co. Ltd.	Ref. No.:BS/Q-05988/2018-Routine Water Analysis Services for Fresh Water Systems	Fresh Water - Refer to JRF	05/08/19	/ /	623	
	186704EN190203	WELSON METAL & SANITARY WARE MFY	TESTING OF GUNMETAL EQUILIBRIUM BALL FLOAT VALVE	VBRBB50 VBRBB80 VBRBB100 body, piston, lever	30/01/19	/ /	810	
	186714EN190584	FREYSSINET HONG KONG LTD.	Testing of Grease 2019	Grease - A5 - A14	10/04/19	/ /	740	
	186714EN191875	FREYSSINET HONG KONG LTD.	Testing of Grease 2019	Grease - Anchor 10-6.15	20/10/19	/ /	547	
	186762EN190204	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Flanged End		30/01/19	/ /	810	
	186763EN190205	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Screw End	GMT25-24DP GMT40-24DP GMT50-24DP body	30/01/19	/ /	810	
	186824EN190341	PERFECT WORLD CO. LTD.	JR-WH-3144-18-T01 Supply Labour and Tools to Conduct IAQ Inspection for Application of IAQ Certificate at Windsor House, 311 Gloucester Road, Causeway Bay, H.K.		15/03/19	/ /	766	
	186825EN190095	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Stop Valve	Body,bonnet, disc, stem DN15,20,25,32,40	17/01/19	/ /	823	
	186825EN190359	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Stop Valve	body, bonnet,disc DN15,32,50	07/03/19	/ /	774	
	186825EN190400	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Stop Valve	Stop valve body bonnet disc DN15,32,50 PC180224	18/03/19	/ /	763	
	186825EN191319	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Stop Valve	SNOW RHB7-LF Bronze Srew End Stop Valve DN15,25,50	17/07/19	/ /	642	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186831EN190252	SITA WASTE SERVICES LTD.	Laboratory Testing for Environmental Monitoring (January 2019 - June 2019) for NWNT & GDB Landfills Restoration		20/02/19	/ /	789	
	186831EN190436	SUEZ NWS R&R (Hong Kong) Limited	Laboratory Testing for Environmental Monitoring (January 2019 - June 2019) for NWNT & GDB Landfills Restoration		14/03/19	/ /	767	
	186831EN191082	SUEZ NWS R&R (Hong Kong) Limited	Laboratory Testing for Environmental Monitoring (January 2019 - June 2019) for NWNT & GDB Landfills Restoration	Landfill gas - GDB GG1 - SLS DP221 - MTL DH304 - NTM A453	28/06/19	/ /	661	
	186835EN190399	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Gate Valve	Gate valve body bonnet stem disc DN15,25,50 PC180223	18/03/19	/ /	763	
	186835EN191318	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Screw End Gate Valve	SNOW RHB2-LF Bronze Screw End Gate Valve DN15,25,50	17/07/19	/ /	642	
	186857EN190238	Kai Shing MGT Ltd - New Jade Shopping Arcade	Ref No. :RFQ-NJSA-188-18-Chemical Testing for Fresh and Flush Water for Two Male Toilet, One Female Toilet	Fresh Water	18/02/19	/ /	791	
	186857EN191704	Kai Shing MGT Ser Ltd-New Jade Shopping Arcade	Ref. No.:RFQ-NJSA-188-18-Chemical Testing for Fresh and Flush Water for Two Male Toilets, One Female, Cooling Tower for Chiller Plant (Second Version)	Fresh Water - Refer to JRF	17/09/19	/ /	580	
	186857EN191947	Kai Shing MGT Ser Ltd-New Jade Shopping Arcade	New Jade Shopping Arcade, 233 Chai Wan Road	Fresh Water	22/10/19	/ /	545	
	186857EN192377	Kai Shing MGT Ltd.-New Jade Shopping Arcade	Ref. No.: RQF-NJSA-188-18-Chemical Testing for Fresh and Flush Water for Two Male Toilets, One Female Toilet, Cooling Tower for Chiller Plant (Second Version)	Fresh Water - Refer to JRF	16/12/19	/ /	490	
	186857EN192426		Job Cancel		17/12/19	/ /	489	
	186859EN190074	Kai Shing MGT Services Ltd-Sun Kwai Hing Plaza	Ref. No:RFQ-SKHG-79-18	Fresh Water - WA182322/1,3,5	27/12/18	/ /	844	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186860EN190541	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential Development at No.3 York Road, Kowloon Tong, Kowloon-N.K.I.L. 825	Y10 - 3YR/Y10/05 Y12 - 3YR/Y12/05 Y16 - 3YR/Y16/05 GZ190156	29/03/19	/ /	752	
	186860EN190542	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Hotel and Commercial Building at K.I.L. 2157 s.D and K.I.L. R.P., 742-744 Nathan Road, Kowloon	Y10 - NTR/Y10/05 Y12 - NTR/Y12/05 Y16 - NTR/Y16/05 GZ190157	29/03/19	/ /	752	
	186860EN190543	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential development at Town Lot No. 4056 in D.D.120, Lung Tin Tsuen Yuen Long	Y10 - LTT3/Y10/11 Y12 - LTT3/Y12/08 Y16 - LTT3/Y16/05 GZ190158	29/03/19	/ /	752	
	186860EN190544	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Composite Development at No.74-74A-C Waterloo Road & No.5-25 Yau Moon Street, Kowloon, Hong Kong	Y10 - WLR/Y10/05 Y12 - WLR/Y12/05 Y16 - WLR/Y16/05 GZ190159	29/03/19	/ /	752	
	186860EN190545	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - CNRE/Y10/11 Y12 - CNRE/Y12/11 Y16 - CNRE/Y16/11 GZ190160	29/03/19	/ /	752	
	186860EN190546	SHUNDE LUNJIAO QUON HING CONST.	Construction of Public Rental Housing	Y10	29/03/19	/ /	752	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		MATERIAL CO., LTD.	Development at Chung Nga Road East, Tai Po	- CNRE-2/Y10/11 GZ190161				
	186860EN190547	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH/Y10/11 Y12 - QH/Y12/11 Y16 - QH/Y16/11 GZ190162	29/03/19	/ /	752	
	186860EN190548	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1-2/Y10/11 Y12 - QH1-2/Y12/11 GZ190163	29/03/19	/ /	752	
	186860EN190549	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1-3/Y10/11 Y12 - QH1-3/Y12/11 GZ190164	29/03/19	/ /	752	
	186860EN190550	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1-4/Y10/11 Y12 - QH1-4/Y12/11 Y16 - QH1-4/Y16/11 GZ190165	29/03/19	/ /	752	
	186860EN190551	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1-5/Y10/11 Y12 - QH1-5/Y12/11 GZ190166	29/03/19	/ /	752	
	186860EN190552	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1-6/Y10/11 GZ190167	29/03/19	/ /	752	
	186860EN190553	SHUNDE LUNJIAO QUON HING CONST.	Construction of Public Rental Housing	Y10	29/03/19	/ /	752	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		MATERIAL CO., LTD.	Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	- QH1-7/Y10/11 GZ190168				
	186860EN190554	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y10	29/03/19	/ /	752	
			Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	- QH1-8/Y10/11 GZ190169				
	186860EN190555	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y10	29/03/19	/ /	752	
			Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	- QH1-9/Y10/11 GZ190170				
	186860EN190556	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y10	29/03/19	/ /	752	
			Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	- QH1-10/Y10/11 GZ190171				
	186860EN190742	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y12	20/04/19	/ /	730	
			Development at Chung Nga Road East, Tai Po					
	186860EN190743	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed hotel and Commerical Building at K.I.L 2157 S.D. and K.I.L 2157 R.P 742-744 Nathan Road, Kowloon	Y12	20/04/19	/ /	730	
	186860EN190744	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Compositi development at No. 74, 74A-C Waterloo Road & No 15-25 Yau Moon St, Kowloon, HK	Y12	25/04/19	/ /	725	
	186860EN190745	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential Development at No.3 tork Rd., Kowloon Tong, Kowloon N.K.L 825	Y12	25/04/19	/ /	725	
	186860EN190746	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Residential Development at Town Lot No. 4056 in DD120 Lung Tin Tsuen Yuen Long	Y12	25/04/19	/ /	725	
	186860EN190803	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y10	06/05/19	/ /	714	
			Development at Chung Nga Road East, Tai Po	- QH1/CNRE-14/Y10/12 GZ190320				
	186860EN190804	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing	Y10	06/05/19	/ /	714	
			Development at Chung Nga Road East, Tai Po	- QH1/CNRE-14/Y10/12 GZ190321				
	186860EN191112	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed hotel and Commerical Building at K.I.L 2157 S.D. and K.I.L 2157 R.P 742-744 Nathan Road, Kowloon	Y20 - NTR-3/Y20/06 GC190420	22/06/19	/ /	667	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186860EN191113	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	RESIDENTIAL DEVELOPMENT AT A.P.I.L. NO.136, LEE NAM ROAD, AP LEI CHAU, HONG KONG	Y10 - ALC/Y10/12 Y12 - ALC/Y12/09 Y16 - ALC/Y16/06 GZ190421	22/06/19	/ /	667	
	186860EN191114	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No. 6566, Kai Tak Area 1K Site 2, Kai Tak, Kowloon	Y10 - KT6566-3/Y10/12 GZ190422	22/06/19	/ /	667	
	186860EN191115	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No. 6566, Kai Tak Area 1K Site 2, Kai Tak, Kowloon	Y10 - KT6566-2/Y10/12 GZ190423	17/06/19	/ /	672	
	186860EN191116	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No. 6566, Kai Tak Area 1K Site 2, Kai Tak, Kowloon	Y10 - KT6566/Y10/12 Y12 - KT6566/Y12/12 Y16 - KT6566/Y16/12 GZ190424	22/06/19	/ /	667	
	186860EN191334	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-15/Y10/12 Y12 - QH1/CNRE-15/Y12/12 Y16 - QH1/CNRE-15/Y16/12 GZ190489	19/07/19	/ /	640	
	186860EN191335	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-16/Y10/12 Y12 - QH1/CNRE-16/Y12/12 GZ190490	19/07/19	/ /	640	
	186860EN191336	SHUNDE LUNJIAO QUON HING CONST.	Construction pf Public Rental Hosuing	Y10	19/07/19	/ /	640	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		MATERIAL CO., LTD.	Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	- QH1/CNRE-17/Y10/12 Y12 - QH1/CNRE-17/Y12/09 GZ190491				
	186860EN191337	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-18/Y10/09 GZ190492	19/07/19	/ /	640	
	186860EN191338	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-19/Y12/12 GZ190493	19/07/19	/ /	640	
	186860EN191339	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-20/Y12/12 GZ190494	19/07/19	/ /	640	
	186860EN191340	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-21/Y12/12 GZ190495	19/07/19	/ /	640	
	186860EN191341	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-22/Y12/12 GZ190496	19/07/19	/ /	640	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186860EN191342	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-23/Y12/12 GZ190497	19/07/19	/ /	640	
	186860EN191343	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-24/Y12/12 GZ190498	19/07/19	/ /	640	
	186860EN191344	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction of Public Rental Housing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-25/Y12/06 GZ190499	19/07/19	/ /	640	
	186860EN191833	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No.6584, Off Sin Fat Road, Kwun Tong, Kowloon	Y10 - SFR/Y10/11 Y12 - SFR/Y12/08 Y16 - SFR/Y16/08 GZ190649 CANCELLED on 24/09/2019	27/09/19	/ /	570	
	186860EN192300	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No. 6566, Kai Tak Area 1K Site 2, Kai Tak, Kowloon	Y10 - KT6566-4/Y10/11 Y12 - KT6566-4/Y12/08 Y16 - KT6566-4/Y16/05 GZ190745	04/12/19	/ /	502	
	186860EN192301	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No. 6566, Kai Tak Area 1K Site 2, Kai Tak, Kowloon	Y10 - KT6566-5/Y10/11 GZ190746	04/12/19	/ /	502	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186860EN192302	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	RESIDENTIAL DEVELOPMENT AT A.P.I.L. NO.136, LEE NAM ROAD, AP LEI CHAU, HONG KONG	Y10 - ALC/Y10/11 Y12 - ALC/Y12/08 Y16 - ALC/Y16/05 GZ190747	04/12/19	/ /	502	
	186860EN192303	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-32/Y10/11 Y12 - QH1/CNRE-32/Y12/11 GZ190748	04/12/19	/ /	502	
	186860EN192304	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-31/Y10/11 Y12 - QH1/CNRE-31/Y12/11 GZ190749	04/12/19	/ /	502	
	186860EN192305	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-30/Y10/11 Y12 - QH1/CNRE-30/Y12/11 GZ190750	04/11/19	/ /	532	
	186860EN192306	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-29/Y10/11 Y12 - QH1/CNRE-29/Y12/11 GZ190751	04/12/19	/ /	502	
	186860EN192307	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y10 - QH1/CNRE-28/Y10/11 Y12 - QH1/CNRE-28/Y12/11 GZ190752	04/12/19	/ /	502	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Po					
	186860EN192308	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1/CNRE-27/Y10/11 Y12 - QH1/CNRE-27/Y12/11 Y16 - QH1/CNRE-27/Y16/08 GZ190753	04/12/19	/ /	502	
	186860EN192309	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y10 - QH1/CNRE-26/Y10/11 Y12 - QH1/CNRE-26/Y12/11 Y16 - QH1/CNRE-26/Y16/11 GZ190754	04/12/19	/ /	502	
	186860EN192519	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Proposed Residential Development at NKIL No.6584, Off Sin Fat Road, Kwun Tong, Kowloon	Y10 - SFR-2/Y10/12 Y12 - SFR-2/Y12/06 Y16 - SFR-2/Y16/06 GZ190788	28/12/19	/ /	478	
	186860EN200111	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y12 - QH1/CNRE-33/Y12/12 Y16 - QH1/CNRE-33/Y16/12 GZ206008	16/01/20	/ /	459	
	186860EN200112	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6	Y12 - QH1/CNRE-34/Y12/12 Y16 - QH1/CNRE-34/Y16/12 GZ206009	16/01/20	/ /	459	
	186860EN200113	SHUNDE LUNJIAO QUON HING CONST.	Construction pf Public Rental Hosuing	Y12	16/01/20	/ /	459	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		MATERIAL CO., LTD.	Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	- QH1/CNRE-35/Y12/12 GZ206010				
	186860EN200114	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-36/Y12/12 GZ206011	16/01/20	/ /	459	
	186860EN200115	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-37/Y12/12 GZ206012	16/01/20	/ /	459	
	186860EN200117	SHUNDE LUNJIAO QUON HING CONST. MATERIAL CO., LTD.	Construction pf Public Rental Hosuing Development at Queen's Hill Site 1 Phase 1 and Portion of Phase 6 Construction of Public Rental Housing Development at Chung Nga Road East, Tai Po	Y12 - QH1/CNRE-39/Y12/12 GZ206014	09/01/20	/ /	466	
	186876EN190276	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer	Mixer - EB181 " - EB182 " - EB183 " - EB184 " - EB185 Mixer - EB181 "	01/03/19	/ /	780	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- EB182				
				"				
				- EB183				
				"				
				- EB184				
				"				
				- EB185				
				Mixer				
				- EB181				
				"				
				- EB182				
				"				
				- EB183				
				"				
				- EB184				
				"				
				- EB185				
				Mixer				
				- EB181				
	186876EN190276(1)	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer		01/03/19	/ /	780	
	186876EN190276(2)	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer		01/03/19	/ /	780	
	186876EN190276(3)	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer		01/03/19	/ /	780	
	186876EN191212	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer	spout connection nut spout connection spout connection PC180231	02/07/19	/ /	657	
	186876EN191435	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer	s-union	06/08/19	/ /	622	
	186876EN191777	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer	183: diverter, s-unionx2,nut x2 182: spout connector, nut PC180231	24/09/19	/ /	573	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186876EN192476	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Single Lever Mixer	diverter PC180231	21/12/19	/ /	485	
	186895EN190055	Kai Shing MGT Services Ltd. - Park Island	RFQ-PO-358-18 to Supply Labour and material for 60 nos. Legionnaires Bacteria and Lead Date at Pak Island	Fresh Water - Refer to JRF	21/01/19	/ /	819	
	186902EN200206	CLP Power Hong Kong Ltd.	Term Service Contract of NEC Package - Provision of Specialized Ancillary	Seawater	30/01/20	/ /	445	
	186902EN200236	CLP Power Hong Kong Ltd.	Term Services Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater	05/02/20	/ /	439	
	186902EN200245	CLP Power Hong Kong Ltd.	Term Services Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Flood	06/02/20	/ /	438	
	186902EN200268	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater	12/02/20	/ /	432	
	186902EN200313	CLP	Term Services Contract if NEC Package - Provision of Specialized Ancillary	Seawater - Flood	18/02/20	/ /	426	
	186902EN200360	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Ebb	24/02/20	/ /	420	
	186902EN200410	CLP	Term Service Contract of NEC Package	Seawater - Flood	05/03/20	/ /	410	
	186902EN200478	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Flood	11/03/20	/ /	404	
	186902EN200536	CLP Power Hong Kong Ltd.	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Flood	17/03/20	/ /	398	
	186902EN200539	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Ebb	18/03/20	/ /	397	
	186902EN200600	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater	23/03/20	/ /	392	
	186902EN200623	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Ebb	27/03/20	/ /	388	
	186902EN200636	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Ebb	30/03/20	/ /	385	
	186902EN200664	CLP	Term Service Contract of NEC Package	Seawater	31/03/20	/ /	384	
	186902EN200740	CLP Power Hong Kong Ltd.	Term Service Contract of Package -	- Ebb	06/04/20	/ /	378	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Provision of Specialized Ancillary Services					
	186902EN200817	CLP Power Hong Kong Ltd.	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Sewater - Ebb	14/04/20	/ /	370	
	186902EN200912	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary	Seawater	24/04/20	/ /	360	
	186902EN200927	CLP	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater	27/04/20	/ /	357	
	186902EN200937	CLP Power Hong Kong Ltd.	Term Service Contract of NEC Package - Provision of Specialized Ancillary Services	Seawater - Ebb	28/04/20	/ /	356	
	186944EN190085	SUPREME MANAGEMENT SERVICES LTD.	RFQ-IK-51-18 - Water Analysis for Lead Content & Legionella Disease - IK	Fresh Water - Refer to JRF	24/01/19	/ /	816	
	186955EN190273	Kai Shing MFGT Services Ltd- Yuen Long Landmark		Fresh Water - Refer to JRF	25/02/19	/ /	784	
	186957EN190586	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer - Model BS101133CR (PC190149/1)	04/10/19	/ /	73104	8
	186957EN190586(1)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer - Model BS101133CR (PC190149/1)	10/04/19	/ /	740	
	186957EN190586(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer (Body + Spout) - Model BS101133CR (PC190149/1)	10/04/19	/ /	740	
	186957EN190587	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer - Model ME100134CR (PC190151/1)	10/04/19	/ /	740	
	186957EN190587(1)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer (Body + Spout) - Model ME100134CR (PC190151/1)	10/04/19	/ /	740	
	186957EN190587(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer	10/04/19	/ /	740	
	186957EN190588	TOP GOAL SANITARYWARE SUPPLY	Testing of Single Lever Mixer	Mixer	10/04/19	/ /	740	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		COMPANY LIMITED		- Model ME101130CR (PC190153/1) Mixer - Model ME101130CR (PC190153/1) Mixer - Model ME101130CR (PC190153/1)				
	186957EN190588(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		10/04/19	/ /	740	
	186957EN190589	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer - Model ME101110/1CR (PC190154/1) Mixer - Model ME101110/1CR (PC190154/1) Mixer - Model ME101110/1CR (PC190154/1)	10/04/19	/ /	740	
	186957EN190589(1)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		10/04/19	/ /	740	
	186957EN190589(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		10/04/19	/ /	740	
	186957EN190590	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	Mixer - Model MD100118/1CR Mixer - Model MD100118/1CR Mixer - Model MD100118/1CR	10/04/19	/ /	740	
	186957EN190590(1)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		10/04/19	/ /	740	
	186957EN190590(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		10/04/19	/ /	740	
	186957EN191044(1)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		20/06/19	/ /	669	
	186957EN191044(2)	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer		20/06/19	/ /	669	
	186957EN191635	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	ME101130CR s-union x2 nut x2	30/08/19	/ /	598	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	186957EN191636	TOP GOAL SANITARYWARE SUPPLY COMPANY LIMITED	Testing of Single Lever Mixer	ME101110/1CR s-union x2 nut x2	30/08/19	/ /	598	
	190010EN190264	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	Ref. No. : L/M(2) in FEHD/CFS 2-5/10/1	Cheung Sha Wan Wholesale Food Market - Waterfront Offices	28/02/19	/ /	781	
	190010EN190478	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	Ref. No. : L/M(2) in FEHD/CFS 2-5/10/1	- Man Kam To Food Control Office - (Original Site)	31/03/19	/ /	750	
	190010EN190480	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	Ref. No. : L/M(2) in FEHD/CFS 2-5/10/1	- Man Kam To Food Control Office - (Extension Site B)	31/03/19	/ /	750	
	190010EN190482	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	Ref. No. : L/M(2) in FEHD/CFS 2-5/10/1	- Man Kam To Food Control Office - (Extension Site C)	31/03/19	/ /	750	
	190054EN190089	GE POWER SERVICE (HONG KONG) LTD.	Breathing Air Quality		20/01/19	/ /	820	
	190059EN191013	UNION DAY LIMITED.	Testing of Stainless Steel Hose	flexible hose nut	30/05/19	/ /	690	
	190086EN190704	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr TSP - OD1 24-hr TSP - OD2	23/04/19	/ /	727	
	190086EN190705	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr RSP - OD1 24-hr RSP - OD2	23/04/19	/ /	727	
	190086EN190706	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	8-hr RSP - ID1a 8-hr RSP - ID1b 8-hr RSP - ID7	23/04/19	/ /	727	
	190086EN190707	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Nosie - day yime - N1	23/04/19	/ /	727	
	190086EN190708	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Noise - night time - N1	23/04/19	/ /	727	
	190086EN190709	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Landfill gas - LFG 6-7	23/04/19	/ /	727	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190086EN190833	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr TSP - OD1 24-hr TSP - OD2	22/05/19	/ /	698	
	190086EN190834	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr RSP - OD1 24-hr RSP - OD2	22/05/19	/ /	698	
	190086EN190835	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	8-hr RSP - ID1a 8-hr RSP - ID1b 8-hr RSP - ID7 8-hr RSP - ID6	22/05/19	/ /	698	
	190086EN190836	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Nosie - day time - N1	22/05/19	/ /	698	
	190086EN190837	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Noise - night time - N1	22/05/19	/ /	698	
	190086EN190838	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Landfill gas - LFG 1-7	22/05/19	/ /	698	
	190086EN190839	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Roof TSP - EX-1 Roof TSP - EX-2 Roof TSP - EX-3 Roof TSP - EX-4	22/05/19	/ /	698	
	190086EN190840	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Roof RSP - EX-2 Roof RSP - EX-3 Roof RSP	22/05/19	/ /	698	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- EX-4				
	190086EN191120	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr TSP - OD1	07/05/19	/ /	73119	8
				24-hr TSP - OD2				
	190086EN191121	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr RSP - OD1	07/05/19	/ /	73119	8
				24-hr RSP - OD2				
	190086EN191122	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	8-hr RSP - ID1a	07/05/19	/ /	73119	8
				8-hr RSP - ID1b				
				8-hr RSP - ID7				
	190086EN191123	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Noise- day time - N1	07/05/19	/ /	73119	8
	190086EN191125	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	Landfill gas - LFG 6-7	07/05/19	/ /	73119	8
	190086EN200315	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2019	24-hr TSP - OD1	27/02/20	/ /	417	
				24-hr TSP - OD2				
				Amend quotation no. 190086A1 to 197186A1				
	190132EN190075	MAXFUL ENGINEERING LTD.	Construction of Composite Public Rental Housing and Community Hall Development at Sau Ming Road Contract No.: 20150204 (ASN: 9282755783 )	Fresh Water	11/01/19	/ /	829	
	190142EN190088	KAI SHING MGT SERVICES LTD-HAMILTON COURT	RFQ-HNC-17-18 Provision of Water Samples Testing for Potable Water Tank & Flush Water Tank Area	Fresh Water - Refer to JRF	24/01/19	/ /	816	
	190157EN190574	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10 Y12 Y16	01/04/19	/ /	749	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				AH19-0016				
	190157EN190924	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	21/05/19	/ /	699	
				Y10				
				Y16				
				S1900341-1				
	190157EN190925	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	21/05/19	/ /	699	
				Y10				
				Y16				
				S1900342-1				
	190157EN190926	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	21/05/19	/ /	699	
				Y16				
				S1900343-1				
	190157EN190994	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y12	01/06/19	/ /	688	
				AH19-0023				
	190157EN190995	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y12	01/06/19	/ /	688	
				AH19-0024				
	190157EN191253	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	11/07/19	/ /	648	
				Y12				
				GZ190466				
	190157EN191982	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	21/10/19	/ /	546	
				Y16				
				GZ190676				
	190157EN191983	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	22/10/19	/ /	545	
				Y16				
				GZ190677				
	190157EN191984	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	22/10/19	/ /	545	
				Y16				
				GZ190678				
	190157EN191985	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	16/10/19	/ /	551	
				Y16				
				GZ190679				
	190157EN191986	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	16/10/19	/ /	551	
				GZ190680				
	190157EN191987	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y12	22/10/19	/ /	545	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				GZ190681				
	190157EN191988	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y12	22/10/19	/ /	545	
				GZ190682				
	190157EN192295	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y10	04/12/19	/ /	502	
				Y16				
				GZ190733				
	190157EN200067	ORIENTFUNDS PRECAST LTD	Material Testing - 2019	Y12	15/01/20	/ /	460	
				GZ190798				
	190231EN190933	MENCO (HONG KONG) LTD.	Material Testing	Dye marker	16/05/19	/ /	704	
				.				
				.				
	190231EN191955	MENCO (HONG KONG) LTD.	Material Testing	dye marker	12/10/19	/ /	555	
				- A				
				- B				
	190231EN192175	MENCO (HONG KONG) LTD.	Material Testing	dye marker	09/11/19	/ /	527	
				.				
				.				
				.cancelled				
	190231EN192214	MENCO (HONG KONG) LTD.	Material Testing	Dye marker	15/11/19	/ /	521	
	190231EN192577	MENCO (HONG KONG) LTD.	Material Testing	Dye marker	03/01/19	/ /	837	
	190231EN192581	MENCO (HONG KONG) LTD.	Material Testing	dye marker	31/12/19	/ /	475	
				.				
				.				
				cancelled				
	190231EN192582	MENCO (HONG KONG) LTD.	Material Testing	dye marker	31/12/19	/ /	475	
				- RW-5 20191201B				
				.				
				.				
				cancellld				
	190234EN190779	WING HONG SHUN ENTERPRISES LTD	Material Testing - 2019	Y10	30/04/19	/ /	720	
				- 190415-10-002-C				
	190234EN190961	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Material Testing - 2019	R8	25/05/19	/ /	695	
				- 190513-R8-302-C				
				GZ190345				



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190234EN191081	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Material Testing - 2019	Y10 - 190601-Y10-702 Y10 - 190601-Y10-802 Y10 - 190601-Y10-902 GZ190392	17/06/19	/ /	672	
	190234EN191230	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	Y10 - F-Y10-2 Y10 - F2-Y10-2 Y10 - F3-Y10-2 Y12 - F4-Y12-2 Y16 - F5-Y16-2	03/07/19	/ /	656	
	190234EN191265	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	T10 - 190629-T10-702-C T10 - 190629-T10-802-C T10 - 190629-T10-902-C T16 - 190629-T16-1402-C T16 - 190629-T16-1402-C-1 GZ190471	12/07/19	/ /	647	
	190234EN191266	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	T10 - 190629-T10-1002-C T10 - 190629-T10-1102-C T10 - 190629-T10-1202-C T12 - 190629-T12-1302-C	12/07/19	/ /	647	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				T12 - 190629-T12-1302-C-1 GZ190472				
	190234EN191989	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	T12 - 191015-T12-002-C T12 - 191010-T12-002-C T12 - 191011-T12-002-C T16 - 191016-T16-002-C T16 - 191017-T16-002-C T10 - 191018-T10-002-C GZ190689	22/10/19	/ /	545	
	190234EN191990	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	T10 - 191019-T10-002-C T10 - 191023-T10-002-C T10 - 191024-T10-002-C T12 - 191020-T12-002-C T16 - 191021-T16-002-C T16 - 191022-T16-002-C GZ190690	22/10/19	/ /	545	
	190234EN191991	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	HUIZHOU CITY WING HONG SHUN CONSTRUCTION MATERIALS CO LTD	T12 - 191025-T12-002-C T12 - 191026-T12-002-C T16 - 191027-T16-002-C T16	16/10/19	/ /	551	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 191028-T16-002-C GZ190691				
	190273EN190243	KPA ENGINEERING LTD	D0018 TMNB-FT Test to Paint Layers Proposal	Paint sample	24/02/19	/ /	785	
	190278EN190141	Kai Shing MGT Services Ltd-Airport Freight Forward	PRQ-AFFC-113-18-Monthly Water Examination for Legionella Pneumophila and Lead Content	Fresh Water - Refer to JRF	30/01/19	/ /	810	
	190278EN190298	Kai Shing MGT Services Ltd.-Aiport Freight Forward	RQF-AFFC-113-18-Monthly Water Quality Examination for Legionella Pneumophila and Lead Content in Fresh Water (2019)	Fresh Water - Refer to JRF	27/02/19	/ /	782	
	190278EN190702	Kai Shing MGT Services Ltd-Airport Freight Forwarding Centre	RFQ-AFFC-113-18-Monthly Water Quality Examination for Legionella Pneumophila and Lead Content in Fresh Water(2019)	Fresh Water - Refer to JRF	25/04/19	/ /	725	
	190278EN191738	KAI SHING MGT SERVICES LTD-AIRPORT FREIGHT FORWARDING CENTRE	RFQ-AFFC-113-18 - Monthly Water Quality Examination for Legionella Pneumophila and Lead Content in Fresh Water (2019)	Fresh Water - Refer to JRF	25/09/19	/ /	572	
	190278EN191972	Kai Shing MGT Services Ltd-Airport Freight Forward Centre	RFQ-AFFX-113-18-Monthly Water Quality Examination for Legionella Pneumophila and Lead Content in Fresh Water	Fresh Water - Refer to JRF	31/10/19	/ /	536	
	190278EN192221	Kai Shing MGT Services Ltd-Airport Freight Forward	RFQ-AFFC-113-18-Monthly Water Examination for Legionella Pneumophila and Lead content in Fresh Water	Fresh Water - Refer to JRF	26/11/19	/ /	510	
	190278EN192524	Kai Shing Mgt Services Ltd-Airport Freight Forwarding Centre	Rooms 1106-1107, 11/F, Comm. Building, Chun Wan Road, Chek Lap Kok H.K.	Potable Water - Refer to JRF	02/01/20	/ /	473	
	190286EN190475	JESTO (ITALY STANDARD) DEVELOPMENT COMPANY	Testing of Copper Alloy Ball Valve	LF-1805 LF-1806 stem, body, ball PC190019	22/02/19	/ /	787	
	190287EN190173	KOHLER ASIA PACIFIC LTD.	Testing of Single Lever Mixer (G.A.)	Mixer - 25103K PC190011/1 & 1d " - 25102K PC190011/2 & 2d " - 25105K PC190011/3 & 3d	08/02/19	/ /	801	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer				
				- 25103K PC190011/1 & 1d				
				"				
				- 25102K PC190011/2 & 2d				
				"				
				- 25105K PC190011/3 & 3d				
				Mixer				
				- 25103K PC190011/1				
				"				
				- 25102K PC190011/2				
				"				
				- 25105K PC190011/3				
	190287EN190173(2)	KOHLER ASIA PACIFIC LTD.	Testing of Single Lever Mixer (G.A.)		10/02/19	/ /	799	
	190287EN191320	KOHLER ASIA PACIFIC LTD.	Testing of Single Lever Mixer (G.A.)	connector model: 25105	17/07/19	/ /	642	
	190297EN190319	SIKA HONG KONG LTD.	VOC Test - SikaTop Seal-300 and Sikafloor Carpark	Comentitious waterproofing Sika Top 300 Seal	28/02/19	/ /	781	
	190297EN190321	SIKA HONG KONG LTD.	VOC Test - SikaTop Seal-300 and Sikafloor Carpark	Epoxy coating Sikafloor carpark	28/02/19	/ /	781	
	190315EN190208	Kai Shing MGT Services Ltd-Millennium Trade Centre	RFQ-MTC-85-18	Fresh Water - Refer to JRF	12/02/19	/ /	797	
	190335EN190613	THE CHINA PAINT MFG CO (SHENZHEN) LTD	Test on External Emulsion Paint	- 0201 Flower Waterbrone - Acrylic Wall Finish (MATT)	30/04/19	/ /	720	
	190336EN190614	THE CHINA PAINT MFG CO (SHENZHEN) LTD	Test on Internal Emulsion Paint	- 0101 Flower Premium Emulsion Paint	30/04/19	/ /	720	
	190338EN190615	THE CHINA PAINT MFG CO (SHENZHEN) LTD	Test on Synthetic Paint for Wood and Metal	- 2001HA Flower Premiumk Waterbased Enamel	30/04/19	/ /	720	
	190339EN190616	THE CHINA PAINT MFG CO (SHENZHEN) LTD	Test on Synthetic Paint for Metal	- 1201S Flower Premium Synthetic Enamel	30/04/19	/ /	720	
	190382EN190244	CONTROL AUTOMATION LTD.	Calibration Services of H2O Sampler	Water sampler	09/02/19	/ /	800	
	190452EN190560	HOI LUEN HARDWARE CO., LIMITED	Testing of Ductile Iron Slient Check Value	Seat, stem, and spring DN65,80,200	12/03/19	/ /	769	
	190459EN190736	BRIGHTEN BUILDING MATERIALS LTD.	TESTING OF COPPER PIPE	Copper tube 54x1.2mm	16/04/19	/ /	734	
	190490EN191299	BUILD KING CONSTRUCTION LIMITED	SAHK Project - Testing for Island School 20	ulsd	08/03/19	/ /	73125	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Borrett Road				8	
	190492EN190528	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP (TOP UP)	Tap - Stern Smart B Tap - Stern Tubular B Tap - Stern Smart B Tap - Stern Tubular B	05/04/19	/ /	745	
	190492EN190528(1)	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP (TOP UP)		05/04/19	/ /	745	
	190492EN191702	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP (TOP UP)	connector , spout	17/09/19	/ /	580	
	190511EN200431	K. WAH CONST. PRODUCTS LTD	On-site Monitoring, Testing, Reporting Services & Calibration Services of TE-6070 High Volume Sampler	RSP	31/03/20	/ /	384	
	190551EN190776	WO HING MANUFACTURING CO.	MATERIAL TESTING	SS pipe DN 1, 1 1/4, 1 1/2, 2, 4, 6 Pipe bracket DN 2, 4, 6	08/04/19	/ /	742	
	190551EN191074	WO HING MANUFACTURING CO.	MATERIAL TESTING	S,S pipe 304/316 GMS pipe bracket 2"	10/06/19	/ /	679	
	190560EN190648	FIRE SERVICES DEPARTMENT	Provision of IAQ Certification Services at Fire Services Premises		30/04/19	/ /	720	
	190560EN190649	FIRE SERVICES DEPARTMENT	Provision of IAQ Certification Services at Fire Services Premises		30/04/19	/ /	720	
	190560EN190650	FIRE SERVICES DEPARTMENT	Provision of IAQ Certification Services at Fire Services Premises		30/04/19	/ /	720	
	190646EN190272	Kai Shing MFGT Services Ltd-Palm Springs	RFQ-PS-13-19	Fresh WAter - Refer to JRF	25/02/19	/ /	784	
	190685EN190232	MAN FAI TAI ENTERPRISE LTD.	River Sand Test	Sillica Sand	14/02/19	/ /	795	
	190685EN190794	MAN WAH RIVERSAND COMPANY LIMITED	River Sand Test	Sand	15/05/19	/ /	705	
	190685EN190851	MAN WAH RIVERSAND COMPANY LIMITED	River Sand Test	Sand - F0070/Fugro/19	20/05/19	/ /	700	
	190685EN190977	MAN WAH RIVERSAND COMPANY LIMITED	River Sand Test	Sand - F0073/Fugo/19	06/05/19	/ /	73119	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190685EN191748	MAN WAH RIVERSAND COMPANY LIMITED	River Sand Test	Sand	30/09/19	/ /	567	
	190692EN190331	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF FLOW CONTROLLER	Flow Controller - NP-58.7407.10000 " - NP-45.2055.00000	01/03/19	/ /	780	
	190737EN190464	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 20713670 Mixer - Model 20713670 Mixer - Model 20713670	31/03/19	/ /	750	
	190737EN190464(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		31/03/19	/ /	750	
	190737EN190464(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		31/03/19	/ /	750	
	190737EN190465	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 13801710,36426720,3542597090 Mixer - Model 13801710,36426720,3542597090 Mixer - Model 13801710,36426720,3542597090	31/03/19	/ /	750	
	190737EN190465(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		31/03/19	/ /	750	
	190737EN190465(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		31/03/19	/ /	750	
	190737EN190529	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - 13512730&20000741 Mixer - 13512730&20000741 Mixer (Body+Spout+Cart.) - 13512730&20000741	05/04/19	/ /	745	
	190737EN190529(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		05/04/19	/ /	745	
	190737EN190533	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - 36712809&3570797090 Mixer - 36712809&3570797090 Mixer - 36712809&3570797090	05/04/19	/ /	745	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190737EN190533(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		05/04/19	/ /	745	
	190737EN190533(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		05/04/19	/ /	745	
	190737EN190591	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 13714705,20004705,20004706 Mixer - Model 13714705,20004705,20004706 Mixer(Body + Spout + Cart) - Model 13714705,20004705,20004706	10/04/19	/ /	740	
	190737EN190591(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		10/04/19	/ /	740	
	190737EN190591(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		10/04/19	/ /	740	
	190737EN190608(3)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		05/10/19	/ /	73104	
							7	
	190737EN190665	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 13430730,3562197090,3541697090 - PC10165/1 Mixer - Model 13430730,3562197090,3541697090 - PC10165/1 Mixer (Body x2, Spout x1, Cartridge x2) - Model 13430730,3562197090,3541697090 - PC10165/1	20/04/19	/ /	730	
	190737EN190665(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190666	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 13801845,3542597090,36426845 - PC190167/1 Mixer (Body x1, Spout x1, Cartridge x2) - Model 13801845,3542597090,36426845 - PC190167/1 Mixer - Model 13801845,3542597090,36426845 - PC190167/1	20/04/19	/ /	730	
	190737EN190666(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190737EN190666(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190667	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 20000782,20000783,13612705 - PC190168/1 Mixer - Model 20000782,20000783,13612705 - PC190168/1 Mixer (Body x1, Spout x1, Cartridge x1) - Model 20000782,20000783,13612705 - PC190168/1	20/04/19	/ /	730	
	190737EN190667(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190667(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190668	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 20815892 - PC190171/1 Mixer - Model 20815892 - PC190171/1 Mixer (Body x2, Spout x1, Cartridge x1) - Model 20815892 - PC190171/1	20/04/19	/ /	730	
	190737EN190668(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190668(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190669	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - Model 27512882 - PC190173/1 Mixer - Model 27512882 - PC190173/1 Mixer (Body x2, Spout x1, Cartridge x1) - Model 27512882 - PC190173/1	20/04/19	/ /	730	
	190737EN190669(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190669(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190670	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer	20/04/19	/ /	730	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Model 13715705,20000740,20000741 Mixer				
				- Model 13715705,20000740,20000741 Mixer (Body x1, Spout x1, Caridge x1)				
				- Model 13715705,20000740,20000741				
	190737EN190670(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN190670(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		20/04/19	/ /	730	
	190737EN191365	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	copper tube spout connector Dornbracht 36.712.809.XX + 35.707.970.90	23/07/19	/ /	636	
	190737EN191436	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	gessi 52011.xxx+52012.xxx Body,fitting,inlet tube	06/08/19	/ /	622	
	190737EN191625	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Dornbracht 20.713.670.XX body, valve cartridge, connector	30/08/19	/ /	598	
	190737EN191631	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Gessi 31401.XXX spout,fitting, valve cartridge, body, connector tube	30/08/19	/ /	598	
	190737EN192128	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	fitting, valve cartridge, body PC190165	07/11/19	/ /	529	
	190737EN192215	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	fitting PC190124	20/11/19	/ /	516	
	190737EN192315(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP		15/12/19	/ /	491	
	190737EN200154	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	Mixer - PC190109/1	30/01/20	/ /	445	
	190737EN200371	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	PC190035 spout tube stem x2	20/02/20	/ /	424	
	190737EN200415	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	PC190106	10/03/20	/ /	405	
	190737EN200416	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	PC190168	10/03/20	/ /	405	
	190737EN200417	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXER OR TAP	PC190174	10/03/20	/ /	405	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190738EN190364	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 3502097090 Mixer - 3502097090	15/03/19	/ /	766	
	190738EN190364(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190368	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36120670 Mixer - 36120670	26/02/19	/ /	783	
	190738EN190368(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190371	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 5A3020C0N Mixer - 5A3020C0N Mixer - 5A3020C0N	10/03/19	/ /	771	
	190738EN190371(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190371(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190372	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36115710+3511597090 Mixer - 36115710+3511597090 Mixer - 36115710+3511597090	10/03/19	/ /	771	
	190738EN190372(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190372(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190373	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36812730+3580897090 Mixer - 36812730+3580897090 Mixer - 36812730+3580897090	10/03/19	/ /	771	
	190738EN190373(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190373(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190738EN190374	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36816782+3580697090 Mixer - 36816782+3580697090 Mixer - 36816782+3580697090	10/03/19	/ /	771	
	190738EN190374(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190374(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		03/10/19	/ /	73104 9	
	190738EN190375	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 27312845 Mixer - 27312845 Mixer - 27312845	10/03/19	/ /	771	
	190738EN190375(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190375(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		25/02/19	/ /	784	
	190738EN190376	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 59013 Mixer - 59013 Mixer - 59013	10/03/19	/ /	771	
	190738EN190376(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190376(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		10/03/19	/ /	771	
	190738EN190414	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 325215782 Mixer - Model 325215782 Mixer - Model 325215782	15/03/19	/ /	766	
	190738EN190414(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190414(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190415	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer	15/03/19	/ /	766	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Model 33521705 Mixer - Model 33521705 Mixer - Model 33521705				
	190738EN190415(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190415(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190416	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 5A3K09C00 Mixer - Model 5A3K09C00 Mixer - Model 5A3K09C00	15/03/19	/ /	766	
	190738EN190416(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190416(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190417	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 5A2020C0N Mixer - Model 5A2020C0N Mixer - Model 5A2020C0N	15/03/19	/ /	766	
	190738EN190417(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190417(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190418	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 5A3420C0N Mixer - Model 5A3420C0N Mixer - Model 5A3420C0N	15/03/19	/ /	766	
	190738EN190418(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190418(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190419	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 33800790 Mixer	15/03/19	/ /	766	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Model 33800790 Mixer - Model 33800790				
	190738EN190419(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190419(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/03/19	/ /	766	
	190738EN190461	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 36812710,3580697090 Mixer - Model 36812710,3580697090 Mixer - Model 36812710,3580697090	31/03/19	/ /	750	
	190738EN190461(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190461(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190462	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 13420979,36020845,3502097090 Mixer - Model 13420979,36020845,3502097090 Mixer - Model 13420979,36020845,3502097090	31/03/19	/ /	750	
	190738EN190462(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190462(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190463	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 32812680 Mixer - Model 32812680 Mixer - Model 32812680	31/03/19	/ /	750	
	190738EN190463(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190463(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190466	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 46189 Mixer - Model 46189	31/03/19	/ /	750	
	190738EN190466(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190738EN190467	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 21513 Mixer - Model 21513	31/03/19	/ /	750	
	190738EN190467(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190468	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 21531 Mixer - Model 21531	31/03/19	/ /	750	
	190738EN190468(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		31/03/19	/ /	750	
	190738EN190530	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36812809&3580697090 Mixer - 36812809&3580697090 Mixer - 36812809&3580697090	05/04/19	/ /	745	
	190738EN190530(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190531	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 36812705&3580697090 Mixer - 36812705&3580697090 Mixer - 36812705&3580697090	05/04/19	/ /	745	
	190738EN190531(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190532	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 35810845 & 3580697090 Mixer - 35810845 & 3580697090 Mixer (Body + Spout) - 35810845 & 3580697090	05/04/19	/ /	745	
	190738EN190532(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190532(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190534	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 20577	05/04/19	/ /	745	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - 20577				
				Mixer - 20577				
	190738EN190534(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190534(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190535	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 17431	05/04/19	/ /	745	
				Mixer - 17431				
				Mixer - 17431				
	190738EN190535(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190535(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		19/03/19	/ /	762	
	190738EN190536	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 50109	05/04/19	/ /	745	
				Mixer - 50109				
				Mixer - 50109				
	190738EN190536(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190536(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190537	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - 27714970&32800680	05/04/19	/ /	745	
				Mixer - 27714970&32800680				
				Mixer - 27714970&32800680				
	190738EN190537(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190537(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		05/04/19	/ /	745	
	190738EN190671	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - Model 33826875 - PC190176/1	20/04/19	/ /	730	
				Mixer				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Model 33826875 - PC190176/1 Mixer (Body x1, Spout x1) - Model 33826875 - PC190176/1				
	190738EN190671(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		20/04/19	/ /	730	
	190738EN190671(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		20/04/19	/ /	730	
	190738EN190929	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	spout	21/05/19	/ /	699	
	190738EN191207	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Brand: Dornbracht Model : 325215782 PC190040	02/07/19	/ /	657	
	190738EN191364	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	body spout connector Gessi 23183,44702,44655	23/07/19	/ /	636	
	190738EN191626	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Gessi 20577.XXX Spout connector, connector tube x3	30/08/19	/ /	598	
	190738EN191627	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Gessi 17431.XXX Connector tueb x2, fitting	30/08/19	/ /	598	
	190738EN191628	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Gessi 24964.XXX+46189.XXX body,connector tube x2, spout fitting	30/08/19	/ /	598	
	190738EN191629	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Dornbracht 36.812.809.XX+35.806.970.90 spout connector	30/08/19	/ /	598	
	190738EN191630	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Gessi 21531.XXX nutx2, s-union x2, connector	30/08/19	/ /	598	
	190738EN191632	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Gessi 50109.XXX connector tube	30/08/19	/ /	598	
	190738EN191633	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Dornbracht	30/08/19	/ /	598	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				36.812.710.XX+35.806.970.90 spout connector				
	190738EN191634	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Dornbracht 32.812.680.XX connector x2	30/08/19	/ /	598	
	190738EN191720	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - PC190058/1 Mixer - PC190058/1	15/09/19	/ /	582	
	190738EN191730	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	spout connector copper tube PC190039	09/09/19	/ /	588	
	190738EN191734	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	body inlet x2 PC190031	13/09/19	/ /	584	
	190738EN191963	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	body x2 fitting x2 PC190188	18/10/19	/ /	549	
	190738EN192041	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	spout connector spout tube connector tee connector	06/11/19	/ /	530	
	190738EN192279(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		30/11/19	/ /	506	
	190738EN192313(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/12/19	/ /	491	
	190738EN192314(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/12/19	/ /	491	
	190738EN192340	B.S.C. Sanitarywares Supply Ltd.	TESTING OF SINGLE LEVER MIXER	valve cartridge sanindusa model: 5550301	06/12/19	/ /	500	
	190738EN192341	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	spout connector Dornbracht 36.812.710xx+35.806.970.90	05/12/19	/ /	501	
	190738EN192342	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	s-union nut PC190046	06/12/19	/ /	500	
	190738EN200341	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	PC190036	20/02/20	/ /	424	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	190739EN190365	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - 3554697090 Mixer - 3554697090	15/02/19	/ /	794	
	190739EN190365(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		15/03/19	/ /	766	
	190739EN190366	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - 3552697090 Mixer - 3552697090	15/03/19	/ /	766	
	190739EN190366(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		15/03/19	/ /	766	
	190739EN190367	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - 3543697090 Mixer - 3543697090	15/03/19	/ /	766	
	190739EN190367(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		15/03/19	/ /	766	
	190739EN190469	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - Model 3562197090 Mixer - Model 3541697090 Mixer - Model 3562197090 Mixer - Model 3541697090	31/03/19	/ /	750	
	190739EN190469(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		31/03/19	/ /	750	
	190739EN190564	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - 3551697090 Mixer - 3551697090	07/04/19	/ /	743	
	190739EN190564(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		07/04/19	/ /	743	
	190739EN190565	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer Mixer	07/04/19	/ /	743	
	190739EN190565(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		07/04/19	/ /	743	
	190739EN190566	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER	Mixer - 3542597090	07/04/19	/ /	743	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Mixer - 3542597090				
	190739EN190566(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF THERMOSTATIC MIXER		07/04/19	/ /	743	
	190743EN190267	WELCOME CONSTRUCTION CO. LTD.	Contract No. : CV/2012/05		15/02/19	/ /	794	
	190743EN190455			- Cancel	01/04/19	/ /	749	
	190743EN190727	WELCOME CONSTRUCTION CO. LTD.	Contract No. : CV/2012/05	Sand - Malaysia (Sample no. 4)	03/05/19	/ /	717	
	190743EN190728	WELCOME CONSTRUCTION CO. LTD.	Contract No. : CV/2012/05	Sand	03/05/19	/ /	717	
	190743EN191015	WELCOME CONSTRUCTION CO. LTD.	Contract No. : CV/2012/05	Sand - River Sand	20/06/19	/ /	669	
	190782EN190314	DISTRI-ASIA LTD.	Test on Steel Pipe	Steel pipe	20/02/19	/ /	789	
	190794EN190263	廣州市恒大裝修設計院有限公司	IAQ Test for China Evergrande Premises		15/02/19	/ /	794	
	190933EN190651	TUNG WAH COLLEGE	Q1819095 - IAQ Certificate Renewal for Tung Wah College (Mongkok Campus)		31/05/19	/ /	689	
	190933EN190653	TUNG WAH COLLEGE	Q1819095 - IAQ Certificate Renewal for Tung Wah College (Mongkok Campus)		31/05/19	/ /	689	
	191007EN190883	SINO EST. MFGT. LTD. - SINO PLAZA	Ref. No. SNPZ-19-Q0009 - Application for IAQ Certificate for Public Area from 3/F to 33/F and Shopping Arcade		31/05/19	/ /	689	
	191007EN190884	SINO EST. MFGT. LTD. - SINO PLAZA	Ref. No. SNPZ-19-Q0009 - Application for IAQ Certificate for Public Area from 3/F to 33/F and Shopping Arcade		31/05/19	/ /	689	
	191039EN190593	PERFECT WORLD CO. LTD.	JR-HH-0104-19-T01 - Supply Labour & Material to Conduct IAQ Inspection for the Re-Certification of IAQ Cert. at Harcourt House, 39 Gloucester Road., Wanchai, HK		04/08/19	/ /	73110 9	
	191044EN190363	KAROLINSKA INSTITUTET	IAQ Survey for Science Park Office		08/03/19	/ /	773	
	191070EN200342	YUE HING MACHINE FACTORY LTD.	Testing of Pressure Reducing Valve	seat, stem, body DN15,25,50,65,80,100 PC190097	20/02/20	/ /	424	
	191072EN190393	SAVILLS PROJECT CONSULTANCY LTD.	IAQ Test in Office Space - 23/F Exchange Square II and 12/F City Plaza One		03/08/19	/ /	73111 0	
	191095EN190411	KERRY PROPERTY MANAGEMENT	Tests on Water for Fresh Water (Plus) at	Fresh Water	19/03/19	/ /	762	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		SERVICES LTD-TAVISTOCK	Aigburth	- Refer to JRF				
	191117EN190525	BEST TIME CONST MATERIAL CO LTD	Testing of Stainless Steel 316 Clamp	Ring, rod DN15,100,150	21/03/19	/ /	760	
	191117EN190890	BEST TIME CONST MATERIAL CO LTD	Testing of Stainless Steel 316 Clamp	Ring Rod DN25, DN65	14/05/19	/ /	706	
	191125EN190738	KS P&D ENGINEERING CO., LTD.	Tests on Water in complying WSD Circular Letter No. 9/2017	Fresh Water - Refer to JRF	18/04/19	/ /	732	
	191125EN190768	KS P&D ENGINEERING CO., LTD.	Tests on Water in complying WSD Circular Letter No. 9/2017	Fresh Water	25/04/19	/ /	725	
	191171EN191009	SPECIALIST PRODUCTS LTD	Test on Liquid Membrane	Coating - H300A	06/06/19	/ /	683	
	191183EN190812	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Sink - Model: HA181 (PC190144/1) Single Lever Sink - Model: HA181 (PC190144/1) Single Lever Sink - Model: HA181 (PC190144/1)	10/05/19	/ /	710	
	191183EN190812(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN190812(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN190813	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Bath Mixer - Model: HA022 (PC190145/1) Single Lever Bath Mixer - Model: HA022 (PC190145/1) Single Lever Bath Mixer - Model: HA022 (PC190145/1)	10/05/19	/ /	710	
	191183EN190813(1)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN190813(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN190814	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Single Lever Shower Mixer - Model: HA168 (PC190146/1)	10/05/19	/ /	710	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Single Lever Shower Mixer - Model: HA168 (PC190146/1) Single Lever Shower Mixer - Model: HA168 (PC190146/1)				
	191183EN190814(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN190815	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Singel Lever Basin Mixer - Model: HA075 (PC190147/1) Singel Lever Basin Mixer - Model: HA075 (PC190147/1) Singel Lever Basin Mixer - Model: HA075 (PC190147/1)	10/05/19	/ /	710	
	191183EN190815(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER		10/05/19	/ /	710	
	191183EN191366	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	connector model: HA181	23/07/19	/ /	636	
	191183EN191367	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	nut, s-union model: HA022	23/07/19	/ /	636	
	191183EN191368	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	nut, s-union model: HA168	23/07/19	/ /	636	
	191183EN191552	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	spout connector connector	20/08/19	/ /	608	
	191183EN191679	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	HA022 diverter tube diverter ring nut x2	05/09/19	/ /	592	
	191183EN191680	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	HA168 nut x2	05/09/19	/ /	592	
	191183EN191722	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SINGLE LEVER MIXER	Diverters - PC190145/1 - Model HA022	20/09/19	/ /	577	
	191186EN191492	FUGRO GEOTECHNICAL SERVICES LTD.	M+ Museum	Sediment - TM7 17.35-18.25 - TM7 18.35-19.25	09/02/19	/ /	73128 5	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	191186EN191638	FUGRO GEOTECHNICAL SERVICES LTD.	M+ Museum	Sediment - Reference sediment (Grab sample)	09/10/19	/ /	73104 3	
	191186EN191719	FUGRO GEOTECHNICAL SERVICES LTD.	M+ Museum	Sediment - TM9 9.82-10.27 - TM2 18.45-19.35 - TM10 15.60-16.50 - TM6 11.43-12.33 - Reference sediment	10/04/19	/ /	73122 5	
	191206EN190827	MTR CORPORATION LTD.	Occupational Health Monitoring Program	Air	15/05/19	/ /	705	
	191206EN190828	MTR CORPORATION LTD.	Occupational Health Monitoring Program	Air	15/05/19	/ /	705	
	191206EN190829	MTR CORPORATION LTD.	Occupational Health Monitoring Program	Air	15/05/19	/ /	705	
	191206EN190830	MTR CORPORATION LTD.	Occupational Health Monitoring Program	Air	15/05/19	/ /	705	
	191224EN190733	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y12 - Y12-B4-06 Batch 4	20/04/19	/ /	730	
	191224EN190734	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y20 - Y20-B4-06 Batch 4	20/04/19	/ /	730	
	191224EN190735	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y25 - Y25-B4-06 Batch 4	20/04/19	/ /	730	
	191224EN191102	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y12 - Y12-B5-6 Y20 - Y20-B5-6 batch 5	18/06/19	/ /	671	
	191224EN191580	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y12 - Y12-B10-06 Y16 - Y16-B10-06 Y32 - Y32-B10-06 Y40 - Y40-B10-06 Batch 10	24/08/19	/ /	604	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	191224EN191764	CHIU & LEE PARTNERS CONSTRUCTION CO. LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y16 - Y16-B12-06 Y25 - Y25-B12-06 Y32 - Y32-B12-06 Y40 - Y40-B12-09 Batch 12	20/09/19	/ /	577	
	191224EN191765	CHIU & LEE PARTNERS CONSTRUCTION CO. LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y16 - Y32-B13-06 Batch 13	20/09/19	/ /	577	
	191224EN191785	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y10 - Y10-B14-06 Y12 - Y12-B14-06 Y20 - Y20-B14-06 Batch 14	24/07/19	/ /	635	
	191224EN191961	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y12 - Y12-B18-06 Y32 - Y32-B18-06 Y40 - Y40-B18-06 Batch 18	15/10/19	/ /	552	
	191224EN192185	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y40 - Y40-B19-07 Y40 - Y40-B19-08 Batch 19	15/11/19	/ /	521	
	191224EN192544	Simon & Sons Engineering LTD.	Proposed residential Development at Tuen Mun Town Lot No. 516	Y40 - Y40-B19-07 Y40 - Y40-B19-08 Batch 19	24/12/19	/ /	482	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	191239EN190392	ASIAN CHAMPION INDUSTRIAL LTD.	Sand Testing	- Sediment	14/03/19	/ /	767	
	191283EN190969	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	E-CPTS1900116 - Renewal of IAQ Certificate for Public Area 2019 at Taikoo Place		15/06/19	/ /	674	
	191320EN190810	HOSPITAL AUTHORITY	KWC/PM5/W/059-18 Provision of Professional Service for IAQ Certificate Renewal at Wai Ming Block, Caritas Medical Centre		31/05/19	/ /	689	
	191393EN190831	HO FIT (HARDWARE) TRADING CO. LTD.	Testing of Copper Fitting for Compression End	Straight coupling Elbow Tee Stop End	06/05/19	/ /	714	
	191393EN191640	HO FIT (HARDWARE) TRADING CO. LTD.	Testing of Copper Fitting for Compression End	reducing coupling 15x22 28x15 28x22	01/09/19	/ /	596	
	191407EN190472	HUNG LEE CONSTRUCTION & DECORATION CO. LTD.	A&A Works for 1/F House 2, 37B, Nos. 23-39 Blue Pool Road, Hong Kong	Y10 Y12	23/03/19	/ /	758	
	191533EN191128	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y10 - KWH-B2-0613-PC(Z1)-Y10-CC Y12 - KWH-B2-0613-PC(Z1)-Y12-CC Y16 - KWH-B2-0613-PC(Z1)-Y16-CC Y20 - KWH-B2-0613-PC(Z1)-Y20-CC Y25 - KWH-B2-0613-PC(Z1)-Y25-CC Y32 - KWH-B2-0613-PC(Z1)-Y32-CC Y40 - KWH-B2-0613-PC(Z1)-Y40-CC Batch 2	25/06/19	/ /	664	
	191533EN191532	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2)	Y10 - KWH-B2-0808-PC(Z2)-Y10-CC	19/08/19	/ /	609	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Redevelopment of Kwong Wah Hospital (Phase 1)	Y25 - KWH-B2-0808-PC(Z2)-Y25-CC Y32 - KWH-B2-0808-PC(Z2)-Y32-CC Batch 9				
	191533EN191570	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-B2-0814-FT(Z2)-Y12-CC Y16 - KWH-B2-0814-FT(Z2)-Y16-CC Y16 - KWH-B2-0814-FT(Z2)-Y16-CC(1) Y16 - KWH-B2-0814-FT(Z2)-Y16-CC(2) Y40 - KWH-B2-0814-FT(Z2)-Y40-CC Y40 - KWH-B2-0814-FT(Z2)-Y40-CC (1) Batch 10	20/08/19	/ /	608	
	191533EN191602	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y40 - KWH-B2-0814-FT(Z2)-Y12-CC Y40 - KWH-B2-0814-FT(Z2)-Y16-CC Y40 Batch 11	25/08/19	/ /	603	
	191533EN191654	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y40 - KWH-B2-0822-FT(Z3)-Y40-CC Y40 - KWH-B2-0822-FT(Z3)-Y40-CC(1) Y40 - KWH-B2-0822-FT(Z3)-Y40-CC(2) Batch 12	03/09/19	/ /	594	
	191533EN191689	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y16 - KWH-B2-0829-FT(Z3)-Y16-CC Y16 - KWH-B2-0829-FT(Z3)-Y16-CC(1) Y32	09/09/19	/ /	588	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- KWH-B2-0822-FT(Z3)-Y32-CC Y32 - KWH-B2-0822-FT(Z3)-Y32-CC(1) Batch 13				
	191533EN191725	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y40 - KWH-B2-0903-FT(Z3)-Y40-CC Y40 - KWH-B2-0903-FT(Z3)-Y40-CC(1) Y40 - KWH-B2-0903-FT(Z3)-Y40-CC(2) Batch 14	13/09/19	/ /	584	
	191533EN191822	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y20 - KWH-B2-0920-PC(Z1)-Y20-CC Y40 - KWH-B2-0920-PC(Z1)-Y40-CC Y40 - KWH-B2-0920-PC(Z1)-Y40-CC(1) Y40 - KWH-B2-0920-PC(Z1)-Y40-CC(2) Batch 15	27/09/19	/ /	570	
	191533EN191881	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y25 - KWH-B2-0925-PC(Z2)-Y25-CC Y32 - KWH-B2-0925-PC(Z2)-Y32-CC Y32 - KWH-B2-0925-PC(Z2)-Y32-CC(1)	02/10/19	/ /	565	
	191533EN191934	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y16 - KWH-B2-1003-PC(Z2)-Y16-CC Y40 - KWH-B2-1003-PC(Z2)-Y40-CC Y40 - KWH-B2-1003-PC(Z2)-Y40-CC(1) Batch 17	11/10/19	/ /	556	
	191533EN191994	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital	Y25 - KWH-B2-1011-PC(Z2)-Y25-BP Y40	22/10/19	/ /	545	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project (Phase 1)	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- KWH-B2-1011-PC(Z2)-Y40-BP Y40 - KWH-B2-1011-PC(Z2)-Y40-BP(1) Batch 18				
	191533EN192055	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y10 - KWH-B2-1022-PC(Z3)-Y10-CC Y40 - KWH-B2-1022-PC(Z3)-Y40-CC Y40 - KWH-B2-1022-PC(Z3)-Y40-CC(1)	31/10/19	/ /	536	
	191533EN192056	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y32 - KWH-B2-1022-PC(Z3)-Y32-CC	31/10/19	/ /	536	
	191533EN192153	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-B2-1031-PC(Z3)-Y12-CC Y40 - KWH-B2-1031-PC(Z3)-Y40-CC Y40 - KWH-B2-1031-PC(Z3)-Y40-CC(1)	11/11/19	/ /	525	
	191533EN192182	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y32 - KWH-B2-1107-PC(Z3)-Y32-CC Y40 - KWH-B2-1107-PC(Z3)-Y40-CC Y40 - KWH-B2-1107-PC(Z3)-Y40-CC(1)	15/11/19	/ /	521	
	191533EN192248	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y10 - KWH-B2-1118-PC(Z3)-Y10-CC Y10 - KWH-B2-1118-PC(Z3)-Y10-CC (1) Y12 - KWH-B2-1118-PC(Z3)-Y12-CC Y12 - KWH-B2-1118-PC(Z3)-Y12-CC(1) Y16 - KWH-B2-1118-PC(Z3)-Y16-CC	23/11/19	/ /	513	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 - KWH-B2-1118-PC(Z3)-Y16-CC(1) batch 23				
	191533EN192278	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y20 - KWH-B1-1121-B(Z1)-Y20-CC Y40 - KWH-B1-1121-B(Z1)-Y40-CC Y40 - KWH-B1-1121-B(Z1)-Y40-CC(1) Y40 - KWH-B1-1121-B(Z1)-Y40-CC(2) batch 24	29/11/19	/ /	507	
	191533EN192294	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y16 - KWH-B1-1122-B(Z1)-Y16-CC Y16 - KWH-B1-1122-B(Z1)-Y16-CC(1) Y32 - KWH-B1-1122-B(Z1)-Y32-CC Y32 - KWH-B1-1122-B(Z1)-Y32-CC(1) batch 25	04/12/19	/ /	502	
	191533EN192440	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-B1-1203-B(Z1)-Y12-CC Y40 - KWH-B1-1203-B(Z1)-Y40-CC Y40 - KWH-B1-1203-B(Z1)-Y40-CC(1) batch 26	11/12/19	/ /	495	
	191533EN192488	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y25 - KWH-B1-1212-B(Z1)-Y25-CC Y40 - KWH-B1-1212-B(Z1)-Y40-CC Y40 - KWH-B1-1212-B(Z1)-Y40-CC(1) batch 27	18/12/19	/ /	488	
	191533EN192548	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works	Y20	24/12/19	/ /	482	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	- KWH-B1-1219-B(Z2)-Y20-CC Y32 - KWH-B1-1219-B(Z2)-Y32-CC batch 28				
	191533EN200035	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y10 - KWH-B1-1231-B(Z2)-Y10-CC Y10 - KWH-B1-1231-B(Z2)-Y10-CC(1) Y40 - KWH-B1-1231-B(Z2)-Y40-CC Y40 - KWH-B1-1231-B(Z2)-Y40-CC(1) Batch 29	13/01/20	/ /	462	
	191533EN200060	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-B1-0103-B(Z3)-Y12-CC Y12 - KWH-B1-0103-B(Z3)-Y12-CC(1) Y32 - KWH-B1-0103-B(Z3)-Y32-CC Y32 - KWH-B1-0103-B(Z3)-Y32-CC(1) Batch 30	15/01/20	/ /	460	
	191533EN200188	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-G-0117-B(Z1)-Y12-CC Y32 - KWH-G-0117-B(Z1)-Y32-CC Y32 - KWH-G-0117-B(Z1)-Y32-CC(1) Batch 31	24/01/20	/ /	451	
	191533EN200421	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y16 - KWH-G-0225-B(Z2)-Y16-CC Y40 - KWH-G-0225-B(Z2)-Y40-CC Y40 - KWH-G-0225-B(Z2)-Y40-CC(1) Batch 33	05/03/20	/ /	410	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	191533EN200581	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y12 - KWH-G-0311-B(Z2)-Y12-CC Y32 - KWH-G-0311-B(Z2)-Y32-CC Y32 - KWH-G-0311-B(Z2)-Y32-CC(1) Batch 34	20/03/20	/ /	395	
	191533EN200682	CHINA STATE CONST ENG (HK) LTD	Superstructure and Associated Works Contract for Main Works Package (MWP2) Redevelopment of Kwong Wah Hospital (Phase 1)	Y25 - KWH-G-0325-B(Z1)-Y25-CC Y40 - KWH-G-0325-B(Z1)-Y40-CC Y40 - KWH-G-0325-B(Z1)-Y40-CC(1) Batch 35	03/04/20	/ /	381	
	191591EN191221	Fugro Technical Services Limited - Green Building	Laboratory Test	HCHO passive sampler - 27 - 28 - 29 - 32 Location : Yin Sha Rd, Ma On Shan Ammend Quotation No. to 181172	14/06/19	/ /	675	
	191675EN191271	THE HONG KONG & CHINA GAS CO LTD	SMT Test for Sample of Gas	carbon absorption tubes - See attached	09/08/19	/ /	619	
	191700EN190876	CHAMPION LASIK CENTRE	Air Sampling		14/05/19	/ /	706	
	191703EN191295	WAH HA IRON WARE DECORATION ENG. LTD.	Test on Stainless Steel Grade 316 (1.4401)	SS Routel SS spider Double arm SS spider Single arm	24/07/19	/ /	635	
	191714EN190698	YKK AP HONG KONG LIMITED	Testing of Aluminium Extrusion	Aluminium Extrusion - 6061-T6 Aluminium Extrusion - 6063-T5 Aluminium Extrusion - 6063-T6	30/04/19	/ /	720	
	191789EN190700	LEI FUNG ENGINEERING & CONSTRUCTION CO., LTD	西灣橋頭鍍鋅圍網更換工程	Wire mesh - Lot No. 1. 20190305	23/04/19	/ /	727	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Wire mesh - Lot No. 2. 20190313				
	191881EN191064	WELSON METAL & SANITARY WARE MFY	Testing of Brass Long Screw	BLS20 3/4"x3 1/2" BLS32 1 1/4"x4 1/4" BLS50 2"x5"	10/06/19	/ /	679	
	191881EN192044	WELSON METAL & SANITARY WARE MFY	Testing of Brass Long Screw	body DN16,25,40 PC190215	06/11/19	/ /	530	
	191900EN190796	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	MK/DP/02/19 - Provision of Services for IAQ Certification Scheme (including Mold Assessment for Mong Kok DEHO, 6-7/F., Fa Yuen Street MSB		31/05/19	/ /	689	
	191981EN191251	HUA HANG MARINE ENGINEERING (HK) LIMITED	Material Testing - 2019	Sand	12/07/19	/ /	647	
	191981EN191347	HUA HANG MARINE ENGINEERING (HK) LIMITED	Material Testing - 2019	Sand --	22/07/19	/ /	637	
	191992EN190777	E. TECH MANAGEMENT (HK) LTD.	Air Quality Test for Shredding Machine at Site in Ecopark - For 2019 (Quarterly Monitoring)	Air Quality	20/05/19	/ /	700	
	191992EN191151	E. TECH MANAGEMENT (HK) LTD.	Air Quality Test for Shredding Machine at Site in Ecopark - For 2019 (Quarterly Monitoring)	Air	30/06/19	/ /	659	
	191996EN190721	DAO KEE CONST CO LTD	Test on Synthetic Paint for Metal at Ho Man Tin Estate and Shek Kip Mei Estate	Paint	05/10/19	/ /	73104 7	
	192006EN191958	Chun Fai Construction Company Ltd.	Proposed Residential Redevelopment on K.I.L 2341 section E, at No.195 Prince Edward Road West, Kowloon	Y10 Y12	15/10/19	/ /	552	
	192006EN200240	Chun Fai Construction Company Ltd.	Proposed Residential Redevelopment on K.I.L 2341 section E, at No.195 Prince Edward Road West, Kowloon	Y40 Batch 9	08/02/20	/ /	436	
	192102EN190874	BUILD KING CIVIL ENG. LTD.	Contract No. NE/2017/08 - Cross Bay Link, Tseung Kwan O, Road D9 and Associated Works	Y16 Y40	13/05/19	/ /	707	
	192130EN191582	PYPUN ENGINEERING CONSULTANTS LTD	Independent Laboratory Test Services at	Y25	24/08/19	/ /	604	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			West Kowloon Cultural District (Palace Theatre)	Y32 Y40				
	192130EN192484	PYPUN ENGINEERING CONSULTANTS LTD	Independent Laboratory Test Services at West Kowloon Cultural District (Palace Theatre)	Y40	18/12/19	/ /	488	
	192150EN190951	LEDE MACHINERY (ASIA) LIMITED	TESTING OF DUCTILE IRON SWING CHECK VALVE WITH FLANGED ENDS	Hing Pin DN80, 150, 200 Seat Ring DN80, 150, 200, 300	17/05/19	/ /	703	
	192192EN190774	BUILDINGS DEPARTMENT	Ref. No. : BD Q1/2019 - Provision of Lab. Test Services of Water Samples collected in North Tower, West Kowloon Government Offices for the Buildings Department	Frshesh Water - Refer to JRF	08/05/19	/ /	712	
	192192EN190789	BUILDINGS DEPARTMENT	Ref. No. : BD Q1/2019 - Provision of Lab. Test Services of Water Samples collected in North Tower, West Kowloon Government Offices for the Buildings Department	Fresh Water - 7/F Fire Door - 10/F Break Out Space	10/05/19	/ /	710	
	192209EN190885	SIMON & SONS ENGINEERING LTD.	IEQ P1 – of Au Tau, Yuen Long Lot 1928 in DD107		31/05/19	/ /	689	
	192211EN191002	ANTHESIS GROUP	IAQ Test for Apple Premises		06/06/19	/ /	683	
	192242EN190766	STEVIN ROCK LLC	Testing of Sand Fill Materials for 3RS Project	Sand - SR/RS/S1-S2	24/04/19	/ /	726	
	192283EN191571	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y10 Y12 Y16 Y20 Y25 Y32 Y40 Y40	20/05/19	/ /	700	
	192283EN192209	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y40 Y40 SH005	19/11/19	/ /	517	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	192283EN192233	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y16 SH006	23/11/19	/ /	513	
	192283EN192441	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y10 Y10 Y16 Y16 Y40 Y40 SH008	16/12/19	/ /	490	
	192283EN192442	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y25 Y32 SH009	16/12/19	/ /	490	
	192283EN200082	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y12 Y16 SH012	16/01/20	/ /	459	
	192283EN200102	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y16 SH013	17/01/20	/ /	458	
	192283EN200167	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y40 Y40 SH015	25/01/20	/ /	450	
	192283EN200506	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y40 Y40 SH017	16/03/20	/ /	399	
	192283EN200507	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y16 Y16 SH018	16/03/20	/ /	399	
	192283EN200508	Sanfield Engineering Construction Ltd.	Proposed Development in Tuen Mun Area 54 , Siu Hong	Y25 Y25 Y32 SH019	16/03/20	/ /	399	
	192289EN192477	WELSON METAL & SANITARY WARE MFY	Testing of Stainless Steel Spring Check Valve	spring 1.5" x3 2" x3 PC190208	21/12/19	/ /	485	
	192298EN191003	FAR EAST ALUMINIUM WORKS CO LTD	Testing of Alum Extrusion with Alodine	Aluminium extrusion	28/05/19	/ /	692	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Surface					
	192348EN191144	Harriman Property MGT Ltd.	Potable Water Sampling and Testing Services at Oasis Kai Tak, 10 Muk Nibg St.	Potable Water - Refer to JRF	03/07/19	/ /	656	
	192359EN191410	EQUINIX HONG KONG LIMITED	Equinix HK4 2019	Smoke test	28/07/19	/ /	631	
	192425EN191493	KAI SHING MGT SERVICES LTD. - W50	RFQ-W50-18-19-Renewal of IAQ Certification at Lift lobbies and Public Corridors of G/F, 5/F - 36/F in W50 (omitted 7/F, 13/F, 14/F, 24/F & 34/F)(2019-2020)	- W50 Public Area	31/08/19	/ /	597	
	192456EN191317	BUILD KING-SKEC J.V.	HY201420 - Test on Ultra Low Sulphur Diesel	ulsd	08/10/19	/ /	73104	4
	192456EN191573	BUILD KING-SKEC J.V.	HY201420 - Test on Ultra Low Sulphur Diesel	ulsd	09/09/19	/ /	73107	3
	192456EN191802	BUILD KING-SKEC J.V.	HY201420 - Test on Ultra Low Sulphur Diesel	ulsd	10/09/19	/ /	73107	2
	192456EN192243	BUILD KING-SKEC J.V.	HY201420 - Test on Ultra Low Sulphur Diesel	ulsd	12/08/19	/ /	73110	1
	192481EN191152	LEUNG KEE	Tests on Water in complying WSD Circular Letter No. 10/2017	Fresh Water	20/06/19	/ /	669	
	192493EN190908	HING LUNG INTERIOR DESIGN & ENGINEERING LTD.	IAQ Test for Cigna Office at 16/F, Mapletree Bay Point, 348 Kwun Tong Road		17/05/19	/ /	703	
	192503EN191429	GAMMON CONSTRUCTION LTD	RFQ- J3718 - Central Kowloon Route - Kai Tak West - Soil Test	Soil - E	06/08/19	/ /	622	
	192506EN192507	OPTIMIX (HONG KONG) LTD	CIC Green Product Certification on Adhesive & Sealant	TG410 #00 Tile Grout	13/01/20	/ /	462	
	192518EN191135	HARRIMAN PROPERTY MFGT LTD-WHEELLOCK HOUSE	Maint/206/2019 - IAQ Certification Services for 3/F to 24/F at Wheelock House, 20 Pedder Street, Central, H.K.		28/06/19	/ /	661	
	192589EN190912	TAK Tin ENGINEERING LIMITED	Flat D on 19th Floor of Block 4 City Garden, No.233 Electric Road, Hong Kong	Y10	18/05/19	/ /	702	
	192601EN191617	Interior Design Institute of Evergrande	Interior Design Institute of Evergrande恒大019項目屯門管翠路土建材料檢測	Waterproofing	30/08/19	/ /	598	
	192612EN191874	SKK (HONG KONG) CO. LTD.	Tests Related to Hong Kong Green Label Scheme of Green Council	Mirac sealer W	20/10/19	/ /	547	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	192640EN190909	KIT KEE ENGINEERING LIMITED	Test on Sand Sample		25/05/19	/ /	695	
	192698EN191530	CHINA ROAD & BRIDGE CORPORATION	AA Contract 3302 - Eastern Vehicular Tunnel Advance Works	Y20 batch 003	19/08/19	/ /	609	
	192698EN192167	CHINA ROAD & BRIDGE CORPORATION	AA Contract 3302 - Eastern Vehicular Tunnel Advance Works	Y12 - AR1002063 Y16 - AR1002057 Y20 - AR1002051 Y25 - AR1002045 batch 6	14/11/19	/ /	522	
	192698EN192231	CHINA ROAD & BRIDGE CORPORATION	AA Contract 3302 - Eastern Vehicular Tunnel Advance Works	Y20 - AR1002068 batch 7	23/11/19	/ /	513	
	192698EN200296	CHINA ROAD & BRIDGE CORPORATION	AA Contract 3302 - Eastern Vehicular Tunnel Advance Works	Y10 - AR1002077 Y25 - AR1002083 Y32 - AR1002089 Batch 8	02/12/20	/ /	73062 3	
	192708EN191292	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water	23/07/19	/ /	636	
	192708EN191696	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water - Refer to JRF	13/09/19	/ /	584	
	192708EN192120	THE CHINESE UNIVERSITY OF HONG KONG	Test on Drinking Fountain Water	Drinking Fountain Water	11/11/19	/ /	525	
	192711EN190973	ROYAL ELITE SERVICE CO. LTD.	Tests on Water at St. Moritz	Swimming Pool Water	04/06/19	/ /	685	
	192718EN191211	WATERFRONT FLUID CONTROLS LIMITED	TESTING OF BRONZE GATE VALVE	body bonnet disc stem PC190230	02/07/19	/ /	657	
	192718EN191820	WATERFRONT FLUID CONTROLS LIMITED	TESTING OF BRONZE GATE VALVE	body, bonnet, disc, stem	30/09/19	/ /	567	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				PC190307				
	192723EN191869	KWONG MAN KEE ENGINEERING LTD.	Paint Testing	Multi-color	30/10/19	/ /	537	
	192770EN191075	PROGRESSIVE FOUNDATION CO. LTD	Provision of Consultancy Services for Application of Dumping Permit for 41 King Yip Street, Kwun Tong	Sediment - PD1-10.5m-11.5m - PD2-10.0m-11.0m	26/06/19	/ /	663	
	192814EN191203(2)	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF SINGLE LEVER MIXER		10/07/19	/ /	649	
	192814EN191742	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF SINGLE LEVER MIXER	nut x2 KV-83-08	24/09/19	/ /	573	
	192879EN192454	AMCO ENGINEERING (HK) CO. LTD.	TESTING OF WELD STAINLESS STEEL TUBE	series 1, series 2 DN26,28,42,66.7,108 PC190339	15/12/19	/ /	491	
	192880EN190972	YAN CHING CONSTRUCTION CO. LTD.	J3662 - Ocean Park - Waterpark Main Building Works	Potable Water - Refer to JRF	23/05/19	/ /	697	
	192975EN191468	EVER GREAT ENGINEERING (HK) LTD.	Residential Redevelopment at No. 8 Ka Shin Street, Tai Kok Tsui, Kowloon	Potable Water	02/08/19	/ /	626	
	193010EN191741	YUE HING MACHINE FACTORY LTD.	Testing of Ductile Iron Butterfly Valve with Grooved Ends	disc 316 stem (upper,lower) 410/316	21/09/19	/ /	576	
	193046EN191210	WELSON METAL & SANITARY WARE MFY	Testing of Casting Stainless Steel Double Flanged Pipe	CSSTBF200-24A body PC190228	02/07/19	/ /	657	
	193063EN191348	HANG FUNG PIPES CO., LTD.	TESTING OF STAINLESS STEEL GLOBE VALVE (STOP VALVE) WITH FLANGE END AND SCREW END (S.S 316)	FV65GLC-6 SS316 Globe Valve (Flanged End) DN65	19/07/19	/ /	640	
	193064EN191323	HANG FUNG PIPES CO., LTD.	TESTING OF DN100 STAINLESS STEEL Y-STRAINER WITH FLANGE END (SS316)	FV100YSC-6 SS316 Y-strainer (Flanged End) DN100 body screen bonnet blow off	17/07/19	/ /	642	
	193065EN191322	HANG FUNG PIPES CO., LTD.	TESTING OF DN100 STAINLESS STEEL SWING CHECK VALVE WITH FLANGE END (SS316)	FV100CVC-6 SS316-swing check valve (Flanged End) DN100	17/07/19	/ /	642	
	193075EN192517	DRAINAGE SERVICES DEPT.	Provide Labour and Equipment to Perform Air Quality Services for Stanley Sewage Treatment Works		28/02/19	/ /	781	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	193076EN191872	Interior Design Institute of Evergrande		Adhesive	10/02/19	/ /	73128 4	
	193076EN192178	Interior Desgin Institute of Evergrande		Coating	10/11/19	/ /	526	
	193114EN200036	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal	J20 PC190384	10/01/20	/ /	465	
	193120EN191092(1)	GREAT TREASURE INTERNATIONAL LTD.	Testing of Single Lever Mixer (Model No. : LINUS-S, MILA and TIVO-S)		24/06/19	/ /	665	
	193120EN191092(2)	GREAT TREASURE INTERNATIONAL LTD.	Testing of Single Lever Mixer (Model No. : LINUS-S, MILA and TIVO-S)		24/06/19	/ /	665	
	193194EN191072	TOP PRO CONSULTING LTD.	Application for E-Waste Disposal Licence - Chun Yang International (HK) Co. Ltd.	Air Noise	15/06/19	/ /	674	
	193204EN191888	Kai Shing MGT Services Ltd-Hillsborough Court	RQF-HC-41-19 v1(Water Sampling and Carry Out Lab Test to Sample at Hillsborough Court)	Fresh Water - Refer to JRF Fresh Water - Refer to JRF	18/10/19	/ /	549	
	193204EN191888(1)	Kai Shing MGT Services Ltd-Hillsborough Court	RQF-HC-41-19 v1(Water Sampling and Carry Out Lab Test to Sample at Hillsborough Court)		18/10/19	/ /	549	
	193204EN192330	Kai Shing Mgt Services Ltd-Hillsborough Court	RFQ-HC-41-19 v1(Water Sampling and Carry Out :ab. Test to Sample at Hillsborough Court)	Fresh Water	13/12/19	/ /	493	
	193229EN191213	GREAT BAY TRADE DEVELOPMENT LTD.	Material Testing (2019)		07/10/19	/ /	73104 5	
	193249EN191126	DIGAO BUILDING MATERIALS CO. LTD.	Test of CFCs, HCFC and HFC content	DEGO Floor Screed Model: F128	08/07/19	/ /	651	
	193249EN191127	DIGAO BUILDING MATERIALS CO. LTD.	Test of CFCs, HCFC and HFC content	DEGO Cement Block - Sample 1 (Size: 75*150*300mm) - Sample 2 (Size: 100*150*300mm)	08/07/19	/ /	651	
	193269EN191774	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y10 Batch	21/09/19	/ /	576	
	193269EN191775	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y20 Y25 Y32 Y40	21/09/19	/ /	576	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	193269EN191776	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y40	21/09/19	/ /	576	
	193269EN191940	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y10 - KTIL240-13-Y10-11 Y12 - KTIL240-13-Y12-11 Y16 - KTIL240-13-Y16-11 Y25 - KTIL240-13-Y25-17 Y32 - KTIL240-13-Y32-17 Batch 13	14/10/19	/ /	553	
	193269EN192196	YEE FAI CONSTRUCTION CO LTD	Proposed Commerical Development at KTIL 240, 98 How Ming Street. Kowloon , Hong Kong	Anchor Channel	12/11/19	/ /	524	
	193269EN192404	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y12 - KTIL240-18-Y12-12 Y16 - KTIL240-18-Y16-12 Y20 - KTIL240-18-Y20-9 Y25 - KTIL240-18-Y25-15 Y40 - KTIL240-18-Y40-15 batch 18	12/12/19	/ /	494	
	193269EN192405	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y12 - KTIL240-19-Y12-9 Y16 - KTIL240-19-Y16-9 Y40 - KTIL240-19-Y40-6 batch 19	12/12/19	/ /	494	
	193269EN200083	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL	Y10	16/01/20	/ /	459	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			240, 98 How Ming Street, Kowloon, Hong Kong	- KTIL240-25-Y10-12 Y12 - KTIL240-25-Y12-12 Y20 - KTIL240-25-Y20-12 Y32 - KTIL240-25-Y32-18 batch 25				
	193269EN200084	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y12 - KTIL240-26-Y12-12 Y32 - KTIL240-26-Y32-12 batch 26	16/01/20	/ /	459	
	193269EN200503	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y12 - KTIL240-32-Y12-12 Y32 - KTIL240-32-Y32-18 Y40 - KTIL240-40-Y40-15 batch 32	16/03/20	/ /	399	
	193269EN200504	Yee Fai Construction Company Ltd.	Proposed Commercial Development at KTIL 240, 98 How Ming Street, Kowloon, Hong Kong	Y32 - KTIL240-33-Y32-12 Y40 - KTIL240-33-Y40-9 batch 33	16/03/20	/ /	399	
	193300EN200101	Yee Fai Construction Company Ltd.	Proposed AFFC Extension at Chek Lap Kok Lot 1, Airport :pt 302	Y40 - AFFC-2-Y40-12 Batch 2	17/01/20	/ /	458	
	193300EN200169	Yee Fai Construction Company Ltd.	Proposed AFFC Extension at Chek Lap Kok Lot 1, Airport :pt 302	Y16 - AFFC-3-Y16-6 Y25 - AFFC-3-Y25-9 batch 3	23/01/20	/ /	452	
	193300EN200170	Yee Fai Construction Company Ltd.	Proposed AFFC Extension at Chek Lap Kok Lot 1, Airport :pt 302	Y10 - AFFC-4-Y10-12	23/01/20	/ /	452	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				batch 4				
	193300EN200186	Yee Fai Construction Company Ltd.	Proposed AFFC Extension at Chek Lap Kok Lot 1, Airport :pt 302	Y12 - AFFC-5-Y12-12 Y32 - AFFC-5-Y32-9 Batch 5	23/01/20	/ /	452	
	193309EN200181	DEPARTMENT OF HEALTH	DH/IAQ/2019/01 - Provision of Services for Indoor Air Quality Certification/ Re-certification for Offices of the Department of Health	- Perfect Mount Gardens Block D	31/01/20	/ /	444	
	193331EN191099	SZE SUN DECORATION CO.	On Site - Cross Cut Test	Paint	25/06/19	/ /	664	
	193384EN192346	Guangzhou Evergrande	IAQ Test		29/11/19	/ /	507	
	193384EN192482	Guangzhou Evergrande	IAQ Test		20/12/19	/ /	486	
	193384EN192583	Guangzhou Evergrande	IAQ Test for Black's Link	- Black's Link House E	30/12/19	/ /	476	
	193398EN191187	ISS EASTPOINT PROPERTY MANAGEMENT LTD.	Fresh Water Quality Test - British Consulate General Development, 1-3 Supreme Court Road, Admiralty (Year 2019)	Fresh Water - Refer to JRF	02/07/19	/ /	657	
	193448EN191736	YEE KEE PRECAST CONCRETE PRODUCTS CO. LTD.	M+ Museum 286	Y10	16/09/19	/ /	581	
	193462EN191286	SHUN WING ALUMINIUM WORKS CO. LTD.	P1902 - Lai King Hill	Die cast zinc alloy	16/07/19	/ /	643	
	193464EN191350	Leisure and Cultural Services Dept.	Ref. No. EDO-19013-Provision of Water Test Services for Quarry Bay Park Site B	Potable Water - B2	08/01/19	/ /	73131	7
	193483EN191204	HARVEST CIVIL ENG CO LTD	Contract No. : 20179293 - Civil Engineering Improvement Works at Wang Tau Hom Estate	Fresh Water - Fresh Water "	27/06/19	/ /	662	
	193483EN191359	HARVEST CIVIL ENG CO LTD	Contract No. : 20179293 - Civil Engineering Improvement Works at Wang Tau Hom Estate	Fresh Water - WTH-TEM-FW-02 "	16/07/19	/ /	643	
	193504EN191200	NISHIHARA HONG KONG CO. LTD.	Test on Sikkens - Autocryl Plus LV RM	Autocryl Plus LV Sample - S001	29/06/19	/ /	660	
	193611EN191906	YUE HING MACHINE FACTORY LTD.	Testing of Brass Y-Stainer	body, mesh DN1/2", 1 1/4", 2"	08/10/19	/ /	559	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				PC190276				
	193615EN191809	Harriman Property MGT Ltd.	Potable Water Samplig and Testing Services-No.77 Peak Road, The Peak, Hong Kong	Fresh Water - Refer to JRF	09/10/19	/ /	558	
	193697EN191416	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF SELF CLOSING TAP	Self Closing Tap -- Self Closing Tap -- Self Closing Tap (Body+Cart.) --	05/08/19	/ /	623	
	193734EN191790	WING HING CONSTRUCTION CO. LTD.	T18W019 - Test on Fresh Water	Fresh Water	19/09/19	/ /	578	
	193734EN200601	WING HING CONSTRUCTION CO. LTD.	T18W019 - Test on Fresh Water	Potable Water	19/03/20	/ /	396	
	193768EN191699	THE HONG KONG ICE & COLD STORAGE CO. LTD.	Test on Ice Water	Ice	06/09/19	/ /	591	
	193780EN191568	D KWAN ASSOCIATES LIMITED	Sand Test for supplying 3RS projects	Sand	30/08/19	/ /	598	
	193802EN191779	YAN CHEONG CONSTRUCTION ENGINEERING LTD.	Piping Works for Existing Building at 2 - 8 Fuk Lo Tsun Road	Potable Water - Refer to JRF	18/09/19	/ /	579	
	193804EN191275	ON TAI WATERWORKS ENG. CO. LTD.	Test on Water (2/WSD/17)	Potable Water	09/07/19	/ /	650	
	193804EN191313	ON TAI WATERWORKS ENG. CO. LTD.	Test on Water (2/WSD/17)	Potable Water - Barker Road 47	12/07/19	/ /	647	
	193806EN191326	YEE FAI CONSTRUCTION CO LTD	Assessment of Corrosion Condition on Base Plates at Ocean Wings	I-beam Bracket	12/07/19	/ /	647	
	193832EN191588	KIN LEI TRADING MAINTENANCE ENGINEERING LIMITED	Testing of Rubber Floor Matting at STRC	Red floor matting - 003A	26/08/19	/ /	602	
	193898EN191383	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SELF-CLOSING TAP	Tap - PC190258/1 - WR-503318WE-1 Tap(Body, Cartridge, Copper-tube) - PC190258/1 - WR-503318WE-1	30/07/19	/ /	629	
	193898EN191383(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SELF-CLOSING TAP		30/07/19	/ /	629	
	193898EN192570	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SELF-CLOSING TAP	Self Cosing Tap - PC190388/1	30/12/19	/ /	476	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Self Cosing Tap - PC190388/1				
	193898EN192570(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SELF-CLOSING TAP		30/12/19	/ /	476	
	193906EN191386(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP		30/07/19	/ /	629	
	193906EN191386(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP		30/07/19	/ /	629	
	193909EN200202	WELCOME CONSTRUCTION CO. LTD.	Marine Sediment Sampling and Laboratory Analysis for Sediment Samples at Lung Mei Beach	Sediment - See attached	02/12/20	/ /	138	
	193917EN191488	YKK AP HONG KONG LIMITED	Test on Stainless Steel Screw & Washer	Screw	15/08/19	/ /	613	
	193937EN191824	VANNEX INTERNATIONAL LTD.	Air Monitoring Test for Cambridge Plaza-Rm. 120, 1/F., Block A, Cambridge Plaza, 188 San Wan Rd., Sheung Shui, N.T.	Air CANCELLED due to duplicated number	30/09/19	/ /	567	
	193939EN191621	CASO (HK) ENGINEERING CO. LTD.	Testing of Gypsum Plasters	AUGREEN Lightweight plaster	04/09/19	/ /	593	
	193968EN191362	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water - PH02 " - PH01	17/07/19	/ /	642	
	193968EN191413	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water - PH02	21/07/19	/ /	638	
	193968EN191444	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water - -	26/07/19	/ /	633	
	193968EN191490	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water - PH02	05/08/20	/ /	257	
	193968EN192024	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water - DN 80 Water Pipe for Food Kiosk	22/10/19	/ /	545	
	193968EN192086	WING HING CONSTRUCTION CO. LTD.	C17W07 - Cheong Tat Road Roundabout	Potable Water	28/10/19	/ /	539	
	194094EN192235	SLK MANUFACTURING LTD	TESTING OF BRONZE GATE VALVE	body, bonnet,stem seat ring PC190348	28/11/19	/ /	508	
	194108EN191419	FUNNY CORPORATION	Test on Activated Carbon	FUNCHEM PJ200A Powder activated carbon	07/08/19	/ /	621	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID for WSD Contract No. WSD/SO/18/025	Target Date	Test Comp	OD (days)	Amount
	194144EN191454	KS P&D ENGINEERING CO., LTD.	Test on Fresh Water in Complying WSD Circular Letter No.: 9/2017		29/07/19	/ /	630	
	194149EN192168	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y10 Y12 Y16 Y32	14/11/19	/ /	522	
	194149EN192224	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 Y40 batch	20/11/19	/ /	516	
	194149EN192461	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HCIIBIP-D013-Y40-012 Batch 13	17/12/19	/ /	489	
	194149EN192462	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y25 - HCIIBIP-D014-Y25-012 Y40 - HCIIBIP-D014-Y40-012 Batch 14	17/12/19	/ /	489	
	194149EN192489	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y12 - HCIIBIP-D015-Y12-012 Y16 - HCIIBIP-D015-Y16-012 Batch 15	16/12/19	/ /	490	
	194149EN200061	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HCIIBIP-D021-Y40-012 Batch 21	15/01/20	/ /	460	
	194149EN200065	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HCIIBIP-D020-Y40-015 Batch 20	15/01/20	/ /	460	
	194149EN200132	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y12 - HCIIBIP-D022-Y12-012 Y16 - HCIIBIP-D022-Y16-012 Batch 22	20/01/20	/ /	455	
	194149EN200139	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower	Y40	20/01/20	/ /	455	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	- HClIBIP-D023-Y40-015 Batch 23				
	194149EN200140	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HClIBIP-D024-Y40-009 Batch 24	20/01/20	/ /	455	
	194149EN200166	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HClIBIP-D025-Y40-015 Batch 25	25/01/20	/ /	450	
	194149EN200171	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HClIBIP-D026-Y40-009 Batch 26	27/01/20	/ /	448	
	194149EN200262	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y16 - HClIBIP-D028-Y16-012 Y40 - HClIBIP-D028-Y40-012 Batch 28	07/02/20	/ /	437	
	194149EN200499	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HClIBIP-D038-Y40-009 Batch 38	14/03/20	/ /	401	
	194149EN200501	CHINA OVERSEAS BLDG CONST. LTD	Hopewell Centre II (Formerly maga Tower Hotel - Superstructure) on I.L. 8715 Kennedy Road, Hong Kong	Y40 - HClIBIP-D039-Y40-012 Batch 39	16/03/20	/ /	399	
	194171EN192201	KEEN SMART LTD.	TESTING OF VAKVE	nut,stem - KS-S-050-001 - KS-S-050-002 - KS-S-050-003 - KS-S-050-003	25/11/19	/ /	511	
	194187EN192050	NAN FUNG GROUP	Renewal of IAQ Certificate with Measurement for Headquarter Office of Hon Hing Enterprises Ltd.	- 20/F, Laws Commercial Building	30/11/19	/ /	506	
	194189EN192449	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	Gate valve DN65 PC190310	12/12/19	/ /	494	
	194189EN192450	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	Gate valve DN80	12/12/19	/ /	494	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				PC190311				
	194189EN192451	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	Gate valve DN100 PC190312	12/12/19	/ /	494	
	194189EN200086	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	stem nut PC190310	18/01/20	/ /	457	
	194189EN200087	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	stem nut PC190311	18/01/20	/ /	457	
	194189EN200088	THE JARDINE ENGINEERING CORPORATION LTD.	TESTING OF D.I. GATE VALVE	stem nut PC190312	18/01/20	/ /	457	
	194199EN191770	Water SuppliesDepartment	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the General Acceptance System	steel pipe - 19P 159 - 19V 168 - 19P 176 PC190306	21/09/19	/ /	576	
	194199EN191893	WATER SUPPLIES DEPARTMENT	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the General Acceptance System	SS expansion joint inner brand :waterfront model: WSX size: 50mm 19v185	11/10/19	/ /	556	
	194199EN192216	WATER SUPPLIES DEPARTMENT	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the General Acceptance System	body PC190353	19/11/19	/ /	517	
	194199EN192525	WATER SUPPLIES DEPARTMENT	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the General Acceptance System	hinge PC190373	24/12/19	/ /	482	
	194199EN200085	Water Supplies Department	WQ/19/A041 - Provision of Testing Services for the Surveillance Programme of the General Acceptance System	PC200004	17/01/20	/ /	458	
	194199EN200215	WATER SUPPLIES DEPARTMENT	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the General Acceptance System	PC200019	30/01/20	/ /	445	
	194199EN200362	WATER SUPPLIES DEPARTMENT	WQ/19/A041 - Provision of Testing Service for the Surveillance Programme of the	PC200042 spout	24/02/20	/ /	420	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			General Acceptance System	bellow filter				
	194227EN192471	ASCD	Provision of Service for Water Quality Testing for Water Dispenser in Shing Mun Contry Park	Potable Water	24/12/19	/ /	482	
	194244EN191489	AQVASOURCE LIMITED	TESTING OF TOP		15/08/19	/ /	613	
	194244EN191567	AQVASOURCE LIMITED	TESTING OF TOP	Tap - DL6103S 1 "	19/08/19	/ /	609	
				- DL6103S 2				
	194245EN191610	Harriman Property MGT Ltd.	Potable Water Sampling and Testing Services at Oasis Kai Tak, 10 Muk Ning St., Kai Tak, Kln	Fresh Water - Refer to JRF	04/09/19	/ /	593	
	194267EN192155	WUHAN KAIDI ELECTRICAL POWER ENVIRONMENT CO. LTD.	CPB B1/B2/B3/B4 unit FGD Performance Test	CPB B1 unit FGD For baseline	12/11/19	/ /	524	
	194326EN191558	WAI TAI ENGINEERING CO.	Chemical Composition Test of 8mm & 10mm thk Steel Plate for SCL1124 Project	8mm thk steel plate 10mm thk steel plate	16/08/19	/ /	612	
	194413EN191544	YUE HING MACHINE FACTORY LTD.	Testing of Bronze Globe Valve	Body, bonnet, disc, stem DN15, 32, 50	20/08/19	/ /	608	
	194424EN192443	SANFIELD (MANAGEMENT) LTD.	Tenfer Ref.: 29269 - 業發街4號食水銅喉及銀焊支測試	brazing filler	01/04/20	/ /	73086 8	
	194427EN200034	YOUNG DRAGON INTERNATIONAL LTD.	Testing of Steel Pipe	DN32, 80, 150 steel pipe PC190369	10/01/20	/ /	465	
	194427EN200214	YOUNG DRAGON INTERNATIONAL LTD.	Testing of Steel Pipe	steel pipe DN150 PC190369	30/01/20	/ /	445	
	194427EN200530	YOUNG DRAGON INTERNATIONAL LTD.	Testing of Steel Pipe	GI pipe 40, 50, 100mm PC190369	17/03/20	/ /	398	
	194464EN191559	ORIENT ENGINEERING (H.K.) LIMITED	Testing of Water Sample from New Plumbing Works	Fresh Water	16/08/19	/ /	612	
	194506EN191946	JUMBO RICH TRADING LIMITED	Testing of "Master Bellows" ASFF Stainless Steel Expansion Joint with Flange End	ASFF SS expansion joint PC190327	18/10/19	/ /	549	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	194507EN191545	CONCORD FORTUNE GROUP	香港機場第三跑道填海工程	Fill material sand	21/08/19	/ /	607	
				Dungun river-Estuary sand				
	194516EN191639	YUE HING MACHINE FACTORY LTD.	Testing of Thermostatic Mixing Valve (Top Up Test)	body,connector tubex2,stem,spring,nut DN15,22	31/08/19	/ /	597	
				body x2,connector x4,stem x2,spring x2 - DN 15 and 22				
				nut x2, mesh x2				
	194520EN191709	DJJ HONG KONG LTD.	Cu Granules Analysis	Copper Granules	20/08/19	/ /	608	
				- A				
				Copper Granules				
				- B				
				Copper Granules				
				- C				
	194530EN191576	TUNG FAT PLUMBING ENGINEERING CO. LTD.	56 Queen's Road Central	Fresh Water	19/08/19	/ /	609	
				- Refer to JRF				
	194530EN191622	TUNG FAT PLUMBING ENGINEERING CO. LTD.	56 Queen's Road Central		26/08/19	/ /	602	
	194535EN191608	BRITANNIA GARMENT PACKAGING (HK) LTD.	Test on Drinking Water Samples	Drinking Water	28/08/19	/ /	600	
				- GIK				
				"				
				- 14L				
	194594EN191637	SLK MANUFACTURING LTD	TESTING OF BRONZE GATE VALVE	body	30/08/19	/ /	598	
	194623EN200312	KAI SHING MGT SERVICES LTD-ELITE CENTRE	RFQ-EC-42-19 - Lab. Test for 4 Water Samples for Lead Content and Legionella in fresh Water Line in Elite Centre for 2020	Fresh Water	14/02/20	/ /	430	
				- Refer to JRF				
	194654EN191687	ANTHESIS GROUP	IAQ Test for Time Square Tower 24/F		09/10/19	/ /	73104	
							3	
	194670EN200448	Chun Wo Construction & Engineering Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water	16/03/20	/ /	399	
				- Refer to JRF				
	194670EN200467	Chun Wo Const. & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	- Refer to JRF	17/03/20	/ /	398	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	194670EN200474	Chun Wo Const. & Eng. Co. Ltd.	Shatin Area 36C - Provision of Wate Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	18/03/20	/ /	397	
	194670EN200511	Chun Wo Construction & Engineering Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	19/03/20	/ /	396	
	194670EN200514	CHun Wo Construction Engineering CO. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	20/03/20	/ /	395	
	194670EN200533	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	24/03/20	/ /	391	
	194670EN200537	Chun Wo Construction & Eng.Co. Ltd.	Shatin Area 36C - Provisin of Water Quality Test and Water Sampling Test Services for Dubsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	26/03/20	/ /	389	
	194670EN200557	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C-Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	25/03/20	/ /	390	
	194670EN200562	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	27/03/20	/ /	388	
	194670EN200612	Chun Wo Constructon & Eng. Co. Ltd.	Shatin Area 36C - Procision of Water Quality Test and Water Sampling Test Service for Subsidized Flats at Shatin Area 36C	Potable Water - Refer to JRF	01/04/20	/ /	383	
	194670EN200620	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water	03/04/20	/ /	381	
	194670EN200656	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C	Potable Water - Refer to JRF	04/02/20	/ /	440	
	194670EN200666	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water	Refer to JRF	08/04/20	/ /	376	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36C					
	194670EN200675	Chun Wo Construction & Eng. Co. Ltd.	Shatin Area 36C - Provision of Water Quality Test and Water Sampling Test Service for Subsidized Sale Flats at Shatin Area 36c	Potable Water	04/10/20	/ /	197	
	194782EN192072	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Southern Connection Sub-sea Tunnel Section	Air	10/11/19	/ /	526	
	194801EN200529	MING HING WATERWORKS ENGINEERING CO., LTD.	Testing of Ductile Iron Gate Valve	stem, stem nut, seat ring, disc ring PC190330	17/03/20	/ /	398	
	194845EN191707	THE HONG KONG ICE & COLD STORAGE CO. LTD.	Test on Ice Water	Ice Sample --	06/09/19	/ /	591	
	194868EN191712	DIGAO BUILDING MATERIALS CO. LTD.	Tests on DEGO LATEX - 520	DEGO Latex - 520	16/09/19	/ /	581	
	194884EN191945	AMPLE POWER INVESTMENTS (HONG KONG) LIMITED	Third Runway	Sand	21/10/19	/ /	546	
	194884EN191995	AMPLE POWER INVESTMENTS (HONG KONG) LIMITED	Third Runway	Soil	29/10/19	/ /	538	
	194930EN191743	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP	s-union nut PC190300	24/09/19	/ /	573	
	194930EN191895	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP	nut WR-257090000 PC190300	11/10/19	/ /	556	
	194932EN191751	TUNG FAT PLUMBING ENGINEERING CO. LTD.	Hai Tan Street	Fresh Water - Refer to JRF	11/09/19	/ /	586	
	194932EN191789	TUNG FAT PLUMBING ENGINEERING CO. LTD.	Hai Tan Street	Fresh water - Refer to JRF	19/09/19	/ /	578	
	194940EN191731	Harriman Property MGT Ltd.	Potable Water Sampling and Testing Services at Savannah, 3 Chi Shin Street, Tseung Kwan O, N.T.	Potable Water - Refer to JRF	24/09/19	/ /	573	
	194941EN191910	CHEUK SHING CONSTRUCTION	Test on Water - "Quality Water Recognition	Potable Water	08/10/19	/ /	559	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		ENGINEERING CO. LTD.	Scheme for Buildings"	- T1 Potable				
	194961EN191821	HANG FUNG PIPES CO., LTD.	TESTING OF DN100 STAINLESS STEEL Y-STRAINER WITH FLANGE END (SS316)	screen PC190302	30/09/19	/ /	567	
	194991EN191839	Harriman Property MGT Ltd.	Detection and Enumeration of Legionella for Water Samples at Monterey, 23 Tong Chun Street, Tseung Kwan O	Fresh Water - Refer to JRF	11/10/19	/ /	556	
	195023EN191927	LEISURE AND CULTURAL SERVICES DEPT	DPA LCSD NCWCC 1123 - Provision of Services for IAQ Renewal Certification and Mould Assessment for Ngau Chi Wan Civic Centre	1-3/F - Ngau Chi Wan Civic Centre	31/10/19	/ /	536	
	195034EN192370	CLP POWER HONG KONG LTD	IAQ Certificate Scheme (2019)		31/12/19	/ /	475	
	195043EN192321(2)	HANS GROHE PTE. LTD.	Testing of Mixer or Tap		15/12/19	/ /	491	
	195043EN200463	HANS GROHE PTE. LTD.	Testing of Mixer or Tap	PC200003	12/03/20	/ /	403	
	195044EN192283	YUE HING MACHINE FACTORY LTD.	Testing of Cast Iron Equilibrium Ball Float Valve	piston, lever DN80,100,150 PC190352	01/12/19	/ /	505	
	195045EN192453	YUE HING MACHINE FACTORY LTD.	Testing of Cast Iron Wafer Type Silent Check Valve (Brand Yue Hing)	disc, seat ring, stem PC190368	13/12/19	/ /	493	
	195082EN191933	HONG KONG WELDING LIMITED	Contract No. : 20170225-Construction of Public Housing Development Ph. 1&2 and Susidised Sale Flats Development at Diamond Hill Comprehensive Development Area	Welding material - 20170225 NR232-16107759-1A - 20170225 NR232-16107759-1B	05/10/19	/ /	562	
	195114EN192131	THERMO FISHER SCIENTIFIC	Containment Test of Fume Cupboard at City U	Fume cupboard	15/11/19	/ /	521	
	195116EN192059	LEIGHTON CONTRACTORS (ASIA) LTD	Central Wan Chai Bypass - Air Quality Measurement		08/11/19	/ /	528	
	195116EN192060	LEIGHTON CONTRACTORS (ASIA) LTD	Central Wan Chai Bypass - Air Quality Measurement		08/11/19	/ /	528	
	195121EN200443	CHINA OVERSEAS (HONG KONG) LTD.	BEAM Plus IEQ Measurement for 450-456G Queen's Road West Project	IEQ Assessment .	18/03/20	/ /	397	
	195215EN192008	JOHNSON CONTROLS HONG KONG LTD.	Test on Lub Oil	Black Lub oil	30/10/19	/ /	537	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- WCC1				
	195224EN200464	GEBERIT SOUTH EAST ASIA PRIVATE LIMITED	Testing of Sensor Flush for Urinals	connector x2 PC190328	10/03/20	/ /	405	
	195224EN200765	GEBERIT SOUTH EAST ASIA PRIVATE LIMITED	Testing of Sensor Flush for Urinals	innet connector connector PC190328	31/03/20	/ /	384	
	195257EN191918	THORN SECURITY (HK) LTD.	Test on Water	Fresh Water	10/10/19	/ /	557	
	195257EN191973	THORN SECURITY (HK) LTD.	Test on Water	Potable Water	15/10/19	/ /	552	
				--				
	195271EN191892	MASTER BUILDING MATERIOLS & COMSTRUCTION COMPANY	TESTING OF STAINLESS ATEEL COVER AND SHELL	shell , cover PC190313	11/10/19	/ /	556	
	195305EN192200	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Flanged End	flanged end DN25,32,40,50,65	19/11/19	/ /	517	
	195305EN200340	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Flanged End	body PC190317	20/02/20	/ /	424	
	195305EN200413	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Flanged End	PC190317	12/03/20	/ /	403	
	195306EN192129	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Screw End	body DN25, 32, 40, 50 PC190316	07/11/19	/ /	529	
	195306EN200339	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Screw End	PC190316 body	20/02/20	/ /	424	
	195306EN200414	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Pipe with Screw End	PC190316	12/03/20	/ /	403	
	195321EN192448	BUILD KING CONSTRUCTION LIMITED	Proposed Development At Tuen Mun Town Lot No. 520, So Kwun Wat, N.T.	Y25 - 191206-25F	16/12/19	/ /	490	
	195321EN200468	BUILD KING CONSTRUCTION LIMITED	Proposed Development At Tuen Mun Town Lot No. 520, So Kwun Wat, N.T.	Y16 - 200228-16F Y20 - 200228-20F Y25 - 200228-25F batch 12	11/03/20	/ /	404	
	195336EN191837	Deseng Sand & Gravel Co. Ltd.	Test for Fill Material	Sand - Souce:Johor Malaysia	05/10/19	/ /	562	
	195354EN191912	AGRICULTURE, FISHERIES &	Provision of Service for Water Quality	Potable Water	22/10/19	/ /	545	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		CONSERVATION DEPT.	Testing for Water Dispenser in Shing Mun Country Park					
	195381EN200149	Kai Shng MGT Services Ltd.-51 Deep Water Bay Road	RFQ-51DWB-25-19 Water Analysis of Water Quality for Potable and Flush Water in 51 Deep Water Bay Road	Fresh Water - Refer to JRF	28/01/20	/ /	447	
	195415EN200274	KAI SHING MGT SERVICES LTD-SHOUSON PEAK	RFQ-SPEAK-39-19 Water analysis (2020) of water quality for potable and flush water tanks, cleansing and irrigation tanks in Shouson Peak	Potable Water - Refer to JRF	19/02/20	/ /	425	
	195416EN191976	WONG PING KEE CONST CO LTD.	New Flight Simulator at 3/F Simulator Hall L Cathy Pacific City	Y16	22/10/19	/ /	545	
	195472EN192063	KAI SHING MGT SERVICES LTD-THE WINGS II	RFQ-TW2-58-19 - IAQ Certificate for The Wings III Clubhouse		30/11/19	/ /	506	
	195484EN192144	AXENT (SHANGHAI) CORPORATION LTD	TESTING OF MIXER TAP	spout connector, valve cartridge body b, fitting, spout connector PC190325	08/11/19	/ /	528	
	195551EN200424	K. WAH MATERIALS LTD	On-site Monitoring, Testing, Reporting Services & Calibration Services of High Volume Sampler		06/04/20	/ /	378	
	195557EN192198	MARSHALL-KARSON CONST. & ENGINEERS LTD.	Testing Coating Thickness of Steel Wire Rope (CEDD Contract No. GE/2017/08)	Steel wire dia 4mm - GBA-1A Steel wire dia 4mm - GBA-1B Steel wire dia 4mm - GBA-1C Steel wire dia 3mm - ROC-1A Steel wire dia 3mm - ROC-1B Steel wire dia 3mm - ROC-1C	16/11/19	/ /	520	
	195634EN192466	BUILD KING CONSTRUCTION LIMITED	HKUST Shaw Auditorium, No.1 University road, Clearway Bay	Y16 - Y16-1206-06 Y25 - Y25-1206-06	13/12/19	/ /	493	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y32 - Y32-1206-06 Y40 - Y40-1206-06 Batch 2				
	195634EN192571	BUILD KING CONSTRUCTION LIMITED	HKUST Shaw Auditorium, No.1 University road, Clearway Bay	Y10 - Y10-1218-06 Y20 - Y20-1218-06 Y25 - Y25-1218-06 Y32 - Y32-1218-06 Y40 - Y40-1218-06 Batch 3	28/12/19	/ /	478	
	195634EN200062	BUILD KING CONSTRUCTION LIMITED	HKUST Shaw Auditorium, No.1 University road, Clearway Bay	Y12 - Y12-0103-06 Y16 - Y16-0103-06 Y25 - Y25-0103-06 Y32 - Y32-0103-06 Y40 - Y40-0103-06 Batch 4	15/01/20	/ /	460	
	195634EN200462	BUILD KING CONSTRUCTION LIMITED	HKUST Shaw Auditorium, No.1 University road, Clearway Bay	Y10 - Y10-0229-11 Y10 - Y10-0229-12 Y20 - Y20-0229-11 Y20 - Y20-0229-12 batch 7	10/03/20	/ /	405	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	195634EN200502	BUILD KING CONSTRUCTION LIMITED	HKUST Shaw Auditorium, No.1 University road, Clearway Bay	Y10 - Y10-0306-06 Y12 - Y12-0306-06 Y16 - Y16-0306-06 Y20 - Y20-0306-06 Y25 - Y25-0306-06 Y32 - Y32-0306-06 Y40 - Y40-0306-06 batch 8	16/03/20	/ /	399	
	195670EN192085	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water --	07/11/09	/ /	66161	8
	195670EN192165	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water	20/11/19	/ /	516	
	195670EN192205	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water	22/11/19	/ /	514	
	195670EN192208	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water - Refer to JRF Canned	25/11/19	/ /	511	
	195670EN192222	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water - Refer to JRF	27/11/19	/ /	509	
	195670EN192223	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water - Refer to JRF	28/11/19	/ /	508	
	195670EN192237	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel	Potable Water - Refer to JRF	29/11/19	/ /	507	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project Section	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	195670EN192249	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water - Refer to JRF	25/11/19	/ /	511	
	195670EN192264	DRAGAGES - BOUYGUES JOINT VENTURE	HY/2012/08 - Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section	Potable Water - Refer to JRF	22/11/19	/ /	514	
	195691EN200372	Ever Great Eng. (HK) Ltd.	Residential Redevelopment at No.23 Jupiter Street, Tin Hau, HK	Water - Refer to JRF	21/02/20	/ /	423	
	195694EN192006	SAINT-GOBAIN WEBER (H.K.) BUILDING MATERIAL CO LTD	VOC Testing	Weberepox easy	30/10/19	/ /	537	
	195695EN200597	THE JARDINE ENGINEERING CORPORATION LTD.	Testing of Ductile Iron Gate Valve	stem,seat, seat ring DN50,80,125,200,300 PC200016	23/03/20	/ /	392	
	195727EN192058	ECOSAGE LIMITED	Unit B, 16/F, Phase I, Vigor Industrial Building, 49-53 Ta Chuen Ping Street, N.T.	Air	10/11/19	/ /	526	
	195746EN192028	AGRICULTURE, FISHERIES & CONSERVATION DEPT.	Provision of Service for Water Quality Testing for Water Dispenser in Shing Mun Country Park	Potable Water - -	23/10/19	/ /	544	
	195773EN192137	DGL CHEMICALS (HONG KONG) LTD.	VOC Test for Neutral Cure Silicone Sealant	Portable sealant selleys neutral silicone sealant white & clear	04/11/19	/ /	532	
	195774EN192389	HSIN CHONG CONSTRUCTION CO. LTD.	BEAM Plus Water Quality Survey WUP1 - Tung Chung 56	Potable Water - Refer to JRF	12/12/19	/ /	494	
	195774EN192523	HSIN CHONG CONSTRUCTION CO. LTD.	BEAM Plus Water Quality Survey WUP1 - Tung Chung 56	Fresh Water - Refer to JRF	27/12/19	/ /	479	
	195931EN192173	B.S.C. BUILDING MATERIALS SUPPLY CO. LTD.	TESTING OF MIXER OR TAP	Mixer - PC190347/1 Mixer - PC190347/1 Mixer - PC190347/1 (Body x3, Spout x1, Valve Cartridge x2)	20/11/19	/ /	516	
	195931EN192173(2)	B.S.C. BUILDING MATERIALS SUPPLY CO.	TESTING OF MIXER OR TAP		20/11/19	/ /	516	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		LTD.						
	195952EN192134	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Potable Water - -	01/11/19	/ /	535	
	195952EN192156	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Potable Water - PE150FW01	06/11/19	/ /	530	
	195952EN200624	PROFESSIONAL POTABLE WATER SANITATION LIMITED	Tests on Water in Complying WSD Circular Letter No. 9/2017	Potable Water	24/03/20	/ /	391	
	195955EN200176	Kai Shing MG Services Ltd-The Alany	RFQ-ABY-71-19 v1 Water Analysis of Water Quality for Potable and Flush Water Sampling in The Albany	Potable Water - Refer to JRF	31/01/20	/ /	444	
	195963EN192428	KIN KAY MACHINERY RENTAL & ENGINEERING CO. LTD.	Testing on Fresh Water	Fresh Water - DN150 F23	06/12/19	/ /	500	
	195965EN192505	OPTIMIX (HONG KONG) LTD	Test on Repair Mortar - RM780	RM780	13/12/19	/ /	493	
	196051EN192402	THE CHINA PAINT MFG. CO. (1932) LTD.	Test on Water Based Anti-corrosion Primer # 981	Primer - #981	13/12/19	/ /	493	
	196052EN210104	ELECTRICAL & MECHANICAL SERVICES DEPT.	36 Months Term Contract for Indoor Air Quality Assessment for EMSD Headquarters Building		31/01/21	/ /	78	
	196123EN200386	POWER SMART ENGINEERING LTD.	Indoor Air Quality Test for 17/F & 32/F One Island East		05/03/20	/ /	410	
	196170EN192286	Guangzhou Evergrande	IAQ Test for China Evergrande Centre		31/12/19	/ /	475	
	196205EN192203(1)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP		30/11/19	/ /	506	
	196205EN200270	Luen Hing Hng Building Materials Ltd.	Testing of Mixer	Self Closing Valve Cartridge - PC190346/1	15/02/20	/ /	429	
	196215EN192206	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	25/11/19	/ /	511	
	196215EN192207	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	25/11/19	/ /	511	
	196215EN192220	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	12/01/19	/ /	73131 3	
	196233EN192202	KIMSION PLASTIC & METAL MANUFACTURING LTD.	Leaching Test	Ball Valve - PC190349/1	30/11/19	/ /	506	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	196233EN192515	KIMSION PLASTIC & METAL MANUFACTURING LTD.	Leaching Test	PC190349 stem, nut, connector	27/12/19	/ /	479	
	196286EN200921	WELSON METAL & SANITARY WARE MFY	Testing of Copper Fitting	TEE AND CONNECTOR PC190351	10/04/20	/ /	374	
	196305EN200244	VANNEX INTERNATIONAL LTD.	Air Monitoring Test in Jumbo Plaza B1-B13 Workshop, Sheung Shui	Air monitoring	21/01/20	/ /	454	
	196308EN192376	GREEN ISLAND CEMENT CO LTD	WSD's Quality Water Supply Scheme for Buildings - Fresh Water	Fresh Water - Refer to JRF	16/12/19	/ /	490	
	196319EN200576	HONG YIP SERVICE CO LTD-HARBOUR PLACE CLUBHOUSE	IAQ Testing & Re-certificate Application for Clubhouse, Harbour Place (For 2020 - 2021)	Date of measurement: 23/05/2020 - Harbour Place Clubhouse	30/05/20	/ /	324	
	196346EN192274	Evergrande		Fresh Water - Refer to JRF	02/12/19	/ /	504	
	196434EN192486	THE HONG KONG & CHINA GAS CO LTD	Tai Po Town Gas - Stack Measurement Services	Emission	01/10/20	/ /	73068	5
	196470EN192317(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/12/19	/ /	491	
	196470EN192318(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/12/19	/ /	491	
	196470EN192319(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		15/12/19	/ /	491	
	196470EN200095	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	Mixer - PC190380/1 Mixer - PC190380/1 Mixer - PC190380/1	30/01/20	/ /	445	
	196470EN200095(1)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER		20/03/20	/ /	395	
	196471EN192316(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ELECTRONIC FAUCET OR MIXER TAP		15/12/19	/ /	491	
	196471EN200096	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ELECTRONIC FAUCET OR MIXER TAP	Mixer - PC190381/1	30/01/20	/ /	445	
	196471EN200757(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ELECTRONIC FAUCET OR MIXER TAP		15/04/20	/ /	369	
	196474EN192326			Fresh Water	06/12/19	/ /	500	
	196474EN200091			Fresh Water	23/01/20	/ /	452	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 75 Peak Road				
	196474EN200278	Evergrande		Fresh Water	20/02/20	/ /	424	
	196474EN200560			Fresh Water	23/03/20	/ /	392	
	196474EN201268	廣州市恒大裝修設計院有限公司	011項目山泉水檢測		06/10/20	/ /	195	
	196497EN192368	THE INCORPORATED OWNERS OF CAMY HOUSE	Test on Paint	Paint	07/12/19	/ /	499	
	196497EN192369	THE INCORPORATED OWNERS OF CAMY HOUSE	Test on Paint	Paint	07/12/19	/ /	499	
	196499EN200515	ASPHALT SURFACES (INT'L) LTD	Tests on Exhaust Emission - Tsing Yi Batching Plant	- Location: EP01	20/03/20	/ /	395	
	196513EN200489	SINO EST. MGT. LTD. - GOLD COAST	GCCH-19-Q0035 - Provision of Accredited IAQ Cert. Issuing Body and Consultancy Service under Air Quality Cert. for Residential Clubhouse, Hong Kong Gold Coast		21/03/20	/ /	394	
	196540EN192324	JONES LANG LASALLE LIMITED	Air Quality Surveillance	Air and dust - Loaction : Tsim Sha Tsui Branch	12/02/19	/ /	73128 2	
	196540EN192325	JONES LANG LASALLE LIMITED	Air Quality Surveillance	Air and dust - Loaction : 238 Nathan Road Branch	12/02/19	/ /	73128 2	
	196540EN192332	JONES LANG LASALLE LIMITED	Air Quality Surveillance	Air and dust - Whampoa Garden	12/10/19	/ /	73104 0	
	196540EN192381	JONES LANG LASALLE LIMITED	Air Quality Surveillance	Air and dust - Loaction : Mong Kok HSB Building	12/06/19	/ /	73116 2	
	196542EN200535	Royal Elite Service Co. Ltd.	HY/02310-1/19/061996 - Drinking Water Sampling Public Area and Laboratory Testing	Drinking Water - Refer to JRF	19/03/20	/ /	396	
	196549EN192320(2)	KITCHEN HIGHLIGHTS LTD	Testing of Single Lever Mixer		15/12/19	/ /	491	
	196549EN200027	KITCHEN HIGHLIGHTS LTD	Testing of Single Lever Mixer	Mixer - PC190364/1 (LV00113CR)	15/01/20	/ /	460	
	196629EN200055	THE HONG KONG POLYTECHNIC UNIVERSITY	Air Quality Measurement	IAQ	18/01/20	/ /	457	
	196633EN192455	EXXON LIMITED	Analysis of Red Dye Marker	Marine Gasoil - F194858	13/12/19	/ /	493	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	196633EN192468	EXXON LIMITED	Analysis of Red Dye Marker	Marine Gasoil - F194955 - F194956	18/12/19	/ /	488	
	196633EN192487	EXXON LIMITED	Analysis of Red Dye Marker	Red Dye Marker - F194832 Marine Gasoil - F194986 Marine Gasoil - F194987	21/12/19	/ /	485	
	196633EN192568	EXXON LIMITED	Analysis of Red Dye Marker	dye marker - F195111	24/12/19	/ /	482	
	196633EN200137	EXXON LIMITED	Analysis of Red Dye Marker	dye marker - F200006	18/01/20	/ /	457	
	196644EN192345	MAX CHAMPION GLOBAL INVESTMENT LTD.	Sand Testing	Sand - Source: - Cotabato, Philippines Sand - Source: - Cotabato, Philippines	12/12/19	/ /	494	
	196644EN200155	MAX CHAMPION GLOBAL INVESTMENT LTD.	Sand Testing	Sediment	30/01/20	/ /	445	
	196705EN192452	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON WAFER TYPE SILENT CHECK VALVE (BRAND MITY)	disc, seat ring, stem PC190367	13/12/19	/ /	493	
	196764EN203149	JUMBO RICH BUILDING SUPPLIES LTD.	BS 6920: 2014		09/02/21	/ /	69	
	196816EN200528	WELSON METAL & SANITARY WARE MFY	Testing of Copper Fitting	copper fitting DN32,40,50 PC190391	23/03/20	/ /	392	
	196819EN200363	KEMBLA (HK) LTD.	Testing of Copper Tube	copper tube PC200020	03/03/20	/ /	412	
	196843EN200385	FOOD & ENVIRONMENTAL HYGIENE DEPARTMENT	Provision of Indoor Air Quality Certification for Man Kam To Food Control Extension Site B&C		05/03/20	/ /	410	
	196860EN201427	KAI SHING MANAGEMENT SERVICES LTD.	IAQ Certification for PopWalk 2	IAQ Certificate Measurement	23/06/20	/ /	300	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	196870EN192587	Forerunner Specialist Limited	Project A204 Tung Chung	S.S. Grade 304 Hinge	14/01/20	/ /	461	
	196871EN200231	THE IVF CLINIC	Air Quality for Swab Culture Testing in 2020		29/02/20	/ /	415	
	196880EN200824	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	05/04/20	/ /	379	
	196880EN200825	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	08/05/20	/ /	346	
	196880EN200826	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	08/05/20	/ /	346	
	196880EN200827	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	08/05/20	/ /	346	
	196880EN200829	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	20/05/20	/ /	334	
	196880EN202676	SWIRE PROPERTIES MANAGEMENT LTD.-TAIKOO PLACE	Renewal of Indoor Air Quality Certificate for Public Area 2020 at Taikoo Place Ref: E-TPTS1902091	IAQ Certificate Measurement	15/11/20	/ /	155	
	196888EN200334	K. WAH ASPHALT LTD.	Test on Ultra Low Sulphur Diesel	ulsd	03/04/20	/ /	73086	6
	196894EN192588	GM ENGINEERING LTD.	IAQ Testing Services for 18/F., Wing On Centre, Sheung Wan, Hong Kong	- cancel	30/12/19	/ /	476	
	196902EN192479	MAXFUL ENGINEERING LTD.	Fresh Water Test (Tai Po Lai Chi Shan Village)	Fresh Water	16/12/19	/ /	490	
	196910EN203151	DENKA CONSTRUCTION SOLUTIONS FAR EAST LIMITED	Testing on Waterproofing Membrane		09/02/21	/ /	69	
	196964EN192554	GREAT STONE ENGINEERING LIMITED	Test on Water - "Quality Water Recognition Scheme for Buildings - Fresh Water (Plus)"	Fresh Water - Refer to JRF	07/01/20	/ /	468	
	196981EN200033	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON WAFER TYPE SILENT CHECK VALVE (BRAND : EMPIRE)	seat & disc DN50,65,80,100,150,200,250 PC190378	10/01/20	/ /	465	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	196990EN192590	AKZO NOBEL PAINTS LTD.	VOC Test	TBC - VOC A127	06/01/20	/ /	469	
	196999EN200387	LINDE HKO LTD.	IAQ Certification for Office Building at 12 Chun Yat Street		05/03/20	/ /	410	
	196999EN200820	LINDE HKO LTD.	IAQ Certification for Office Building at 12 Chun Yat Street	IAQ Certificate Measurement .	16/02/20	/ /	428	
	197028EN200764	WELSON METAL & SANITARY WARE MFY	Testing of Gunmetal Basket Strainer	PC190383 body and mesh	30/03/20	/ /	385	
	197065EN192598	HING & CHEONG CO LTD	Contract No. 7/WSD/17 - Test on Ultra Low Sulphur Diesel	ULSD	10/01/20	/ /	465	
	197068EN200032	YUE HING MACHINE FACTORY LTD.	Testing of Stainless Steel Seat Ring	disc and seat material for Empire Fig.280 (Globe type)/fig 290 (wafer type cast iron silent check valve	10/01/20	/ /	465	
	197068EN200472	YUE HING MACHINE FACTORY LTD.	Testing of Stainless Steel Seat Ring	sear ring PC200048	11/03/20	/ /	404	
	197074EN192603	GAMMON CONSTRUCTION LTD	IEQ P1 Measurement - Ma Tau Wai Road	IEQP1 Cancelled by Simon Chiu on 28/02/2020	08/01/20	/ /	467	
	197102EN200205	ELECTRICAL & MECHANICAL SERVICES DEPT.	Mun/H1/HKCL/2019/0015 - Quality analysis of 24 nos. of water sample of drinking fountain in Hong Kong Central Library	Drinking Fountain Water	24/01/20	/ /	451	
	197158EN200023	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	13/01/20	/ /	462	
	197158EN200024	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	13/01/20	/ /	462	
	197158EN200025	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	13/01/20	/ /	462	
	197174EN200223	NOVOX LIMITED	Test on Soil	Reference soil SP01 5/F Planter SP02 R/F Planter (central lawn) SP03 R/F Planter	24/02/20	/ /	420	
	197186EN200316	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	24-hr RSP - OD1	27/02/20	/ /	417	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				24-hr RSP - OD2				
	197186EN200317	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	8-hr RSP - ID1a 8-hr RSP - ID1b 8-hr RSP - ID7	27/02/20	/ /	417	
	197186EN200318	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	Nosie - day time - N1	27/02/20	/ /	417	
	197186EN200319	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	Noise - night time - N1	05/03/20	/ /	410	
	197186EN200320	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	Landfill gas - LFG 1-7	27/02/20	/ /	417	
	197186EN200321	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	Roof TSP - EX-1 Roof TSP - EX-2 Roof TSP - EX-3 Roof TSP - EX-4	27/02/20	/ /	417	
	197186EN200322	ALBA INTEGRATED WASTE SOLUTIONS (HK) LTD.	Enviromental Monitoring at EcoPark, Tuen Mun, N.T. 2020	Roof RSP - EX-2 Roof RSP - EX-3 Roof RSP - EX-4	27/02/20	/ /	417	
	197221EN201428	LEISURE AND CULTURAL SERVICES DEPT	IAQ Certification for Kowloon Park Sports Centre (KPSC)	IAQ Certificate Measurement . .	23/06/20	/ /	300	
	197248EN200097	MITSO ENGINEERING & CONSTRUCTION CO. LTD.	A & A Works at 6-8 Ching Sau Lane, Chung Hom Kok, Hong Kong		13/01/20	/ /	462	
	200022EN200079	SAPR JV	Hong Kong International Airport Contract 3303 - Third Runway and Associated Works	Y10 - AR1004204	16/01/20	/ /	459	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y12 - AR1004216 Batch 1				
	200040EN200066	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y10 Y12 Y16 Y20 Y25 Batch 7	15/01/20	/ /	460	
	200040EN200081	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y32 Y40 Batch 6	16/01/20	/ /	459	
	200040EN200146	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y12 Y16 Y32 Y40 Batch 8	22/01/20	/ /	453	
	200040EN200165	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y10 Y20 Y25 Y40 Batch 9	25/01/20	/ /	450	
	200040EN200350	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	T10 T40 Batch 11	20/02/20	/ /	424	
	200040EN200358	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	T12 T16 T20 Batch 12	25/02/20	/ /	419	
	200040EN200359	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	T40 Batch 13	25/02/20	/ /	419	
	200040EN200541	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y16 batch 18 retest	18/03/20	/ /	397	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	200040EN200542	Aggressive Construction Engineering Limited	Proposed Residential Development at TMTL No.547 Castle Peak Road - Castle Peak Bay, Area 48, Tuen Mun, New Territories	Y16 Y20 Y25 Y32 Y40 batch 21	18/03/20	/ /	397	
	200056EN200479	KITCHEN HIGHLIGHTS LTD	Testing of Single Lever Mixer (MP119400XX)	Mixer - PC200028/1 Mixer - PC200028/1 Mixer - PC200028/1	25/02/20	/ /	419	
	200056EN200932	Cencel			05/10/20	/ /	73068 1	
	200057EN200361	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	Testing of Copper Fitting	coupling ,elbow, tee PC200022	28/02/20	/ /	416	
	200059EN200684	NIPPON PAINT (HK) CO LTD	Fungus and Algae Test	- Proprietary fluorine coating system	31/03/20	/ /	384	
	200059EN200715	NIPPON PAINT (HK) CO LTD	Fungus and Algae Test	- Proprietary elastomeric acrylic - waterproof coating system - - Pro-shield Sealer - - Hero Exterior Emulsion	31/03/20	/ /	384	
	200068EN203150	JUMBO RICH TRADING LIMITED	BS 6920: 2014	Re-test - EPDM rubber	09/02/21	/ /	69	
	200104EN200572	ISTRIL LIMITED	Lead Hazards Investigation and Polychlorinated Biphenyl Hazards Investigation for Proposed Renovation Works for Victoria Garden at Pokfulam, Hong Kong		31/03/20	/ /	384	
	200136EN200481(2)	KIMSION PLASTIC & METAL MANUFACTURING LTD.	Testing of Single Lever Mixer		20/03/20	/ /	395	
	200191EN200122	KARLIAN INTERNATIONAL LTD.	IL 9027 Phase 2, Java Road, North Point, Hong Kong (Job no.: P190761)	3H-750G (ISO 15184:2012) - Oak Select Pencil hardness - "Terra" Gouge hardness	24/01/20	/ /	451	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- Sanded, Extreme - Matt Lacq.				
	200237EN200945	THE HONGKONG ELECTRIC CO LTD	Provision of Service for Conducting Stack Mercury Post-Sampling Analysis	Mercury Content - L5 . .	06/05/20	/ /	348	
	200249EN200310(2)	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF SELF-CLOSING TAP		28/02/20	/ /	416	
	200259EN200269	NEW HOPES CONSTRUCTION CO. LTD.	Test on Water - "Quality Water Recognition Scheme for Buildings"	Fresh Water - Refer to JRF	17/02/20	/ /	427	
	200270EN200823	BEEEXERGY CONSULTING LTD.	BEAM Plus Post-Construction Measurement for Proposed A&A Works for Nan Fung Textile Mill No. 4, 5, 6 at 23/39 Pak Tin Par St., Tsuen Wan, N.T.	IAQ Certificate Measurement . .	13/03/20	/ /	402	
	200314EN200178	CHEUNG FUNG PLUMBING AND DRAINAGE ENG. CO. LTD.	Tests on Water in Complying WSD Circular Letter No. 9/2017	Fresh Water	24/01/20	/ /	451	
	200346EN200303(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Self - Closing Tap		28/02/20	/ /	416	
	200476EN200204	H2O & AU ENVIRONMENTAL RECYCLING COMPANY LIMITED	H2O & Au - Air Test	Air Survey	31/01/20	/ /	444	
	200489EN200222	WANG KWONG MATERIALS SUPPLY LTD.	Material Testing - 2020		30/01/20	/ /	445	
	200545EN200304(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP		28/02/20	/ /	416	
	200545EN200849	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF MIXER OR TAP	Valve cartridge and plastic parts - PC200032/1	15/04/20	/ /	369	
	200546EN200305(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		28/02/20	/ /	416	
	200546EN200306(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		28/02/20	/ /	416	
	200546EN200307(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		28/02/20	/ /	416	
	200546EN200308(2)	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER		28/02/20	/ /	416	
	200546EN200309(2)	LUEN HING HONG BUILDING MATERIALS	TESTING OF SINGLE LEVER MIXER		28/02/20	/ /	416	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		LTD.						
	200546EN200850	LUEN HING HONG BUILDING MATERIALS LTD.	TESTING OF SINGLE LEVER MIXER	Valve cartridge , plastic parts ,O-ring - PC200037/1	15/04/20	/ /	369	
	200564EN200291	CLP POWER HONG KONG LTD	Calibration Services of H2O Sampler		25/02/20	/ /	419	
	200567EN200273	MING HING HONG CONSTRUCTION MATERIAL	Test on Wood-based Panel	Plywood - 18mm Plywood	03/06/20	/ /	73080	5
	200623EN200331	CHEUK SHING CONSTRUCTION ENGINEERING CO. LTD.	Fung Yiu King Hospital Water Testing Quotation	Potable Water - T.O.153	14/02/20	/ /	430	
	200708EN201429	WALGREENS BOOTS ALLIANCE ASIA SOURCING LIMITED	IAQ Re-certification for Walgreens Boots Alliance Wanchai Showroom in Causeway Centre	IAQ Certificate Measurement .	23/06/20	/ /	300	
	200762EN200897	SLK MANUFACTURING LTD	Testing of Ductile Iron Gate Valve	stem nut, nut DN80,100,150 PC200049	29/04/20	/ /	355	
	200778EN200980	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer (Model No. 6530)	Mixer - PC200045/1	15/05/20	/ /	339	
	200780EN200373	MEINHARDT CONSULTING ENGINEERS	Drinking Water Test - 2020	Drinking Water - Refer to JRF	04/03/20	/ /	411	
	200907EN200445	GM ENGINEERING LTD.	IAQ Testing Services for 28/F., Wing On Centre, Sheung Wan, Hong Kong.		17/03/20	/ /	398	
	200928EN200671	EVERBILLION (HONG KONG) CO. LTD.	BS 6920:2014	- Daiscoat - Foop inorganic - coating system	08/04/20	/ /	376	
	201022EN201479	TIMAX LIMITED	Chemical Composition of Submitted Metallic Sample		29/06/20	/ /	294	
	201067EN201511	HONG YIP SERVICE CO LTD-HARBOUR PLACE CLUBHOUSE	IAQ Re-Certification for Harbour Place Clubhouse	IAQ Certificate Measurement . .	09/07/20	/ /	284	
	201224EN200498	SAVILLS PROPERTY MANAGEMENT LTD.	IAQ Measurement for Passenger Lifts in 12 Taikoo Wan Road		21/03/20	/ /	394	
	201241EN201510	HARRIMAN PROPERTY MGT LTD-CRAWFORD HOUSE	IAQ Re-Certification for Crawford House	IAQ Certificate Measurement . .	09/07/20	/ /	284	
	201309EN210630	REGENT BUILDING MATERIAL SUPPLIES	Testing of Single Level Mixer	Mixer	31/03/21	/ /	19	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client CO.	Project	Client Sample Description / - ID - PC210050/1	Target Date	Test Comp	OD (days)	Amount
	201413EN202095	HONG YIP SERVICE CO LTD	IAQ Certification for Deli2, 1A-1L Tung Choi Street, Mong Kok, Kowloon	IAQ Certificate Measurement .	05/08/20	/ /	257	
	201417EN201431	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201432	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201433	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201434	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201435	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201436	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201437	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201438	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201439	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	
	201417EN201440	JUDICIARY ADMINISTRATION	Indoor Air Quality Re-certification for Judiciary Premises	IAQ Certificate Measurement .	09/08/20	/ /	253	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	201636EN210652	RAMBOLL HONG KONG LIMITED	LOHAS Park Package 5 (Site G) - Landfill gas monitoring		15/03/21	/ /	35	
	201982EN201430	HONG YIP SERVICE CO LTD-8 WATERLOO	IAQ Re-Certification for Clubhouse at 8 Waterloo Road	IAQ Certificate Measurement .	23/06/20	/ /	300	
	202182EN203037	GAMMON CONSTRUCTION LTD	IAQ Survey and Certification for Tuen Mun - Chek Lap Kok Link	IAQ Certificate Measurement .	31/01/21	/ /	78	
	202497EN202413	AKZO NOBEL PAINTS LTD.	VOC Test	- H8966N - ICI Pro Masonry Paint	09/10/20	/ /	192	
	202497EN202414	AKZO NOBEL PAINTS LTD.	VOC Test	- H534N-68150K - ICI Pro Primer Undercoat (Waterborne)	09/10/20	/ /	192	
	202497EN202417	AKZO NOBEL PAINTS LTD.	VOC Test	- H934N-68177 - ICI Pro Alkali Resistant Primer	09/10/20	/ /	192	
	202631EN202426	OPTIMIX (HONG KONG) LTD	BS 6920 : 2014 (Test on Adhesive or Tile Grout)	- TG 410 E (Tile Grout)	26/10/20	/ /	175	
	202637EN202090	WORKING FAMILY AND STUDENT FINANCIAL ASSISTANCE AGENCY	Provision of Indoor Air Quality Assessment at 6/F, 7/F & 12/F One Mongkok Road Commercial Centre & 25/F CDW Building	IAQ Certificate Measurement .	10/10/20	/ /	191	
	202671EN201123	MR. BARRY FAN	TVOC and Formaldehyde Test for One Silversea		22/05/20	/ /	332	
	202711EN201895	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Flow Controller	Flow Controller - PC200202/1	04/09/20	/ /	227	
	202738EN201229(1)	B.S.C. SANITARYWARES SUPPLY LTD	Testing of Single Lever Mixer		30/05/20	/ /	324	
	203057EN201618	PAUL Y. CONSTRUCTION & ENGINEERING CO LTD	IEQ P1 Measurement - NKIL 6602, Ko Chiu Road, Yau Tong, Kowloon.	IEQ Assessment .	13/07/20	/ /	280	
	203081EN201907	廣州市恒大裝修設計院有限公司	恒大 011項目排洪渠山泉水水質檢測	Spring water	05/09/20	/ /	226	
	203096EN202099	KAI SHING MGT SERVICES LTD-W50	IAQ Re-Certification for Lift Lobbies and Public Corridors of G/F, 5/F - 36/F, W50, 50 Wong Chuk Hang Road	IAQ Certificate Measurement .	11/10/20	/ /	190	
	203102EN210743	FREYSSINET HONG KONG LTD.	Testing of Grease 2020	- Grease sample - Anchor A14 - Anchor A15	14/04/21	/ /	5	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	203194EN202096	KAI SHING MGT SERVICES LTD-THE WINGS IIIA	IAQ Re-Certification for Clubhouse at The Wings IIIA	IAQ Certificate Measurement .	10/09/20	/ /	221	
	203197EN202097	KAI SHING MGT SERVICES LTD-THE WINGS IIIB	IAQ Re-Certification for Clubhouse at The Wings IIIB	IAQ Certificate Measurement .	10/09/20	/ /	221	
	203399EN202098	ELECTRICAL & MECHANICAL SERVICES DEPT.	IAQ Re-Certification for Hong Kong Children's Hospital	IAQ Certificate Measurement .	07/10/20	/ /	194	
	203796EN202058	BUILD KING-SCT JOINT VENTURE	NL/2017/03 - Sediment Quality Test - Heavy Metal Testing / Biological	- Natural Sea Water - Reconstituted Sea Water	29/08/20	/ /	233	
	203895EN201659	HARVEST CIVIL ENG CO LTD	Contract No. : IDE1/19-20 - Provision of Potable Water Supply for Hok Tau Country Park Campsite, Fanling, New Territories	Potable Water	13/07/20	/ /	280	
	204010EN201921	HARRIMAN PROPERTY MGT LTD	IAQ Certificate Renewal for One Midtown	IAQ .	15/09/20	/ /	216	
	204035EN203302	HONG KONG ASPHALT PAVEMENT ASSOCIATION	Occupational Exposure Air Survey - HAPA 2020		31/03/21	/ /	19	
	204121EN202100	HONG YIP SERVICE CO LTD	IAQ Re-Certification for Beacon Lodge	IAQ Certificate Measurement .	27/10/20	/ /	174	
	204488EN202209(3)	ROCA SANITARYWARE LIMITED	Testing of Electronic Faucet of Mixer or Tap		19/01/21	/ /	90	
	204488EN202209(4)	ROCA SANITARYWARE LIMITED	Testing of Electronic Faucet of Mixer or Tap		19/01/21	/ /	90	
	205056EN202593	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer	Mixer - PC200323/1	20/11/20	/ /	150	
	205056EN202898(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		22/12/20	/ /	118	
	205056EN202952(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		18/01/21	/ /	91	
	205056EN202954(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		18/01/21	/ /	91	
	205056EN202955(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		18/01/21	/ /	91	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	205056EN210240(2)	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Single Lever Mixer		06/04/21	/ /	13	
	205057EN203010	LUEN HING HONG BUILDING MATERIALS LTD.	Testing of Mixer or Tap	Tap - PC200376/1	30/01/21	/ /	79	
	205259EN202481	MARRIOTT PROPERTIES (INT'L) LTD.	IAQ Cert. Renewal of Conventional Plaza Apartments - Year 2020	IAQ Certificate Measurement .	31/12/20	/ /	109	
	205340EN210699	AUB LTD.	Testing of Lever Handles and Knobs	LEVER HANDLES	12/04/21	/ /	7	
	205596EN203035	SUPREME MANAGEMENT SERVICES LTD.	RFQ-SPEAK-26-20 Providing IAQ Measurement and Certification Services 2021 for Club House at Shouson Peak	IAQ Certificate Measurement .	13/02/21	/ /	65	
	206237EN203248	PERFECT WORLD CO. LTD.	IAQ Re-Certification for Harcourt House, 39 Gloucester Road, Wanchai, Hong Kong	IAQ Certificate Measurement .	31/01/21	/ /	78	
	206357EN203291	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		31/03/21	/ /	19	
	206357EN203292	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		31/03/21	/ /	19	
	206357EN210382	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)	Dry Film Thickness on steel casing Minimum 400um	31/03/21	/ /	19	
	206357EN210386	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)	Dry Film Thickness on steel casing Minimum 400um	31/03/21	/ /	19	
	206357EN210421	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		31/03/21	/ /	19	
	206357EN210520	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		31/03/21	/ /	19	
	206357EN210581	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		20/03/21	/ /	30	
	206357EN210582	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		20/03/21	/ /	30	
	206357EN210583	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		20/03/21	/ /	30	
	206357EN210654	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		27/03/21	/ /	23	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	206357EN210655	YEE HOP ENGINEERING CO. LTD.	Reconstruction of Pak Kok Pier on Lamma Island (Project No. CV/2019/02)		27/03/21	/ /	23	
	206367EN210474	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	Testing of Copper Fitting for Capillary Type	elbow, tee, socket, end cap, connector 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	26/03/21	/ /	24	
	206572EN210025	NORMET H.K. LTD.	Testing of epoxy	- TamRez 220EC Grey	01/03/21	/ /	49	
	207242EN210105	NORMET H.K. LTD.	BS 6920: 2014		08/04/21	/ /	11	
	207292EN210083	SUEZ NWS R&R (HONG KONG) LTD.	Contract No. EP/SP/45/06 - Pillar Point Valley Landfill Restoration 2021	Groundwater	26/01/21	/ /	83	
	207292EN210103	SUEZ NWS R&R (HONG KONG) LTD.	Contract No. EP/SP/45/06 - Pillar Point Valley Landfill Restoration 2021	Groundwater	26/01/21	/ /	83	
	210242EN210567	HONG KONG KANSAI PAINT CO., LTD.	Tests on Multi-Layer Acrylic Paint (without Texture)	MLAP	05/04/21	/ /	14	
	210242EN210568	HONG KONG KANSAI PAINT CO., LTD.	Tests on Multi-Layer Acrylic Paint (with Fine Texture)	MLAP	05/04/21	/ /	14	
	210242EN210569	HONG KONG KANSAI PAINT CO., LTD.	Tests on Multi-Layer Acrylic Paint (with Medium Texture)	MLAP	05/04/21	/ /	14	
	210367EN210259	DILIGENCE (VAB) CONSTRUCTION LTD	IAQ in LEED & WELL Service for 7/F & 15/F Hang Sang Bank Headquarter		28/02/21	/ /	50	
	210429EN210628	VSC BLDG PRODUCTS CO LTD	Testing of Electronic Faucet	Electronic Faucet - PC210043/1	31/03/21	/ /	19	
	210429EN210629	VSC BLDG PRODUCTS CO LTD	Testing of Electronic Faucet	Electronic Faucet - PC210044/1	31/03/21	/ /	19	
	210522EN210363	TIML MOM LTD.	IAQ Re-Certification for SAB & NAB in TSCA	IAQ Certificate Measurement .	25/02/21	/ /	53	
	210523EN210364	TIML MOM LTD.	IAQ Re-Certification for SAB & NAB in TSCA	IAQ Certificate Measurement .	25/02/21	/ /	53	
	210596EN210397	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for Hong Kong Baptist Hospital	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	
	210596EN210398	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for Hong Kong Baptist Hospital	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	
	210596EN210399	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Hong Kong Baptist Hospital					
	210596EN210400	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for Hong Kong Baptist Hospital	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	
	210596EN210401	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for Hong Kong Baptist Hospital	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	
	210596EN210402	HONG KONG BAPTIST HOSPITAL	IAQ Measurement and IAQ Certification for Hong Kong Baptist Hospital	- Serial No.: AEFD/SA/S067/JK/2021	09/04/21	/ /	10	
	210752EN210710	WELSON METAL & SANITARY WARE MFY	Testing of Bronze Pressure Reducing Valve	Reducing Valve - PC210056/1	30/03/21	/ /	20	
	210835EN210742	BONNTILE HONG KONG LTD.	Test on Paint	210835B2: 1) Bonndeco Ultra Sealer 2) Bonndeco Fine Urethane 210835C2: 1) Bonndeco Ultra Sealer 2) Bonnard Granite Spray Paint 3) Bonndeco Silicone Shield	14/04/21	/ /	5	
	211020EN210594	SIKA HONG KONG LTD.	VOC Test - Sikalastic 680N+	- Sikalastic 680 N+	24/03/21	/ /	26	
	211063EN210614	MEDTECH HK LTD.	OT Airborne Biocontamination Test in KPM Clinic		31/03/21	/ /	19	
	211074EN210779	Y. CEE COMPANY LTD	Tests on Asphalt Primer		15/04/21	/ /	4	
	211076EN210690	SKK (HONG KONG) CO. LTD.	Testing for tile Filler	SK Tile Filter Base : Harder : 8 : 1 by wt	08/04/21	/ /	11	
	211077EN210691	SKK (HONG KONG) CO. LTD.	Hong Kong Green Label Scheme on Paint	- 1. Soft Surf SG - 2. SK Premium Silicone - 3. Super Ceratight F Mid-coat - 4. Super Ceratight F	08/04/21	/ /	11	
	211125EN210701	HO FIT (HARDWARE) TRADING CO. LTD.	Testing of Copper Fitting of Capillary Brazing Type	elbow x6 tee x6 connector x6 PC210064	07/04/21	/ /	12	
	211126EN210543	MEDTECH HK LTD.	OT Airborne Biocontamination Test for OT1 and OT2 at Adventist Medical Centre, Oxford House		18/03/21	/ /	32	
	211228EN210651	FO JIN CONSTRUCTION MATERIALS CO.	Testing of Bitumen-Based Coatings to	One Sample of AMERICO Bitumen Paint	29/03/21	/ /	21	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
		LTD.	BS3416: 1991	P-4				
	931323EN181208	FTS	Calibration of B.S. Flow Cup (C-026-6)	Calibration of B.S. Flow Cup (C-026-6) - Flow Cup (C-026-6)	27/06/18	/ /	1027	
	931327EN172013	Fugro Technical Services Limited	Verification of XRF	XRF analyzer - XRF Analyzer E-124-1 (SN:96551)	09/04/17	/ /	73195 6	
	931327EN172094	Fugro Technical Service	Calibration of SINGLE BEAM UV/VIS SPECTROPHOTOMETER	SINGLE BEAM UV/VIS SPECTROPHOTOMETER - C-037-5	28/10/17	/ /	1269	
	931327EN172095	Fugro Technical Service	Calibration of QUV ACCELERATED WEATHERING TESTER	QUV ACCELERATED WEATHERING TESTER - C-090-2	02/10/17	/ /	1295	
	931327EN172365	FTS	Calibration of FT-IR Spectrometer	FT-IR Spectrometer - C-109-1	30/11/17	/ /	1236	
	931327EN172409	FTS-MaterialLab Division - Chemical Lab	ASTM Proficiency Test Program Thrid Quarter 2017 (CS131708)	Carbon & Low-alloy steel - 3Q17L1 - 3Q17L2	20/10/17	/ /	1277	
	931327EN172737	FTS	Calibration of Digital Barometer	Calibration of Digital Barometer (C-072-2)	03/11/17	/ /	1263	
	931327EN172968	FTS-MaterialLab Division - Chemical Lab.	ASTM Proficiency Test Program Forth Quarter 2017	Stainless steel - 4Q17S1 - 4Q17S2	22/12/17	/ /	1214	
	931327EN173018	FTS - Chemical Lab	Analytical Reference Materials International Proficiency Testing 2017	Gunmetal - PTP 17735 Gunmetal - PTP 17373	31/12/17	/ /	1205	
	931327EN173019	FTS - Chemical Lab	Analytical Reference Materials International Proficiency Testing 2017	Aluminium Bronze - PTP 17213	31/12/17	/ /	1205	
	931327EN173020	FTS - Chemical Lab	Analytical Reference Materials International Proficiency Testing 2017	Brass - PTP 17311 Brass - PTP 17431	31/12/17	/ /	1205	
	931327EN180011	FTS	Calibration of HPLC	Calibration of HPLC (E-094-1)	01/02/18	/ /	1173	
	931327EN180378	Fugro - Chemical Lab	Workplace Air, Ambient Air and Stack Emissions Proficiency Testing Scheme	Filter Round AR024 - 8A	16/02/18	/ /	1158	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 8B - 8C - 8D - 8E-Blank				
	931327EN180534	FTS	Calibration of Impact Tester (C-025-1)	Impact Tester (C-025-1)	26/03/18	/ /	1120	
	931327EN180535	FTS	Calibration of Impact Tester (C-025-2)	Impact Tester (C-025-2)	26/03/18	/ /	1120	
	931327EN180536	FTS	Calibration of QUV Accelerated Weathering Tester (C-090-2)	Calibration of QUV Accelerated Weathering Tester	27/03/18	/ /	1119	
	931327EN180537	FTS	Calibration of Carbon Sulphur Analyser (C-034-1)	Calibration of Carbon Sulphur Analyser (C-034-1)	30/03/18	/ /	1116	
	931327EN180538	FTS	Calibration of Atomic Absorption Spectrophotometer (E-043-4)	Calibration of Atomic Absorption Spectrophotometer (E-043-4)	28/03/18	/ /	1118	
	931327EN180632	FTS	Calibration of Hard Drying Time Apparatus (C-052-1)	Calibration of Drying Time Apparatus - C-052-1	04/04/18	/ /	1111	
	931327EN180633	FTS	Calibration of Wet Abrasion Scrub Tester	Calibration of Wet Abrasion Scrub Tester - C-053-1	05/04/18	/ /	1110	
	931327EN180634	FTS	Calibration of Mechanised Scratch Tester (C-054-2)	Calibration of Mechanised Scratch Tester - C-054-2	04/04/18	/ /	1111	
	931327EN180895	FTS-MaterialLab Division - Chemical Lab.	ASTM Proficiency Test Program Forth Quarter 2017	Carbon steel - 1Q18L1 - 1Q18L2	13/04/18	/ /	1102	
	931327EN180984	FTS	Calibration of Viscometer (C-076-1)	Calibration of Viscometer - C-076-1	30/05/18	/ /	1055	
	931327EN181093	FTS-MaterialLab Division - Chemical Lab.	ASTM Proficiency Test Program Forth Quarter 2017	Stainless steel - 2Q18S1 - 2Q18S2	15/06/18	/ /	1039	
	931327EN181209	FTS	Calibration of Flow Cup ASTM D1200 (C-026-7)	Calibration of Flow Cup ASTM D1200 - Flow Cup (C-026-7) C-026-7	27/06/18	/ /	1027	
	931327EN181210	FTS	Calibration of Flow Cup ASTM D1200 (Ford)	Calibration of Flow Cup ASTM D1200 - Flow Cup (C-026-8)	27/06/18	/ /	1027	
	931327EN181211	FTS	Calibration of Flow Cup ASTM D5125 (C-026-9)	Calibration of Flow Cup ASTM D5125 - Flow Cup (C-026-9)	27/06/18	/ /	1027	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	931327EN181212	FTS	Calibration of Flow Cup (C-026-10)	Calibration og Flow Cup - Flow Cup (C-026-10)	27/06/18	/ /	1027	
	931327EN181213	FTS	Calibration of Flow Cup (C-026-11)	Calibration of Flow Cup - Flow Cup (C-026-11)	27/06/18	/ /	1027	
	931327EN181719	FTS-MateriaLab Division - Chemical Lab.	ASTM Proficiency Test Program Forth Quarter 2017	Carbon steel - 2Q18L1 - 2Q18L2	13/07/18	/ /	1011	
	931327EN181731	FTS	Calibration of QUV	Calibration of QUV - C-090-2	14/07/18	/ /	1010	
	931327EN181970	FTS	Interlaboratory Proficiency Test - Setoc Sediment	- Setoc 2018-3 S1 - Setoc 2018-3 S2 - Setoc 2018-3 S3 - Setoc 2018-3 S4	31/08/18	/ /	962	
	931327EN181977	FTS	Calibration of QUV Arcelerated Weathering Tester	QUV Arcelerated Weathering Tester - C-090-3	17/08/18	/ /	976	
	931327EN181978	FTS	Calibration of Microwave Digestion System	Microwave Digestion System - E-076-2	20/08/18	/ /	973	
	931327EN182096	FTS	Interlaboratory Proficiency Programme - RTC 2018 (LRAB6032)	Metals in Soil (Ag) - LOT LRAB6032	05/09/18	/ /	957	
	931327EN182189	FTS	Calibration of Spark (E-121-1)	- E-121-1	17/09/18	/ /	945	
	931327EN182329	FTS	Proficiency Test for Potable Water : RTC - Trace Metals 1 - WS	Trace Metals 1 - WS - Lot # LRAB3803	12/10/18	/ /	920	
	931327EN182412	FTS	Calibration of Single Bean UV/VIS Spectrophotometer	Single Bean UV/VIS Spectrophotometer - C-037-5	27/10/18	/ /	905	
	931327EN182454	HKPC	The VOC interlab correlation test	water-based paint - Sample A (waterborne sample) - VOC content , water content Solvent-based paint - Sample B (solventborne sample) - VOC content, exempt VOC content	11/04/18	/ /	73158 9	
	931327EN182712	FTS	Calibration of Digital Barometer (C-072-2)	Digital Barometer - C-072-2	02/11/18	/ /	899	
	931327EN182713	FTS	Calibration of FT-IR (C-109-1)	FT-IR - C-109-1	29/11/18	/ /	872	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	931327EN183273	FTS	Calibration of QUV Accelerated Weathering Tester	QUV Accelerated Weathering Tester - C-090-2	12/01/19	/ /	828	
	931327EN190171	FTS	Calibration of HPLC	HPLC - E-094-1	01/02/19	/ /	808	
	931327EN190279	Fugro-Chemical Lab	Workplace Air, Ambient Air and Stack Emission Proficiency Testing Scheme	Filter Round AR030 - 8A - 8B - 8C - 8D - 8E-Blank	15/02/19	/ /	794	
	931327EN190281	FTS	Calibration of Impact Tester	Calibration of Impact Tester - C-025-1	20/03/19	/ /	761	
	931327EN190282	FTS	Calibration of Impact Tester	Calibration of Impact Tester - C-025-2	20/03/19	/ /	761	
	931327EN190283	FTS	Calibration of Carbon-Sulphur Analyser	Carbon-Sulphur Analyser - C-034-1	18/03/19	/ /	763	
	931327EN190284	FTS	Calibration of Hard Drying Time Apparatus	Hard Drying Time Apparatus - C-052-1	21/03/19	/ /	760	
	931327EN190285	FTS	Calibration of Wet Abrasion Scrub Tester	Wet Abrasion Scrub Tester - C-053-1	23/03/19	/ /	758	
	931327EN190286	FTS	Calibration of Mechanised Scratch Tester	Mechanised Scratch Tester - C-054-2	22/03/19	/ /	759	
	931327EN190287	FTS	Calibration of Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer - E-043-4	25/03/19	/ /	756	
	931327EN190659	FTS	Interlaboratory Proficiency Test - SETOC Sediment	Sediment - 2019.2.S1 - 2019.2.S2 - 2019.2.S3 - 2019.2.S4	30/06/19	/ /	659	
	931327EN190877	FTS	Calibration of B.S. Flow Cup	B.S. Flow Cup - C-026-6 -	21/06/19	/ /	668	
	931327EN190878	FTS	Calibration of Flow Cup ASTM D1200	Flow Cup ASTM D1200 - C-026-7	21/06/19	/ /	668	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				-				
	931327EN190879	FTS	Calibration of Flow Cup ASTM D1200 (Ford)	Flow Cup ASTM D1200 (Ford) - C-026-8	21/06/19	/ /	668	
				-				
	931327EN190880	FTS	Calibration of Flow Cup ASTM D5125 DIN/ISO 2431 BSEN535 1991	Flow Cup ASTM D5125 - C-026-9 DIN/ISO 2431 BSEN535 1991	21/06/19	/ /	668	
				-				
	931327EN190881	FTS	Calibration of Flow Cup DIN/ISO 2431 BSEN535 1991	Flow Cup - C-026-10 DIN/ISO 2431 BSEN535 1991	21/06/19	/ /	668	
				-				
	931327EN190882	FTS	Calibration of Flow Cup ASTM D5125 DIN/SSO 2431 BSEN535 1991	Flow Cup ASTM D5125 - C-026-11 DIN/SSO 2431 BSEN535 1991	21/06/19	/ /	668	
				-				
	931327EN190887	FTS	Calibration of Viscometer, Stormer/Krebs	Viscometer, Stormer/Krebs - C-076-1	16/05/19	/ /	704	
				-				
	931327EN190891	FTS-MaterialLab Division - Chemical Lab.	ASTM Proficiency Test Program 1st Quarter 2019 (CS131902 - 40)	Carbon steel - LA-1 - LA-2	10/05/19	/ /	710	
				-				
	931327EN190905	Fugro-Chemical Lab	Workplace Air, Ambient Air and Stack Emission Proficiency Testing Scheme	Filter Round AR031 - 8A - 8B - 8C - 8D - 8E-Blank	10/05/19	/ /	710	
				-				
	931327EN191104	FTS	Calibration of QUV Accelerated Weathering Tester (C-090-2)	Calibration of - C-090-2 QUV Accelerated Weathering	10/07/19	/ /	649	
				-				
	931327EN191305	FTS	Interlaboratory Proficiency Programme - RTC 2019 (LRAB6031)	Soil - LRAB6031	06/09/19	/ /	591	
				-				
	931327EN191426	FTS	Calibration of QUV Arceleratied Weathering Tester (C-090-3)	QUV Arceleratied Weathering Tester - C-090-3	13/08/19	/ /	615	
				-				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	931327EN191427	FTS	Calibration of Microwave Digestion System	Microwave Digestion System - E-076-2 -	20/08/19	/ /	608	
	931327EN191563	FTS	Proficiency Test for Potable Water RTC - Trace Metals 1 & 2- WS	Trace Metal 1 - WS - PE1488 / Lot#LRAC0383 Trace Metal 2 - WS - PE1458 / Lot#LRAB5438	30/08/19	/ /	598	
	931327EN191831	FTS	Calibration of Spark (E-121-1)	Spark OES - E-121-1 CANNELLED on 24-09-2019	18/09/19	/ /	579	
	931327EN191834	FTS	Calibration of Spark (E-121-1)	Spark OES - E-121-1	18/09/19	/ /	579	
	931327EN191950	FTS-MaterialLab Division - Chemical Lab.	ASTM Proficiency Testting of Carbon Steel 3rd Quarter 2019	Carbon steel - CS-1 Carbon steel - CS-2	11/10/19	/ /	556	
	931327EN191956	FTS	Proficiency Test for Wastewater (Trace Metals 1 & 2 - WP)	Trace Metals 1 - WP - PE1132 Lot#LRAB8405 Trace Metals 2 - WP - PE1052 Lot#LRAB7673	30/10/19	/ /	537	
	931327EN191970	Fugro Technical Services Ltd	Verification of XRF	XRF analyser - Equipment ID E-124-1	15/10/19	/ /	552	
	931327EN192122	FTS	Calibration of Single Beam UV/VIS Spectrophotometer	Single Beam UV/VIS Spectrophotometer - C-037-5 -	20/11/19	/ /	516	
	931327EN192123	FTS	Calibration of FT-IR Spectrometer	FT-IR Spectrometer - C-109-1 -	28/11/19	/ /	508	
	931327EN200259	FTS	Calibration of Atomic Absorption Spectrophotometer (E-043-4)	Atomic Absorption Spectrophotometer - E-043-4	24/03/20	/ /	391	
	931327EN200571	FTS-MaterialLab Division - Chemical Lab.	ASTM PTP samples for the 2020 1st Quarter Plain Carbon & Low-Alloy Steel Program (CS132002)	Low-Alloy Steel - 1Q20L1 Low-Alloy Steel - 1Q20L2	17/04/20	/ /	367	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	931327EN200895	FTS	Calibration of HPLC	Calibration of HPLC - E-094-1 -	30/01/20	/ /	445	
	931327EN201038	FTS	Interlab Proficiency Programme-SETOC 2020.2	SETOC 2020.2 (S1-S4) -	30/06/20	/ /	293	
	931327EN201136	FTS	Calibration of B.S. Flow Cup	B.S. Flow Cup - C-026-6 -	18/06/20	/ /	305	
	931327EN201137	FTS	Calibration of Flow Cup ASTM D1200	Flow Cup ASTM D1200 - C-026-7 -	18/06/20	/ /	305	
	931327EN201138	FTS	Calibration of Flow Cup ASTM D1200(Ford)	Flow Cup ASTM D1200(Ford) - C-026-8 -	18/06/20	/ /	305	
	931327EN201139	FTS	Calibration of Flow Cup ASTM D5125	Flow Cup ASTM D5125 - C-026-9 -	18/06/20	/ /	305	
	931327EN201140	FTS	Calibration of Flow Cup DIN/ISO 2431 BSEN535 1991	Flow Cup DIN/ISO 2431 BSEN535 1991 - C-026-10 -	18/06/20	/ /	305	
	931327EN201141	FTS	Calibration of Flow Cup ASTM D5125 DIN/ISO 2431 BSEN535 1991	Calibration of Flow Cup - C-026-11 ASTM D5125 DIN/ISO 2431 BSEN535 1991 -	18/06/20	/ /	305	
	931327EN201262	FTS	Calibration of Viscometer,Storme/Krebs	Viscometer,Storme/Krebs - C-076-1	14/05/20	/ /	340	
	931327EN210412	FTS	Calibration of Carbon-Sulphur Analyser	Carbon-Sulphur Analyser - C-034-1 -	18/03/21	/ /	32	
	931327EN210464	FTS	Proficiency Test - RTC - Metal in Soil (2021)	Soil (SPE001) - Lot# LRAC7333	15/03/21	/ /	35	
	931327EN210465	FTS	Proficiency Test - RTC - TCLP Metal in Soil (2021)	Soil (SPE005) - Lot# LRAC7153	15/03/21	/ /	35	
	931327EN210653	Fugro Technical Services Ltd.	InterLab study for RBRG Sediment &	Matrix - Sediment	31/03/21	/ /	19	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			seawater sample	- EN210653/1-SVOC & TPHs(C9-C16 & C17-C35) - EN210653/2 -VOCs & TPHs (C6~C8) Matrix - Seawater - EN210653/3-VOCs & C6~C8 TPHs in seawater - EN210653/4-VOCs & C6~C8TPHs in seawater - EN210653/5-SVOC, PCBs & TPH in seawater				
	931327EN210685	FTS	Proficiency Test - RTC - Chromium VI in Soil (2021)	Chromium VI in Soil (SPE012) - Lot# LRAC7252	16/04/21	/ /	3	
	931327EN210781	FTS	Interlaboratory Proficiency Test - Chromium VI in Water	Chromium VI in Water - LRAC5953	16/04/21	/ /	3	
AMY (FGZ) 13/08/2018	182625EN181223	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF MIXING OR TAP (WELS)		14/06/18	/ /	1040	
	AW0036EN172120	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y16 - 20140269-0914-10 Y25 - 20140269-0914-18 Batch 49	22/09/17	/ /	1305	
	AW0042EN172069	HKHA	ADVANCE CIVIL ENGINEERING WORKS FOR PUBLIC HOUSING DEVELOPMENT PROJECTS BATCH 7 (2017-2019)	Y12 - 20150649-0908-05 Y20 - 20150649-0908-10 Y32 - 20150649-0908-15 (Batch 02)	20/09/17	/ /	1307	
	AW0048EN172662	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TEXACO ROAD FOR (PARALLEL TEST)	Y12 - 20160430-1116-5A-C Y16 - 20160430-1116-13A-C Y20 - 20160430-1116-18A-C Y40	29/11/17	/ /	1237	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 20160430-1116-26A-C Batch 009				
	AW0054EN172097	HKHA	CONSTRUCTION OF PAK TIN ESTATE REDEVELOPMENT PHASE 9	Y12 - 20140250-0912-4C Y16 - 20140250-0912-9C Batch 21	20/09/17	/ /	1307	
	AW0054EN172594	HKHA	CONSTRUCTION OF PAK TIN ESTATE REDEVELOPMENT PHASE 9	Y12 - 20140250-1129-4C Batch 22	20/11/17	/ /	1246	
	AW0055EN172128	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150055-0911-11A-C Y12 - 20150055-0911-22A-C Y16 - 20150055-0911-30A-C Y32 - 20150055-0911-38A-C	22/09/17	/ /	1305	
	AW0055EN172361	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y12 - 20150055-1012-8A-C Y25 - 20150055-1012-13A-C Batch 119	26/10/17	/ /	1271	
	AW0055EN172945	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y16 - 20150055-1207-5A-C Batch 134	22/12/17	/ /	1214	
	AW0056EN172336	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y10 - 20150279-1011-(5) Batch 36	21/10/17	/ /	1276	
	AW0056EN172586	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y10 - 20150279-1110-(23) Y12 - 20150279-1110-(18) Y16	19/11/17	/ /	1247	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 20150279-1110-(10) Y32 - 20150279-1110-(5) Batch 039				
	AW0056EN172977	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y16 - 20150279-1215-(5) Batch 041	27/12/17	/ /	1209	
	AW0056EN172978	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y10 - 20150279-1218-(30) Y12 - 20150279-1218-(25) Y16 - 20150279-1218-(20) Y20 - 20150279-1218-(15) Y25 - 20150279-1218-(10) Y32 - 20150279-1218-(5) Batch 042	27/12/17	/ /	1209	
	AW0057EN172049	HKHA	CONSTRUCTION OF THE HOME OWNERSHIP SCHEME DEVELOPMENT AT KAI TAK SITE 1G1 (B)	Y10 - 20150362-0905-02C	15/09/17	/ /	1312	
	AW0057EN172121	HKHA	CONSTRUCTION OF THE HOME OWNERSHIP SCHEME DEVELOPMENT AT KAI TAK SITE 1G1 (B)	Y16 - 20150362-0914-(02)C Y25 - 20150362-0914-(10)C Batch 34	22/09/17	/ /	1305	
	AW0057EN172263	HKHA	CONSTRUCTION OF THE HOME OWNERSHIP SCHEME DEVELOPMENT AT KAI TAK SITE 1G1 (B)	Y20 - 20150362-1006(02)C Y32 - 20150362-1006(07)C Batch 36	16/10/17	/ /	1281	
	AW0057EN172340	HKHA	CONSTRUCTION OF THE HOME OWNERSHIP SCHEME DEVELOPMENT	Y12 - 20150362-1012(02)C	13/10/17	/ /	1284	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			AT KAI TAK SITE 1G1 (B)	Y16 - 20150362-1012(07)C Batch 37				
	AW0058EN172179	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y40 - 20150248-0913-5C Batch 67 Y10 - 20150248-0918-11C Y16 - 20150248-0918-19C Y20 - 20150248-0918-27C Y25 - 20150248-0918-35C Batch 68	28/09/17	/ /	1299	
	AW0058EN172406	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y10 - 20150248-1013-11C Y12 - 20150248-1013-22C Y25 - 20150248-0831-27C Y10 - 20150248-0831-32C Batch 069	27/10/17	/ /	1270	
	AW0058EN172564	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-1107-8C Y16 - 20150248-1107-19C Batch 71	15/11/17	/ /	1251	
	AW0058EN172717	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y16 - 20150248-1120-5C Batch 072	01/12/17	/ /	1235	
	AW0058EN172894	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y10 - 20150248-1207-5C Y12 - 20150248-1207-13C	18/12/17	/ /	1218	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y16 - 20150248-1207-21C Y25 - 20150248-1207-26C Batch 076				
	AW0058EN172979	HKHA	CONSTRCUTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-1218-5C Y16 - 20150248-1218-16C Y120 - 20150248-1218-21C Batch 077	27/12/17	/ /	1209	
	AW0059EN172129	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-0914-11CA Y16 - 20150259-0914-22CA	22/09/17	/ /	1305	
	AW0059EN172360	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-1013-11CA	26/10/17	/ /	1271	
	AW0059EN172649	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-1116-11CA (Batch 77)	25/11/17	/ /	1241	
	AW0059EN172969	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-1215-11CA Y12 - 20150259-1215-22CA Batch 85	28/12/17	/ /	1208	
	AW0062EN172122	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y12 - 20150611-0911(02-C) Y25 - 20150611-0911(13-C) Y40 - 20150611-0911(21-C)	22/09/17	/ /	1305	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 33				
	AW0062EN172180	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y12 - 20150611-0914(02-C) Y25 - 20150611-0911(13-C)	28/09/17	/ /	1299	
				Batch 34				
	AW0062EN172338	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y10 - 20150611-1004(02-C) Y12 - 20150611-1004(13-C) Y40 - 20150611-1004(24-C)	21/10/17	/ /	1276	
				Batch 38				
	AW0062EN172345	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y16 - 20150611-1010(02-C)	21/10/17	/ /	1276	
				Batch 39				
	AW0062EN172563	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y25 - 20150611-1101(02-C)	15/11/17	/ /	1251	
				Batch 41				
	AW0062EN172599	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y16 - 20150611-1108(02-C) Y16 - 20150611-1108(13-C)	23/11/17	/ /	1243	
				Batch 42				
	AW0062EN172678	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6&7	Y10 - 20150611-1114(02-C) Y10 - 20150611-1114(13-C) Y12 - 20150611-1114(18-C) Y12 - 20150611-1114(29-C)	30/11/17	/ /	1236	
				Batch 43				
	AW0062EN172944	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP	Y12 - 20150611-1208(02-C)	21/12/17	/ /	1215	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			MEI ESTATE PHASE 3,6&7	Batch 45				
	AW0064EN172079	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y10 - 20150619-0831-11(C)(1) Y12 - 20150619-0831-19(C)(1) Y40 - 20150619-0831-27(C)(1)	12/09/17	/ /	1315	
	AW0064EN172262	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y40 - 20150619-0927-8(C)(1) Batch 033	15/10/17	/ /	1282	
	AW0064EN172339	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y25 - 20150619-1003-8(C) Batch 034	22/09/17	/ /	1305	
	AW0064EN172362	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y10 - 20150619-1007-11(C) Y25 - 20150619-1007-16(C) Batch 035	26/10/17	/ /	1271	
	AW0064EN172459	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-1018-8(C) Batch 036	31/10/17	/ /	1266	
	AW0064EN172552	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y10 BatchACSL006-DN111111-1 - 20150619-1101-11-C Y16 BatchACSL007-DN111115-1 - 20150619-1101-22-C Y20 BatchACSL008-DN111113 - 20150619-1101-36-C Y32 BatchACSL009-DN111114-1 - 20150619-1101-47-C Y10 BatchACSL010-DN111111-2 - 20150619-1101-58-C Y16 BatchACSL011-DN111115-2 - 20150619-1101-69-C Y32 BatchACSL012-DN111114-2 - 20150619-1101-80-C	15/11/17	/ /	1251	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y10 BatchACSL013-DN111111-3 - 20150619-1101-91-C Y16 BatchACSL014-DN111115-3 - 20150619-1101-102-C Y16 BatchACSL015-DN111115-4 - 20150619-1101-113-C Y40 BatchACSL016-DN111112 - 20150619-1101-121-C				
	AW0064EN172927	HKHA	CONSTRCUTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y40 BatchACSL017-SS62114 - 20150619-1208-14-C Y40 BatchACSL018-SS62115 - 20150619-1208-28-C Y40 BatchACSL019-SS62116 - 20150619-1208-42-C	22/12/17	/ /	1214	
	AW0065EN172126	HKHA	CIVIL ENGINEERING IMPROVEMENT WORKS AT SHUN TIN ESTATE	Y16 - 20159138-0914-6(C) Y20 - 20159138-0914-12(C) Batch 13	22/09/17	/ /	1305	
	AW0074EN172059	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASE 11	Y10 - 20160309-0902-8C Y20 - 20160309-0902-13C Y25 - 20160309-0902-21C Y32 - 20160309-0902-26C Batch 4	18/09/17	/ /	1309	
	AW0074EN172718	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASE 11	Y12 - 20160309-1113-5C Y16 - 20160309-1113-10C Batch 5	03/12/17	/ /	1233	
	AW0076EN172661	HKHA	FOUNDATION FOR PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 PHASE	Y50 - 20160087-1115-01A-C Batch 12	29/11/17	/ /	1237	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			3 FOR (PARALLEL TEST)					
	AW0077EN172060	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y12 - 20160228-0709-2 Y16 - 20160228-0709-13 Y25 - 20160228-0709-24 Y32 - 20160228-0709-32	18/09/17	/ /	1309	
	AW0079EN172068	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-0908-5-C Y12 - 20160499-0908-10-C (Batch 001) Y10 - 20160499-0909-8-C Y12 - 20160499-0909-13-C Y16 - 20160499-0909-18-C Y20 - 20160499-0909-23-C Y32 - 20160499-0909-28-C (Batch 002)	20/09/17	/ /	1307	
	AW0079EN172301	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y25 bar - 20160499-1003-8-C Y32 bar - 20160499-1003-16-C Y40 bar - 20160499-1003-24-C (Batch 003)	19/10/17	/ /	1278	
	AW0079EN172302	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 bar - 20160499-1004-8-C Y12 bar - 20160499-1004-16-C	19/10/17	/ /	1278	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y20 bar - 20160499-1004-21-C (Batch 004)				
	AW0079EN172550	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y25 bar - 20160499-1103-5-C (Batch 006)	15/11/17	/ /	1251	
	AW0079EN180091	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y16 - 20160499-0104-8C Y25 - 20160499-0104-13C Y32 - 20160499-0104-18C Batch 011	17/01/18	/ /	1188	
	AW0079EN180092	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-0103-8C Y12 - 20160499-0103-16C Y20 - 20160499-0103-21C Y40 - 20160499-0103-35C Batch 010	17/01/18	/ /	1188	
	AW0082EN172159	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y12 - 20150547-0915-5A-C Batch NWRB-007	26/09/17	/ /	1301	
	AW0082EN172592	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y25 - 20150547-1108-5AC Y40 - 20150547-1108-10AC Batch NWRB-017	20/11/17	/ /	1246	
	AW0082EN180119	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND	Y12 - 20150547-0108-8aC Y16	17/01/18	/ /	1188	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	- 20150547-0108-13aC Y20 - 20150547-0108-18aC Batch FRB-021				
	AW0083EN172303	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y16 bar - 20150624-1010-(2)(C) Y25 bar - 20150624-1010-(7)(C) Y40 bar - 20150624-1010-(12)(C) (Batch 15)	19/10/17	/ /	1278	
	AW0083EN172518	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y20 bar - 20150624-1031-(2)(C) Y32 bar - 20150624-1031-(7)(C) Batch 17	09/11/17	/ /	1257	
	AW0086EN172475	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-1020-(8) Y16 - 20160605-1020-(13) Y2 - 20160605-1020-(18) Y32 - 20160605-1020-(23) Batch 3	03/11/17	/ /	1263	
	AW0086EN172642	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-1107-(11) Y16 - 20160605-1107-(22) Y20 - 20160605-1107-(33) Y25 - 20160605-1107-(44) Y32 - 20160605-1107-(55) Y40	25/11/17	/ /	1241	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 20160605-1107-(63) Batch 4				
	AW0086EN172677	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y10 - 20160605-1114-(5) Y12 - 20160605-1114-(10) Y16 - 20160605-1114-(15) Batch 5	30/11/17	/ /	1236	
	AW0086EN180418	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-0130-(11) Y16 - 20160605-0130-(11) Batch 8	15/02/18	/ /	1159	
	AW0086EN180492	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-0210-(11) Y40 - 20160605-0210-(25) Batch 9	24/02/18	/ /	1150	
	AW0086EN180665	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y10 - 20160605-0306-(11) Y16 - 20160605-0306-(22) Batch 10	22/03/18	/ /	1124	
	AW0086EN180714	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y40 - 20160605-0314-(8) Batch 11	28/03/18	/ /	1118	
	AW0087EN172458	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y16 - 20140269-1019-07 Y32 - 20140269-1019-15 Batch 52	24/10/17	/ /	1273	
	AW0087EN172693	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG	Y12 - 20140269-1120-4	02/12/17	/ /	1234	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			LOK STREET, HOMANTIN	Y16 - 20140269-1120-9 Y40 - 20140269-1120-14 Batch 54 Y16 - 20140269-1120-4 Batch 55 Y12 - 20140269-1120-4 Batch 56				
	AW0087EN172729	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y12 - 20140269-1123-10 Y40 - 20140269-1123-18 Batch 57	04/12/14	/ /	2328	
	AW0087EN172943	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y20 - 20140269-1212-10 Y40 - 20140269-1212-18 Batch 58	21/12/17	/ /	1215	
	AW0087EN180237	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y25 - 20140269-0113-07 Batch 61 Y12 - 20140269-0115-07 Y16 - 20140269-0115-15 Batch 62 Y40 - 20140269-0116-11 Batch 63	29/01/18	/ /	1176	
	AW0087EN180474	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y12 - 20140269-0210-10 Y25 - 20140269-0210-25	23/02/18	/ /	1151	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 65				
	AW0092EN172562	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 - 20160625-1107-(11C) Batch 4	15/11/17	/ /	1251	
	AW0092EN180870	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y10 - 20160625-0327-05C Y12 - 20160625-0327-010C Y16 - 20160625-0327-018C Batch 10	18/04/18	/ /	1097	
	AW0092EN180959	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y25 - 20160625-0409-14C Y40 - 20160625-0409-28C Batch 12	26/04/18	/ /	1089	
	AW0092EN180960	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-0410-14C Y40 - 20160625-0409-29C Batch 13	26/04/18	/ /	1089	
	AW0092EN180979	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 - 20160625-0413-11C Y20 - 20160625-0413-22C Y40 - 20160625-0413-26C Batch 14	28/04/18	/ /	1087	
	AW0092EN181003	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y10 - 20160625-0416-11C Y12 - 20160625-0416-22C Y40 - 20160625-0416-36C Batch 15	03/05/18	/ /	1082	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0100EN180676	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TEXACO ROAD FOR (PARALLEL TEST)	Y32 - 20160430-0308-5A-C Batch 015	23/03/18	/ /	1123	
	AW0100EN181021	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TEXACO ROAD FOR (PARALLEL TEST)	Y10 - 20160430-0421-5A-C Y12 - 20160430-0421-10A-C Y16 - 20160430-0421-15A-C Y20 - 20160430-0421-20A-C Y25 - 20160430-0421-25A-C Y32 - 20160430-0421-30A-C Y40 - 20160430-0421-35A-C Batch 018	30/04/18	/ /	1085	
	AW0101EN181215	HKHA	FOUNDATION AND SITE FORMATION FOR PRHD NEAR LAI KING HILL ROAD, KWAI CHUNG AND AT LAI CHO ROAD, KWAI CHUNG (NLKHR) FOR PARALLEL TEST	Y40 - 20170111-0512-2A Y32 - 20170111-0512-7A Batch 1	24/05/18	/ /	1061	
	AW0105EN180120	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y12 - 20150055-0102-8A--C Y16 - 20150055-0102-13A--C Y20 - 20150055-0102-18A--C Batch 139	17/11/18	/ /	884	
	AW0105EN180280	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y25 - 20150055-0116-5A--C Batch 144	03/02/18	/ /	1171	
	AW0105EN180428	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE	Y10 - 20150055-0202-5A--C	15/02/18	/ /	1159	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y12 - 20150055-0202-10A--C Batch 149				
	AW0105EN180686	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y25 - 20150055-0313-5A--C Y25 - 20150055-0313-10A--C Y32 - 20150055-0313-15A--C Batch 154	25/03/18	/ /	1121	
	AW0105EN181329	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y20 - 20150055-0511-5A--C Y32 - 20150055-0511-16A--C Y32 - 20150055-0511-21A--C Batch 159	02/06/18	/ /	1052	
	AW0106EN180215	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y12 - 20150279-0117-(20) Y16 - 20150279-0117-(15) Y25 - 20150279-0117-(10) Y40 - 20150279-0117-(5) Batch 043	27/01/18	/ /	1178	
	AW0106EN180246	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y12 - 20150279-0122-20 Y16 - 20150279-0122-15 Y25 - 20150279-0122-10 Y40 - 20150279-0122-5 Batch 044	01/02/18	/ /	1173	
	AW0106EN180461	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y10	23/02/18	/ /	1151	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	- 20150279-0209-15 Y12 - 20150279-0122-10 Y20 - 20150279-0122-5 Batch 045				
	AW0107EN180297	HKHA	CONSTRUCTION OF THE HOME OWNERSHIP SCHEME DEVELOPMENT AT KAI TAK SITE 1G1 (B)	Y12 - 20150362-0125-(02)C Y16 - 20150362-0125-(07)C Y20 - 20150362-0125-(12)C Batch 40	04/02/18	/ /	1170	
	AW0108EN180281	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y16 - 20150248-0122-5C Y20 - 20150248-0122-10C Batch 081	03/02/18	/ /	1171	
	AW0108EN180417	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y16 - 20150248-0205-5C Y12 - 20150248-0205-13C Batch 082	15/02/18	/ /	1159	
	AW0108EN180499	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y10 - 20150248-0213-5C Y12 - 20150248-0213-13C Y16 - 20150248-0213-18C Y20 - 20150248-0213-23C Y25 - 20150248-0213-28C Y32 - 20150248-0213-33C Batch 083	28/02/18	/ /	1146	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0108EN180892	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y10 - 20150248-0406-5C Y12 - 20150248-0406-13C Y16 - 20150248-0406-21C Y20 - 20150248-0406-26C Y25 - 20150248-0406-34C Y32 - 20150248-0406-39C Y40 - 20150248-0406-44C Batch 85	20/04/18	/ /	1095	
	AW0108EN181259	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-0515-05C Batch 86	26/05/18	/ /	1059	
	AW0108EN181426	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y10 - 20150248-00604-08-C Y16 - 20150248-00604-16-C Y40 - 20150248-00604-21-C Batch 87	18/06/18	/ /	1036	
	AW0108EN181552	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-0615-08C Y16 - 20150248-0615-16C Y20 - 20150248-0615-24C Y25 - 20150248-0615-29C Y40 - 20150248-0615-34C Batch 89	30/06/18	/ /	1024	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0109EN180707	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-1603-5CA Y12 - 20150259-1603-10CA Batch 90	28/03/18	/ /	1118	
	AW0109EN181542	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD - TONKIN STREET PHASES 1 & 2 FOR (PARALLEL TEST)	Y10 - 20150259-0614-5CA Y12 - 20150259-0614-10CA Batch 92	27/06/18	/ /	1027	
	AW0112EN180160	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y10 - 20150611-0103-02-C Y12 - 20150611-0103-10-C Y40 - 20150611-0103-21-C Batch 47	18/01/18	/ /	1187	
	AW0112EN180186	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y10 - 20150611-0110-02-C Y16 - 20150611-0110-13-C Y16 - 20150611-0110-24-C Batch 48	23/01/18	/ /	1182	
	AW0112EN180424	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y12 - 20150611-0201-02-C Y16 - 20150611-0201-13-C Y32 - 20150611-0201-24-C Batch 52	15/02/18	/ /	1159	
	AW0112EN180475	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y50 - 20150611-0209-02-C F02 (Mini-Pile)	23/02/18	/ /	1151	
	AW0112EN180664	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y12	21/03/18	/ /	1125	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	- 20150611-0307-02-C Y12 - 20150611-0307-13-C Batch 56				
	AW0112EN180666	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y16 - 20150611-0308-02-C Y16 - 20150611-0308-13-C Y32 - 20150611-0308-21-C Y40 - 20150611-0308-29-C Batch 57	22/03/18	/ /	1124	
	AW0112EN180856	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y16 - 20150611-0328-02-C Y16 - 20150611-0328-13-C Y40 - 20150611-0328-21-C Batch 59	15/04/18	/ /	1100	
	AW0112EN180983	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y12 - 20150611-0418-02-C Y12 - 20150611-0418-13-C Batch 60	30/04/18	/ /	1085	
	AW0112EN181176	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y16 - 20150611-0505-02-C Y16 - 20150611-0505-13-C Batch 63	20/05/18	/ /	1065	
	AW0112EN181332	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y12 - 20150611-0523-02-C Y12 - 20150611-0523-13-C Batch 65	02/06/18	/ /	1052	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0112EN181427	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y12 - 20150611-0602-02-C Y16 - 20150611-0602-10-C Y20 - 20150611-0602-18-C Batch 66	18/06/18	/ /	1036	
	AW0112EN181543	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y16 - 20150611-0611-02-C Batch 67	27/06/18	/ /	1027	
	AW0112EN181544	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y40 - 20150611-0613-02-C Batch 68	27/06/18	/ /	1027	
	AW0112EN181564	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 & 7	Y16 - 20150611-0616-02-C Batch 69	30/06/18	/ /	1024	
	AW0113EN180473	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3,6 &7	Y16 - 20150611-0208-02-C Y40 - 20150611-0208-13-C Batch 53	23/02/18	/ /	1151	
	AW0114EN180247	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y40 - 20150619-0117-14-C Batch No. ACSL022-SS62465 Y40 - 20150619-0117-28-C Batch No. ACSL023-SS62466 Y40 - 20150619-0117-50-C Batch No. ACSL025-SS62464	01/02/18	/ /	1173	
	AW0114EN180402	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y20 - 20150619-0123-36-C Batch No. ACSL028-SS62511 Y12 - 20150619-0123-47-C	15/02/18	/ /	1159	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch No. ACSL029-SS62515 Y20 - 20150619-0123-55-C Batch No. ACSL030-SS62512 Y20 - 20150619-0123-66-C Batch No. ACSL031-SS62509				
	AW0115EN180645	HKHA	CIVIL ENGINEERING IMPROVEMENT WORKS AT SHUN TIN ESTATE	Y16 - 20159138-0309-6 Y20 - 20159138-0309-12 Batch 16	21/03/18	/ /	1125	
	AW0125EN180177	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y10 - 20160228-1101-2 Y16 - 20160228-1101-13 Y25 - 20160228-1101-24 Batch 013	24/01/18	/ /	1181	
	AW0125EN180498	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y12 - 20160228-0215-2 Y16 - 20160228-0215-2 Batch 017	28/02/18	/ /	1146	
	AW0128EN172551	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE I AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y12 - 20150624-1106(2)(C) Y16 - 20150624-1106(7)(C) Y40 - 20150624-1106(15)(C) Batch 18	15/11/17	/ /	1251	
	AW0128EN172886	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE I AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y25 - 20150624-1208(2)(C) Y32 - 20150624-1208(13)(C) Batch 23	15/12/17	/ /	1221	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0128EN172893	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE I AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y12 - 20150624-1209(2)(C) Y16 - 20150624-1209(7)(C) Y20 - 20150624-1209(15)(C) Batch 24	18/12/17	/ /	1218	
	AW0128EN180159	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0110-(2)(C) Batch 29	18/01/18	/ /	1187	
	AW0128EN180213	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0117-(2)(C) Batch 30	27/01/18	/ /	1178	
	AW0128EN180214	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0118-(2)(C) Batch 31	27/01/18	/ /	1178	
	AW0128EN180244	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y32 - 20150624-0119-(2)(C) Batch 32	01/02/18	/ /	1173	
	AW0128EN180245	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y16 - 20150624-0120-(2)(C) Y20 - 20150624-0120-(13)(C) Y25 - 20150624-0120-(18)(C) Batch 33	01/02/18	/ /	1173	
	AW0128EN180264	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0122-(2)(C) Batch 34	02/02/18	/ /	1172	
	AW0128EN180265	HKHA	FOUNDATION FOR PUBLIC RENTAL	Y40	02/02/18	/ /	1172	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	- 20150624-0123-(2)(C) Batch 35				
	AW0128EN180283	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0124-(2)(C) Batch 36	03/02/18	/ /	1171	
	AW0128EN180284	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0125-(2)(C) Batch 37	03/02/18	/ /	1171	
	AW0128EN180296	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y40 - 20150624-0126-(2)(C) Batch 38	04/02/18	/ /	1170	
	AW0128EN180374	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT PHASE 1 AT DIAMOND HILL COMPREHENSIVE DEVELOPMENT AREA, WONG TAI SIN	Y12 - 20150624-0131-(2)(C) Y16 - 20150624-0131-(7)(C) Y20 - 20150624-0131-(18)(C) Batch 42	11/02/18	/ /	1163	
	AW0129EN180631	HKHA	FOUNDATION FOR PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 PHASE 3 FOR (PARALLEL TEST)	Y12 - 20160087-0303-68A Y16 - 20160087-0303-73A Y20 - 20160087-0303-78A Y25 - 20160087-0303-83A Y32 - 20160087-0303-88A Y40 - 20160087-0303-93A Batch 19	17/03/18	/ /	1129	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0130EN180472	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y12 - 20160499-0207-8-C Y16 - 20160499-0207-16-C Y20 - 20160499-0207-24-C Y25 - 20160499-0207-32-C Batch 012	23/02/18	/ /	1151	
	AW0130EN180706	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y12 - 20160499-0313-14-C Y16 - 20160499-0313-22-C Batch 014	28/03/18	/ /	1118	
	AW0130EN181261	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y12 - 20160499-0515-8-C Y16 - 20160499-0515-16-C Y20 - 20160499-0515-24-C Batch 016	27/05/18	/ /	1058	
	AW0130EN181321	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y16 - 20160499-0523-8-C Y40 - 20160499-0523-16-C Batch 017	04/06/18	/ /	1050	
	AW0130EN181664	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y16 - 20160499-0705-5-C Y32 - 20160499-0705-10-C Batch 020	15/07/18	/ /	1009	
	AW0130EN181735	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-0711-8-C Y12 - 20160499-0711-16-C Batch 021	19/07/18	/ /	1005	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0132EN180623	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y16 - 20150279-0307-5 Batch 46	16/03/18	/ /	1130	
	AW0132EN180624	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y10 - 20150279-0308-20 Y12 - 20150279-0308-15 Y16 - 20150279-0308-10 Y20 - 20150279-0308-5 Batch 47	16/03/18	/ /	1130	
	AW0132EN181260	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Y12 - 20150279-0515-5 Batch 49	26/05/18	/ /	1059	
	AW0133EN180732	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y10 - 20150547-0319-5aC Y12 - 20150547-0319-10aC Batch FRB-029	30/03/18	/ /	1116	
	AW0133EN181123	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y20 - 20150547-0507-5-aC Y25 - 20150547-0507-10-aC Batch FRB-34	18/05/18	/ /	1067	
	AW0133EN181174	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y16 - 20150547-0508-5A-C Y32 - 20150547-0508-10A-C Batcg NWRB-032	19/05/18	/ /	1066	
	AW0133EN181449	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y12 - 20150547-0607-5A-C Y16 - 20150547-0607-10A-C Batcg NWRB-039	19/06/18	/ /	1035	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0133EN181522	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y16 - 20150547-0613-5A-C Y32 - 20150547-0613-13A-C Batch FRB-039	22/06/18	/ /	1032	
	AW0133EN181663	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y20 - 20150547-0705-5A-C Y25 - 20150547-0705-10A-C Batch NWRB-044	15/07/18	/ /	1009	
	AW0133EN182045	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y10 - 20150547-0808-8A-C Y12 - 20150547-0808-13A-C Batch NWRB-050	17/08/18	/ /	976	
	AW0133EN182238	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENTS AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y12 - 20150547-0830-5a-C Y32 - 20150547-0830-10a-C Batch NWRB-055 AW0133 change to AW0190	07/09/18	/ /	955	
	AW0134EN180667	HKHA	Construction of Public Rental Housing Development of Choi Fook Estate Phase 3 and Sports Centre, Kwun Tong	Y10 - 20160228-0312-2 Y12 - 20160228-0312-13 Y40 - 20160228-0312-24 Batch 019	22/03/18	/ /	1124	
	AW0134EN180954	HKHA	Construction of Public Rental Housing Development of Choi Fook Estate Phase 3 and Sports Centre, Kwun Tong	Y12 - 20160228-0412-2 Y32 - 20160228-0412-10 Y40 - 20160228-0412-15 Batch 021 Y12	25/04/18	/ /	1090	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 20160228-0413-2 Batch 022 Y16 - 20160228-0414-2 Y25 - 20160228-0414-7 Batch 023				
	AW0134EN181004	HKHA	Construction of Public Rental Housing Development of Choi Fook Estate Phase 3 and Sports Centre, Kwun Tong	Y10 - 20160228-0419-2 Y16 - 20160228-0419-13 Y40 - 20160228-0419-24 Batch 024 Y40 - 20160228-0420-2 Batch 025	03/05/18	/ /	1082	
	AW0135EN180615	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT AT TSING HUNG ROAD, TSING YI FOR (PARALLEL TEST)	Y10 - 20170201-0301-5A-C Y16 - 20170201-0301-10A-C Y40 - 20170201-0301-15A-C Batch 01	13/03/18	/ /	1133	
	AW0135EN181287	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT AT TSING HUNG ROAD, TSING YI FOR (PARALLEL TEST)	Y40 - 20170201-0301-8A-C Batch 08	02/06/18	/ /	1052	
	AW0137EN181005	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-0413-11 Y16 - 20160605-0413-22 Y25 - 20160605-0413-30 Batch 13	03/05/18	/ /	1082	
	AW0137EN181484	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	22/06/18	/ /	1032	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	- 20160605-0602-11 Y32 - 20160605-0602-19 Batch 14				
	AW0137EN181545	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y10 - 20160605-0607-5 Y12 - 20160605-0607-10 Y16 - 20160605-0607-15 Batch 15	27/06/18	/ /	1027	
	AW0137EN181736	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-0709-11 Y16 - 20160605-0709-22 Y40 - 20160605-0709-30 Batch 17	20/07/18	/ /	1004	
	AW0137EN182138	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y10 - 20160605-0808-11C Batch 22	28/08/18	/ /	965	
	AW0137EN182139	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-0811-11C Batch 23	28/08/18	/ /	965	
	AW0138EN180951	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y32 - 20140269-0411-07 Batch 71	22/04/18	/ /	1093	
	AW0138EN181249	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y12 - 20140269-0516-04C Y16 - 20140269-0516-09C Y20 - 20140269-0516-14C Batch 74	26/05/18	/ /	1059	
	AW0138EN181485	HKHA	CONSTRUCTION OF HOME OWNERSHIP	Y12	22/06/18	/ /	1032	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	- 20140269-0613-10 Y16 - 20140269-0613-18 Y20 - 20140269-0613-23 Y25 - 20140269-0613-28 Batch 76				
	AW0138EN181695	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y16 - 20140269-0709-04 Y25 - 20140269-0709-09 Y32 - 20140269-0709-14 Y40 - 20140269-0709-25 Batch 77	17/07/18	/ /	1007	
	AW0138EN182082	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y10 - 20140269-0816-04 Y12 - 20140269-0816-09 Y16 - 20140269-0816-14 Y25 - 20140269-0816-19 Y32 - 20140269-0816-24 Batch 2	24/08/18	/ /	969	
	AW0138EN182307	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y10 - 20140269-0907-04 Y12 - 20140269-0907-09 Y16 - 20140269-0907-14 Y20 - 20140269-0907-19	13/09/18	/ /	949	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y25 - 20140269-0907-24 Batch 81				
	AW0138EN182603	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	Y10 - 20140269-1012-04C Y12 - 20140269-1012-9C Y16 - 20140269-1012-14C Y20 - 20140269-1012-19C Y25 - 20140269-1012-24C Batch	20/10/18	/ /	912	
	AW0142EN180857	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 Batch: ACSL044-SS62868 - 20150619-0320-11-C Y16 Batch: ACSL046-SS62870 - 20150619-0320-30-C Y32 Batch: ACSL047-SS62871 - 20150619-0320-47-C Y32 Batch: ACSL048-SS62872 - 20150619-0320-58-C Y40 Batch: ACSL049-SS62873 - 20150619-0320-72-C Y40 Batch: ACSL050-SS62874 - 20150619-0320-86-C Y40 Batch: ACSL051-SS62875 - 20150619-0320-100-C Y16 Batch: ACSL053-SS62894 - 20150619-0320-115-C	15/04/18	/ /	1100	
	AW0142EN180875	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 Batch: ACSL045-SS62869 - 20150619-0320-22-C Y40 Batch: ACSL052-SS62876 - 20150619-0320-114-C	19/04/18	/ /	1096	
	AW0142EN180900	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 Batch: ACSL0 - 20150619-0406-11-C	21/04/18	/ /	1094	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			ESTATE PHASES 7 AND 8	Y12 Batch: ACSL0 - 20150619-0406-22-C Y12 Batch: ACSL0 - 20150619-0406-33-C Y20 Batch: ACSL0 - 20150619-0406-50-C				
	AW0142EN181185	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 - 20150619-0504-22-C	20/05/18	/ /	1065	
	AW0142EN181186	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL059-SS63219				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 - 20150619-0504-33-C	20/05/18	/ /	1065	
	AW0142EN181187	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL060-SS63220				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 - 20150619-0504-41-C	20/05/18	/ /	1065	
	AW0142EN181188	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL061-SS63221				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 - 20150619-0504-52-C	20/05/18	/ /	1065	
	AW0142EN181189	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL062-SS63250				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 - 20150619-0504-60-C	20/05/18	/ /	1065	
	AW0142EN181190	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL063-SS63251				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 - 20150619-0504-71-C	20/05/18	/ /	1065	
	AW0142EN181191	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL064-SS63252				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 - 20150619-0504-82-C	20/05/18	/ /	1065	
	AW0142EN181192	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL065-SS63253				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 - 20150619-0504-93-C	20/05/18	/ /	1065	
	AW0142EN181193	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL066-SS63274				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y12 - 20150619-0504-104-C	20/05/18	/ /	1065	
	AW0142EN181194	HKHA	ESTATE PHASES 7 AND 8	Batch: ACSL067-SS63275				
			CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y16 - 20150619-0504-123-C	20/05/18	/ /	1065	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			ESTATE PHASES 7 AND 8	Batch: ACSL067-SS63277				
	AW0142EN181195	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y16 - 20150619-0504-134-C	20/05/18	/ /	1065	
			ESTATE PHASES 7 AND 8	Batch: ACSL067-SS63278				
	AW0142EN181196	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y16 - 20150619-0504-145-C	20/05/18	/ /	1065	
			ESTATE PHASES 7 AND 8	Batch: ACSL071-SS63279				
	AW0142EN181197	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y32 - 20150619-0504-173-C	20/05/18	/ /	1065	
			ESTATE PHASES 7 AND 8	Batch: ACSL073-SS63281 & SS63282				
	AW0142EN181250	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 Batch: ACSL058-SS63218 - 20150619-0504 11-C	26/05/18	/ /	1059	
			ESTATE PHASES 7 AND 8	Y12 Batch: ACSL068-SS63276 - 20150619-0504-112-C				
				Y16 Batch: ACSL072-SS63280 - 20150619-0504-156-C				
				Y32 Batch: ACSL074-SS63283 - 20150619-0504-184-C				
	AW0142EN181423	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 Batch: ACSL075-SS63515 - 20150619-0529-11-C	15/06/18	/ /	1039	
			ESTATE PHASES 7 AND 8					
	AW0142EN181424	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y16 Batch: ACSL084-SS63499 - 20150619-0529-110-C	15/06/18	/ /	1039	
			ESTATE PHASES 7 AND 8					
	AW0142EN181425	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y40 Batch: ACSL085-SS63500 - 20150619-0529-124-C	15/06/18	/ /	1039	
			ESTATE PHASES 7 AND 8					
	AW0142EN181555	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y40 Batch: ACSL089-SS63616 - 20150619-0614-11-C	30/06/18	/ /	1024	
			ESTATE PHASES 7 AND 8					
	AW0142EN181556	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y10 Batch: ACSL091-SS63618 - 20150619-0614-33-C	30/06/18	/ /	1024	
			ESTATE PHASES 7 AND 8					
	AW0142EN181557	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y12 Batch: ACSL094-SS63621	30/06/18	/ /	1024	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	20150619-0614-66-C				
	AW0142EN181558	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y12 Batch: ACSL095-SS63624 20150619-0614-77-C	30/06/18	/ /	1024	
	AW0142EN181559	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y12 Batch: ACSL096-SS63625 20150619-0614-88-C	30/06/18	/ /	1024	
	AW0145EN181175	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 20160625-0509-11-C Batch 16	20/05/18	/ /	1065	
	AW0145EN181183	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 20160625-0511-11-C Batch 17	21/05/18	/ /	1064	
	AW0145EN181517	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 20160625-0614-11-C Y50 20160625-0614-17-C Batch 21	24/06/18	/ /	1030	
	AW0145EN181563	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 20160625-0622-11-C Batch 22	30/06/18	/ /	1024	
	AW0150EN181198	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y25 20160228-0512-2 Y32 20160228-0512-7 Y40 20160228-0512-12 Batch 029	23/05/18	/ /	1062	
	AW0150EN181266	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y10 20160228-0517-2 Y16 20160228-0517-13 Batch 030	28/05/18	/ /	1057	
	AW0150EN181300	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y40	02/06/18	/ /	1052	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	- 20160228-0523-2 Batch 031				
	AW0150EN181453	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y12 - 20160228-0612-2 Y20 - 20160228-0612-13 Y25 - 20160228-0612-21 Y32 - 20160228-0612-26 Batch 33	21/06/18	/ /	1033	
	AW0151EN182650	HKHA	ADVANCE CIVIL ENGINEERING WORKS FOR PUBLIC HOUSING DEVELOPMENT PROJECTS BATCH 7 (2017-2019)	Y12 - 20150649-1022-05 Y16 - 20150649-1022-10	26/10/18	/ /	906	
	AW0154EN181214	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y10 - 20170225-0504-5C Y12 - 20170225-0504-10C Y16 - 20170225-0504-18C Y20 - 20170225-0504-23C Y25 - 20170225-0504-31C Y32 - 20170225-0504-39C Y40 - 20170225-0504-47C Batch 01	21/05/18	/ /	1064	
	AW0154EN181428	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y12 - 20170225-0607-5C Y16 - 20170225-0607-13C Batch 03	18/06/18	/ /	1036	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0154EN181696	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y10 - 20170225-0706-8 Y12 - 20170225-0706-16 Batch 05	17/07/18	/ /	1007	
	AW0154EN181790	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y16 - 20170225-0713-11 Y40 - 20170225-0713-35 Batch 06	25/07/18	/ /	999	
	AW0154EN181835	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y12 - 20170225-0720-11 Y25 - 20170225-0720-19 Batch 07	30/07/18	/ /	994	
	AW0154EN182111	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y10 - 20170225-08151-11C Y16 - 20170225-0815-22C Batch 09	25/08/18	/ /	968	
	AW0154EN182166	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y12 - 20170225-0822-11 Batch 10	30/08/18	/ /	963	
	AW0154EN182287	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y16 - 20170225-0904-11C Y20 - 20170225-0904-19C Y25 - 20170225-0904-27C Batch	11/09/18	/ /	951	
	AW0154EN182458	HKHA	CONSTRCUTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	Y40 - 20170225-0920-8 Batch 12	04/10/18	/ /	928	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0154EN182504	HKHA	CONSTRUCUTION OF PRH	Y40	10/10/18	/ /	922	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-0928-8 Batch 13				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y16				
				- 20170225-0929-11 Batch 14				
	AW0154EN182552	HKHA	CONSTRUCUTION OF PRH	Y12	15/10/18	/ /	917	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1003-10C Batch 14				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0154EN182604	HKHA	CONSTRUCUTION OF PRH	Y32	20/10/18	/ /	912	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1005-11C Batch 15				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0154EN182625	HKHA	CONSTRUCUTION OF PRH	Y25	22/10/18	/ /	910	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1012-11C Y32				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	- 20170225-1012-22C Batch 17				
	AW0159EN181710	HKHA	FOUNDATION FOR PUBLIC RENTAL	Y40	18/07/18	/ /	1006	
			HOUSING DEVELOPMENT AT TUEN MUN AREA 54 SITES 3 & 4 (EAST) (FOR PARALLEL TEST)	- 20170110-0710-14a-C				
	AW0159EN181762	HKHA	FOUNDATION FOR PUBLIC RENTAL	Y12	24/07/18	/ /	1000	
			HOUSING DEVELOPMENT AT TUEN MUN AREA 54 SITES 3 & 4 (EAST) (FOR PARALLEL TEST)	- 20170110-0713-22a-C Batch 6				
	AW0159EN182503	HKHA	FOUNDATION FOR PUBLIC RENTAL	Y40	09/10/18	/ /	923	
			HOUSING DEVELOPMENT AT TUEN MUN AREA 54 SITES 3 & 4 (EAST) (FOR PARALLEL TEST)	- 20170110-1004-28a-C Batch 10				

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0160EN181454	HKHA	Foundation and Site Formation for SSFD at Ma On Shan Road and PRHD at hang Tai Road, Ma On Shan Area 86B Ph.1 (for parallel test)	Y16 - 20170399-0612-07AC Y40 - 20170399-0612-02AC Batch 1	21/06/18	/ /	1033	
	AW0162EN182372	HKHA	FOUNDATION AND SITE FORMATION FOR PRHD NEAR LAI KING HILL ROAD, KWAI CHUNG FOR (PARALLEL TEST)	Y50 - 20170111-0914-2A -C Batch 6	25/09/18	/ /	937	
	AW0163EN182538	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y12 - 20150055-1002-5A-C Y12 - 20150055-1002-10A-C Y16 - 20150055-1002-18A-C Y20 - 20150055-1002-23A-C Y40 - 20150055-1002-28A-C Batch 169	15/10/18	/ /	917	
	AW0163EN183132	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASES 1 & 2 FOR (PARALLEL TEST)	Y12 - 20150055-1204-5A-C Batch 174	12/12/18	/ /	859	
	AW0165EN182836	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-1106-5C Y16 - 20150248-1106-10C Batch 92 Cancelled Replaced by EN182843	15/11/18	/ /	886	
	AW0165EN182843	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Y12 - 20150248-1106-5-C Y16 - 20150248-1106-10-C Batch 92	16/11/18	/ /	885	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0168EN181680	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y10 - 20150611-0629-02-C Y12 - 20150611-0629-13-C Y12 - 20150611-0629-24-C Y16 - 20150611-0629-32-C Y20 - 20150611-0629-43-C Y25 - 20150611-0629-48-C Y32 - 20150611-0629-53-C Batch 72	18/07/18	/ /	1006	
	AW0168EN181681	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y40 - 20150611-0630-02-C Batch 73	18/07/18	/ /	1006	
	AW0168EN181890	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y12 - 20150611-0724-02-C Batch 74	30/07/18	/ /	994	
	AW0168EN181891	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y12 - 20150611-0724-02-C Batch 75	30/07/18	/ /	994	
	AW0168EN182044	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y10 - 20150611-0807-02-C Batch 79	17/08/18	/ /	976	
	AW0168EN182142	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, ,6 AND 7	Y12 - 20150611-0809-02-C Batch 80	28/08/18	/ /	965	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0168EN182308	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	Y12 - 20150611-0828-02-C Batch	13/09/18	/ /	949	
	AW0168EN182551	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	Y16 - 20150611-1002-02-C Batch 83	16/10/18	/ /	916	
	AW0173EN182862	HKHA	PROVISION OF MINI BUS FOR THE SIST	Y16 - 20150547-1108-1A-C Y16 - 20150547-1108-2A-C Batch NWRB-068 CANCELLED	17/11/18	/ /	884	
	AW0180EN181818	HKHA	FOUNDATION AND SITE FORMATION FOR PRHD NEAR LAI KING HILL ROAD, KWAI CHUNG AND AT LAI CHO ROAD, KWAI CHUNG (NLKHR) FOR PARALLEL TEST	Y40 - 20170111-0714-02A Batch 6	25/07/18	/ /	999	
	AW0182EN181771	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-0706-11C	26/07/18	/ /	998	
	AW0182EN182150	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-0727-11C Batch ACSL098-SS63863	28/08/18	/ /	965	
	AW0182EN182151	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y12 - 20150619-0727-66C Batch ACSL103-SS63876	28/08/18	/ /	965	
	AW0182EN182459	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y12 - 20150619-0919-11C Batch	08/10/18	/ /	924	
	AW0182EN182460	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y12 - 20150619-0919-22C Batch	08/10/18	/ /	924	
	AW0182EN182461	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y12	08/10/18	/ /	924	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-33C Batch				
	AW0182EN182462	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y12	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-44C Batch				
	AW0182EN182463	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y12	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-55C Batch				
	AW0182EN182464	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-66C Batch				
	AW0182EN182465	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-77C Batch				
	AW0182EN182466	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-88C Batch				
	AW0182EN182470	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-99C Batch				
	AW0182EN182471	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-110C Batch				
	AW0182EN182472	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y32	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-127C Batch				
	AW0182EN182473	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y32	08/10/18	/ /	924	
			HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	- 20150619-0919-144C Batch				
	AW0183EN182175	HKHA	CONSTRUCTION OF PUBLIC RENTAL	Y16	31/08/18	/ /	962	
			HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUNG TONG	- 20160228-0822-2 Y20 - 20160228-0822-10 Y25 - 20160228-0822-15				



# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Y32 - 20160228-0822-20 Batch 36				
	AW0183EN182176	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUNG TONG	Y10 - 20160228-0821-2 Y16 - 20160228-0821-13 Batch 35	31/08/18	/ /	962	
	AW0184EN182115	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y32 - 20160499-0815-8-C Batch 025	25/08/18	/ /	968	
	AW0184EN182362	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-0910-8-C Y12 - 20160499-0910-16-C Batch 27	21/09/18	/ /	941	
	AW0184EN182383	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y25 - 20160499-0918-8-C Y32 - 20160499-0918-13-C Batch 28	26/09/18	/ /	936	
	AW0184EN182581	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y16 - 20160499-1005-8-C Batch	16/10/18	/ /	916	
	AW0184EN182590	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-1010-8-C Batch 4	20/10/18	/ /	912	
	AW0184EN182816	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y16 - 20160499-1026-8-C Y20 - 20160499-1026-13C Y40 - 20160499-1026-18C	11/11/18	/ /	890	
	AW0184EN182817	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG	Y12 - 20160499-1030-8-C	11/11/18	/ /	890	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0184EN182861	HKHA	SHING STREET, WONG TAI SIN CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-1109-8-C Y16 - 20160499-1109-16-C Batch 34	17/11/18	/ /	884	
	AW0184EN183139	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FUNG SHING STREET, WONG TAI SIN	Y10 - 20160499-1206-8-C Y12 - 20160499-1206-16-C Y16 - 20160499-1206-24-C Batch 35	12/12/18	/ /	859	
	AW0186EN182074	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	Y12 - 20170225-0814-2C Y40 - 20170225-0814-7C	21/08/18	/ /	972	
	AW0186EN182075	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	Y10 - 20160499-0808-8C Y12 - 20160499-0808-16C Y16 - 20160499-0808-24C Batch 24	21/08/18	/ /	972	
	AW0186EN182589	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	Y12 - 20170225-1010-2C Y40 - 20170225-1010-7C	20/10/18	/ /	912	
	AW0187EN182140	HKHA	CONSTRUCUTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-0821-11-C Y20 - 20160625-0821-22-C Batch 26	28/08/18	/ /	965	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0187EN182141	HKHA	CONSTRCUTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-0822-11-C Batch 27	28/08/18	/ /	965	
	AW0187EN182368	HKHA	CONSTRCUTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-0912-11-C Y16 - 20160625-0912-22-C Batch 30	21/09/18	/ /	941	
	AW0187EN182571	HKHA	CONSTRCUTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y10 - 20160625-1010-11-C Y12 - 20160625-1010-22-C Y25 - 20160625-1010-33-C Batch 33	16/10/18	/ /	916	
	AW0187EN182649	HKHA	CONSTRCUTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y16 - 20160625-1019-17-C Batch 34	26/10/18	/ /	906	
	AW0188EN182796	HKHA	FOUNDATION FOR PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 PHASE 3 FOR (PARALLEL TEST)	Y40 - 20160087-1101-5A-C Batch 31	07/11/18	/ /	894	
	AW0189EN182165	HKHA	CONSTRUCTION OF DISTRICT OPEN SPACE AT ANDERSON ROAD SITE C2 PHASE 1	Y10 - 20170162-0821-01 Y12 - 20170162-0821-06 Y16 - 20170162-0821-11 Y20 - 20170162-0821-16 Y25 - 20170162-0821-21 Y32 - 20170162-0821-26 Y40 - 20170162-0821-31	30/08/18	/ /	963	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Batch 1				
	AW0189EN182572	HKHA	CONSTRUCTION OF DISTRICT OPEN SPACE AT ANDERSON ROAD SITE C2 PHASE 1	Y20 - 20170162-1008-01 Y25 - 20170162-1008-06	15/10/18	/ /	917	
				Batch				
	AW0189EN182948	HKHA	CONSTRUCTION OF DISTRICT OPEN SPACE AT ANDERSON ROAD SITE C2 PHASE 1	Y10 - 20170162-1117-01 Y16 - 20170162-1117-06	25/11/18	/ /	876	
				Batch 3				
	AW0190EN182367	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y40 - 20150547-0912-(8A-C) Batch NWRB-058	21/09/18	/ /	941	
	AW0190EN182474	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y12 - 20150547-0929-(11A-C) Y32 - 20150547-0929-19A-C Batch NWRB-062	08/10/18	/ /	924	
	AW0190EN182629	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y16 - 20150547-1009-(8A-C) Batch FRB-050	25/10/18	/ /	907	
	AW0190EN182863	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y16 - 20150547-1108-1A-C Y16 - 20150547-1108-2A-C Batch NWRB-068	17/11/18	/ /	884	
	AW0190EN183003	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR	Y16 - 20150547-1123-8A-C Y20 - 20150547-1123-13A-C	07/12/18	/ /	864	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			(PARALLEL TEST)	Batch NWRB-073				
	AW0190EN183264	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT NORTH WEST KOWLOON RECLAMATION SITE 6 AND FAT TSEUNG STREET WEST FOR (PARALLEL TEST)	Y12 - 20150547-1218-11A-C Y16 - 20150547-1218-22A-C Batch NWRB-078	24/12/18	/ /	847	
	AW0191EN183109	HKHA	FOUNDATION FOR PUBLIC RENTAL HOUSING DEVELOPMENT AT TSING HUNG ROAD, TSING YI FOR (PARALLEL TEST)	Y40 - 20170201-1201-14A-C Batch 17	11/12/18	/ /	860	
	AW0193EN182877	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y16 - 20160228-1108-2 Batch 39	17/11/18	/ /	884	
	AW0193EN182895	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y10 - 20160228-1107-11 Y16 - 20160228-1107-22 Batch 38	19/11/18	/ /	882	
	AW0193EN183130	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y20 - 20160228-1130-2 Y32 - 20160228-1130-7 Batch 42	12/12/18	/ /	859	
	AW0193EN183318	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF CHOI FOOK ESTATE PHASE 3 AND SPORTS CENTRE, KWUN TONG	Y10 - 20160228-1227-2 Y12 - 20160228-1227-13 Y20 - 20160228-1227-17 Y32 - 20160228-1227-25 Batch 044	04/01/19	/ /	836	
	AW0194EN182627	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU	Y10 - 20160605-0929-5C	25/10/18	/ /	907	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			ESTATE PHASE 8	Y16 - 20160605-0929-13C Y20 - 20160605-0929-18C Batch 26				
	AW0194EN182949	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y10 - 20160605-1109-11C Y20 - 20160605-1109-22C Batch 28	25/11/18	/ /	876	
	AW0194EN183131	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PHASE 8	Y12 - 20160605-1123-11C Y16 - 20160605-1123-19C Batch 29	13/12/18	/ /	858	
	AW0198EN182501	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y25 - 20150619-1003-17-C	10/10/18	/ /	922	
	AW0198EN182553	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y25 - 20150619-1003-34-C	15/10/18	/ /	917	
	AW0198EN182631	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y40 - 20150619-1010-14-C ACSL132-SS64310&SS64311	26/10/18	/ /	906	
	AW0198EN182632	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y40 - 20150619-1010-25-C ACSL133-SS64312,SS64312,SS64314	26/10/18	/ /	906	
	AW0198EN182907	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y20 - 20150619-1026-157-C ACSL157-SS64361	20/11/18	/ /	881	
	AW0198EN182908	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y20 - 20150619-1026-174-C ACSL158-SS64362	20/11/18	/ /	881	
	AW0198EN182909	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN	Y20 - 20150619-1026-199-C	20/11/18	/ /	881	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			ESTATE PHASES 7 AND 8	ACSL160-SS64364				
	AW0198EN182925	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-44-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182926	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-55-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182927	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-77-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182928	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-66-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182929	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-88-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182930	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-99-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182931	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-110-C ESTATE PHASES 7 AND 8	Y16	24/11/18	/ /	877	
	AW0198EN182957	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-11-C ESTATE PHASES 7 AND 8	Y16	26/11/18	/ /	875	
	AW0198EN182958	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-22-C ESTATE PHASES 7 AND 8	Y16	26/11/18	/ /	875	
	AW0198EN182959	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-33-C ESTATE PHASES 7 AND 8	Y16	26/11/18	/ /	875	
	AW0198EN182960	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN - 20150619-1026-121-C ESTATE PHASES 7 AND 8	Y16	26/11/18	/ /	875	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	AW0198EN182961	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-1026-132-C ACSL155-SS64421	26/11/18	/ /	875	
	AW0198EN182962	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-1026-140-C ACSL156-SS64422	26/11/18	/ /	875	
	AW0198EN182963	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASES 7 AND 8	Y16 - 20150619-1026-191-C ACSL159-SS64363	26/11/18	/ /	875	
	AW0203EN182950	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDEISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA PHASE 2	Y12 - 20170225-1117-16C Y40 - 20170225-1117-2C Batch 5	25/11/18	/ /	876	
	AW0203EN183141	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDEISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA PHASE 2	Y12 - 20170225-1206-16C Y40 - 20170225-1206-2C Batch 6	07/12/18	/ /	864	
	AW0203EN190006	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDEISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA PHASE 2	Y40 - 20170225-1228-2-C Batch 9	10/01/19	/ /	830	
	AW0204EN182911	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	Y12 - 20170225-1114-2C Y40 - 20170225-1114-7C Batch 6	20/11/18	/ /	881	
	AW0204EN182951	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	Y40 - 20170225-1119-2C Batch 7	25/11/18	/ /	876	
	AW0204EN183259	HKHA	CONSTRUCTION OF PRH	Y12	24/12/18	/ /	847	



# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1217-2C Y40				
			DEVELOPMENT AT DIAMOND HILL CDA AREA-SSF PORTION	- 20170225-1217-7-C Batch 8				
	AW0205EN182912	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y10 - 20160625-1113-11C Y12 - 20160625-1113-22C Y32 - 20160625-1113-33-C Batch 37	20/11/18	/ /	881	
	AW0205EN183095	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-1129-11C Y40 - 20160625-1129-19C Batch 39	08/12/18	/ /	863	
	AW0205EN183196	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-1211-11C Batch 41	20/12/18	/ /	851	
	AW0205EN183197	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TSEUNG KWAN O AREA 65C2 PHASES 1 AND 2	Y12 - 20160625-1208-08C Batch 40	20/12/18	/ /	851	
	AW0207EN182825	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y10 - 20170225-1101-11C	13/11/18	/ /	888	
	AW0207EN182844	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	Y16 - 20170225-110611C	16/11/18	/ /	885	
	AW0207EN182910	HKHA	CONSTRUCTION OF PRH DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	Y40 - 20170225-1113-8C Batch 21	20/11/18	/ /	881	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0207EN182937	HKHA	CONSTRUCTION OF PRH	Y12	24/11/18	/ /	877	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1115-11-C Batch 22				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0207EN183140	HKHA	CONSTRUCTION OF PRH	Y16	12/12/18	/ /	859	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1204-14-C Batch 25				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0207EN183227	HKHA	CONSTRUCTION OF PRH	Y16	20/12/18	/ /	851	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1211-11-C Batch 26				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)					
	AW0207EN183261	HKHA	CONSTRUCTION OF PRH	Y10	24/12/18	/ /	847	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1217-11-C Y40				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	- 20170225-1217-19C Batch 27				
	AW0207EN183332	HKHA	CONSTRUCTION OF PRH	Y25	07/01/19	/ /	833	
			DEVELOPMENT PHASES 1 & 2 AND SUBSIDISED SALE FLATS	- 20170225-1222-11-C Y40				
			DEVELOPMENT AT DIAMOND HILL CDA (PHASE 1)	- 20170225-1222-19C Batch 28				
	AW0839EN182626	HKHA	Improvement Works for Provision of Access Staircase & Railing to Green Roof of RCP No.2 in Uper Nagau Tau Kok Estate	Y12	23/10/18	/ /	909	
	AW0882EN182024	HKHA	Property Services Contract for Choi Wan (II) Estate	Laundry rack	21/08/18	/ /	972	
BILL (INV: PC180033)	182226EN181288	PIPEMATE INTERNATIONAL LIMITED	TESTING OF CAST IRON BASKET STRAINER		30/06/18	/ /	1024	
BILL (PC180068)	175495EN180871	YUE HING MACHINE FACTORY LTD.	TESTING OF BRASS REDUCING VALVE		05/10/18	/ /	73141	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
							2	
BILL (PC180125)	182223EN181024	16082018	TESTING OF CAST IRON BASKET STRAINER		16/08/18	/ /	977	
BILL (PC180126)	181086EN180988	KOHLER ASIA PACIFIC LTD.	Testing of flow controller for Mixer or Tap	Model : 72275T	10/05/18	/ /	1075	
BILL (PC180139)	181741EN180843	YUE HING MACHINE FACTORY LTD.	TESTING OF D.I GATE VALVE		05/06/18	/ /	73153	
							4	
BILL (PC180150)	181259EN180888(2)	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ELECTRONIC MIXER		29/11/18	/ /	872	
BILL (PC180151)	182793EN181290	JAMES WONG & CO LTD	TESTING OF SENSOR FAUCET OR MIXER TAP		04/08/18	/ /	989	
BILL (PC180170)	182290EN181048	WELSON METAL & SANITARY WARE MFY	TESTING OF STAINLESS STEEL EQUILIBRIUM BALL FLOAT VALVE		13/07/18	/ /	1011	
BILL (SU180061)	181106EN181027	KIMSION PLASTIC & METAL MANUFACTURING LTD.	TESTING OF MIXER OR TAP		25/07/18	/ /	999	
PC180054								
BILL(PC180090)	175239EN181161	JAMES WONG & CO LTD	TESTING OF MIXER	SAMPLES FOR TOP-UP TEST 1) 2xMIRA ELEMENT BIV 2) 2xSTERN TUBULAR LE	16/06/18	/ /	1038	
BILL(PC180130)	181743EN181019	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON U-TYPE STRAINER		16/08/18	/ /	977	
BILL(PC180134)	182221EN181023	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON Y-STRAINER		16/08/18	/ /	977	
BILL(PC180172)	182817EN181296	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE (TOP UP TEST)	THERMOSTATIC MIXING VALVE 3XRADA MEYNELL 15/3	04/07/18	/ /	1020	
182817EN181703								
BILL	172489EN181026	SHUN LEE BUILDING MATERIALS & SANITARY WARES LTD.	TESTING OF TAP		15/05/18	/ /	1070	
BILL	180402EN180918	HANG FUNG PIPES CO., LTD.	LEACHING TESTING		20/03/18	/ /	1126	
BILL	180402EN180919	HANG FUNG PIPES CO., LTD.	LEACHING TESTING		20/03/18	/ /	1126	
BILL	180402EN180920	HANG FUNG PIPES CO., LTD.	LEACHING TESTING		20/03/18	/ /	1126	
BILL	180402EN180921	HANG FUNG PIPES CO., LTD.	LEACHING TESTING		20/03/18	/ /	1126	
BILL	181259EN180888	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF ELECTRONIC MIXER		05/11/18	/ /	73138	
							1	
BILL	181658EN181108	MING HING WATERWORKS ENGINEERING CO., LTD.	TESTING OF D.I VALVE (DN200)		06/07/18	/ /	73150	
							3	
BILL	181766EN181242	SLK MANUFACTURING LTD	TESTING OF CAST IRON GATE VALVE		28/06/18	/ /	1026	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
BILL	182220EN181020	YUE HING MACHINE FACTORY LTD.	TESTING OF CAST IRON SWING CHECK VALVE		16/08/18	/ /	977	
BILL	182296EN181047(1)	WELSON METAL & SANITARY WARE MFY	TESTING OF CAST IRON PRESSURE REDUCING VALVE (MODEL : FLOWMATIC (F.M) C101)		13/07/18	/ /	1011	
BILL	182593EN181289	JAMES WONG & CO LTD	TESTING OF THERMOSTATIC MIXING VALVE	RECESSED THERMOSTATIC TRIM AND VALVE 1. KOHLER 97366T-ZZ-BV 1. KOHLER 98699T-NA	04/07/18	/ /	1020	
BILL	182626EN181241	B.S.C. SANITARYWARES SUPPLY LTD	TESTING OF SINGLE LEVER MIXER	M&z Lga00200 Laguna Basin Mixer with Pop Up Waste Finish : Chrom Paltd M&z Lga00200 Laguna Basin Mixer with Pop Up Waste Finish : Chrom Paltd	30/06/18	/ /	1024	
BILL	182798EN181307	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF DUCTILE IRON GATE VALVE	DI gate valve BS5163 DN65, DN80,DN100,DN150,DN200,DN250	08/07/18	/ /	1016	
BILL	182803EN181308	YIN HING CONSTRUCTION MATERIALS (GROUP) LTD.	TESTING OF D.I CHECK VALVE	DI check valve EN DN80, DN100, DN150	05/07/18	/ /	1019	
BILL	182900EN182577(1)	JAMES WONG & CO LTD	TESTING OF MIXER OR TAP		15/12/18	/ /	856	
	DW0005EN190920		Cancel		22/05/19	/ /	698	
	DW0145EN182550	HKHA	DTC for Maintenance,Improvement and VFR for Properties managed by PUAU/WTI/(2) 2015/2018- Structural Cantilever Slab repair works at corridor of Ching Mui House in Cheung Ching Estate and Shan Lok House in Cheung Shan Estate	Y10	14/10/18	/ /	918	
	DW0271EN172112	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCES QUALITY ASSURANCE/CENTRALIZED MONITORING)	Full length (~6M) DN100 flanged D.I. pipe Brand: (KEY) DN100 falnged bend	23/09/17	/ /	1304	
	DW0271EN172130	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCES QUALITY ASSURANCE/CENTRALIZED MONITORING)	Overhead door closer Brand: RYOBI (Model No. 1503BC)	25/09/17	/ /	1302	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0276EN172070	HKHA	Estate Under DMO/KWG-Condition Survey and Repair to External Mosaic Tile at Odd No. of Wing C, On Wah Housing	Y10	20/09/17	/ /	1307	
	DW0276EN172071	HKHA	Estate Under DMO/KWG-Provision of Sunlight / Rain Shelter near Mini-bus Terminus in Lok Wah (South) Estate	Y16	20/09/17	/ /	1307	
	DW0313EN172462	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS IN KOWLOON EAST REGION AND WONG TAI SIN, TSING YI, TSUEN WAN & ISLAND REGION (PHASE 2)	S.S. Laundry Rack Type 1A - Main frame and RHS Type 1B - Main frame and Plate Type 1C - Main frame and RHS	15/11/17	/ /	1251	
	DW0313EN172614	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS IN KOWLOON EAST REGION AND WONG TAI SIN, TSING YI, TSUEN WAN & ISLAND REGION (PHASE 2)	S.S. Laundry Rack Type 1A - Main frame and RHS Type 1C - Main frame and RHS	14/12/17	/ /	1222	
	DW0325EN172809	HKHA	REDECORATION OF AP LEI CHAU ESTATE	Camel Algae Resistance paint AX1000 - AX1301-09 Lot 1185717	01/01/18	/ /	73168	9
	DW0325EN172810	HKHA	REDECORATION OF AP LEI CHAU ESTATE	Camel Algae Resistance paint AX1000 - AX1494-11 Lot 1185721	01/01/18	/ /	73168	9
	DW0325EN172811	HKHA	REDECORATION OF AP LEI CHAU ESTATE	Camel Algae Resistance paint AX1000 - AX1706-03 Lot 1185725	01/01/18	/ /	73168	9
	DW0325EN172812	HKHA	REDECORATION OF AP LEI CHAU ESTATE	Camel Algae Resistance paint AX1000 - AX1724-04 Lot 1185729	01/01/18	/ /	73168	9
	DW0329EN172305	HKHA	FU SHAN ESTATE	Camel External Emulsion - AX1011 Lot#1193495	11/11/17	/ /	73174	0
	DW0329EN172306	HKHA	FU SHAN ESTATE	Camel Internal Emulsion - AN1011 Lot#1193494	11/11/17	/ /	73174	0
	DW0332EN172119	HKHA	DTC FOR PROPERTIES MANAGED BY DMO/WONG TAI SIN, TSING YI, TSUEN WAN & ISLANDS-CONSTRUCTION OF (PHASE 1B) COVERED WALKWAY NEAR LIU TO ROAD AT CHEUNG HANG ESTATE	Y16	22/09/17	/ /	1305	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0355EN172998	HKHA	CONSTRUCTION FOR PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2	20mm - SU2/A/19/01 25mm - SU2/A/19/02 32mm - SU2/A/19/03 32mm - SU2/A/19/04 40mm - SU2/A/19/05 50mm - SU2/A/19/06	15/01/18	/ /	1190	
	DW0357EN180178	HKHA	CONSTRUCTION OF PAK TIN ESTATE REDEVELOPMENT PHASE 9	Bronze Gate Valve 20mm - PT9-TGV-01 Bronze Gate Valve 25mm - PT9-TGV-02 Bronze Gate Valve 32mm - PT9-TGV-03 Bronze Gate Valve 40mm - PT9-TGV-04	30/01/18	/ /	1175	
	DW0357EN181438	HKHA	CONSTRUCTION OF PAK TIN ESTATE REDEVELOPMENT PHASE 9	Fresh Water - Refer to JRF	20/06/18	/ /	1034	
	DW0363EN172892	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Nippon Paint Super Vinilex 5000 Acrylic - Lot 20171201/2A15 Emulsion	01/11/18	/ /	73138 5	
	DW0385EN180223	HKHA	CONSTRUCTION OF COVERED WALKWAYS AT LEI MUK SHUE (II) ESTATE (SITE 2)	Y12 bar	27/01/18	/ /	1178	
	DW0398EN180198	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT MEI MUN LANE ST4C, PIK TIN STREET ST4D AND HIN TIN STREET ST31	Potable Water - Refer to JRF	29/01/18	/ /	1176	
	DW0405EN172289	HKHA	CONSTRUCTION OF PRH AT FANLING AREA 36, PHASE 1		11/01/17	/ /	73204 4	
	DW0405EN172383	HKHA	CONSTRUCTION OF PRH AT FANLING		11/04/17	/ /	73195	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			AREA 36, PHASE 1				4	
	DW0405EN172384	HKHA	CONSTRUCTION OF PRH AT FANLING AREA 36, PHASE 1		11/05/17	/ /	73192	
							4	
	DW0408EN172134	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2		10/01/17	/ /	73204	
							5	
	DW0408EN172135	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2		10/03/17	/ /	73198	
							6	
	DW0408EN172136	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2		10/04/17	/ /	73195	
							5	
	DW0408EN172381	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2		12/01/17	/ /	73204	
							3	
	DW0437EN172165	HKHA	CONSTRUCTION OF PRH DEVELOPMENT AT ANDERSON ROAD SITE C1 AND ANCILLARY FACILITIES BLOCK AT SITE C2 PHASE 2	Fresh Water - Refer to JRF	29/09/17	/ /	1298	
	DW0457EN172300	HKHA	CONSTRUCTION OF LIFT TOWERS AT CHEUNG CHING AND WU KING ESTATE	Y32	19/10/17	/ /	1278	
	DW0457EN180163	HKHA	CONSTRUCTION OF LIFT TOWERS AT CHEUNG CHING AND WU KING ESTATE	Y12 Y16 Y25	20/01/18	/ /	1185	
	DW0464EN172568	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS IN KOWLOON WEST & HONG KONG ISLAND- INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS IN UN CHAU ESTATE (CONSTRUCT : 20159503 - ABLE)	Laundry rack (32mm dia x 1.2mm thk S.s. round tube of main frame)	21/11/17	/ /	1245	
	DW0482EN172400	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING REDEVELOPMENT AT PAK TIN ESTATE PHASE 7 AND 8	S.S.4-bar hinge - PT78-4BH-001 S.S. 4-bar hinge - PT78-4BH-002	04/11/17	/ /	1262	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0489EN172274	HKHA	PROPERTY SERVICES CONTRACT FOR YAT TUNG 1 & 2, KAM PENG, NGAN WAN AND LUNG TIN ESTATE	Camel paint AX1000 Algae Resistance pain - AX1011 1211463	11/10/17	/ /	73177 1	
	DW0490EN172173	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VACANT FLAT REFURBISHMENT FOR PROPERTIES MANAGED BY PSAU/WTT (1) 2017/2020	14" 4-bar hinge 18" 4-bar hinge	28/09/17	/ /	1299	
	DW0490EN172521	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VACANT FLAT REFURBISHMENT FOR PROPERTIES MANAGED BY PSAU/WTT (1) 2017/2020	14" 4-bar hinge 14" 4-bar hinge	09/11/17	/ /	1257	
	DW0490EN172994	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VACANT FLAT REFURBISHMENT FOR PROPERTIES MANAGED BY PSAU/WTT (1) 2017/2020	14" 4-bar hinge	15/01/18	/ /	1190	
	DW0500EN172500	HKHA	DTC FOR PROPERTIES MANAGED BY DMOS/KOWLOON WEST AND HONG KONG-Proposed Pergola nera Cheuk Wah House in Hing Wah (I) Estate	Y16	05/11/17	/ /	1261	
	DW0500EN172501	HKHA	DTC FOR PROPERTIES MANAGED BY DMOS/KOWLOON WEST AND HONG KONG-Proposed Pergola nera Cheuk Wah House in Hing Wah (I) Estate	M12 threaded rod M12 nut M12 washer	10/11/17	/ /	1256	
	DW0517EN172902	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCES QUALITY ASSURANCE/CENTRALIZED MONITORING)	3m x 51mm dai epoxy coated C.I. pipe KEY (EN877)	11/01/18	/ /	1194	
	DW0520EN180588	HKHA	DISTRICT TERM CONTRACTS FOR KOWLOON EAST	emulsion paint - FG02-01	04/05/18	/ /	73156 6	
	DW0524EN180340	HKHA	CONSTRUCTION OF PRH DEVELOPMENT AT SHEK MUN ESTATE PHASE 2, SHATIN	"DECO" Brand-Cu pipe 35 mm "DECO" Brand-Cu pipe 28 mm	28/02/18	/ /	1146	
	DW0529EN172335	HKHA	ADDITION OF LAUNDRY ROD AT LIVING ROOM FRACADE OF RENTAL FLATS AT UN NGA HOUSE IN UN CHAU ESTATE	Laundry Rod - 5mm th. stainless steel plate - 3mm th. stainless steel plate	21/10/17	/ /	1276	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- 32 dia. x 1.5mm th. stainless steel round tube - 38mm dia stainless steel round tube				
	DW0534EN180257	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7 (PHASE 7)	28mm x 22mm reducer - SKM7/CF0812/01 CODE203 CANCELLED	20/02/18	/ /	1154	
	DW0538EN172565	HKHA	DTC-THE MAINT. & VFR FOR KOWLOON EAST DISTRICT 2017/2010-INSTALLATION OF STAINLESS STEEL LAUNDRY RACK AT ON KWAN HOUSE IN SHUN ON ESTATE	Laundry rack of barcket - two parts 32 mm dia. S.S. round tube	18/11/17	/ /	1248	
	DW0543EN172531	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/KOWLOON EAST (2) 2017/2020	Flower emulsion paint - 111371704034	12/03/17	/ /	73198 4	
	DW0543EN172532	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/KOWLOON EAST (2) 2017/2020	Flower synthetic paint - 11171012007	12/03/17	/ /	73198 4	
	DW0544EN172654	HKHA	TERM CONTRACT FOR SLOPE MAINTENANCE & IMPROVEMENT WORKS FOR REGION C (2017-2019)	Y32 Y40	26/11/17	/ /	1240	
	DW0544EN180490	HKHA	TERM CONTRACT FOR SLOPE MAINTENANCE & IMPROVEMENT WORKS FOR REGION C (2017-2019) - SLOPE IMPROVEMENT WORKS FOR FEATURE NO. 11SW-C/C741 AT TIN WAN ESTATE	Y16 bar	24/02/18	/ /	1150	
	DW0545EN172553	HKHA	COMPONENTS & MATERIAL TEAM	'Tung Shing' 16' S.S. 4-bar hinge - KT1 'Tung Shing' 16' S.S. 4-bar hinge - KT2	20/11/17	/ /	1246	
	DW0555EN180680	HKHA	COMPONENTS & MATERIALS TEAM - Anderson Road Site A & b Ph. 1 & 2	Overhead door closer - Sample 2 for power size 3	22/03/18	/ /	1124	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Overhead door closer - Sample 1 for power size 4				
	DW0557EN180415	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LIN SHING ROAD, CHAI WAN	Fresh Water - Refer to JRF	21/02/18	/ /	1153	
	DW0558EN180869	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/TAI PO, NORTH, SHATIN AND SAI KUNG (1) 2015/2017	Y10 bar	18/04/18	/ /	1097	
	DW0571EN180755	HKHA	PROPERTY SERVICES CONTRACT FOR KO CHEUNG & YAU MEI COURTS	AX1000 Algae Resistance Paint - AX1011(White)Lot 1222926	04/12/18	/ /	73135	2
	DW0571EN180756	HKHA	PROPERTY SERVICES CONTRACT FOR KO CHEUNG & YAU MEI COURTS	AN1000 Interior Wall Finsih - AN1491-02(White)Lot 1227656	04/12/18	/ /	73135	2
	DW0571EN180757	HKHA	PROPERTY SERVICES CONTRACT FOR KO CHEUNG & YAU MEI COURTS	Flower Synthetic Enamel 1200 series - FG12-69S Lot 11181102027	04/12/18	/ /	73135	2
	DW0571EN180758	HKHA	PROPERTY SERVICES CONTRACT FOR KO CHEUNG & YAU MEI COURTS	Flower Emulsion Paint - EX-0108032 Lot 01019	04/12/18	/ /	73135	2
	DW0576EN172928	HKHA	Components & materials Team -Wo Sheung Tun, Fo Tan	S.S. 4-bar hinges - WST1 S.S. 4-bar hinges - WST2	10/01/18	/ /	1195	
	DW0582EN180068	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S5040-R30B Acrylic Emulsion	02/05/18	/ /	73156	8
	DW0582EN180069	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S1010-Y20R Acrylic Emulsion	02/05/18	/ /	73156	8
	DW0582EN180070	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S1500-N Acrylic Emulsion	02/05/18	/ /	73156	8
	DW0582EN180071	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S2010-G70Y Acrylic Emulsion	02/05/18	/ /	73156	8

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0582EN180072	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S3020-G50Y Acrylic Emulsion	02/05/18	/ /	73156 8	
	DW0582EN180073	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Super Vinilex 5000 - S4020-G10Y Acrylic Emulsion	02/05/18	/ /	73156 8	
	DW0582EN180074	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - B1052G	02/05/18	/ /	73156 8	
	DW0582EN180075	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - B5446G	02/05/18	/ /	73156 8	
	DW0582EN180076	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - B7014G	02/05/18	/ /	73156 8	
	DW0582EN180077	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - B8019G	02/05/18	/ /	73156 8	
	DW0582EN180078	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - B8020G	02/05/18	/ /	73156 8	
	DW0582EN180079	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - s0505-y50r	02/05/18	/ /	73156 8	
	DW0582EN180080	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - s1015-y10r	02/05/18	/ /	73156 8	
	DW0582EN180081	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - s1040-b	02/05/18	/ /	73156 8	
	DW0582EN180082	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - s0530-b	02/05/18	/ /	73156 8	
	DW0582EN180083	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Nippon Paint Bodelac 9000 HP Alkyl enaml - s1500-n	02/05/18	/ /	73156 8	
	DW0582EN180434	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	nippon bodelac 9000 hp alkyd enamel - B1053G	03/07/18	/ /	73150 6	
	DW0582EN180435	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	nippon bodelac 9000 hp alkyd enamel - s2010-y40r	03/02/18	/ /	73165 6	
	DW0582EN180436	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	nippon bodelac 9000 hp alkyd enamel - s6020-b10g	03/07/18	/ /	73150 6	
	DW0582EN181097	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	synthetic paint	06/04/18	/ /	73159 4	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0582EN181098	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	emulsion paint	06/04/18	/ /	73159 4	
	DW0590EN180457	HKHA	CONSTRUCTION OF PRH AT TUNG CHUNG AREA 56	Fresh Water - Refer to JRF	23/02/18	/ /	1151	
	DW0590EN180477	HKHA	CONSTRUCTION OF PRH AT TUNG CHUNG AREA 56	Fresh Water - Refer to JRF	26/02/18	/ /	1148	
	DW0591EN172995	HKHA	COMPONENTS & MATERIALS TEAM - Pak Tin Estate Phase 7 & 8	'Lip Hing' 16' S.S. 4-bar hinges - PT1 'Lip Hing' 16' S.S. 4-bar hinges - PT2	21/01/18	/ /	1184	
	DW0595EN180225	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Potable Water - Refer to JRF	30/01/18	/ /	1175	
	DW0595EN180234	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	31/01/18	/ /	1174	
	DW0595EN180401	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	15/02/18	/ /	1159	
	DW0595EN180421	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	23/02/18	/ /	1151	
	DW0595EN180550	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	- Job cancel	03/08/18	/ /	73147 5	

# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0595EN180931	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	25/04/18	/ /	1090	
	DW0595EN180942	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	26/04/18	/ /	1089	
	DW0595EN180957	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	27/04/18	/ /	1088	
	DW0595EN180964	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	30/04/18	/ /	1085	
	DW0595EN180965	HKHA	THE INTEGRATED CONTRACT FOR CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT ANDERSON ROAD SITES A AND B PHASES 1 AND 2	Fresh Water - Refer to JRF	30/04/18	/ /	1085	
	DW0597EN181124	HKHA	CONSTRUCTION OF COVERED WALKWAYS AT LEI MUK SHUE ESTATE (SITE 10)	Y16	18/05/18	/ /	1067	
	DW0602EN180491	HKHA	DTC FOR PROPERTIES MANAGED BY DMO/WONG TAI SIN, TSING YI, TSUEN WAN & ISLANDS - ADDITION PF PERGOLA AT SMOKING AREA KAM WAH HOUSE, CHOI HUNG ESTATE	Y16 bar	24/02/18	/ /	1150	
	DW0602EN181541	HKHA	DTC FOR PROPERTIES MANAGED BY	Y10 bar	23/06/18	/ /	1031	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			DMO/WONG TAI SIN, TSING YI, TSUEN WAN & ISLANDS - NOS. OF EMPT BAYS AT 14/f ABOVE FLAT NO.1317 & 1319, WING KA HOUSE, FUK LOI ESTATE					
	DW0603EN181830	HKHA	DTC FOR PROPERTIES MANAGED BY	Y10	29/07/18	/ /	995	
			DMO/WONG TAI SIN, TSING YI, TSUEN	Y12				
			WAN & ISLANDS-CONSTRUCTION OF	Y16				
			PHASE 2B (PART 2 STRUCTURE WORKS) COVERED WALKWAY NEAR LIU TO ROAD IN CHEUNG HANG ESTATE, TSING YI					
	DW0603EN182093	HKHA	DTC FOR PROPERTIES MANAGED BY	Y10	23/08/18	/ /	970	
			DMO/WONG TAI SIN, TSING YI, TSUEN					
			WAN & ISLANDS-CONSTRUCTION OF					
			PHASE 2B (PART 2 STRUCTURE WORKS) COVERED WALKWAY NEAR LIU TO ROAD IN CHEUNG HANG ESTATE, TSING YI					
	DW0611EN180152	HKHA	DTC FOR MAINT. IMP & VFR FOR	Y16	18/01/18	/ /	1187	
			PROPERTIES MANAGED BY					
			DMO/KWH2-PROVISION OF NEW ACCESSIBLE RAMP AT FORTURE ESTATE					
	DW0621EN180848	HKHA	PROPERTY SERVICES CONTRACT FOR	internal Emulsion	05/04/18	/ /	73159	
			CHUK YUEN (SOUTH) ESTATE	- S0560-Y20R			5	
	DW0621EN180849	HKHA	PROPERTY SERVICES CONTRACT FOR	Internal Emulsion	05/04/18	/ /	73159	
			CHUK YUEN (SOUTH) ESTATE	- S4030-R30B			5	
	DW0621EN180850	HKHA	PROPERTY SERVICES CONTRACT FOR	internalEmulsion	05/04/18	/ /	73159	
			CHUK YUEN (SOUTH) ESTATE	- S1515-Y90R			5	
	DW0621EN181106	HKHA	PROPERTY SERVICES CONTRACT FOR	Synthetic paint	06/04/18	/ /	73159	
			CHUK YUEN (SOUTH) ESTATE	- ncs-s7500-n			4	
	DW0621EN181107	HKHA	PROPERTY SERVICES CONTRACT FOR	Synthetic paint	06/04/18	/ /	73159	
			CHUK YUEN (SOUTH) ESTATE	- s0530-r40b			4	
	DW0624EN181165	HKHA	PROPERTY SERVICES CONTRACT FOR	Bodelac 9000 HP Enamel	06/10/18	/ /	73141	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			CHOI WAN (II) ESTATE	- s1010-B50G			1	
	DW0624EN181166	HKHA	PROPERTY SERVICES CONTRACT FOR CHOI WAN (II) ESTATE	Bodelac 9000 HP Enamel - s1015-b80g	06/10/18	/ /	73141	
	DW0624EN181248	HKHA	PROPERTY SERVICES CONTRACT FOR CHOI WAN (II) ESTATE	Y16 Y20 Y25	26/05/18	/ /	1059	
	DW0639EN180258	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	1.22 x 15mm 90 angle - SKM3/CF0501/01 CODE216C CANCELLED	20/02/18	/ /	1154	
	DW0639EN180259	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	1.20 mm - SKM3/GV0911/01-02 Loose jumpe stop valve	20/02/18	/ /	1154	
	DW0639EN180260	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	1.25 mm - SKM3/GV0811/01-02 Loose jumpe stop valve	20/02/18	/ /	1154	
	DW0639EN180261	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	DN20 - SKM3/GV0211/01-02 PSV 1110 gate	20/02/18	/ /	1154	
	DW0639EN180262	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	DN25 - SKM3/GV1011/01-02 PSV 1110 gate	20/02/18	/ /	1154	
	DW0639EN181068	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	42 mm copper pipe - SKM/CP0423/01	15/05/18	/ /	1070	
	DW0639EN181151	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7 (Ph.3)	20mm - SKM3/GV2804/01 Loose jumper stop valve	24/05/18	/ /	1061	
	DW0639EN181418	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	22 mm copper pipe - SKM7/CP0506-7/01 Remark : DW0639 amend to DW0796	29/06/18	/ /	1025	
	DW0639EN181419	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	54 mm copper pipe - SKM3/CP0506-3/01	29/06/18	/ /	1025	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0645EN180847	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	Copper pipe fitting - 54x54x28 mm dia Tee - 22 mm dia Elbow (45 deg)	05/04/18	/ /	73159 5	
	DW0645EN181117	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	DN25 Brone stop valve - EHC7-PLU-V06a DN25 Brone stop valve - EHC7-PLU-V06b	22/05/18	/ /	1063	
	DW0645EN181118	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	54x54x22 mm dia Tee - EHC7-PLU-V07a 54x54x22 mm dia Tee - EHC7-PLU-V07b	22/05/18	/ /	1063	
	DW0664EN181252	HKHA	DTC FOR PROPERTIES BY RMO/WONG TAI SIN, TSING YI, TSUEN WAN AND ISLANDS - PROPOSED METAL TRELLIS OF OPEN AREA NEAR CHING MING HOUSE IN TSZ CHING ESTATE	Y16	27/05/18	/ /	1058	
	DW0670EN182097	HKHA	DTC FOR THE MAINT. IMPROVEMENT & VFR BY DMO/TAI PO, NORTH, SHATIN & SAI KUNG (1) 12/14	Fresh Water - Sun Ming House, G/F, New DC Office	27/08/18	/ /	966	
	DW0672EN181258	HKHA	DTC FOR THE MAINT. AND VFR FOR PROPERTY MANAGED BY DMOS/TAI PO, NORTH, SHATIN & SAI KUNG (3) 2016/2019	T10	24/05/18	/ /	1061	
	DW0681EN181773	HKHA	DTC FOR THE MAINT. & VFR FOR PROPERTIES MANAGED BY DMOS/TAI PO, NORTH, SHATIN & SAI KUNG (2) 2015/2017	Fresh Water - Refer to JRF	25/07/18	/ /	999	
	DW0699EN181267	HKHA	DTC FOR PROPERTIES MANAGED BY DMO/WONG TAI SIN, TSING YI & TSUEN WAN	Fresh Water - Refer to JRF	30/05/18	/ /	1055	
	DW0699EN181439	HKHA	DTC FOR PROPERTIES MANAGED BY DMO/WONG TAI SIN, TSING YI & TSUEN WAN	Fresh Water - Refer to JRF	20/06/18	/ /	1034	
	DW0711EN180381	HKHA	COMPONENTS & MATERIALS TEAM - CHEUNG SHA WAN WHOLESALE FOOD	Matex AA	03/02/18	/ /	73165 6	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			MARKET SITE 3 & 5 PHASE 1 & 2					
	DW0713EN180437	HKHA	COMPONENTS & MATERIALS TEAM - LAI CHI ROAD, TONKIN STREET PHASE 1 & 2	Ultra sealer III Tilelac texture base coat Weatherbond	03/08/18	/ /	73147 5	
	DW0719EN180647	HKHA	SAU MING ROAD	4-bar hinge - SMR-4barhinge-01 4-bar hinge - SMR-4barhinge-02 Cancelled 10" 4-bar hinge not suitable for tensile test	30/03/18	/ /	1116	
	DW0729EN182046	HKHA	CONSTRUCTION OF PUBLIC HOUSING AT CHEUNG SHA WAN WHOLESALE FOOD MARKET SITE 3 AND SITE 5 PHASE 1 & 2	Fresh Water - Refer to JRF	23/08/18	/ /	970	
	DW0738EN180626	Hong Kong Housing Authority	Construction of Home Ownership Scheme Development at Mei Mun Lane ST4C, Pik Tin Street ST4D and Hin Tin Street ST31	Fresh Water - 12, G/F, Pantry MO	20/03/18	/ /	1126	
	DW0738EN181291	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT MEI MUN LANE ST4C, PIK TIN STREET ST4D AND HIN TIN STREET ST31	Fresh Water - Refer to JRF	01/06/18	/ /	1053	
	DW0741EN180609	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VF REFURBISHMENT FOR KOWLOON WEST AND HONG KONG () 2014/2017	Fresh Water - NGO's Office at Bay 121-123, G/F of Shun Man House, Oi Man Estate	16/03/18	/ /	1130	
	DW0741EN181008	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VF REFURBISHMENT FOR KOWLOON WEST AND HONG KONG () 2014/2017	Fresh Water - Refer to JRF	04/05/18	/ /	1081	
	DW0743EN181825	HKHA	CONSTRUCTION OF RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 1	Fresh Water - Refer to JRF	30/07/18	/ /	994	
	DW0753EN180884	HKHA	Construction of Public Rental Housing Development at So Uk Phase 2		05/07/18	/ /	73150 4	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0753EN180885	HKHA	Construction of Public Rental Housing Development at So Uk Phase 2		05/08/18	/ /	73147 3	
	DW0753EN181078	HKHA	Construction of Public Rental Housing Development at So Uk Phase 2		06/04/18	/ /	73159 4	
	DW0753EN181079	HKHA	Construction of Public Rental Housing Development at So Uk Phase 2		06/06/18	/ /	73153 3	
	DW0759EN180784	HKHA	COMPONENTS & MATERIALS TEAM - Fat Tseung Street West (HOS)	'Tung Shing' 16" stainless steel 4-bar - FTSW-1 'Tung Shing' 16" stainless steel 4-bar - FTSW-2	20/04/18	/ /	1095	
	DW0763EN181502	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/05/18	/ /	73156 2	
	DW0763EN181503	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/06/18	/ /	73153 1	
	DW0763EN181504	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/09/18	/ /	73143 9	
	DW0763EN181505	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/10/18	/ /	73140 9	
	DW0763EN181506	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/11/18	/ /	73137 8	
	DW0763EN181507	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)		08/12/18	/ /	73134 8	
	DW0763EN182031	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)	XRF on 11/08/2018	09/11/18	/ /	73137 7	
	DW0769EN180824	HKHA	COMPONENTS & MATERIALS TEAM - CHEUNG SHA WAN WHOLESALERS FOOD MARKET SITE 3 & 5 PHASE 1 & 2	Sliding tTpe GMS Gateset	29/04/18	/ /	1086	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0775EN183193	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT LAI CHI KOK ROAD TONKIN STREET PHASE 1 & 2	"Yorkshire" copper pipe dia 42mm - SP15NR-PLU-105-1 "Yorkshire" copper pipe dia 35mm - SP15NR-PLU-105-2 "ecfit integral dia 35mm 90 bend - SP15NR-PLU-105-3 to 4 "ecfit integral dia 42mm coupler - SP15NR-PLU-105-5 to 6	12/01/19	/ /	828	
	DW0777EN181566	HKHA	ESTATE UNDER DMO/KLE-A & A WORKS OF CONVERSION OF EXTG, STOREROOM INTO DOMESTIC FLATS IN LEE CHEUNG HOUSE AT SHUN LEE ESTATE	Y10	30/06/18	/ /	1024	
	DW0778EN181361	HKHA	ESTATE UNDER DMO/KWG-PROVISION OF SUNLIGHT/TRAIN SHELTER NEAR MINI-BUS TERMINUS IN LOK WAH (DOUTH) ESTATE	Y16	09/06/18	/ /	1045	
	DW0779EN182050	HKHA	ESTATE UNDER DMO/KLC-Recasting Works at 3/F Female Toilet near staircase No.4, Bloack 2 Yip On Factory Estate	T12	17/08/18	/ /	976	
	DW0781EN181801	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT SHATIN AREA 16, WO SHEUNG TUN STREET, FO TAN	Laundry Rod	30/07/18	/ /	994	
	DW0785EN180907	HKHA	CONSTRUCTION OF HOS AT NGAN KWONG WAN ROAD EAST & WEST	Fresh Water - Refer to JRF	24/04/18	/ /	1091	
	DW0785EN180913	HKHA	CONSTRUCTION OF HOS AT NGAN KWONG WAN ROAD EAST & WEST	Fresh Water - Refer to JRF	24/04/18	/ /	1091	
	DW0788EN181199	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/KE (2) 2017-2020	Laundry Rack	28/05/18	/ /	1057	
	DW0796EN181115	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7 (PHASE 7)	DN40 (PSV 1110 Screw end bronze gate - SKM7/GV2403/01 valve DN40 PN20	22/05/18	/ /	1063	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0796EN181116	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7 (PHASE 7)	25mm Loose jumper stop valve - SKM7/GV1004/01	22/05/18	/ /	1063	
	DW0796EN181694	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7 (PHASE 7)	66.7mm x 1.2 mm copper pipe - SKM7/CP0629-01	21/07/18	/ /	1003	
	DW0798EN181799	HKHA	DTC - THE MAINT. & VFR FOR KOWLOON EAST DISTRICT 2017/2020	Laundry rack	30/07/18	/ /	994	
	DW0801EN181102	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"tub-e" Copper pipe 42mm cold - FT12/CP/BIk5/02 "Yorkshire" Copper pipe fitting - FT12/CPF/BIk5/02 42mm, YP6	24/05/18	/ /	1061	
	DW0801EN181927	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	'Pedier"20mm gate valve - FT12/GV/BIk3/05 'Pedier"20mm gate valve - FT12/GV/BIk3/06 "yorkshire"Copper pipe fitting 22mmYP21 - FT12/CPF/BIk3/05 "tub-e" copper pipe 22mm hot water - FT12/CP/BIk3/04 "tub-e" copper pipe 22mm hot water - FT12/CP/BIk3/05	31/08/18	/ /	962	
	DW0801EN181989	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"tub-e" copper pipe 22mm cold water - FT12/CP/BIk1/05	17/08/18	/ /	976	
	DW0801EN182022	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"tub-e" Copper pipe 22mm hot water - FT12/CP/BIk4/04	21/08/18	/ /	972	
	DW0801EN182561	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"Pegler" 20mm Gate Valve - FT12/GV/BIk4/07-08 "Yorkshire fitting (22x15x22m YP26 tee) - FT12/CPF/BIk4/05	31/10/18	/ /	901	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				Cancelled on 09/10/2018 by Simon Chiu				
	DW0801EN182990	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"Yorkshire" copper fitting 54x54mm - FT12/CPF/CC/06 YP12	24/12/18	/ /	847	
	DW0801EN183112	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"Yorkshire" copper fitting 54mm - FT12/CPF/Blk5/07 YP12	24/12/18	/ /	847	
	DW0801EN183113	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FO TAN (IN SHA TIN AREA 16 & 58D) PHASE 1 AND 2	"tub-e" copper pipe 15mm cold water - FT12/CP/Blk3/07 "Yorkshire " copper elbow 42x42mm YP12 - FT12/CPF/Blk3/06 "Yorkshire " copper tee 54x42mm YP25 - FT12/CPF/Blk3/07	24/12/18	/ /	847	
	DW0803EN181906	HKHA	ADDITIONAL OF LAUNDRY RODS IN TAI PO, NORTH & SHATIN (PHASE 1)	Laundry rod	10/08/18	/ /	983	
	DW0812EN181244	HKHA	COMPONENT & MATERIALS TEAM		24/05/18	/ /	1061	
	DW0819EN181274	HKHA	COMPONENTS & MATERIALS TEAM - PAK TIN PHASE 11	'Lip Hing' 16" S.S. 4-bar hinge - PT11-1 'Lip Hing' 16" S.S. 4-bar hinge - PT11-2	21/06/18	/ /	1033	
	DW0820EN181275	HKHA	COMPONENTS & MATERIALS TEAM - TUNG TAU ESTATE PHASE 8	'Tung Shing' 16" S.S. 4-bar hinges - TT8-1 'Tung Shing' 16" S.S. 4-bar hinges - TT8-2	21/06/18	/ /	1033	
	DW0832EN181565	HKHA	MINOR A&A WORKS AT HAHQS-AD-HOC MAINTENACE WORKS IN BLOCK 1 & 2, HANQ BUILDING -SPALLING WORK WITHIN ROOM 315AT BASEMENT 3, BLOCK 2	Y10 Y25	29/06/18	/ /	1025	
	DW0833EN182855	HKHA	PROPERTY SERVICES CONTRACT FOR KIN MING ESTATE - ADDITION OF LAUNDRY RODS FOR KIN CHING AND KIN HEI HOUSES IN LIN MING ESTATE	Laundry rod	09/12/18	/ /	862	
	DW0838EN182066	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING	Wealthmark Bronze gate valve 15mm - CHR-01 (15mm)	24/08/18	/ /	969	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			ROAD	Wealthmark Bronze gate valve 25mm - CHR-02 (25mm) Wealthmark Bronze gate valve 25mm - CHR-03 (25mm)				
	DW0838EN182615	HKHA	CONSTRUCTION OF HOME OWNERSHIP SCHEME DEVELOPMENT AT CHOI HING ROAD	Wealthmark Bronze gate valve 20mm - CHR-01 (20mm) Wealthmark Bronze gate valve 20mm - CHR-02 (20mm) Wealthmark Bronze gate valve 32mm - CHR-03 (32mm) Wealthmark Bronze gate valve 32mm - CHR-04 (32mm)	26/10/18	/ /	906	
	DW0839EN182491	HKHA	PROPERTY SERVICES CONTRACT FOR UPPER NGAU TAU KOK ESTATE	Laundry rod	25/10/18	/ /	907	
	DW0839EN182886	HKHA	PROPERTY SERVICES CONTRACT FOR UPPER NGAU TAU KOK ESTATE	Laundry Rod	27/11/18	/ /	874	
	DW0839EN183189	HKHA	PROPERTY SERVICES CONTRACT FOR UPPER NGAU TAU KOK ESTATE	Laundry Rod	25/12/18	/ /	846	
	DW0840EN181693	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCED QUALITY ASSURANCE / CENTRALIZED MONITORING)	Door closer	30/07/18	/ /	994	
	DW0840EN182291	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCED QUALITY ASSURANCE / CENTRALIZED MONITORING)	Door Hinge - Model No. AG-45E	04/10/18	/ /	928	
	DW0840EN182482	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCED QUALITY ASSURANCE / CENTRALIZED MONITORING)	Copper pipe	12/10/18	/ /	920	
	DW0840EN182562	HKHA	VARIOUS (FOR THE PURPOSE OF ENHANCED QUALITY ASSURANCE / CENTRALIZED MONITORING)	4-bar hinge	30/10/18	/ /	902	
	DW0848EN181402	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	20/06/18	/ /	1034	
	DW0848EN182384	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	13/10/18	/ /	919	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0848EN182605	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	11/11/18	/ /	890	
	DW0848EN182915	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	30/11/18	/ /	871	
	DW0848EN183031	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	15/12/18	/ /	856	
	DW0848EN183314	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	15/01/18	/ /	1190	
	DW0865EN182081	HKHA	DTC FOR THE MAINT. IMP & VFR FOR PROPERTIES MANAGED BY DMO/KLW-PROVISION OF STEEL COVER TO EXISTING CHESS TABLES NEAR WING c OF KING MAN HOUSE IN HOMANTIN ESTATE	Y16	24/08/18	/ /	969	
	DW0866EN182385	HKHA	PROPERTY SERVICES CONTRACT FOR LEI MUK SHUE ESTATE	Laundry rod	13/10/18	/ /	919	
	DW0869EN182434	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT FANLING AREA 49	Copper pipe - CP-2	17/10/18	/ /	915	
	DW0872EN183160	HKHA	ESTATE UNDER DMO/NCW - The Addition of Booster Pump Room at R/F in Ko Chi House, Ko Yee Estate	Y10 Y12	13/12/18	/ /	858	
	DW0880EN182270	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	bodelac - s0530-y80r	10/05/18	/ /	73156 0	
	DW0880EN182271	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	bodelac - s3000n	10/05/18	/ /	73156 0	
	DW0880EN182769	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s2050-b	12/02/18	/ /	73164 7	
	DW0880EN182770	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s3560-g	12/02/18	/ /	73164 7	
	DW0880EN182771	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s0580-y	12/02/18	/ /	73164 7	
	DW0880EN182772	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s1030-y30r	12/02/18	/ /	73164 7	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW0880EN182773	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s0585-y20r	12/02/18	/ /	73164 7	
	DW0880EN182774	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Synthetic paint - s0585-y60r	12/02/18	/ /	73164 7	
	DW0880EN182775	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Emulsionpaint - s1060-g	12/02/18	/ /	73164 7	
	DW0880EN182776	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	Emulsionpaint - s0530-y80r	12/02/18	/ /	73164 7	
	DW0880EN182777	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	synthetic paint - S2050-y80r	12/02/18	/ /	73164 7	
	DW0880EN183233	HKHA	PROPERTY SERVICES CONTRACT FOR CHUK YUEN (SOUTH) ESTATE	synthetic paint - S2050-y80r	01/07/19	/ /	73114 3	
	DW0881EN182350	HKHA	PROPERTIES SERVICES CONTRACT FOR TAI YUEN & PO HEUNG EST, & RESIDUAL SERVICES FOR FU SHIN, FU HENG, WAN TAU TONG EST	Fresh Water - Refer to JRF	24/09/18	/ /	938	
	DW0890EN183070	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PHASE 3, 6 AND 7	"tub-e" copper pipe (22mm hot water) - FT12/CP/Blk4/07 "tub-e" copper pipe (67mm) Batch 34 - FT12/CP/Blk4/08	15/12/18	/ /	856	
	DW0892EN181877	HKHA	CONSTRUCTION OD PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK MUN ESTATE PHASE 2, SHATIN	DECO-Copper pipe 22mm - SM1/P01 to SM2/P02 DECO-Copper pipe 28mm - SM1/P03 to SM2/P04 DECO-Copper pipe 35mm - SM1/P05 to SM2/P06 DECO-Copper pipe 42mm - SM1/P07 to SM2/P08 DECO 42mm eblow - SM1/F01 to SM1/F02 DECO 42mm coupler - SM1/F03 to SM1/F04 DECO 35mm eblow - SM1/F05 to SM1/F06 DECO 35x35x28mm reducing tee	24/08/18	/ /	969	



# JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- SM1/F09 to SM1/F10 DECO 35x35x22mm reducing tee - SM1/F11 to SM1/F12 DECO 28mm elbow - SM1/F13 to SM1/F14 DECO 28mm 45 degree elbow - SM1/F15 to SM1/F16 DECO 28x28x22mm reducing tee - SM1/F17 to SM1/F18 DECO 28x22mm reducer - SM1/F19 to SM1/F20 DECO 22mm elbow - SM1/F21 to SM1/F22 DECO 22mm coupler - SM1/F23 to SM1/F24 DECO 22mm 45 degree elbow - SM1/F25 to SM1/F26 DECO 22 x 3/4" male coupler - SM1/F27 to SM1/F28 DECO 28mm coupler - SM1/F29 to SM1/F30				
	DW0895EN181979	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	xrf on 08/08/2018 pm	09/08/18	/ /	73146 9	
	DW0895EN182052	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT EASTERN HARBOUR CROSSING SITE PHASE 7	1/2" Gate Valve - EHC7-PLU-V41a 1/2" Gate Valve - EHC7-PLU-V41b	24/08/18	/ /	969	
	DW0914EN182021	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT AU PUI WAN STREET, FO TAN	Dia 25mm bronze gate valve - APW/PLU/V/001 R1 Dia 25mm bronze gate valve - APW/PLU/V/001 R2 Dia 25mm bronze gate valve - APW/PLU/V/001 R3	21/08/18	/ /	972	
	DW0914EN182155	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT AU PUI WAN	Dia 22mm copper pipe - APW/PLU/P/005	22/09/18	/ /	940	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			STREET, FO TAN	Dia 22mm adaptor - APW/PLU/F/004				
	DW0914EN182156	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT AU PUI WAN STREET, FO TAN	Dia 54mm copper pipe - APW/PLU/P/004 Dia 54mm 90 bend - APW/PLU/F/003	22/09/18	/ /	940	
	DW0914EN182435	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT AU PUI WAN STREET, FO TAN	Dia 22 copper pipe - APW/PLU/P/006 Dia 22mm 45 bend - APW/PLU/F/005	17/10/18	/ /	915	
	DW0919EN182387	HKHA	CONSTRUCTION OF HOS DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	"Wealthmark"gate valve 32mm - SLS/CW/T-11.2/28-01 "Wealthmark"gate valve 32mm - SLS/CW/T-11.2/28-02 "Yorkshire'Copper pipe Kuterlex 15mm - SLS/CW/T-11.2/28-05 "Yorkshire'Copper pipe 22mm - SLS/CW/T-11.2/28-12 "Yorkshire'Copper pipe 22mm - SLS/CW/T-11.2/28-13 "ecFIT" copper fitting 42mm 90 elbow - SLS/CW/T-11.2/28-03&04 "ecFIT" copper fitting 28mm 45 elbow - SLS/CW/T-11.2/28-06&07 "ecFIT" copper fitting 22mm 90 reducing - SLS/CW/T-11.2/28-08&09 "ecFIT" copper fitting 35mm coupling - SLS/CW/T-11.2/28-10&11	14/10/18	/ /	918	
	DW0919EN182640	HKHA	CONSTRUCTION OF HOS DEVELOPMENT AT SHEUNG LOK STREET, HOMANTIN	"Yorkshire'Copper pipe 28mm - SLS/CW/T-11.2/30-01 & 02 "Yorkshire'Copper pipe 67mm - SLS/CW/T-11.2/30-03 & 04 "Yorkshire'Copper pipe 35mm - SLS/CW/T-11.2/30-05 & 06 "Yorkshire'Copper pipe 42mm - SLS/CW/T-11.2/30-07 & 08	18/11/18	/ /	883	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				"Yorkshire'Copper pipe 22mm - SLS/CW/T-11.2/30-09 & 10 "Yorkshire'Copper pipe 76mm - SLS/CW/T-11.2/30-11 & 12				
	DW0921EN182789	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS AT FU HO, FU LOY, FU WONG, FU SING & FU LEUNG HOUSE IN FU CHEONG ESTATE	Laundry rod	15/11/18	/ /	886	
	DW0921EN182835	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS AT FU HO, FU LOY, FU WONG, FU SING & FU LEUNG HOUSE IN FU CHEONG ESTATE	Laundry rod	20/11/18	/ /	881	
	DW0921EN190015	HKHA	INSTALLATION OF STAINLESS STEEL LAUNDRY RACKS AT FU HO, FU LOY, FU WONG, FU SING & FU LEUNG HOUSE IN FU CHEONG ESTATE	Laundry rod	10/01/19	/ /	830	
	DW0931EN182685	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2	Fresh Water - Refer to JRF	01/11/18	/ /	900	
	DW0931EN182920	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2	Potable Water - Refer to JRF	22/11/18	/ /	879	
	DW0931EN183129	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SO UK ESTATE PHASE 2	Fresh Water - Refer to JRF	17/12/18	/ /	854	
	DW0937EN181718	HKHA	ADDITION OF LAUNDRY RODS IN HONG KONG ISLAND AND ISLANDS REGION (PHASE 1)	Laundry Rod	18/07/18	/ /	1006	
	DW0937EN182518	HKHA	ADDITION OF LAUNDRY RODS IN HONG KONG ISLAND AND ISLANDS REGION (PHASE 1)	Laundry rod	25/10/18	/ /	907	
	DW0937EN182618	HKHA	ADDITION OF LAUNDRY RODS IN HONG KONG ISLAND AND ISLANDS REGION (PHASE 1)	15x23x2.5mm thk Al section 18x3.5mm thk Al flat bar 6mm dia Zinc alloy	15/11/18	/ /	886	
	DW0937EN183110	HKHA	ADDITION OF LAUNDRY RODS IN HONG	Laundry rod-rod 2450x600	19/12/18	/ /	852	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			KONG ISLAND AND ISLANDS REGION (PHASE 1)	Laundry rod-bracket Laundry rod-flange Laundry rod-rod 1850x600				
	DW0937EN183268	HKHA	ADDITION OF LAUNDRY RODS IN HONG KONG ISLAND AND ISLANDS REGION (PHASE 1)	S.S. laundry rod 2220 S.S. laundry rod bracket S.S. laundry rod flange	27/12/18	/ /	844	
	DW0946EN183143	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT OF TUNG TAU ESTATE PH.8	22 mm straight coupling - CUF-01 22 mm straight coupling - CUF-02 22 mm elbow 90 - CUF-03 22 mm equal tee - CUF-04 dia 22 x 0.9mm copper pipe - CU-01	24/12/18	/ /	847	
	DW0952EN182887	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1)-SHEUNG LOK ESTATE	Laundry Rod	27/11/18	/ /	874	
	DW0955EN182628	HKHA	DTC FOR PROPERTIES MANAGED BY RMO/WONG TAI SIN, TSING YI & TSUEN WAN - Construction of Phase 2B ( part 2 Structure Works) covered walkway near Liu To Road in Cheung Hang Estate, Tsing Yi	Y16	25/10/18	/ /	907	
	DW0981EN182154	HKHA	COMPONENTS & MATERIALS TEAM - WING TAI ROAD, CHAI WAN	S.S. 4-bar hinge - WTR1 S.S. 4-bar hinge - WTR2	21/09/18	/ /	941	
	DW0982EN182153	HKHA	COMPONENTS & MATERIALS TEAM - HANG KIN STREET, MOS AREA 90B	S.S 4-bar hinge - HKS1 S.S 4-bar hinge - HKS2	21/09/18	/ /	941	
	DW0987EN182112	HKHA	COMPONENTS & MATERIALS TEAM - LAI CHI KOK ROAD - TONKIN STREET PH.1 &	Sliding type GMS Gateset	17/08/18	/ /	976	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			2					
	DW0994EN182490	HKHA	PROPERTY SERVICES CONTRACT FOR MEI TIN ESTATE & RESIDUAL SERVICE FOR HIN KONG EST	Laundry rod	24/10/18	/ /	908	
	DW0996EN182580	HKHA	PROPERTY SERVICE CONTRACT FOR CHEUNG HANG AND CHEUNG CHING ESTATE	Y10	15/10/18	/ /	917	
	DW0997EN182217	HKHA	Components & materials Team - Choi Fook Estate Phase 3	Lip Hing 16" S.S. 4-bar hinge - CF1 Lip Hing 16" S.S. 4-bar hinge - CF2	27/09/18	/ /	935	
	DW0999EN182395	HKHA	COMPONENT & MATERIALS TEAM	Flexible Hose	10/06/18	/ /	73152 9	
	DW1000EN182390	HKHA	DTC FOR THE MAINTENANCE, IMPROVEMENT & VFR BY DMO/TAI PO, NORTH & SHATIN 18/20	Fresh Water - G/F DC Office	03/10/18	/ /	929	
	DW1010EN183190	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEV. AT TUNG CHUNG AREA 27	CUS.R.90 RE Elbow 22mm - TC27-CU-T16 Bronze S.R. FI-Coupler 22mm - TC27-CU-T17 Bronze S.R. 90 FI-Elbow 15mm - TC27-CU-T18	12/01/19	/ /	828	
	DW1012EN182851	HKHA	REDECORATION OF MEI LAM ESTATE	camel interior wall finish an1000	12/07/18	/ /	73149 7	
	DW1012EN182852	HKHA	REDECORATION OF MEI LAM ESTATE	camel algae resistance paint ax 1000	12/07/18	/ /	73149 7	
	DW1020EN182483	HKHA	CONSTRUCTION OF PUBLIC RENTAL HOUSING DEVELOPMENT AT SHEK KIP MEI ESTATE PH 3,6 AND 7	423 x 1.2mm Coppe pipe - SKM3/CP0920-01	19/10/18	/ /	913	
	DW1021EN182521	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT TUNG CHUNG AREA 39	Fresh Water - Refer to JRF	16/10/18	/ /	916	
	DW1021EN182578	HKHA	CONSTRUCTION OF PUBLIC HOUSING DEVELOPMENT AT TUNG CHUNG AREA	Fresh Water - Security Counter Toilet	22/10/18	/ /	910	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			39					
	DW1028EN183236	HKHA	Shek Kip Mei Estate	Emulsion paint - FG02-000526s	01/10/19	/ /	73105 1	
	DW1028EN183238	HKHA	Shek Kip Mei Estate	Emulsion paint - FG02-000529s	01/10/19	/ /	73105 1	
	DW1036EN182535	HKHA	CONSTRUCTION OF PRH DEVELOPMENT AT SHEK MUN ESTATE PH 2, SHATIN	Potable Water - Refer to JRF	17/10/18	/ /	915	
	DW1037EN183111	HKHA	PROPERTY SERVICES CONTRACT FOR SAU MAU PING (SOUTH) ESTATE	Laundry Rod	19/12/18	/ /	852	
	DW1037EN183188	HKHA	PROPERTY SERVICES CONTRACT FOR SAU MAU PING (SOUTH) ESTATE	Laundry Rod	25/12/18	/ /	846	
	DW1037EN183269	HKHA	PROPERTY SERVICES CONTRACT FOR SAU MAU PING (SOUTH) ESTATE	Laundry rod	27/12/18	/ /	844	
	DW1037EN183316	HKHA	PROPERTY SERVICES CONTRACT FOR SAU MAU PING (SOUTH) ESTATE	Laundry rod	15/01/18	/ /	1190	
	DW1038EN183208	HKHA	ESTATE UNDER DMO/KLE - PROPOSED A&A WORKS TO CONVERSION OF EXTG. STORE ROOM/ EMPTY BAYS TO DOMESTIC FLATS ON 2/F 7 4/F AT LEE CHEUNG HOUSE, SHUN LEE ESTATE	Stainless steel tube Stainless steel rod	30/12/18	/ /	841	
	DW1038EN183248	HKHA	ESTATE UNDER DMO/KLE - PROPOSED A&A WORKS TO CONVERSION OF EXTG. STORE ROOM/ EMPTY BAYS TO DOMESTIC FLATS ON 2/F 7 4/F AT LEE CHEUNG HOUSE, SHUN LEE ESTATE	Stainless steel plate	26/12/18	/ /	845	
	DW1039EN182630	HKHA	ESTATE UNDER DMO/KWG - Reinstatement Works to Shop No.122 at G/F og Hung Shek House in Ping Shek Estate	Y10	26/10/18	/ /	906	
	DW1041EN182991	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT SHATIN AREA 16, WO SHEUNG TUN STREET, FOTAN	22mmx09mmx1000mm copper pipe - CP-4 42mmx 35mm reducing coupling solder - CF-5	24/12/18	/ /	847	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				42mmx 28mm reducing tee solder - CF-6				
	DW1047EN183114	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT HANG KIN STREET, MA ON SHAN AREA 90B	DECO dia22mm x0.9mm copper pipe - MOS-CP-001 DECO dia22mm elbow 90 - MOS-CPF-001	24/12/18	/ /	847	
	DW1048EN182759	HKHA	Property Services Contract for Choi Tak & Choi Fook Estate & On Kay Court C.C.	Laundry rod	20/11/18	/ /	881	
	DW1048EN183097	HKHA	Construction of Subsidised Sale Falts Development at Au Pui Wan Street, Fo Tan	Copper pipe fitting	24/12/18	/ /	847	
	DW1048EN183142	HKHA	Addition of Lanundry Rods in Kowloon West and Sai Kung Region (Ph 1) for Wah Lai Estate	Laundry rod	24/12/18	/ /	847	
	DW1048EN183315	HKHA	Addition of Lanundry Rods in Kowloon West and Sai Kung Region (Ph 1) for Wah Lai Estate	Laundry rod	15/01/18	/ /	1190	
	DW1049EN182517	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON WEST AND SAI KUNG REGION (PH 1) FOR FURTUNE ESTATE	Laundry rod	25/10/20	/ /	176	
	DW1049EN183134	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON WEST AND SAI KUNG REGION (PH 1) FOR FURTUNE ESTATE	Laundry rod	20/12/18	/ /	851	
	DW1051EN182519	HKHA	TERM CONTRACT FOR SLOPE MAINTENANCE & IMPROVEMENT WORKS FOR REGION C (2017-2019)	Y16 Y25	12/10/18	/ /	920	
	DW1057EN190005	HKHA	CONSTRUCTION OF COVERED WALKWAYS AT LEI MUK SHUE ESTATE (SITE 10)	Y16	10/01/19	/ /	830	
	DW1060EN182584	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)	Fresh Water - Refer to JRF	23/10/18	/ /	909	
	DW1060EN182635	HKHA	THE CONSTRUCTION OF HOME OWNERSHIP SCHEME AT KAI TAK SITE 1G1(B)	Fresh Water - Refer to JRF	30/10/18	/ /	902	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DW1061EN183163	HKHA	PROPERTY SERVICES CONTRACT FOR PO TAT ESTATE	Laundry rod	17/12/18	/ /	854	
	DW1067EN183135	HKHA	ADDITION OF LAUNDRY ROD IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1) FOR HOI LAI ESTATE	Laundry rod	20/12/18	/ /	851	
	DW1067EN183243	HKHA	ADDITION OF LAUNDRY ROD IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1) FOR HOI LAI ESTATE	Laundry rod	30/12/18	/ /	841	
	DW1067EN190014	HKHA	ADDITION OF LAUNDRY ROD IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1) FOR HOI LAI ESTATE	Laundry rod	10/01/19	/ /	65826 7	
	DW1068EN182826	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1)	Laundry Rod	20/11/18	/ /	881	
	DW1078EN183239	HKHA	REDCORATION OF OI MAN AND SHEK KIP MEI ESTATE	Synthetic paint - FG12-01s	01/11/19	/ /	73102 0	
	DW1081EN183161	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	17/12/18	/ /	854	
	DW1081EN183162	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 1)	Laundry rod	17/12/18	/ /	854	
	DW1082EN183098	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON WEST AND SAI KUNG REGION (PHASE 1)-UN CHAU ESTATE	Laundry Rod	18/12/18	/ /	853	
	DW1094EN183194	HKHA	TERM CONTRACT FOR SLOPE MAINTENANCE & IMPROVEMENT WORKS	Y16	20/12/18	/ /	851	
	DW1094EN183195	HKHA	TERM CONTRACT FOR SLOPE MAINTENANCE & IMPROVEMENT WORKS	Y25	20/12/18	/ /	851	
	DW1096EN183096	HKHA	ADDITION OF LAUNDRY RODS IN KOWLOON EAST REGION (PHASE 2)	Laundry rod	18/12/18	/ /	853	
	DW1105EN183187	HKHA	COMPONENTS & MATERIALS TEAM - SHEUNG LOK STREET (HOS)	Door closer - Sample 1 (Size 3) Door closer	20/12/18	/ /	851	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				- SAmple 1 (Size 4)				
	DW1112EN183341	HKHA			01/04/19	/ /	73123 4	
	DX0003EN190662	HKHA	Tin Yiu (I) Estate	bodelac 9000 hp	05/03/19	/ /	73126 1	
	DX0003EN190663	HKHA	Tin Yiu (I) Estate	bodelac 9000 hp - s0510-b	05/03/19	/ /	73126 1	
	DX0003EN190674	HKHA	Property Services Contract fot Tiin Yiu(I) & (II) and Shui Pin Wai Estate	Laundry rod	20/04/19	/ /	730	
	DX0003EN190757	HKHA	Property Services Contract fot Tiin Yiu(I) & (II) and Shui Pin Wai Estate	Laundry rod	30/04/19	/ /	720	
	DX0005EN190923	HKHA	Contract No.20180125	Fresh Water - Refer to JRF	22/05/19	/ /	698	
	DX0005EN190991	HKHA	DTC for The Maint. Impovement and VFR for Properties Managed by DMO/T&Y(1) 2016/2019	Fresh Water - Oi Tak House C1 F24 "	04/06/19	/ /	685	
	DX0008EN191098	HKHA	DTC for The Maintenance, Improvement and VAcant Flat Reimbursment for Properties Managed by /MOS/T&Y(2) 2017/2019	Laundry Rod	20/06/19	/ /	669	
	DX0021EN191129	HKHA	M&I WORKS IN KWAI CHUNG DISTRICT - Improvement Works pf Lift Machine Room a Shek Chun, SHeK Yat, Shek Sau, Shek Ning House, Shek Lei (1) Estate	Y10 - 5-C	18/06/19	/ /	671	
	DX0023EN191088	HKHA	M&I Works in Kwai Chung District - Construction of fresh water booster pump rom at main roof for Kar Yam House in On Yam Estate	Y10 - 5-C(R70000000251)	17/06/19	/ /	672	
	DX0024EN190082	HKHA	DTC for The Maintenace Improvement & VFT for Properties Managed by DMO/KWAI Chung (1) 2018/2021	Fresh Water - Shop 18, G/F , Water Meter	21/01/19	/ /	819	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DX0041EN190073	HKHA	Addition of laundry rod in Kwai Chung Region (Phase 2)	Laundry rod	16/01/19	/ /	824	
	DX0041EN190160	HKHA	Addition of laundry rod in Kwai Chung Region (Phase 2)	Laundry rod	25/01/19	/ /	815	
	DX0042EN191117	HKHA	DTC FOR THE MAINT. IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/SKC 2018/2021	Fresh Water	25/06/19	/ /	664	
	DX0044EN190099	HKHA	High Prosperity Terrace	Ext Emulsion	02/11/19	/ /	731019	
	DX0044EN190100	HKHA	High Prosperity Terrace	Synthetic paint	02/11/19	/ /	731019	
	DX0050EN190494	HKHA	Construction of Subsidised Sale Flats Development at Texco Road	Copper pipe "Yorkshire"42mm CYT42 - TR/CO/15 Copper pipe "Yorkshire"28mm CYT28 - TR/CP/16	30/03/19	/ /	751	
	DX0050EN190583	HKHA	Contruction of Subsidised Sale Flats Development at Texaco Road	Copper pipe	20/04/19	/ /	730	
	DX0050EN190791	HKHA	Construction of Subsidised Sale Flats Development at Texco Road	Copper pipe "Yorkshire"22mm CYT22 - TR/CP/27 Copper pipe "Yorkshire"22mm CYT+22 - TR/CP/28	15/05/19	/ /	705	
	DX0056EN190255	HKHA	DTC for The Maintenance, Improvement & The VFR For Properties Managed By DMO/Tuen Mun & Yuen Long (1) 2016/2019	4-bar hinge	28/02/19	/ /	781	
	DX0059EN191312	HKHA	PROPERTY SERVICES CONTRACT FOR LEUNG KING ESTATE	Potable Water - G/F Leung Wai House-Men Toilet	19/07/19	/ /	640	
	DX0066EN190701	HKHA	SIS Works in Tuen Mun & Yuen Long region-Structural Cantilever Slab Repair Works at Oi Kai House Yau Oi Estate	Y12	15/04/19	/ /	735	
	DX0070EN191812	HKHA	M&I WORKS IN TUEN MUN & YUEN LONG REGION-Recasting of Ceiling Slab at - 5-C Flat 807 Tip Ling House, Butterfly Estate	Y10	28/09/19	/ /	569	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DX0075EN191590	HKHA	M&I WORKS IN TUEN MUN & YUEN LONG REGION-Provision of Booster Pump Room at Roof of Chuen Shui, San Shui and Hong Shui House, Shui Pin Wai Estate	Y12	30/08/19	/ /	598	
	DX0076EN191773	HKHA	M&I WORKS IN TUEN MUN & YUEN LONG REGION-REPLACEMENT OF ROOFING PANEL TO BOOSTER PUMP ROOM OF OI SHUN, OI YEE & OI LIM,OI LOK,OI YUNG HSE, YAU OI EST	Y12 - 5-C	21/09/19	/ /	576	
	DX0088EN191356	HKHA	M&I WORKS IN TUEN MUN & YUEN LONG REGION - A&A Works to Estate Office at Unit No.38-39, G/F, Hing Wai House, Tai Hing Estate	Y10 - 5-C	23/07/19	/ /	636	
	DX0088EN192275	HKHA	M&I WORKS IN TUEN MUN & YUEN LONG REGION - Provision of Booster Pump Rooms at Roof of Hing Cheung, Hing Shing and Hing Tai House	Y12 - 5-C	25/11/19	/ /	511	
	DX0089EN192508	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	Laundry rod	20/12/19	/ /	486	
	DX0089EN192591	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	Laundry rod	10/01/20	/ /	465	
	DX0096EN191619	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	Laundry rod	30/08/19	/ /	598	
	DX0096EN192189	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	Window Grille	18/11/19	/ /	518	
	DX0102EN191554	HKHA	M&I WORKS IN TUEN MUN EAST DISTRICT	emulsion paint	09/12/19	/ /	73098	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DX0102EN191555	HKHA	M&I WORKS IN TUEN MUN EAST DISTRICT	emulsion paint	09/12/19	/ /	73098 2	
	DX0102EN191556	HKHA	M&I WORKS IN TUEN MUN EAST DISTRICT	emulsion paint	09/12/19	/ /	73098 2	
	DX0107EN191664	HKHA	M&I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 609 of FU Keung House, Tau Wo Hau Estate	Y10 - 5-C	03/09/19	/ /	594	
	DX0107EN192191	HKHA	M&I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 609 of FU Keung House, Tau Wo Hau Estate	Y10 - 5-C	14/11/19	/ /	522	
	DX0107EN192232	HKHA	M&I WORKS IN KWAI CHUNG REGION - recasting of Floor Slab at Flat 406, Fu Keung House & flat 1507, Fu Man House,Tai Hau Wo Estate	Y10	21/11/19	/ /	515	
	DX0109EN191793	HKHA	M & I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 236 of Block 3 Kwai Shing West East	Y10 - 5-C	25/09/19	/ /	572	
	DX0109EN191814	HKHA	M & I WORKS IN KWAI CHUNG REGION - Replacement of Metal Fencing for Community Garden at Playground near Block 5 in Kwai Shing West	Y12 - 5-C	27/09/19	/ /	570	
	DX0110EN192255	HKHA	DTC FOR THE MAINTENANCE IMPROVEMENT & VFR FOR PROPERTIES MANAGED BY DMO/KWAI CHUNG (1) 2018/2021	Fresh Water - Refer to JRF	19/11/19	/ /	517	
	DX0111EN191996	HKHA	DTC FOR THE MAINTENANCE IMPROVEMENT & VFR FOR PROPERTIES MANAGED BY DMO/KWAI CHUNG (1) 2018/2021	Fresh Water - Refer to JRF	25/10/19	/ /	542	
	DX0119EN192190	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	Laundry rod	18/11/19	/ /	518	
	DX0119EN192446	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI	Laundry rod	17/12/19	/ /	489	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			PO, NORTH & SHATIN REGION (PHASE 2)					
	DX0127EN192575	HKHA	ECA WORKS IN TUEN MUN & YUEN LONG REGION- Provision of Working Platform and Cat Ladder at 1/F of Concord Blocks, Fu Tai Estate	Y12 - R0000001272 Amend Project no. from DX0127 to DX0117	30/12/19	/ /	476	
	DX0129EN191584	HKHA	PSC FOR KWAI FONG, SHEK LEI (I) & LAI YIU ESTATE	Laundry rod	28/08/19	/ /	600	
	DX0129EN191916	HKHA	PSC FOR KWAI FONG, SHEK LEI (I) & LAI YIU ESTATE	External Emulsion	11/02/19	/ /	73128	3
	DX0129EN191917	HKHA	PSC FOR KWAI FONG, SHEK LEI (I) & LAI YIU ESTATE	External Emulsion	11/02/19	/ /	73128	3
	DX0133EN191852	HKHA	EXTENSION OF FOOTBRIDGE AND CYCLE PARKING AREA AT CHOI YUEN ROAD, SHEUNG SHUI	Copper pipe Fitting	20/10/19	/ /	547	
	DX0170EN200151	HKHA	DTC FOR THE MAINT. IMPROVEMENT AND VFR FOR PROPERTIES MANAGED BY DMO/SKC 2018/2021	Fresh Water - Refer to JRF	23/01/20	/ /	452	
	DX0170EN200657	HKHA	Contractt No.20180125	Fresh Water - Refer to JRF	02/04/20	/ /	382	
	DX0178EN200190	HKHA	M & I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 1521 of Fu Keung House, Tai Wo Hau Estate & Recasting of Floor Slab	Y10 - 5-C	28/01/20	/ /	447	
	DX0180EN200526	HKHA	M & I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 717 of Block 3 in Kwai Shing West Estate	Y10 - 5-C	16/03/20	/ /	399	
	DX0180EN200589	HKHA	M & I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Flat 1630 of Block 6, Kwai Shing West Estate & Recasting of Ceiling Slab at Flat 1507 of Block 9, Kwai Shing West Estate	Y10 - 5-C	24/03/20	/ /	391	
	DX0180EN200590	HKHA	M & I WORKS IN KWAI CHUNG REGION - Recasting of Floor Slab at Parking Space	Y12 - 5-C	24/03/20	/ /	391	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			F74 & F75 of 1/F, Chun Shing Factory and Recasting of Floor Slab at Storeroom SR1 of 1/F, Chun Shing Factory					
	DX0182EN200123	HKHA	DTC FOR THE MAINTENANCE IMPROVEMENT & VFR FOR PROPERTIES MANAGED BY DMO/KWAI CHUNG (1) 2018/2021	Fresh Water - Refer to JRF	21/01/20	/ /	454	
	DX0182EN200150	HKHA	DTC FOR THE MAINTENANCE IMPROVEMENT & VFR FOR PROPERTIES MANAGED BY DMO/KWAI CHUNG (1) 2018/2021	Fresh Water - Refer to JRF	23/01/20	/ /	452	
	DX0182EN200534	HKHA	DTC for The Maintenance Improvement & VFR for Properties Managed by DMO/Kwai Chung (1) 2018/2021	Fresh Water - Refer to JRF	19/03/20	/ /	396	
	DX0215EN200216	HKHA	ADDITION OF LAUNDRY RODS IN TUEN MUN & YUEN LONG REGION AND TAI PO, NORTH & SHATIN REGION (PHASE 2)	laundry rod	30/01/20	/ /	445	
	DY0007EN210271	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TUNG CHUNG AREA 54	Copper gate valve	11/04/21	/ /	8	
	DY0007EN210587	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TUNG CHUNG AREA 54	Copper fitting	19/03/21	/ /	31	
	DY0007EN210588	HKHA	CONSTRUCTION OF SUBSIDISED SALE FLATS DEVELOPMENT AT TUNG CHUNG AREA 54	Copper fitting	19/03/21	/ /	31	
	DY0018EN210882	HKHA	Contract No.20200126	Fresh Water	19/04/21	/ /	0	
	DY0018EN210891	HKHA	DTC for The Maintenance, Improvement and VFR for Properties Managed by DMOS/T&Y(2) 2020/2022	Fresh Water	19/04/21	/ /	0	
	DY0054EN210615	HKHA	Tin Yan Estate	Synthetic paint - s1040-b60g	12/04/21	/ /	7	
	DY0061EN210608	HKHA	Tung Chung 54	Ext Emulsion	11/04/21	/ /	8	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DY0064EN210267	HKHA	Construction of Public Housing Development at Tuen Mun Area 54 Sites 3 & 4 (East)	20mm gate valve - TM54/PLU/G/001 20mm gate valve - TM54/PLU/G/002 20mm gate valve - TM54/PLU/G/003 20mm gate valve - TM54/PLU/G/004 20mm gate valve - TM54/PLU/G/005 20mm gate valve - TM54/PLU/G/006 20mm gate valve - TM54/PLU/G/007 20mm gate valve - TM54/PLU/G/008	11/04/21	/ /	8	
	DY0064EN210268	HKHA	Construction of Public Housing Development at Tuen Mun Area 54 Sites 3 & 4 (East)	22mm pipe - TM54/PLU/P/007 22mm pipe - TM54/PLU/P/008 28mm pipe - TM54/PLU/P/009 28mm pipe - TM54/PLU/P/010 22mm solder - TM54/PLU/F/021 28mm solder - TM54/PLU/F/022 15mm solder - TM54/PLU/F/023 28x15mm solder ring - TM54/PLU/F/024 22mm solder ring - TM54/PLU/F/025 28x22x28 solder ring - TM54/PLU/F/026	11/04/21	/ /	8	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	DY0066EN210536	HKHA	Various	Camel Synthetic Paint - AS7000A	15/04/21	/ /	4	
	DY0079EN210711	HKHA	SPECIFICATION TEAM (D&S SECTION - TRIAL TEST FOR SPECIFICATION REVIEW)	Coating Mass	10/04/21	/ /	9	
	G14295EN172114	CNOOC	Failure analysis on F-8105 Elbow to Desuperheater	F-8105 Elbow to Desuperheater - Straight pipe - Elbow - Weld	30/09/17	/ /	1297	
	G16382EN191830	Jiangmen Shin Hui Hang Jian Gong Cheng Company Ltd	Hong Kong Tree Runway Project C3206	Y10 - AR1000971 Y16 - AR1000965 GZ190640	27/09/19	/ /	570	
	G16382EN191832	Jiangmen Shin Hui Hang Jian Gong Cheng Company Ltd	Hong Kong Three Runway Project C3206	Y12 - AR1000926 Y20 - AR1000920 Y25 - AR1000958 Y25 - AR1000959 Y32 - AR1000908 Y40 - AR1000932 GZ190641 CANCELLED on 24/09/2019	27/09/19	/ /	570	
	G16382EN200068	Jiangmen Shin Hui Hang Jian Gong Cheng Company Ltd	Hong Kong Three Runway Project C3206	Y12 - AR1001194 Y16 - AR1001189 GZ190803	15/01/20	/ /	460	
	G16451EN180846	Jiangsu Dongfang Highway Bridge Structures Co Ltd	candangan ProjekJambatan temburong Package CC4-Temburong Viaduct, Negara	A2018003 - Admixture	15/04/18	/ /	1100	



## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
			Brunei Darussalam	Supplier : Sika				
	G17459EN172922	Nam Kwong Ltd	Hong Kong - Zhuhai - Macao - Hong kong Bridge - Car Park	S.S. door frame	28/12/17	/ /	1208	
	G17459EN172923	Nam Kwong Ltd	Hong Kong - Zhuhai - Macao - Hong kong Bridge - Car Park	S.S. door	28/12/17	/ /	1208	
	G17459EN172924	Nam Kwong Ltd	Hong Kong - Zhuhai - Macao - Hong kong Bridge - Car Park	316L s.s. plate	28/12/17	/ /	1208	
	G17542EN172270	Tung Guan Shi Hun Tong		Hardener Concrete (After washing)	19/10/17	/ /	1278	
	G18580EN181589	Nanyue Management Investment Co Ltd	-	Y16 Y25 Y32	30/06/18	/ /	1024	
	G18580EN190894	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y12 81-13-16296B	14/05/19	/ /	706	
	G18580EN190895	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y14 83-8-15867	14/05/19	/ /	706	
	G18580EN190896	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y18 84-6-15932	14/05/19	/ /	706	
	G18580EN190897	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y20 84-6-14467	14/05/19	/ /	706	
	G18580EN190898	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y22 84-6-16003	14/05/19	/ /	706	
	G18580EN190899	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y20 19B200537101	14/05/19	/ /	706	
	G18580EN190900	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y28 81-13-16627	14/05/19	/ /	706	
	G18580EN190901	Nam Yue Investment Mangement Co Ltd	Ching Mau Port	Y32 86-3-15658	14/05/19	/ /	706	
	G18600EN181864	Zhejiang Kaier New Materials Co Ltd	-	100 x 100 mm vitreous enamel steel panel GZ180568	25/07/18	/ /	999	
	G18654EN183145	Jiuzhou Star Harbor	Hong Kong International Airport three runway sytem Project No. 3206 reclamation works	Aggregate-stone Powder - GZ180924	14/12/18	/ /	857	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
	G18654EN183146	Jiuzhou Star Harbor	Hong Kong International Airport three runway sytem Project No. 3206 reclamation works	Aggregate-stone Powder - GZ180925	14/12/18	/ /	857	
	G18654EN183147	Jiuzhou Star Harbor	Hong Kong International Airport three runway sytem Project No. 3206 reclamation works	Aggregate-stone Powder - GZ180926	14/12/18	/ /	857	
	G18654EN183226	Jiuzhon Star Eng. Ltd.	HK International Airport Three Runway System Project Contract No.3206 - Main Reclamation Works	Soil - GZ180931	17/12/18	/ /	854	
	G18654EN190875	Jiuzhou Star Harbor	Hong Kong International Airport Three Runway System Project Contract No.3205 Main Reclamation Works	Sand - GZ190325	10/05/19	/ /	710	
	G18654EN191944	Jiuzhou Star Engineering Ltd.	Hong Kong International Airport Three Rnway System Project No.3206 Main Reclamation Works	Sand - GZ190668	24/10/19	/ /	543	
	G18662EN200712	Program Metal Products (Zhuhai) Co, Ltd.	Boarding Get Transformation at Terminal Building, HK Airport	- Metal Cladding panel with water-based - inorganic fluorosilicone coating	11/04/20	/ /	373	
	G18662EN200876	Program Metal Products (Zhuhai) Co, Ltd.	Boarding Get Transformation at Terminal Building, HK Airport	- Metal Cladding panel with water-based - inorganic fluorosilicon - GZ206092	24/04/20	/ /	360	
	G18673EN183183	Luk Kin	6-22 Chung Ching Street, Hong Kong - I.L. 3863, I.L. 3864, I.L. 3867, I.L. 3868, I.L. 3869, I.L. 3870 and I.L.387	Y16 GZ180915	06/12/18	/ /	865	
	G19697EN190697	Min Qin Jiancai Zhip in (Shenzhen)	Materials Testing	R8mm x 600mm Rod - GZ190116	15/04/19	/ /	735	
	G19707EN191440	Hip Hing Engineering Company Limited	Contract No.: PD/WC/213 Main Works Contract for Innocell	D10 - 2019D01059 D10 - 2019C01930 D10 - 2019C01944 D12 - 2019D02914 D10 - 2019C01731-1	31/07/19	/ /	628	

## JRF BACKLOG (Test overdue)

Primary Test Centre CH-E

As at 19/04/21

Team	JRF No.	Client	Project	Client Sample Description / - ID	Target Date	Test Comp	OD (days)	Amount
				D10 - 2019D01731-2				
	G19707EN200500	Hip Hing Engineering Company Limited	Provision of Temporary Quarantine Facilities at Existing Open Playground of Junior Police Call Permanent Activity Centre and Integrated Youth Training Camp at Pak Heung	D10 - 2019C01944 D10 - 2019C01932 GZ206056	14/03/20	/ /	401	
	G19727EN191659	Shenzhen Bo Tong Na Construction Limited	Design,Supply and Installation of Pontoon System for Discovery Day Refurbishment Works at Discovery Bay Maina Club	Y12 Y16 GZ190599	03/09/19	/ /	594	
	G19727EN191660	Shenzhen Bo Tong Na Construction Limited	Design,Supply and Installation of Pontoon System for Discovery Day Refurbishment Works at Discovery Bay Maina Club	Y12 Y16 GZ190600	03/09/19	/ /	594	
	G19744EN191315	Nam Yue Investment Management Ltd	Ching Mau Port	Y18 Y20 Y22 Y25 Y28 Y32 GZ190475	17/07/19	/ /	642	
	G19744EN191316	Nam Yue Investment Management Ltd	Ching Mau Port	Y8 Y10 Y12 Y14 Y16 GZ190476	17/07/19	/ /	642	
	G19749EN210187	Main Kind Building and Product (Heyuan) Company Limited	Material testing	R8 GZ216009	29/01/21	/ /	80	
	G19749EN210188	Main Kind Building and Product (Heyuan) Company Limited	Material testing	R8 GZ216010	29/01/21	/ /	80	