


MRN
Name
Encounter Number

UUID:A3D8888A-51FB-44D2-8E24-096107D60058
TCGA-K4-A3WV-01A-PR

Redacted



COPY ONLY DO NOT FILE



SURGICAL PATHOLOGY

Time Collected
Time Reported
Ordering Provider
Status

Time Received
Order Number

Results

Final

Source of Specimen

- A. LEFT PELVIC LYMPH NODES-
- B. RIGHT PELVIC LYMPH NODES-
- C. LEFT DISTAL URETER -FS-
- D. RIGHT DISTAL URETER -FS-
- E. BLADDER UTERUS, FALLOPIAN TUBES, OVARIES, ANTERIOR VAGINAL WALL-
- F. MESENTERIC LYMPH NODE-

FINAL DIAGNOSIS:

- A. LEFT PELVIC LYMPH NODES-
- NO CARCINOMA SEEN IN THREE LYMPH NODES (0/3).
- B. RIGHT PELVIC LYMPH NODES-
- NO CARCINOMA SEEN IN THREE LYMPH NODES (0/3).
- C. LEFT DISTAL URETER -FS-
- NO CARCINOMA SEEN.

- D. RIGHT DISTAL URETER -FS-
- NO CARCINOMA SEEN.

E. BLADDER UTERUS, FALLOPIAN TUBES, OVARIES, ANTERIOR VAGINAL WALL-

INVASIVE CARCINOMA, HIGH GRADE.

TUMOR SITE: APEX, URINARY BLADDER.

HISTOLOGIC TYPE: UROTHELIAL.

SQUAMOUS DIFFERENTIATION: FOCALLY PRESENT.

GLANDULAR DIFFERENTIATION: NOT PRESENT.

ICD-O-3

carcinoma, urothelial, NOS

8/20/13

Site: bladder, NOS

C07.9 5-11-12

Rp

Pre

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HPAA Discrepancy		
Prior Malignancy History		
Dual/Synchronous Primary Noted		
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer initials	MD	5/8/12
Date Reviewed	5/8/12	5/9/12

TUMOR SIZE: 3.5 CM.

HISTOLOGIC GRADE: 3/3.

DEPTH OF INVASION: OUTER LIMIT OF MUSCULARIS PROPRIA (NEARLY 100%).

SPECIMEN TYPE: RADICAL CYSTECTOMY, TOTAL ABDOMINAL HYSTERECTOMY AND BILATERAL SALPINGO-OOPHORECTOMY.

TNM STAGE: pT2b, pN0, pMX.

LYMPH NODE(S) INCLUDED IN ALL PARTS: NUMBER INVOLVED : 0
NUMBER EXAMINED: 7

LYMPHATIC (SMALL VESSEL) INVASION: NOT SEEN.

ASSOCIATED EPITHELIAL LESIONS: UROTHELIAL CARCINOMA IN SITU IDENTIFIED.

NO TUMOR SEEN AT MARGINS.

ATROPHIC OVARIES WITH CORTICAL INCLUSION CYSTS. BILATERAL BENIGN PARATUBAL CYSTS. ATROPHIC ENDOMETRIUM. LEIOMYOMAS.
S. MESENTERIC LYMPH NODE-
NO CARCINOMA SEEN IN ONE LYMPH NODE (0/1).
(

Signed Others

Frozen Section

A. LEFT AND RIGHT DISTAL URETERS: NO CARCINOMA SEEN.

Frozen section performed by Dr.

Case Clinical Information

BLADDER TUMOR

Gross Description

A. Received in formalin labeled with the patient's name and

Prepar.

"left pelvic lymph nodes" is an aggregate of lobulated fibroadipose tissue measuring 3 x 3 x 3 cm in compact aggregate. Three potential lymph nodes are bisected and separately submitted in A1-A3.

B. Received in formalin labeled with the patient's name and "right pelvic lymph nodes" are multiple fragments of lobulated fibroadipose tissue measuring 3 x 3 x 3 cm in compact aggregate. Three potential lymph nodes are bisected and separately submitted in B1-B3.

C. Received in formalin labeled with the patient's name and "left distal ureter FS" are two brown-tan tissues, each measuring 4 x 3 mm. Material totally submitted in C1.

D. Received in formalin labeled with the patient's name and "right distal ureter FS" is irregular gray-tan tissue measuring 6 x 5 x 1 mm thick. Specimen totally submitted in D1.

E. Received in formalin labeled with the patient's name and "Bladder, uterus, fallopian tube, ovaries, anterior vaginal wall" is a specimen to include the described organs, measuring 11 cm superior to inferior, 9 cm anterior to posterior, 9 cm right to left. The specimen has been inked blue on the right, black on the left. The bladder cavity measures 2 cm right to left, 3 cm superior to inferior, 1.5 cm anterior to posterior. The bladder mucosa is congested and edematous, and a conspicuous, firm, uniformly pale tan, bulging tumor is noted at the apex. The tumor measures 3.5 x 3.5 x 3.5 cm in greatest dimensions. The right and left ureters are deeply retracted and are not sampled since their resection margins are demonstrated in "C" and "D". The specimen includes the urethra, measuring 3 cm in length, and the anterior vaginal wall, measuring 6 cm superior to inferior and up to 3.5 cm in width superiorly with the anterior vaginal wall and distal urethra connected by a narrow strip of mucosa. The included uterus is 6.5 cm superior to inferior, 4 cm right to left, and 3 cm anterior to posterior. The cervix is 3 cm in diameter with a linear 6 mm os. The right fallopian tube is 5 x 0.3 cm. Right ovary is normally atrophic and measures 1.5 x 1.5 x 0.9 cm. The left fallopian tube is 4 x 0.3 cm in diameter. Normally atrophic left ovary measures 1.5 x 1 x 0.7 cm. The endometrial cavity is distorted by an apparent anterior 1.4 cm fibroid-like tumor with the cavity measuring 1.2 cm in width and 1.5 cm in length. The endometrium appears pale tan and appears to measure less than 1 mm thick. A possible second subserosal fibroid is noted at the left posterior aspect. Section code: E1-shaved distal resection margin to include distal urethra and inferior aspect of anterior vaginal wall; E2-E4-additional cross sections urethra to vaginal wall proceeding inferior to superior to include majority of urethra; E5-shaved residual left vaginal wall resection margin; E6-shaved residual right vaginal wall

resection margin; E7-E8=entire left tube and ovary;
E9-E10=entire right tube and ovary; E11=duplicate sections of
posterior cervix; E12-E13=duplicate full thickness sections
posterior uterine wall to include 1.2 cm fibroid-like tumor;
E14=anterior cervix including anterior vaginal wall;
E15=anterior uterine wall full thickness section; E16=anterior
subserosal fibroid-like tumor; E17-E20=bladder dome tumor in
relationship to inked surgical margin and inked free peritoneal
surface and comes within 3 mm of the inked right lateral
surgical resection margin (E20).

7. Received in formalin labeled with the patient's name and
"mesenteric lymph node" is a moderately firm yellow-tan tissue
measuring 4 mm in greatest dimension. The specimen is totally
submitted in F1.

PROCEDURE

A. AA ROUTINE H&E X1 BLOCK.1
H&E X1
A. AA ROUTINE H&E X1 BLOCK.2
H&E X1
A. AA ROUTINE H&E X1 BLOCK.3
H&E X1
B. AA ROUTINE H&E X1 BLOCK.1
H&E X1
B. AA ROUTINE H&E X1 BLOCK.2
H&E X1
B. AA ROUTINE H&E X1 BLOCK.3
H&E X1
C. AA ROUTINE H&E X1 BLOCK
H&E X1
D. AA ROUTINE H&E X1 BLOCK
H&E X1
E. AA ROUTINE H&E X1 BLOCK.1
H&E X1
E. AA ROUTINE H&E X1 BLOCK.2
H&E X1
E. AA ROUTINE H&E X1 BLOCK.3
H&E X1
E. AA ROUTINE H&E X1 BLOCK.4
H&E X1
E. AA ROUTINE H&E X1 BLOCK.5
H&E X1 A RESULTS
E. AA ROUTINE H&E X1 BLOCK.6
H&E X1
E. AA ROUTINE H&E X1 BLOCK.7
H&E X1

Prepared for

A. AA ROUTINE H&E X1 BLOCK.8
H&E X1
E. AA ROUTINE H&E X1 BLOCK.9
H&E X1
E. AA ROUTINE H&E X1 BLOCK.10
H&E X1
E. AA ROUTINE H&E X1 BLOCK.11
H&E X1
E. AA ROUTINE H&E X1 BLOCK.12
H&E X1
E. AA ROUTINE H&E X1 BLOCK.13
H&E X1
E. AA ROUTINE H&E X1 BLOCK.14
H&E X1
E. AA ROUTINE H&E X1 BLOCK.15
H&E X1
E. AA ROUTINE H&E X1 BLOCK.16
H&E X1
E. AA ROUTINE H&E X1 BLOCK.17
H&E X1 A RECUTS
E. AA ROUTINE H&E X1 BLOCK.18
H&E X1
E. AA ROUTINE H&E X1 BLOCK.19
H&E X1
E. AA ROUTINE H&E X1 BLOCK.20
H&E X1
E. AA ROUTINE H&E X1 BLOCK
H&E X1

Prepared for C
